

**International Thermal Spray
Conference & Exposition
(ITSC 2014)**

**Not Fiction: Thermal Spray the
Key Technology in Modern Life!**

**Barcelona, Spain
21 - 23 May 2014**

ISBN: 978-1-63439-902-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by DVS Media GmbH
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact DVS Media GmbH
at the address below.

DVS Media GmbH
Postfach 10 19 65
40010 Dusseldorf Germany

Phone: 49 (0)211 / 1591-0
Fax: 49 (0)211 / 1591-150

media@dvs-hg.de

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Table of contents

Preface

Time Schedule

Lectures

Aviation Industry 1

Bond coat engineering influence on the evolution of the microstructure, bond strength and failure of TBCs subjected to thermal cycling1

R. S. Lima, B. R. Marple, Boucherville/CA, and D. Nagy, Dundas/CA

Axial Injection plasma sprayed thermal barrier coatings8

Z. Tang and G. Masindo, North Vancouver/CA

Elastic and anelastic behavior of TBCs sprayed at high deposition rates13

A. Valarezo, Quito/EC and Stony Brook/US, G. Dwivedi, S. Sampath, Stony Brook/US, R. Musalek and J. Matejicek, Prague/CZ

Properties Characterization & Testing Methods

Shrouded plasma sprayed Cr₃C₂-NiCr coatings – Effect of shroud-substrate distance20

S. Matthews, Auckland/NZ

Characterization of a HVOF-sprayed WC-CoCr coating before and after laser-assisted turning26

K. Bobzin, L. Zhao, M. Öte, T. F. Linke, F. Klocke, C. Brummer and S. Graefe, Aachen/DE

Interface fracture characterization of plasma sprayed and HIP bonded Zr coatings on U-Mo sheet using bulge testing31

K. Hollis, C. Liu, R. Leckie and M. Lovato, Los Alamos/US

Plasma Spraying 1

Optimization of an emulator based on nonlinear Auto Regressive model with exogenous inputs for an atmospheric plasma spray torch37

T. Liu, M.-P. Planche, S. Deng and G. Montavon, Belfort/FR

Tailoring the spray conditions for suspension plasma spraying43

A. Joulia, W. Duarte, S. Goutier, M. Vardelle, A. Vardelle and S. Rossignol, Limoges/FR

Influence of process parameters and feedstock selection on coating microstructures with a cascaded SinplexPro™ plasma torch48

D. Chen, C. Dambra and O. Sabouni, Westbury/US

Influence of welding HAZ stresses on adhesion strength of APS ceramic coatings53

J. Barr, C. Estrada, J. Harrison and B. White, Houston/US

Cold Gas Spraying 1

Cold spraying of Cu-Al-bronze for cavitation protection in marine environments59

S. Krebs, F. Gärtner and T. Klassen, Hamburg/DE

Characterization and optimization of cold sprayed nickel- and nickel-based alloys on aluminum and steel substrates for corrosion protection and high temperature applications65

S. Lubkowitz, F. Trenkle, J. Luth and S. Hartmann, Bad Krozingen/DE

Influence of spray angle on cold spray with Al for the repair of aircraft components.....	69
Q. Blochet, F. Delloro, F. N'Guyen, F. Borit, M. Jeandin, Evry/FR, K. Roche and G. Surdon, Argenteuil/FR	

Automotive Industry 1

Corrosion resistant coatings for cylinder bore applications in passenger car engines	75
F. Ernst, D. Kube, Dillingen/DE, F.-A. Xavier and J. Schmid, Nürtingen/DE	
State-of-the-art control and measurement techniques for high performance arc sprayed cylinder bore coating in automotive engine production.....	79
W. Wagener, Landshut/DE, P. Woisetschläger, Munich/DE, and A. Bauer, Landshut/DE	
Study on PTWA process and application to car engine cylinder bores	88
G. Darut, H. Liao, C. Coddet, Belfort/FR, and J. M. Bordes, Voujeaucourt/FR	

Power Generation – Industrial Gas Turbines 1

Thermal sprayed $Y_2O_3-Al_2O_3-SiO_2$ (YAS) coatings for environmental protection of SiC ceramics	94
E. García, A. Nistal, M. A. Sainz, M. I. Osendi, P. Miranzo, F. Martín de la Escalera and A. Khalifa, Madrid/ES	
Detrimental effects of the HVOF process on CoNiCrAlY	100
M. Thoma, München/DE, and A. Scivani, Rubbiano/IT	

Comparison Thermal Spraying vs. other Surface Technologies

A case study of the potential of wire arc spraying as a cost effective alternative to established weld overlay processes	104
P. T. Nielsen, C. Jensen, Brøndby/DK, C. Jensen, and P. Bräsel, Sorø/DK	
Surface morphology and bioactivity of copper alloy coatings	109
R. Shafaghi, L. Pershin, J. Mostaghimi and M. Ringuette, Toronto/CA	

Suspension Spraying 1

Columnar structured thermal barrier coatings (TBCs) by suspension plasma spraying (SPS)	113
N. Schlegel, S. Ebert, G. Mauer and R. Vaßen, Jülich/DE	
Morphology and wetting behaviour of atmospheric plasma sprayed titanium dioxide	119
N. Sharifi, M. Pugh, C. Moreau and A. Dolatabadi, Montreal/CA	

"Young Professionals"

Cold spray deposition of A WC-25Co cermet onto Al7075-T6 and carbon steel substrates	125
M. Couto, S. Dosta and J. M. Guilemany, Barcelona/ES	
Influence of the powder morphology and plasma spray process parameters on the structure and properties of Al_2O_3 based plasma sprayed coatings	130
V. Matikainen, H. Koivuluoto, P. Vuoristo and J. Larjo, Tampere/FI	
Cold spraying of amorphous $Cu_{50}Zr_{50}$ alloys	136
A. List, F. Gärtner, H. Assadi, T. Klassen, Hamburg/DE, T. Mori and S. Kuroda, Tsukuba/JP	
Transfer of micro-structures by transplantation of thermal sprayed coatings	142
P. Knödler, Witten/DE, A. Peuker, D. Freiburg, Dortmund/DE, M. Otten, Hannover/DE, K. Möhwald, Witten/DE, and D. Biermann, Dortmund/DE	
Microstructure and high-temperature corrosion behavior of wire-arc sprayed Fe-based coatings.....	146
R. Li, D. He, Z. Zhou, G. Wang and J. Jiang, Beijing/CN	

Plasma sprayed Y_2O_3 coating on C-FRP with aim of development of future mold materials for integrated circuit encapsulation.....157
A. Ganesan, M. Yamada, M. Fukumoto, Toyohashi/JP, and S. Kitaoka, Nagoya/JP

Mechanical properties of Cu-Ag alloys deposited by cold spray.....162
P. Coddet, Grenoble/FR, C. Verdy, C. Coddet, Belfort/FR, and F. Debray, Grenoble/FR

Insulating coatings for high-performance electronic components produced by thermal spraying considering electrical and mechanical characteristics169
M. Cichosz, F. Trenkle, S. Hartmann, Bad Krozingen/DE, and J. Wilde, Freiburg/DE

Aviation Industry 2

Relationships between in-flight characteristics and microstructural properties of plasma sprayed yttria stabilised zirconia173
M. L. Sesso, C. C. Berndt, Y. C. Wong and A. S. M. Ang, Melbourne/AUS

Lanthanum and gadolinium zirconate thermal barrier coatings structure and properties evolution179
I. Mazilin, L. Baldaev and D. Drobot, Moscow/RU

Ceramic Coatings 1

On the dielectric behavior of annealed plasma sprayed forsterite and alumina coatings.....184
J.-M. Lamarre, C. V. Cojocar and J.-G. Legoux, Boucherville/CA

Residual stress analysis on thermally sprayed coatings by means of optical and mechanical methods190
V. Martínez García, G. Pedrini, A. Killinger, R. Gadov and W. Osten, Stuttgart/DE

Modeling & Simulation 1

Numerical modelling of arc dynamics in a conventional DC plasma spray torch.....196
M. Alaya, C. Chazelas, G. Mariaux and A. Vardelle, Limoges/FR

Modelling of impact and bonding of inhomogeneous particles in cold spraying203
H. Assadi, T. Klassen, F. Gärtner, Hamburg/DE, T. Nanbu, Y. Kawashita and Y. Uehara, Kanagawa/JP

Design of experiment oriented fluid simulation for the virtual improvement of the air-cap configuration in twin-wire arc-spraying (TWAS) process208
W. Tillmann, M. Abdulgader, N. Anjami and L. Hagen, Dortmund/DE

Cold Gas Spraying 2

Integration of electrical functionality by transplanted cold sprayed electrical conductive Cu tracks via injection moulding215
K. Bobzin, M. Öte, T. F. Linke, C. Schulz, C. Hopmann and J. Wunderle, Aachen/DE

A morphological approach to the modeling of the cold spray process.....221
F. Delloro, Evry/FR, M. Faessel, Fontainebleau/FR, H. Proudhon, Evry/FR, D. Jeulin, Fontainebleau/FR, M. Jeandin, Evry/FR, E. Meillot and L. Bianchi, Monts/FR

Automotive Industry 2

Quality designed twin wire arc spraying of aluminum bores227
J. König, M. Lahres and O. T. Methner, Ulm/DE

Laser texturing surface pre-treatment before PTWA process applied to car engine cylinder bores234
S. Costil, G. Darut, A. Mahfoud, A. Lamraoui, Belfort/FR, and J. M. Bordes, Voujeaucourt/FR

Investigation of HVOF-sprayed (Ti, Mo)(C, N)-Ni hardmetal coatings for static friction applications239
L.-M. Berger, I. Shakhverdova, R. Puschmann, Dresden/DE, M. Gräfensteiner, E. Leidich, S. Schiefer and
M. Gerlach, Chemnitz/DE

Thermal cycling assessment of steel-based thermal barrier coatings for Al protection246
D. Poirier, J.-M. Lamarre and J.-G. Legoux, Boucherville/CA

Application and practice of WC cermet sprayed composite coating technology in the hot-dip galvanizing line252
L. Wang, Shanghai/CN

Power Generation – Industrial Gas Turbines 2

Evolution of thermal barrier coatings for land based gas turbines at MHI257
Y. Okajima, D. Kudo, N. Okaya, T. Torigoe, H. Kaneko, M. Mega, E. Ito, J. Masada and K. Tsukagoshi, Tokyo/JP

A comparison of microstructure and of thermal transport properties of yttria and ceria stabilized zirconia
coatings deposited by suspension plasma spraying263
P. Sokołowski, L. Łatka, S. Kozerski, A. Ambroziak, Wrocław/PL, L. Pawłowski and B. Pateyron, Limoges/FR

A preliminary microstructure investigation of YSZ coatings deposited by plasma spray –
physical vapor deposition using a shrouded plasma torch268
Q.-Y. Chen, C.-J. Li, C.-X. Li, G.-J. Yang and J.-Z. Zhao, Xi'an/CN

Intermediate PVD layers as diffusion barriers in turbine coating systems273
I. E. Ali, D. Wett, T. Grund, D. Nestler, B. Wielage and T. Lampke, Chemnitz/DE

Wear Protection

The impact and sliding wear performance of thermal spray HVAF thick carbide coatings on steel substrates279
R Waudby, Espoo/FI and Sheffield/UK, T. Suhonen, T. Varis and K. Holmberg, Espoo/FI

Ultra-smooth hardface coatings applied by advanced HVOF process285
X. Ma and P. Ruggiero, East Windsor/US

Influence of binder phase content on the microstructure and properties of TiB₂-Ni coatings sprayed by HVOF291
X. Chen, H. T. Wang, G. C. Ji, X. B. Bai and Z. X. Dong, Jiujiang/CN

Thermal sprayed protective coatings for superplastic forming ceramic dies: A monitoring system
of die condition301
A. Staiano, Glasgow/UK, W. Ion, Glasgow/UK and Inchinnan/UK, and L. O'Hare, Inchinnan/UK

HVOF- / HVAF-Spraying

Design of experiment for advanced nanostructured WC-12Co coating HVOF: Three-point bending tests306
A. A. Al-Hamed, K. Y. Benyounis, Dublin/IE, H. Y. Al-Fadhli, B. S. Yilbas, Dhahran/SA, M. S. J. Hashmi and J. Stokes, Dublin/IE

Thermal spray coatings for high temperature corrosion protection in biomass co-fired boilers312
M. Oksa, J. Metsäjoki and J. Kärki, Espoo/FI and Jyväskylä/FI

Optimization of grit blasting conditions by supersonic air spraying318
C. Lyphout, S. Björklund, Trollhättan/SE, and P. Boccaccio, Modena/IT

Influence of the handling parameters on the characteristics of HVOF sprayed coatings processed
by means of fine WC-12Co (2 – 10 µm) powders324
W. Tillmann, I. Baumann, P. Hollingsworth, M. Dildrop, A. Eilers, H. Müller and T. Wiederkehr, Dortmund/DE

Influence of the spray gun type on microstructure and properties of HVAF sprayed Fe-based corrosion
resistant coatings334
A. Milanti, H. Koivuluoto and P. Vuoristo, Tampere/FI

Novel Industrial Applications

A 25 year exposure test of thermal sprayed Zn, Al, and Zn-Al coatings in marine environments	340
S. Kuroda, Tsukuba/JP, S. Uematus, K. Kato, Y. Ichiryu and H. Saitoh, Tokyo/JP	
Improved efficiency in paper making by thermal spray coatings.....	345
H. Jungklaus, Laakirchen/AT	
Deposition of dense ceramic coatings by detonation spraying	349
V. Ulianitsky, A. Shtertser, I. Batraev, Novosibirsk/RU, and I. Smurov, Saint-Etienne/FR	
Effect of Al enrichment by pack cementation of FeCr coatings deposited by HVOF	353
A. Bellucci, S. Bellini, R. Pileggi, D. Stocchi, Rome/IT, and T. Satu, Tampere/FI	
Pulsed laminar arc jet associated with phase injection of suspension for coating elaboration.....	359
J. Krowka, V. Rat, C. Chazelas and J. F. Coudert, Limoges/FR	

Powders, Wires, Suspensions

New composites for electrical high thermal applications.....	363
D. R. Vidal, I. G. Cano and J. M. Guilemany, Barcelona/ES	
Demands and economic aspects of thermal spraying with suspensions – an overview	368
F.-L. Toma, L.-M. Berger, A. Potthoff and S. Langner, Dresden/DE	
Production and plasma spraying of cermet powders TiC-NiCr with given volume content of carbide ultra-fine inclusions	373
O. P. Solonenko, A. E. Chesnokov and A. V. Smirnov, Novosibirsk/RU	

Cold Gas Spraying 3

Interface characterization and bonding mechanisms of cold gas sprayed Al coatings on ceramic substrates	379
R. Drehmann, T. Grund, T. Lampke, B. Wielage, Chemnitz/DE, K. Manygoats, T. Schucknecht and D. Rafaja, Freiberg/DE	
Influence of substrate temperature on adhesion strength of cold-sprayed coatings	385
Y. Watanabe, C. Yoshida, K. Atsumi, M. Yamada and M. Fukumoto, Toyohashi/JP	
Properties and comparison of WC-25/17/12Co cold spray coatings onto Al7075-T6.....	391
M. Couto, S. Dosta, J. M. Guilemany, Barcelona/ES, and J. Putzier, Leichlingen/DE	

Plasma Spraying 2

Plasma spraying of ceramics with particular difficulties in processing	397
G. Mauer, N. Schlegel, A. Guignard, M. O. Jarligo, S. Rezanka, A. Hospach and R. Vaßen, Jülich/DE	
Effect of vacuum annealing on the microstructure and tribological properties of Fe-40Al coatings deposited by atmospheric plasma spraying.....	403
B. Song, S. Dong, H. Liao and C. Coddet, Belfort/FR	
Synthesis and phase stability of scandia, gadolinia and ytterbia co-doped zirconia for thermal barrier coating application.....	408
Q. Li, X. Cui, S. Li, W. Yang, C. Wang and Q. Cao, Beijing/CN	
Examination of the origin of inter-splat interface debonding during plasma-spraying of ceramic coating	414
L. Chen, G.-J. Yang, C.-X. Li and C.-J. Li, Xi'an/CN	

Power Generation – Fuel Cells & Solar

Comparison of microstructure and properties of MCrAlY-Al₂O₃ composite coatings with both micro-sized and nano-sized ceramic particles deposited by plasma spraying, HVOF and cold spraying420
X.-H. Tan, J.-M. Xu, Shanghai/CN, Q. Li, G.-J. Yang, Y.-Y. Wang, C.-X. Li and C.-J. Li, Xi'an/CN

Modeling & Simulation 2

A three-dimensional analysis of the suspension plasma spray impinging on a flat substrate426
M. Jadidi, M. Mousavi, F. Jabbari, S. Moghtadernejad and A. Dolatabadi, Montreal/CA

Transient thermal analysis of NiCrBSi coatings manufactured via hybrid plasma spray process by finite element method.....432
J. Liu, R. Bolot, S. Costil and M. P. Planche, Belfort/FR

Phase selection during rapid solidification of plasma-sprayed alumina splats on an alumina substrate.....438
E.-J. Yang, J.-J. Xin, C.-J. Li, Xi'an/CN, G.-X. Wang, Xi'an/CN and Akron/US, and G.-J. Yang, Xi'an/CN

Effect of pore size on the plasma sprayed coating's stress distribution.....444
W. Wang, L. Wang, Z. Yu and F. Xuan, Shanghai/CN

Arc Spraying & Laser Spraying

Investigations of technological developments in nozzle design for twin wire arc spraying by means of spray plume characteristics455
W. Tillmann, L. Hagen, M. Abdulgader, H. G. Rademacher, A. Schmidt, H. Müller and T. Wiederkehr, Dortmund/DE

Investigation of the effect of porosity content on the flexural behaviour of nickel foam core sandwich structures with arc sprayed alloy 625 skin.....461
S. Salavati, L. Pershin, T. W. Coyle and J. Mostaghimi, Toronto/CA

3D μ CT and SEM analysis of resolidified tips of cored wires used in twin wire arc spraying467
J. Nellesen, M. Abdulgader, W. Tillmann, Dortmund/DE, and F. Beckmann, Geesthacht/DE

Study on thermal conductivity of iron-based alloy coatings prepared by wire arc spraying process474
J. X. Wei, R. Li, Z. Zhou, D. Y. He, J. M. Jiang, Z. H. Wang and G. H. Wang, Beijing/CN

Quality, Environment, Health & Safety

Important and in demand than ever: training and qualification of thermal spray personnel480
R. Huber and A. Ohliger-Volmer, München/DE

Development of thermally sprayed Ca₂Fe₂O₅ coatings for thermoelectrical applications.....485
M. M. Barbosa, R. Puschmann, S. Thiele, F.-L. Toma, H.-P. Martin, L.-M. Berger, C. Leyens, E. Beyer, Dresden/DE, and N. J. van der Laag, München/DE

Corrosion protection for wind power plants – The influence of the application conditions by thermally spraying on the corrosion behaviour of ZnAl coatings491
T. Maghet, J. Maehrlin, Duisburg/DE, R. Feser, Iserlohn/DE, T. Wilhelm, Duisburg/DE, and K. Klahold, Iserlohn/DE

Aviation Industry 3

Cold spray of carbon fiber reinforced polymer for lightning strike protection497
H. Che and S. Yue, Montreal/CA

Study of the residual stress distribution of thermally-sprayed TBCs involving various interfaces and laser drilling ..500
C. Guinard, V. Guipont, M. Jeandin, Evry/FR, and G. Montay, Troyes/FR

Power Generation – Steam

Wear resistant HVOF coatings for high temperature applications	506
Š. Houdková, M. Kašparová, Z. Česánek and J. Schubert, Plzeň/CZ	
Technological approach for a full thermally sprayed thermoelectric generator.....	513
R. Puschmann, M. M. Barbosa, S. Scheitz, L.-M. Berger, F.-L. Toma, C. Leyens and E. Beyer, Dresden/DE	
Thermal spray coating on geothermal turbine blades by high velocity oxy-liquid fuel gun MJP-6000* for corrosion protection	519
R. Upadhyaya, S. C. Modi and A. Modi, Jodhpur/IN	

New Processes

Atmospheric plasmadynamic system in thermal spraying and hardening	520
Yu. Chivel, Saint Etienne/FR	
Chemical reactions of different types in detonation sprayed powders as tools of coating design	525
V. Yu. Ulianitsky, I. S. Batraev, D. V. Dudina and N. V. Bulina, Novosibirsk/RU	
Microstructure and fundamental properties of low temperature HVOF sprayed WC-10Co4Cr coatings	531
J.-F. Zhang, C.-M. Deng, M. Liu, K.-S. Zhou, J. Huang and T. Han, Guangzhou/CN	

Medical Industry 1

Mechanical study of novel VPS-titanium coating on polyethylene substrates	535
G. Wolinne, M. Jeandin, L. Corté, Evry/FR, S. Ruch and A. Salito, Baden-Dättwil/CH	

Corrosion Protection

Spray plasma processed ZrB ₂ -based coatings for oxidation protection.....	541
C. Barré, A. Quet, L. Bianchi, Monts/FR, C. Sanchez, Paris/FR, and A. Sauveroché, Le Haillan/FR	
Enhancing high temperature erosion-corrosion resistance of SA213-T91 steel by HVOF sprayed nano-structured Ni-20Cr coating	546
M. Kumar, H. Singh and N. Singh, Rupnagar/IN	
Performance of D-gun sprayed coatings in Na ₂ SO ₄ -60%V ₂ O ₅ environment at 900 °C	551
G. Kaushal, Talwandi Sabo/IN, H. Singh, Rupnagar/IN, and S. Prakash, Roorkee/IN	
Preparation and characterization of WC/Co-W-C cermet coatings with molten zinc corrosion resistance by HVOF spraying of bimodal-structured WC/Co powder.....	556
J.-M. Xu, X.-H. Tan, Q. Wang, Shanghai/CN, Q. Li, G.-J. Yang, Y.-Y. Wang, C.-X. Li and C.-J. Li, Xi'an/CN	

Tribological Coatings

New types of self-lubricated thermal spray coatings: The use of liquid lubricants in a metal matrix	562
N. Espallargas and S. Armada, Trondheim/NO	
Multiscale modelling of microstructural defects and influence on mechanical properties and wear resistance of thermal spray coatings.....	568
A. Laukkanen, T. Varis, T. Suhonen, J. Metsäjoki, T. Andersson and T. Laitinen, Espoo/FI	
Performance analysis of hard coatings applied by different processes on carbon steel	572
C. R. C. Lima, R. Libardi, F. Camargo, São Paulo/BR, M. A. R. Mojena, H. C. Fals, Santiago de Cuba/CU, and V. A. Ferraresi, Uberlândia/BR	
Influence of cold, warm and plasma sprayed layers on high-cycle fatigue properties of steel specimens.....	577
J. Cizek, M. Matejkova, I. Dlouhy, Brno/CZ, C. M. Kay, J. Karthikeyan, Barberton/US, S. Kuroda, Tsukuba/JP, O. Kovarik, J. Siegl, Prague/CZ, and K. A. Khor, Singapore/SG	

Effects of feedstock shape on the qualities of cold-sprayed Cu coatings	582
K. Ko, J. Choi, H. Lee and H. Lee, Suwon/KR	

Pre- & Post-Treatment

Application of dry-ice blasting in high velocity oxy-fuel process for deposition of thick WC-Co coating	588
S. Dong, B. Song, B. Hansz, H. Liao and C. Coddet, Belfort/FR	
Plasma sprayed Ce:YAG	593
P. Ctibor, Praha/CZ, J. Kubát, Turnov/CZ, Z. Pala and B. Nevrlá, Praha/CZ	
Surface roughness of plasma sprayed coatings: A statistical approach	599
J. A. Gan, Hawthorn/AU, and C. C. Berndt, Hawthorn/AU and Stony Brook/US	
Effects of spray parameters and heat treatment on the microstructure and mechanical properties of titanium coatings formed by warm spraying	605
R. Molak, S. Kuroda, H. Araki, M. Watanabe, Tsukuba/JP, H. Katanoda, Kagoshima/JP, N. Ohno and H. Fukunuma, Saitama/JP	
The effect of (severe) shot peening as pre/post treatment on fatigue behavior of cold spray coating	611
A. Moridi, S. M. Hassani-Gangaraj, Milan/IT, S. Vezzu, Marghera/IT, and M. Guagliano, Milan/IT	
Post-treatment of plasma sprayed amorphous ceramic coatings by spark plasma sintering	617
T. Chraska, J. Medřický, R. Mušálek, M. Vilémová, Z. Pala and J. Cinert, Prague/CZ	

Process Diagnostics, Sensors & Controls

Tomographic particle localization and velocity measurement	623
S. Kirner, G. Forster and J. Schein, Neubiberg/DE	
Modeling the gas flow and coating particles in the hydrogen fueled HVOF process	629
T. Pinomaa, T. Suhonen and T. Varis, Espoo/FI	
Laser diagnostic techniques for suspension and solution plasma spraying	634
S. Goutier, J. Varin, W. Duarte, A. Joulia and M. Vardelle, Limoges/FR	
3D thickness measurement of layer buildup during twin wire arc-spraying process	641
W. Tillmann, H.-G. Rademacher, R. Zielke, M. Abdulgader, L. Hagen and B. Rütter, Dortmund/DE	
Development of velocity measurement methods for cold sprayed particle clusters using particle image velocimetry techniques	648
K. Sakata, K. Tagomori, N. Sugiyama, S. Sasaki, Y. Shinya, Kitakyushu/JP, M. Yasuki, H. Sasaki, Tokyo/JP, T. Nanbu, K. Takashima, Yokosuka/JP, and H. Katanoda, Kagoshima/JP	

Ceramic Coatings 2

Nanostructured and conventional Cr ₂ O ₃ , TiO ₂ and TiO ₂ -Cr ₂ O ₃ thermal sprayed coatings for metal seated ball valve applications in hydrometallurgy	653
L. Vernhes, C. Bekins, N. Lourdel, Montreal/CA, D. Poirier, R. S. Lima, Boucherville/CA, D. Li and J. E. Klemberg-Sapieha, Montreal/CA	
Detonation spraying of hollow microspherical alumina powder	668
V. Yu. Ulianitsky, O. P. Solonenko, A. V. Smirnov and I. S. Batraev, Novosibirsk/RU	
Investigation of oxide formation on sliding interfaces of WC-CoCr in relation to friction and wear	674
J. A. Wesmann, R. Johnsen, N. Espallargas, Trondheim/NO, J. Herland, D. Twist, Tranby/NO, H. Araki, M. Watanabe and S. Kuroda, Tsukuba/JP	
Optimization of high porosity thermal barrier coatings generated with a porosity former	680
J. Medřický, M. Vilemova, T. Chraska, Prague/CZ, N. Curry and N. Markocsan, Trollhättan/SE	

Investigation of crack propagation behavior of thermal barrier coatings fabricated by atmospheric plasma spraying in the process of uniaxial tension using acoustic emission technique.....686
 L. Wang, X. H. Zhong, Shanghai/CN, Y. X. Zhao, Shanghai/CN and Beijing/CN, H.Y. Zhao, Shanghai/CN, J. S. Yang, Shanghai/CN and Beijing/CN, S. Y. Tao, Shanghai/CN, and Y. Wang, Harbin/CN

Cold Gas Spraying 4

The deposition behavior and bonding features of kinetic sprayed mixed Al-Ni binary metallic powders695
 J. Kim, G. Byun and C. Lee, Seoul/KR

Microstructure characterization of in-situ Al₅Fe₂ intermetallics particles reinforced Al matrix composite coating by annealing treatment of cold sprayed precursor701
 H.-T. Wang, X. Chen, X.-B. Bai, G.-C. Ji and Z.-X. Dong, Jiujiang/CN

Micro-scale interface strength evaluation of cold sprayed deposit.....707
 Y. Ichikawa, Y. Watanabe, I. Nonaka and H. Miura, Sendai/JP

Disorder and bonding in cold spraying of Fe₄₀Al.....711
 N. Cinca, Barcelona/ES and Hamburg/DE, F. Gärtner, T. Klassen, Hamburg/DE, and J. M. Guilemany, Barcelona/ES

Annealing treatment on the microstructure and properties of cold-sprayed FeAl-40%WC composite coating716
 H.-T. Wang, X. Chen, X.-B. Bai, G.-C. Ji and Z.-X. Dong, Jiujiang/CN

Medical Industry 2 / Metal Coatings

Effects of Al content and addition of third element on fabrication of Ti-Al intermetallic coatings by heat treatment of warm sprayed precursors.....722
 J. Sienkiewicz, S. Kuroda, K. Minagawa, H. Murakami, H. Araki, Tsukuba/JP, and K. J. Kurzydłowski, Warsaw/PL

Improvement of delamination resistant properties for thermal barrier coatings by formation wedge-like thermally grown oxide.....728
 S. Hatta, K. Ogawa, T. Takanezawa and H. Yamazaki, Sendai/JP

Numerical simulation of the minimal bonding strength to overcome rebounding in cold spraying Cu/Cu733
 K. Wang, L. Kong, X. Cui, Y. Tao, T. Li and T. Xiong, Shenyang/CN

Suspension Spraying 2

Electrocatalytic behaviour of nickel coatings formed by APS and SPS processes.....739
 M. Aghasibeig, R. Wuthrich, C. Moreau and A. Dolatabadi, Montreal/CA

Columnar structured thermal barrier coatings deposited by suspension plasma spraying.....745
 S. Tao, X. Zhong, H. Zhao, Y. Zhao, D. Li and C. Ding, Shanghai/CN

Microstructural characterization and gas sensing properties of solution precursor plasma-sprayed zinc oxide (ZnO) nanostructured coatings.....751
 C. Zhang, Yangzhou/CN, H. Li, Ningbo/CN, P. He, M. Planche, H. Liao, Belfort/F, M. Olivier and M. Debliquy, Mons/BE

Posters

Applications: Automotive Industry

Researches regarding the structure investigations on new materials of the composite type756
A. A. Cernaianu, Bucharest/RO

Applications: Aviation Industry

The influence of the pass number on the abrasability of Al-based coating763
Y. Yu, Beijing/CN and Shenyang/CN, J. Liu, Beijing/CN and Shenyang/CN, J. Shen and T. Liu, Beijing/CN

Applications: Power Generation – Fuel Cells & Solar

Microstructure and properties of suspension plasma sprayed SrTiO₃-based anodes for intermediate-temperature solid oxide fuel cells768
S.-L. Zhang, C.-X. Li, and C.-J. Li, Xi'an/CN

Applications: Power Generation – Industrial Gas Turbines

Multi-scale multi-points inter-splat connection enhanced sintering model for plasma-sprayed lamellar TBCs774
H. Xie, G.-J. Yang, C.-X. Li and C.-J. Li, Xi'an/CN

Healing of the interface between splashed particles and underlying bulk coating and its influence on isothermal oxidation behavior of LPPS MCrAlY bond coat781
B.-Y. Zhang, J. Shi, G.-J. Yang, C.-X. Li and C.-J. Li, Xi'an/CN

Examination of the characteristics of residual pores in high temperature sintered plasma-sprayed La₂Zr₂O₇ coatings.....788
T. Liu, X. Chen, G.-J. Yang, C.-X. Li and C.-J. Li, Xi'an/CN

The influence of temperature gradient on thermal cyclic lifetime of plasma-sprayed thermal barrier coatings794
H. Dong, G.-J. Yang, H. Ding, C.-X. Li and C.-J. Li, Xi'an/CN

Economic, Regulatory and Other Business Issues – QESH (Quality, Environment, Safety & Health)

Workplace exposure to nickel during thermal spraying processes799
M. A. Blättler, C. Pletscher, D. Miedinger and M. Koller, Lucerne/CH

Equipment / Consumables – Gases

The analysis of possible application of different working gases in cold gas spray method: dynamics and temperatures of particles801
A. Małachowska, A. Ambroziak, Wrocław/PL, B. Pateyron and L. Pawłowski, Limoges/FR

Equipment / Consumables – Powders, Wires, Suspensions

Influence of Cr₃C₂-NiCr feedstock powder characteristics on the deposition efficiency, coating microstructures and abrasion wear resistance.....806
L.-M. Berger, S. Thiele, T. Börner, Dresden/DE, L. Janka and M. Rodriguez Ripoll, Wiener Neustadt/AT

Equipment / Consumables – Process Diagnostics, Sensors & Controls

Process control of thermal spraying processes by means of acoustic emission analysis813
W. Tillmann, M. Abdulgader, G. Wang and R. Zielke, Dortmund/DE

Properties – Ceramics Coatings

Dielectric properties of Al ₂ O ₃ coatings deposited via atmospheric plasma spraying and dry-ice blasting correlated with microstructural characteristics	819
S. Dong, B. Song, C. J. Li, H. Liao and C. Coddet, Belfort/FR	
Comparison of alumina-titania coatings deposited by plasma and HVOF spray techniques	824
R. Trache, L.-M. Berger and C. Leyens, Dresden/DE	

Properties – Corrosion Protection

Mitigating localised corrosion using thermally sprayed aluminium coatings on welded 25% Cr superduplex stainless steel	830
S. Paul and Q. Lu, Cambridge/UK	
Building a high temperature corrosion and erosion model for thermal spray coatings	836
J. Metsäjoki, M. Oksa, J. Vaari, K. Penttilä and A. Laukkanen, Espoo/FI	
Surface modification decreases the heat conductivity at higher temperature of aluminium coating	841
R. Upadhyaya, S. C. Modi and A. Modi, Jodhpur/IN	

Properties – Metal Coatings

Heat-treatment of cold sprayed Al/Ti coating on γ -TiAl alloy.....	842
J. Wang, L. Kong, T. Li and T. Xiong, Shenyang/CN	
Properties and micro-structure analysis of Cu-Cr-Zr alloy coating.....	845
G. Ma, L. Kong, Y. Liang, T. Li and T. Xiong, Shenyang/CN	
Improvements in MMC coatings – Influence of powder preparation (mixture or ball milling) and powder size on the coating behavior.....	849
S. Costil, T. Baur, D. Aussavy, G. Montavon, O. El-kedim, Belfort/FR, and A.-F. Bonnot, Lyon/FR	
Formation of secondary phases in tunnel plasma sprayed metallic glass coatings and their role on properties	855
S. Yugeswaran, Toronto/CA, A. Kobayshi, Ooka/JP, T. W. Coyle and J. Mostaghimi, Toronto/CA	
The research of arc sprayed coatings tribological properties.....	860
J. Gargasas, A. Vaclovas Valiulis, I. Gedzevicius, Vilnius/LT, H. Pokhmurska, B. Wielage, T. Lampke, Chemnitz/DE, and R. Rosert, Altleiningen/DE	

Properties – Nanomaterial Coatings

Effect of substrate hardness and gas temperature on deposition behavior of nanostructured WC-23Co particles in cold spraying process.....	866
X. Chen, H. T. Wang, G. C. Ji, X. B. Bai and Z. X. Dong, Jiujiang/CN	

Properties – Properties Characterization & Testing Methods

Comparison of metastable austenite type structure of Fe-based coatings produced by arc spraying and surfacing	874
Yu. Korobov, M. Filippov, A. Makarov, I. Zabolotski, Yu. Khudorozhkova and G. Rimer, Ekaterinburg/RU	
Fatigue performance of TBC on structural steel exposed to cyclic bending	880
R. Musalek, O. Kovarik, J. Medricky, Prague/CZ, N. Curry, S. Bjorklund and P. Nysten, Trollhattan/SE	
X-ray micro-tomography and modeling of cold-sprayed coated powders.....	886
F. Delloro, Evry/FR, M. Faessel, Fontainebleau/FR, H. Proudhon, Evry/FR, D. Jeulin, Fontainebleau/FR, M. Jeandin, Evry/FR, E. Meillot and L. Bianchi, Monts/FR	

Properties – Tribological Coatings

In situ wear test on thermal spray coatings in a large chamber scanning electron microscope892
W. Tillmann, W. Luo and U. Selvadurai, Dortmund/DE

Properties – Wear Protection

Solid abrasive wear behaviour of $\text{Cr}_3\text{C}_2\text{-20(NiCr)}$ deposited by HVOF899
E. Altuncu and F. Ustel, Sakarya/TR

Thermal Spray Processes – Cold Gas Spraying

Influence of cold-sprayed Al/Ti deposition on high-temperature oxidation and mechanical properties deterioration of Ti-Al-Nb intermetallic substrates903
J. Cizek, O. Man and I. Dlouhy, Brno/CZ

Formation of intermetallic phases in Fe-Al binary cold spray thick deposit908
V. Jan, L. Páleníková, J. Čupera and J. Čížek, Brno/CZ

Effect of SiC particle size and methods for preparing powder on the microstructure of cold spray Al5056/SiC_p composite coatings912
S. Gojon, C. Verdy, H. Liao, Belfort/FR, and O. El Kedim, Site de Sevenans/FR

Cold spray deposition of a core-shell structured WC-Co coating918
X.-T. Luo, C.-X. Li, G.-J. Yang and C.-J. Li, Xi'an/CN

Novel in-situ gradient heat treatment during cold spray923
Y. Zeralli, Evry/FR and Courville sur Eure/FR, G. Rolland, M. Jeandin, Evry/FR, C. Bourda and F. Rambaud, Courville sur Eure/FR

Single impact bonding of cold sprayed Ti6Al4V powders onto different substrates929
M. Villa Vidaller, S. Dosta, J. M. Guilemany, Barcelona/ES, F. Gärtner, A. List and T. Klassen, Hamburg/DE

Properties of high thickness Al coatings obtained by cold gas spray to repair of light alloys components935
J. Bedoya, S. Dosta, I. G. Cano and J. M. Guilemany, Barcelona/ES

Cold spray deposition on inner side of pipe with aid of radial supersonic nozzle940
S. V. Klinkov, V. F. Kosarev and V. N. Zaikovskii, Novosibirsk/RU

Thermal Spray Processes – HVOF / HVOF / HVAF Spraying

PIV measurement and numerical simulation of the particle velocity in a HVAF spray946
H. Katanoda, Kagoshima/JP, K. Sakata, K. Tagomori, N. Sugiyama, S. Sasaki, Y. Shinya, Kitakyushu/JP, M. Yasuki, H. Sasaki, Tokyo/JP, T. Nanbu and K. Takashima, Yokosuka/JP

Adaption of the path strategy to produce near net shape coatings manufactured by HVOF spraying950
W. Tillmann, P. Hollingsworth, I. Baumann, D. Hegels, T. Wiederkehr, H. Müller, B. Johnen and B. Kuhlentötter, Dortmund/DE

Optimization of WC-based HVAF-sprayed coatings for alternative to hard chromium: Role of carbides grain size and mean free path on coating wear and corrosion properties956
C. Lyphout, Trollhättan/SE, and K. Sato, Kakamigahara/JP

Internal diameter HVAF spraying for wear and corrosion applications962
C. Lyphout and S. Björklund, Trollhättan/SE

Mechanical properties of Hastelloy C-276 coating sprayed by HVOF technology968
M. Prantnerová, Š. Houdková, Z. Česánek and J. Schubert, Pilsen/CZ

Thermal Spray Processes – Modeling & Simulation

Computer modeling of cermet coatings evolution under their pulsed high-energy post-treatment.....973
O. P. Solonenko and A. A. Golovin, Novosibirsk/RU

Thermal Spray Processes – New Processes

A plasma torch designed for low pressure plasma spraying and formation of yttria stabilized zirconia coatings979
C. Q. Sun, Y. Gao and D. M. Yang, Dalian/CN

Binary fuel detonation spraying of WC/Co.....985
V. Ulianitsky, I. Batraev, Novosibirsk/RU, I. Smurov, Saint-Etienne/FR, and A. Nikulina, Novosibirsk/RU

Thermal Spray Processes – Plasma Spraying

A TEM study of the bonded splat interface microstructure of plasma-sprayed YSZ coating.....989
E.-J. Yang, G.-J. Yang, C.-X. Li and C.-J. Li, Xi'an/CN

Thermal Spray Processes – Suspension Spraying

Tribological performance of nanostructured TiO₂ coatings prepared by suspension HVOF spraying.....994
F. F. Zhang, S. C. Wang, Southampton/UK, B. Robinson, London/UK, A. Tabecki, H. L. de Villiers-Lovelock, Cambridge/UK and R. J. K. Wood, Southampton/UK

Use of aqueous inks derived from superfine powders for the development of YSZ plasma spray coatings999
I. Georgiopoulos, P. Oikonomou and C. Andreouli, Chalkida/GR

Parametric study on coating development using perovskite solution precursor1000
I. Georgiopoulos, Chalkida/GR, E. Marathoniti, N. Vourdas, Psahna/GR, C. Andreouli, Chalkida/GR, and V. Stathopoulos, Psahna/GR

List of authors and co-authors