

AFPM Q&A and Technology Forum 2014

FCC Q&A Session

**Denver, Colorado, USA
8 October 2014**

ISBN: 978-1-5108-0091-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by American Fuel & Petrochemical Manufacturers (AFPM)
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact American Fuel & Petrochemical Manufacturers (AFPM)
at the address below.

American Fuel & Petrochemical Manufacturers (AFPM)
1667 K Street, NW, Suite 700
Washington DC 20006

Phone: (202) 457-0480
Fax: (202) 457-1486

info@afpm.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

FCC.....	5
Introduction.....	5
Reliability.....	7
Question 80: What is your experience with the reliability of multiloaders and continuous additive/catalyst loaders? What maintenance do you require?	7
Question 80: Answer Book Responses	9
Question 81: Have you installed reactor vapor line isolation systems? What has been your experience with their reliability since they are used infrequently? Are there any Best Practices to share in regards to installation and operability?	10
Question 81: Answer Book Response.....	12
Question 82: Units operating with low main fractionator bottoms yield encounter a number of problems, including coking and fouling in the slurry system and increased catalyst loading in the circulating slurry. What problems have you encountered, and what practices have you done to manage these problems?.....	13
Question 82: Answer Book Response.....	19
Question 83: As the time between FCC unit turnaround events is continuously being extended, what areas have you identified as having a high likelihood of failure due to erosion? What preventive measures can be taken to avoid such failures?	21
Question 83: Answer Book Responses	28
Question 84: Discuss your considerations for improvement of power recovery train reliability.....	30
Question 84: Answer Book Response.....	33
Sulfur.....	34
Question 85: What FCC gasoline sulfur reduction technologies are you using to control sulfur during cat feed hydrotreater or gasoline product hydrotreater outages? Will these products be a viable option for Tier 3 gasoline sulfur specs?.....	34
Question 85: Answer Book Responses	37
Profitability	44
Question 86: What are the most profitable dispositions for slurry oil and what issues do you consider for each option?.....	44
Question 86: Answer Book Responses	45
Question 87: The increase in light tight oil as a percentage of North American crude slate has resulted in lower FCC feed production and, consequently, a reduced FCC feed rate at several refineries. To address these issues, what strategies have you implemented operationally and catalytically? Are you considering sending new streams to the FCC or increasing the proportion of existing streams, such as resid? If so, what steps do you take to	

evaluate these potential new feedstocks, and what steps do you take to minimize uncertainty and reduce risk?	47
Question 87: Answer Book Response.....	48
Question 88: During a turnaround, how long does it take from oil out to vessel entry? How do you minimize this time? Please specify the unit capacity.....	50
Question 88: Answer Book Response.....	50
Question 89: What are the Best Practices in the industry for profitable LCO maximization? Please elaborate on (a) FCC catalyst/additive technologies, (b) cetane maximization, (c) process design and operations strategies and (d) any impact on naphtha octane and how you mitigate it?	51
Question 89: Answer Book Responses	57
Question 90: What is the most profitable way to schedule the FCC and associated catalytic naphtha hydrotreater turnarounds? Are there benefits in synchronizing the shutdown of these units?.....	59
Question 90: Answer Book Response.....	60
Catalyst	60
Question 91: What are the characteristics of FCC catalyst to minimize particulate emissions at the stack?.....	60
Question 91: Answer Book Response.....	61
Question 92: What is the impact of high iron you have seen in some tight oil feeds? What level of Fe (iron) on the equilibrium catalyst causes problems, and what are the typical symptoms? What changes to FCC units' hardware, catalyst, and operation have you implemented to manage Fe poisoning? What is the impact of other uncommon contaminants such as K, Ca and Mg (potassium, calcium, and magnesium)?.....	64
Question 92: Answer Book Responses	72
Safety	77
Question 93: What are your process safety concerns in withdrawing equilibrium catalyst from the FCC regenerator? How do you manage catalyst transfer piping and spent catalyst hopper temperatures? What materials of construction are appropriate (or inappropriate) for these services?.....	77
Question 93: Answer Book Response.....	80
Question 94: To reduce the risk of igniting the gas mixture in the electrostatic precipitator (ESP), we are considering safety interlocks for de-energizing the ESP when carbon monoxide content gets too high. Please share your experience regarding (a) setting an appropriate trip point, (b) other interlocks to consider, and (c) advantages over operating procedures.	80
Question 94: Answer Book Response.....	81
Question 95: What are your key wash nozzle design criteria for an effective FCC main column overhead waterwash system? Please discuss the effectiveness of using hollow-cone versus full-cone and the spray angle direction: upflow versus co-current flow?	82

Question 95: Answer Book Responses	83
Process	85
Question 96: What are the different methods you employ to increase C3 recovery? What are your typical C3 recovery improvements for these various methods?.....	85
Question 96: Answer Book Response.....	86
Question 97: What is your optimal pH for wet gas scrubber water, and how is this maintained? What are the implications of too high or too low pH?	87
Question 97: Answer Book Responses	89
Question 98: What are the options for removing catalyst fines from the main fractionator bottoms product? Which, if any, can reduce the ash content to 50 ppm or less?	91
Question 98: Answer Book Responses	92
Question 99: We are struggling with high afterburn in the regenerator. What hardware changes (spent catalyst distributor, air distributor, etc.) have you implemented to improve afterburn? What commercial experience exists about using computational fluid dynamics (CFD) to resolve such issues?.....	93
Question 99: Answer Book Responses	98
Question 100: How do nitrogen compounds distribute in the product streams of FCC units? What effect does riser severity and feed properties have on this distribution?	101
Question 100: Answer Book Response.....	102
Question 101: What factors influence butylene selectivity in the FCC LPG? What is the relative role of feedstocks, catalysts, additives, and operating conditions?.....	103
Question 101: Answer Book Response.....	109
Question 102: What benefits have you realized by installing packing in their FCC strippers? How did this equipment impact your catalyst circulation and unit pressure balance?	115
Question 102: Answer Book Response.....	115
Question 103: We increased reactor severity and noticed an increase in oxygenates in LPG and sour water. Can you explain the mechanism by which phenols and other oxygenates form in the riser?	116
Question 103: Answer Book Response.....	117
Question 104: How are radioactive surveys and/or gamma scans utilized to optimize FCC operation?.....	118
Question 104: Answer Book Responses	123
Question 105: Thermal cracking within the riser negatively impacts product properties, unit capacity, and overall performance. Which process parameters should be monitored to estimate the extent of thermal cracking? What are your typical ranges for these parameters, and what shifts would trigger concern?	128
Question 105: Answer Book Response.....	131
Closing Remarks	131