

Coiled Tubing & Well Intervention Conference & Exhibition 2015

**The Woodlands, Texas, USA
24 – 25 March 2015**

ISBN: 978-1-5108-0244-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by the Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact the Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Table of Contents

SPE-173634-MS

A Newly Deployed Slickline Tractor

1

R. Gilbert, PETRONAS Carigali; T. Setiawan, Petronas Carigali SDN BHD; N. Foo, PETRONAS Carigali

SPE-173635-MS

Evaluating Wellbore Accessibility and Productive Performance for a Long-Reach Multilateral Tight Gas Well in Changbei Block

L. Li, Shell China E&P Co. Ltd.; H. Guo, Southwest Petroleum University, Schlumberger China; H. Millan, Shell China E&P Co. Ltd.; Q. Zhang, PetroChina; T. Zhang, L. Cui, Y. Li, Schlumberger China

SPE-173637-MS

Innovational Techniques in Utilizing Real-Time Downhole Pressure and Distributed Temperature Surveying for Skin Quantification during Matrix Stimulation in Complex Multilateral Well in Saudi

N.M. Albokhari, T. Ghamdi, Saudi Aramco; R. Ahmed, A.A. Al-Dosary, Schlumberger

SPE-173638-MS

Achieving Economically Successful Deployment of Coiled Tubing at Sea as Downline to Repair a Gas Pipeline

F.C. Machado, R.M. Souza, R.F. Junior, Halliburton

SPE-173639-MS

The Development of High-Strength Coiled Tubing with Improved Fatigue Performance and H₂S Resistance

M. Valdez, C. Morales, Tenaris; R. Rolovic, B.A. Reichert, Tenaris Coiled Tubes

SPE-173640-MS

Monitoring Acid Stimulation Treatments in Naturally Fractured Reservoirs with Slickline Distributed Temperature Sensing

S.T. Grayson, Y.J. Gonzalez, K. England, R. Bidyk, S.F. Pitts, Schlumberger

SPE-173641-MS

Residual Curvature and Moments in CT due to Bending

K.R. Newman, Athena Engineering Services

SPE-173642-MS

Slickline/CTU Deployed Scab Liner System Eliminates Use of Workover Rigs and Reduces Cost

J.D. McLeod, BP Exploration (Alaska) Inc.; M.J. Brown, BP Exploration Alaska; C. Diller, R.D. Harris, Northern Solutions

SPE-173643-MS

Coiled Tubing Intervention Riser System

C.A. Courtois, Chevron Products Co.; S. Mebarkia, Chevron Corporation

SPE-173644-MS

Advancement in Mechanical Manipulation Enables Pulling Forces of 60,000 lbs on E-line - Operational Experiences from Pulling Stuck Plugs and Tools

J. Buch, H. Mourani, D. Ngo, Welltec Norway

SPE-173645-MS

Combined Distributed Temperature and Acoustic Sensing with Production Logging for Improved Horizontal Well Evaluations

B.J. Schwanitz, L.D. Gomez Chavez, Welltec Inc; K. Banks, Inversion Technologies Inc; B.P. Hemard, Inversion Well Services; B.W. Wilson, Eagle Reservoir

Table of Contents (continued)

SPE-173646-MS

Combined Electric Line Milling and Clean-out to Eliminate Fluid Costs for Multi-Stage Frac Preparation in Southeast Saskatchewan

A. MacLeod, Welltec Middle East; J. Ray, S.L. Bittner, Welltec Canada

SPE-173647-MS

Crown Plug Pulling Performed as Riserless Light Well Intervention in the Gulf of Mexico - Overcoming the Challenges

G. Andrews, A.E. Luviano, Welltec

SPE-173648-MS

Utilizing a Wall Thickness Measurement Device to Improve the Accuracy of Coiled Tubing Fatigue Calculations

D.A. Traugott, NOV CTES

SPE-173650-MS

Extending Coiled Tubing Frontiers to Ultradeep High-Pressure Well Interventions in Deepwater Gulf of Mexico: A Technical Feasibility Study

A. Rudnik, C.A. Torres, R. Ottolina, T. Gortmaker, Schlumberger; C.C. Nwabuzor, Shell Oil Co.

SPE-173651-MS

Preparing for CTD Success

M. Ross, S. McLaughlin, BP Exploration Alaska Inc; J. Milne, C. Diller, C. English, R. Harris, Northern Solutions LLC

SPE-173653-MS

Coiled Tubing Deployed Multistage Horizontal Fracturing Technology: Lesson Learned and Case History in Egypt

E. Abdel Kareem, M. Salah, Khalda; A. El Farran, B. Conrad, A. El Beltagy, Halliburton

SPE-173654-MS

Benefits of Remote Activation and New Downhole Tool for Pinpoint Coiled Tubing Stimulation Technology

B.B. Pawar, J.I. Hriscu, Halliburton, Boots & Coots; S. Brand, Halliburton

SPE-173655-MS

Coiled Tubing Deployed Gas and Water Shutoffs in Alaska Utilizing a Polymer Gel and Microfine Cement

D.B. Robertson, BP; M.A. Brown, Petrotechnical Resources of Alaska; L.H. Duong, BP; O.V. Ivanova, Schlumberger; A. Tambe, BP

SPE-173657-MS

Milling Faulty Lubricator Valve Using Innovative E-Line Conveyed Core Bit

W. Chun Seng, B. Maitland, J. Singh, Joint Development Area Operating Company; M. Ibrahim Elnaeim, Welltec Oilfield Services

SPE-173658-MS

MIC Related Coil Tubing Failures and Equipment Damage

S. Sherman, D. Brownlee, S. Kakadjian, Trican Well Service Ltd.

SPE-173659-MS

Performing Riserless Subsea Operations Utilizing Coiled Tubing in Open Water

B. Lasseigne, B. Lindsey, and J. Larke, Baker Hughes Inc.

Table of Contents (continued)

SPE-173660-MS

A Field Case History of Sulfate Reducing Bacteria Attack on Coiled Tubing Bias Welds - Root Causes and Remediation

C. Seal, T. Padron, G.L. Mallanao, T. Maddy, Baker Hughes Inc; S.H. Craig, Baker Hughes

SPE-173661-MS

Challenging Conventional Fluid Practices for Coiled Tubing Drilling

J.H. Myatt, Baker Hughes Inc.; S.T. Lynn, Baker Hughes Inc; S.H. Craig, Baker Hughes; S.J. Murphy, Baker Hughes Oilfield Opns; P.D. Correa-Peralta, T.J. Padron, Baker Hughes Inc.

SPE-173662-MS

Recent Developments in Mechanical Descaling Operations: A Case Study from Saudi Arabia

M.H. Al-Buali, N. Sabrey Abulhamayel, J.A. Leal Jauregui, Saudi Aramco SAOO; M. Ayub, Saudi Aramco; S.M. Al-Driweesh, Saudi Aramco SAOO; N.J. Molero, Schlumberger; D. Ahmed, Schlumberger Middle East SA.; A. Raza, J. Lavalley, Schlumberger; R.I. Ortega Alfonso, Schlumberger Limited; E.R. Vejarano, Schlumberger Saudi Arabia

SPE-173663-MS

Optimizing Memory Multidetector Pulsed Neutron Logging in Slim Horizontal Coil Tubing Drilled Wells Using a Carrier Assembly

J.G. Cedillo, BP Alaska; B. Raeesi, BP Exploration (Alaska) Inc.; A. Zett, BP; D. Itter, BP Alaska; P. Marouby, BP Exploration (Alaska) Inc.; D. Chace, Baker Atlas; Y. Kim, Baker Hughes Inc; H. Giordanelli, Baker; A. Martinez, Baker Hughes Inc

SPE-173664-MS

A Novel Fatigue Assessment of CT with Defects Based on Magnetic Flux Leakage

Z. Liu, A.S. Zheng, O.O. Rivas, L.F. Hauglund, Schlumberger

SPE-173665-MS

Achieving Economically Successful Coiled Tubing Composite Plug Drillouts in Extended Reach Wells

J. Ahn, Boots & Coots—A Halliburton Service

SPE-173666-MS

Impact of Well Features on CT Reach

P. Kelleher, K.R. Newman, Athena Engineering Services; I. Galvan, Global Tubing LLC; S. Opel, NOV CTES

SPE-173667-MS

Selective Stimulation Using Self Degrading Diverter Deployed with 1-1/2 in. CT During Completion Stage

K. Campos, R. Rodriguez, Cia. Halliburton; R. Cuadras, G. Guillot, G. Ramirez, PEMEX

SPE-173668-MS

Optimizing CT Milling Efficiency with the Use of Real-Time CT Modelling Software

J. Yeung, Essential Energy Services; S. Opel, CTES/Varco; E. Smalley, National Oilwell Varco

SPE-173669-MS

Modern Wireline Forces Modeling Using High-Impact Supplementary Utilities

H.C. Castillo, Baker Hughes Inc; E. Smalley, National Oilwell Varco

SPE-173671-MS

Using Coiled Tubing to Safely and Efficiently Mill Out Composite Bridge Plugs Set Across Zones with Significant Differential Pressures

Y. Li, A.R. Terry, C. Parr, R. Stanley, B. Dunsmore, Baker Hughes

Table of Contents (continued)

SPE-173672-MS

Rapid Deployment of Best in Class Snubbing Unit for a Remote Location Reabandonment

I. Pittman, S.M. Kirchner, Royal Dutch Shell; M.J. Freeman, Royal Dutch/Shell Group; S. Heijweggen, Balance Point Control

SPE-173673-MS

The Challenge of Gaining Access to a Suspended HPHT Subsea Well Using Coiled Tubing to Complete Full Abandonment to Current Standards

M.J. Freeman, J.W. White, Shell

SPE-173675-MS

Application of a Biocide Water Treatment Program to Prevent Coiled Tubing Corrosion: A Case Study

L.J. Edillon, R. McLeod, STEP Energy Services Ltd.; M. Henderson, Fusion Technologies Inc; W. McVicar, K. Eyre, Fusion Technologies Inc.; R. Pelletier, Fusion Technologies Inc; S. Yao, Fusion Technologies Inc.; Y. Yan, Fusion Technologies Inc

SPE-173677-MS

Rigless Optimization of CT Stimulation in Saudi Arabia's Offshore Laterals

J.O. Arukhe, A.A. Balto, Saudi Aramco NAOO; J.C. Perez, J.A. Noguera, Halliburton

SPE-173678-MS

Cost Effective Solutions to Achieve Injection Post Toe Valve Failure

C. Trebing, J. Whitworth, Thru Tubing Solutions; A. Beszterda, ConocoPhillips

SPE-173679-MS

Coiled Tubing Inverted Gas-lift System Installation on the Norwegian Continental Shelf

R. Babayev, B. Sirevaag, K. Grindheim, S.P. Kerr, B. Sliper, Statoil ASA

SPE-173680-MS

Two Decades of Wireline Tractor Experience - One Operator Perspective From the Norwegian Continental Shelf

A. Buchanan, H. Koldal, Statoil ASA; T. Salensminde, Statoil Norway

SPE-173681-MS

Is Well Clean Enough? A Fast Approach to Estimate Hole Cleaning for Directional Drilling

F. Zhang, S.Z. Miska, M. Yu, M.E. Ozbayoglu, N.E. Takach, University of Tulsa; R.E. Osgouei, The University of Tulsa

SPE-173682-MS

Radial Jet Drilling Revitalizes Deep Aging Field in China: A Case Study

N. Li, P. Yang, X. Teng, F. Zhang, Tarim Oilfield, PetroChina; J. Peng, Chang Qing Oilfield, PetroChina; Z. Lu, T. Zhang, B. Zhou, Tarim Oilfield, PetroChina

SPE-173683-MS

Overcoming Extended-Reach Challenges for Annular Fracturing

L. Castro, Baker Hughes Inc; S.H. Craig, R.M. Micheli, S. Livescu, Baker Hughes

Table of Contents (continued)

SPE-173684-MS

Surpassing the Challenges of CT Interventions in a Trilateral Extended Reach Well in the Arabian Gulf

F. Issa, K. Zorbalas, ZADCO; R.F. Hurtado, E. Zavala, C. Chrysoyulou, Schlumberger

SPE-173685-MS

Successful Offshore Coiled tubing Well Intervention in Mega-Reach Wells in the Russian Caspian: A 4-Well Case Study

K. Burdin, R. Mazitov, Schlumberger; P. Bravkov, Schlumberger - WIS; M.A. Lobov, A. Kichigin, Schlumberger; V. Stepanov, Colorado School of Mines; D.V. Eliseev, A. Zemchikhin, A. Byakov, LUKOIL-NVN

SPE-173686-MS

Optimization of Matrix Acidizing With Fluids Diversion in Real-Time Using Distributed Temperature Sensing and Coiled Tubing

E. Medina, Halliburton de Mexico, S.A. de C.V.; J.R. Sierra, Halliburton; A. Garcia, Boots & Coots, A Halliburton Service; J. Gleaves, Halliburton de Mexico, S.A. de C.V.; J. Mendez, PEMEX

SPE-173687-MS

Light Well Intervention Using Conventional Slickline and Electric Line off the East Coast of Canada

R.K. Loov, Schlumberger; D. Locken, Schlumberger Technology Corporation; N. McInnes, E. Chippett, Suncor Energy

SPE-173689-MS

Improving Well-Work Efficiency and Mitigating Risk Exposure by Utilizing Digital Slickline in the Kuparuk River Unit, North Slope, Alaska

T. Wiese, V.D. Yoakum, B. O'Dell, ConocoPhillips Alaska Inc.; R.K. Loov, B.V. Milazzo, J. Nemeec, Schlumberger Inc.

SPE-173690-MS

Fishing Coiled Tubing With Internal Weld Seams and Failed BPVs in a Live Well Environment Using Hydraulic Workover (HWO)

R. McDaniel, Boots & Coots, Halliburton

SPE-173691-MS

A New Approach to In-Service Coiled Tubing Improved Inspection Based Micro-Magnetic Technology

Z. Zhou, T. Shi, Southwest Petroleum University; R. Yu, Nanchang Hang Kong University; W. Fu, China National Petroleum

SPE-173692-MS

Use of Real-Time BHA Data to Enhance Predictability and Safety of Coiled Tubing Solids Removal Operations in New Zealand

G.L. Mallanao, Baker Hughes Inc; P. Saunders, Baker Hughes Ltd; J. Peralta, Baker Hughes Solutions

SPE-173693-MS

Coiled Tubing Completes Unique High-Pressure Well Abandonments in Remote Alaska Field

B.T. Webb, Coil Tubing Services, A Schlumberger Company; P.L. Cahill, Dowell Schlumberger West; C. Broady, MI-SWACO; P. Williams, Coil Tubing Services, A Schlumberger Company; T. Greene, ExxonMobil; B. Penrose, SolstenXP

SPE-173694-MS

P&A on a Deepwater Compliant Tower Asset using Hydraulic Workover (HWO): Addressing the Challenges for Successful Execution

R.R. Sinno, B.P. Marretta, Halliburton; B. Randal, Hess Corporation

SPE-173695-MS

Degradable Alternative to Risky Mill-Out Operations in Plug and Perf

I. Aviles, M. Dardis, G. Jacob, Schlumberger