

# **International Symposium on Oilfield Chemistry 2015**

**The Woodlands, Texas, USA  
13 - 15 April 2015**

**Volume 1 of 2**

ISBN: 978-1-5108-0246-9

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2015) by the Society of Petroleum Engineers  
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact the Society of Petroleum Engineers  
at the address below.

Society of Petroleum Engineers  
P. O. Box 833836  
Richardson, Texas 75083-3836

Phone: (800) 456-6863  
Fax: (972) 952-9435

[books@spe.org](mailto:books@spe.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# SPE International Symposium on Oilfield Chemistry

## Table of Contents

SPE-173708-MS

### **Unusual High-Pressure Tolerance of Polyboronic Crosslinked Gel under High-Temperature Rheology Condition**

*M. Legemah, Q. Qu, H. Sun, M.Q. Vo, L. Li, P.S. Carman, Baker Hughes*

SPE-173709-MS

### **Investigation of Microorganisms in a West Texas Oilfield Using Growth and Genetic Testing**

*J. Kilbane, Intertek Westport Technology Center; J.J. Wylde, Clariant Oil Services; A. Williamson, Occidental Petroleum Corp.*

SPE-173710-MS

### **Development of a Numerical Scheme for Simulation of Asphaltene Dependent Phenomena in Porous Media**

*V. Hematfar, Z. Chen, B.B. Maini, University of Calgary*

SPE-173711-MS

### **A Novel Polymer Assisted Emulsified Acid System Improves the Efficiency of Carbonate Acidizing**

*A.S. Zakaria, H.A. Nasr-El-Din, Texas A&M University*

SPE-173712-MS

### **Alkalinity in The 21st Century: An Improved Methodology for Carbonate Determination in Oilfield Brines**

*R. Fisher, J.M. Palkowetz, C.J. Combes, Baker Hughes*

SPE-173713-MS

### **Corrosion and Scale Formation in High Temperature Sour Gas Wells: Chemistry and Field Practice**

*S. Ramachandran, Aramco Services Company; G.A. Al-Muntasheri, Saudi Aramco PE&D; J. Leal, Q. Wang, Saudi Aramco*

SPE-173714-MS

### **Carbonate Scale Control under High Level of Dissolved Iron and Calcium in the Bakken Formation**

*Y. Peng, Z.D. Yue, C.Q. Ozuruigbo, C. Fan, Multi-Chem—A Halliburton Service*

SPE-173715-MS

### **Development and Application of a State of the Art Fully Synthetic Single Filtration Control Additive Providing Optimum Rheology in WBM: An Innovation for the Medium Temperature Drilling Market**

*C.W. Kayser, Clariant Production (D) GmbH; G. Botthof, Clariant GmbH; J.J. Wylde, Clariant Oil Services*

SPE-173716-MS

### **Investigation on a Novel Polymer with Surface Activity for Polymer Enhanced CO<sub>2</sub> Foam Flooding**

*X. Xu, A. Saeedi, R. Rezaee, Curtin University; K. Liu, Research Inst Petr Expl & Dev*

SPE-173717-MS

### **Achieving Water Quality Required for Fracturing Gas Shales: Cost Effective Analytic and Treatment Technologies**

*D.B. Burnett, F.M. Platt, C. Vavra, Texas A&M University GPRI*

Follow us on:



# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173719-MS

### **Investigation, Classification and Remediation of Amorphous Deposits in Oilfield Systems**

*V. Eroini, H. Anfindsen, A.F. Mitchell, Statoil ASA*

SPE-173720-MS

### **Development and Evaluation of Non-Ionic Polymeric Surfactants as Asphaltene Inhibitors**

*M. Wang, J. Kaufman, X. Chen, C. Sungail, Croda Inc*

SPE-173721-MS

### **Development of Novel Anti-agglomerant Chemistries with Reduced Localized Corrosion Potential to Stainless and Duplex Steels**

*V. Panchalingam, Baker Hughes Inc; Z. Liu, G. Rivers, Baker Hughes, Inc; T. Garza, S.E. Cook, Baker Hughes Inc; P. Stead, H. McEachern, Baker Hughes, Inc; L.M. Frostman, Baker Hughes Inc*

SPE-173723-MS

### **Development of Novel Phosphate Based Inhibitors Effective for Oxygen Corrosion**

*O.J. Yopez, Clariant Oil and Mining Services; N. Obeyesekere, Clariant Oil & Mining Svcs BU; J.J. Wylde, Clariant Oil Services*

SPE-173724-MS

### **Use of Anti-Agglomerates for Sour Gases, High Water Cuts and its Performance Evaluation**

*D.S. Treybig, R. Fowles, D.J. Stannard, C.S. Smith, Weatherford*

SPE-173725-MS

### **Delayed-Release Suspending Aid Provides Cement-Slurry Stability in High-Temperature, Horizontal Wells**

*G.P. Funkhouser, L.M. Leotaud, J. Bratcher, Halliburton*

SPE-173726-MS

### **Effects of Crosslinking Chemistry on Proppant Suspension in Guar Networks**

*T. Hu, Formerly Halliburton; T. Kishore, J. Maxey, Halliburton; D.M. Loveless, Halliburton Energy Services Group*

SPE-173727-MS

### **Physicochemical Interactions of Source Rocks with Injected Water-Based Fluids**

*Z.R. Abdulsattar, K.K. Agim, R.H. Lane, B. Hascakir, Texas A&M University*

SPE-173728-MS

### **Hydrodynamic Retention and Rheology of EOR Polymers in Porous Media**

*G. Zhang, R.S. Seright, New Mexico Inst-Mining & Tech*

SPE-173729-MS

### **Microemulsions as Flowback Aids for Enhanced Oil and Gas Recovery after Fracturing. Myth or Reality: A Turnkey Study to Determine the Features and Benefits**

*A. Mahmoudkhani, Clariant Oil Services Ltd; B. O'Neil, Trican Well Service; J.J. Wylde, Clariant Oil Services; S. Kakadjian, Trican Well Service Ltd.; M. Bauer, Clariant Produkte Deutschland GmbH*

Follow us on:



# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173730-MS

### **Iron Sulfide Inhibition: Field Application of an Innovative Polymeric Chemical**

*J.J. Wylde, Clariant Oil Services; C. Okocha, Clariant Oilfield Services; M. Bluth, Clariant Oil Services; A.J. Savin, B. Adamson, Clariant Oil Services Ltd*

SPE-173731-MS

### **Selection and Application of Organic Clay Inhibitors for Completion Fluids**

*S.L. Gomez, M. Ke, A. Patel, M-I SWACO, A Schlumberger Company*

SPE-173732-MS

### **A New Chemical Enhanced Oil Recovery Method?**

*S. Hosseini Nasab, P.L. Zitha, Delft University of Technology; S. Mirhaj, Aker Solution; M. Simjoo, Sahand University of Technology*

SPE-173733-MS

### **Method for Rapid Assessment of Additives to Prevent Asphaltene Precipitation at Reservoir Conditions**

*C. Ovalles, Chevron ETC; E. Rogel, Chevron Corporation; H. Morazan, M.E. Moir, Chevron ETC*

SPE-173734-MS

### **Core-Shell Systems for Delayed Delivery of Concentrated Mineral Acid**

*L. Johnson, S. Shepherd, G. Rothrock, Research Triangle Institute International; A.J. Cairns, G. Al-Muntasheri, Aramco Services Company*

SPE-173735-MS

### **Achieving a Stable Native Guar Boron Crosslink in 100% Produced Water**

*E. Lopez, T. Nelson, D.M. Bishop, Chempex Solvay Group*

SPE-173737-MS

### **Microbial and Formation Damage Assessment of Secondary Treated Sewage Effluent for a Low Permeability Carbonate Reservoir Water Injection**

*P.I. Osode, Saudi Aramco PE&D; T.Y. Rizk, Saudi Aramco; M.A. Al-Obied, Saudi Aramco PE&D; A. Alutaibi, Saudi Aramco; M. Alkhaldi, Saudi Aramco PE&D*

SPE-173738-MS

### **Formulation of Surfactants for Very Low/High Salinity Surfactant Flooding without Alkali**

*G. Zhang, J. Yu, C. Du, R.L. Lee, New Mexico Petroleum Recovery Research Center*

SPE-173739-MS

### **Reservoir Simulation and Near-Well Bore Modelling to Aid Scale Management in a Low Temperature Development with Multilateral Wells**

*O. Ishkov, E.J. Mackay, O. Vazquez, Heriot-Watt University; M.M. Jordan, Nalco Champion, An Ecolab Company*

SPE-173740-MS

### **Tandem Acidizing-Corrosion Inhibition with Low Risk-Low Toxicity Chelant**

*A. Beuterbaugh, Halliburton Co.; E.A. Reyes, A.L. Smith, Halliburton*

Follow us on:



# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173741-MS

### **Formate Brines and Their Crystallization Temperatures - New Insight into Fluid Behavior and Measuring Methodology**

*S.K. Howard, Cabot Specialty Fluids; M. Chrenowski, Robert Gordon University*

SPE-173742-MS

### **Treatment of Produced Water Using Chelating Resins: Laboratory Case Study**

*A.R. Patil, J.K. Nanda, J. Waikar, Halliburton*

SPE-173744-MS

### **Application of Advanced Mass Spectroscopy Techniques for Improved Scale Management in Conventional and Subsea Fields**

*S.M. Heath, Nalco Champion, An Ecolab Company; C. Johnston, NalcoChampion, An Ecolab Company; T.E. Gundersen, T. Bjellaas, Vitas Analytical Services*

SPE-173745-MS

### **Viscoelastic Behavior and Proppant Transport Properties of a New High-Temperature Viscoelastic Surfactant-Based Fracturing Fluid**

*A.M. Gomaa, D.V. Gupta, P.S. Carman, Baker Hughes*

SPE-173746-MS

### **How Extremely High-TDS Produced Water Compositions Affect Selection of Fracturing Fluid Additives**

*L. Li, Q. Qu, H. Sun, J. Zhou, M. Legemah, Baker Hughes*

SPE-173747-MS

### **Selection of Calcite Scale Critical Values for Deepwater Productions**

*P. Zhang, BP America Production Co.; K.J. Allan, BP America Inc; H.M. Bourne, BP Exploration Operating Co*

SPE-173748-MS

### **Environmentally-Conscious Biocides for Long-Term Protection of the Fracture**

*S.O. N'Guessan, FTS International; J. Raymond, The Dow Chemical Company; R.C. Navarrete, FTS International*

SPE-173749-MS

### **Low Salinity Chase Waterfloods Improve Performance of Cr(III)-Acetate HPAM Gel in Fractured Cores**

*B. Brattekas, The National IOR Centre of Norway, Dept. of Petroleum Technology, University of Stavanger; A. Graue, University of Bergen; R.S. Seright, New Mexico Inst-Mining & Tech*

SPE-173750-MS

### **Minimizing Surfactant Adsorption Using Polyelectrolyte Based Sacrificial Agent: a Way to Optimize Surfactant Performance in Unconventional Formations**

*K. He, Z. Yue, C. Fan, Halliburton; L. Xu, Multi-Chem—A Halliburton Service*

SPE-173751-MS

### **A New Environmentally Friendly Acidizing Fluid for HP/HT Matrix Acidizing Treatments with Enhanced Product Solubility**

*A.I. Rabie, M. Saber, H.A. Nasr-El-Din, Texas A&M University*

Follow us on:



# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173752-MS

### **A Novel Approach to Crosslink Delay of Low-pH Fracturing Fluid**

*M. Legemah, H. Sun, P.S. Carman, J. Mayor, Baker Hughes*

SPE-173753-MS

### **Computational Modeling of Temporary Clay Stabilizers Supported by Performance Testing**

*C.W. Aften, Q. Ma, ChemEOR*

SPE-173754-MS

### **Development and Evaluation of A Novel, Rapid And Highly Efficient H<sub>2</sub>S Scavenger to Meet the Challenges of Presalt Offshore Applications in Brazil**

*G.N. Taylor, Baker Hughes; A. Magalhaes, Petrobras/CENPES; F.C. Bustamante, Baker Hughes; A. Bonfim, Petrobras/CENPES*

SPE-173755-MS

### **Improved Fluid Technology for Stimulation of Ultrahigh-Temperature Sandstone Formation**

*J. Rignol, T. Ounsakul, PTTEP; W. Kharrat, D. Fu, Schlumberger; K.T. Ling, Schlumberger WTA Malaysia Sdn Bhd; I. Lomovskaya, P. Boonjai, Schlumberger*

SPE-173756-MS

### **Sandstone HF Acidizing up to 360°F Compatible with Na or K Brines and Carbonate-Laden Mineralogy**

*E.A. Reyes, A.L. Smith, A. Beuterbaugh, T. Calabrese, Halliburton*

SPE-173757-MS

### **Solubility Characterization of Asphaltene Deposits**

*E. Rogel, Chevron Corporation; C. Ovalles, M.E. Moir, J. Vien, H. Morazan, Chevron ETC*

SPE-173758-MS

### **Diblock Copolymers: A New Class of Fluid Loss Control Additives for Oilfield Cementing**

*A. Cadix, J. Wilson, C. Barthet, C. Phan, SOLVAY Novecare; C. Poix-Davaine, P. Dupuis, Solvay; S. Harrison, SOLVAY Novecare*

SPE-173759-MS

### **Scale Modeling in Reservoirs: a New Simulation Capability and its Validation with Field Data**

*H.J. Chen, W. Shi, Chevron ETC*

SPE-173760-MS

### **A Field Case Study of Inter-Well Chemical Tracer Test**

*M.L. Sanni, M.A. AlAbbad, S.L. Kokal, Saudi Aramco PE&D; S.K. Hartvig, O.K. Huseby, Restrack AS; K. Jevanord, Institute For Energy Technology*

SPE-173761-MS

### **Development and Qualification of New Zinc and Lead Sulphide Scale Inhibitors for Application under Harsh Conditions**

*S. Baraka-Lokmane, Total E&P; C. Hurtevent, Total S.A.; O. Tillement, L'Université de Lyon; C. Simpson, G.M. Graham, Scaled Solutions Limited*

SPE-173763-MS

### **Zeta Potential Measurements: Impact of Salinity on Sandstone Minerals**

*A.M. Shehata, Texas A&M; H.A. Nasr-El-Din, Texas A&M University*

Follow us on:



# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173764-MS

### **Salt Cementing Systems: Effect of Specific Ions on the Performance of High Temperature Cement Fluid Loss Polymers**

*T. Echt, T.O. Salami, T. Hurnaus, J. Plank, Technische Universität München*

SPE-173765-MS

### **Brine Crude Oil Interactions at the Oil-Water Interface**

*K.H. Chakravarty, P.L. Fosbøl, K. Thomsen, CERE, Department of Chemical and Biochemical Engineering, Technical University of Denmark (DTU)*

SPE-173767-MS

### **Proper Selection of Surfactants for Enhanced Oil Recovery Applications Based on Interfacial Rheology Measurements of Oil-Water Interfaces**

*J. Rane, L. Xu, Multi-Chem, a Halliburton Service*

SPE-173768-MS

### **How To Monitor Scale Inhibitor Squeeze Using Simple TRF Tracers**

*M. Martini, T. Brichart, A. Marais, A. Moussaron, O. Tillement, Université Claude Bernard Lyon 1; C. Hurtevent, Total S.A.; S. Baraka-Lokmane, Total E&P*

SPE-173769-MS

### **Interaction between Scale Inhibitors and Shale and Sandstone Formations**

*F. Yan, F. Zhang, N. Bhandari, Y. Liu, L. Wang, Z. Dai, Z. Zhang, V. Bolanos, A.T. Kan, M.B. Tomson, Rice University*

SPE-173770-MS

### **Ferrous Iron Impact On Phosphonate And Polymeric Scale Inhibitors At Temperature Ranging From 25 To 70°C**

*Z. Zhang, Rice University; F. Zhang, Rice University Executive Education; Q. Wang, GE Global Research Oil and Gas Technology Center; N. Bhandari, F. Yan, Rice University Executive Education; Y. Liu, Z. Dai, Rice University; L. Wang, Royal Dutch Shell Technology Center; A.T. Kan, M.B. Tomson, Rice University*

SPE-173771-MS

### **Mechanisms of Environmentally Acceptable Inhibitors for Zinc Sulphide Scale Inhibition**

*H. Williams, Champion Technologies; C. Tortolano, Nalco Champion; T. Adenuga, Robert Gordons University*

SPE-173773-MS

### **High Temperature, High Performance Water-Based Drilling Fluid for Extreme High Temperature Wells**

*K. Galindo, W. Zha, H. Zhou, J.P. Deville, Halliburton*

SPE-173774-MS

### **Stimulation Of High Temperature SAGD Producer Wells Using A Novel Chelating Agent (GLDA) and Subsequent Geochemical Modeling Using PHREEQC**

*Z. Ouled Ameer, Cenovus Energy Inc.; V. Kudrashou, Texas A&M; H.A. Nasr-El-Din, Texas A&M University; J.P. Forsyth, Cenovus Energy Inc; J. Mahoney, Mahoney Geochemical Consulting; B. Daigle, AkzoNobel*

SPE-173775-MS

### **Targeting High Molecular Weight Wax**

*W. Wei, E. Acosta, K. Gavas, P. Krishnamurthy, Halliburton Energy Services (Houston)*

Follow us on:





# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173776-MS

### **Recent Advances in Viscoelastic Surfactants for Improved Production from Hydrocarbon Reservoirs**

*K. Hull, M.A. Sayed, G.A. Al-Muntasher, ARAMCO Services Company*

SPE-173777-MS

### **A Highly Effective Corrosion Inhibitor Based on Gemini Imidazoline**

*J. Yang, RIPED, PetroChina & Xi'an Petroleum University; X. Liu, Xi'an Petroleum University; S. Jia, Xi'an Petroleum University; W. Qin, Xi'an Petroleum University; C. Yin, Tubular Goods R&D Center, PetroChina; C. Liu, Southwest Petroleum University*

SPE-173778-MS

### **Crosslinking of Guar and HPG Based Fracturing Fluids Using ZrO<sub>2</sub> Nanoparticles**

*T. Hurnaus, J. Plank, Technische Universität München*

SPE-173779-MS

### **Application of a Novel Method for Real-Time Monitoring of Scale Control Products at the Site of Use**

*J.R. Johnstone, B. Peltokoski, S. Toivonen, Kemira; R. Griffin, M.D. Hurd, A. O'Brien, Kemira Chemicals Inc; F.M. Fournier, Kemira Chemicals (UK) Ltd; J. Siivonen, P. Väsänen, S. Tittanen, M. Lehmusto, P. Mäkinen, J. Wahrman, P. Mundill, Aqsens Oy*

SPE-173780-MS

### **Development of A Very Low Peroxide Containing Peracid Formulation as Superior Treatment Option for Water Reuse Applications**

*R. Balasubramanian, R. Ryther, R.M. De Paula, B. Epps, V. Keasler, Nalco Champion, An Ecolab Company; J. Li, R. Staub, Ecolab*

SPE-173781-MS

### **Propagation of Carbon Nanotube Hybrids through Porous Media for Advancing Oilfield Technology**

*M. Kadhum, D. Swatske, University of Oklahoma; C. Chen, University of Oklahoma MPGE; D. Resasco, J. Harwell, B. Shiau, University of Oklahoma*

SPE-173782-MS

### **Effect of Environmental Parameters on the Stability and Performance of Oil and Gas Biocides**

*T. Williams, Dow Microbial Control; C.M. Schultz, TheDow Chemical company*

SPE-173783-MS

### **First 100% Reuse of Bakken Produced Water in Hybrid Treatments Using Inexpensive Polysaccharide Gelling Agents**

*B.W. McMahon, B.A. Mackay, A. Mirakyan, Schlumberger*

SPE-173784-MS

### **Study on Abnormal Viscosity Development in High-TDS Produced Water**

*H. Sun, Baker Hughes; L. Li, Baker Hughes Inc; J. Mayor, Baker Hughes Solutions; P.S. Carman, Baker Hughes*

SPE-173785-MS

### **Evaluation of Ferrous Carbonate/Iron Oxides Scaling Risk under High Temperature in the Absence and Presence of Scale Inhibitors**

*C. Yan, J. Huang, P. Guraieb, R. Tomson, Brine Chemistry Solutions*

Follow us on:



# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173786-MS

### **Magnetic Nanoparticles for an Efficient Removal of Oilfield “Contaminants”: Modeling of Magnetic Separation and Validation**

*V. Prigiobbe, Stevens Institute of Technology; S. Ko, Q. Wang, The University of Texas at Austin; C. Huh, University of Texas At Austin; S. Bryant, The University of Texas at Austin; M.V. Bennetzen, Maersk Oil Research & Technology Centre*

SPE-173787-MS

### **Polyethersulfone (PES)/Cellulose Acetate Butyrate (CAB) Hybrid Hollow Fiber Membranes for Organic Matter Removal from Produced Water**

*S. Zha, J. Yu, G. Zhang, N. Liu, R.L. Lee, New Mexico Institute of Mining and Technology*

SPE-173788-MS

### **New Hydrogen Sulfide Scavenger Development for Downhole Mixed Production Applications - Lab and Field Data**

*S. Lehrer, Baker Petrolite Corporation; V. Jovancevic, S.C. Braman, Baker Hughes Inc; L. Soos, J. Macleod, J. Kurrasch, Baker Hughes*

SPE-173789-MS

### **An Alternative to the Capillary Suction Time Test**

*R. Sethi, Schlumberger; J.J. Hinkel, Hinkel & Associates LLC; B.A. Mackay, Schlumberger*

SPE-173790-MS

### **The Effect of Pressure and TDS on Barite Scaling Kinetics**

*N. Bhandari, A.T. Kan, F. Zhang, Z. Dai, F. Yan, Y. Liu, Z. Zhang, V. Bolanos, L. Wang, M.B. Tomson, Rice University*

SPE-173791-MS

### **The Evaluation of Polycationic, Carbohydrate-Based Surfactants as Viscoelastic (VES) Fracturing Fluids**

*L.L. Whitlock, A. Sanders, P. Knox, Stepan Co.*

SPE-173792-MS

### **Effective Scale Prevention Using Chemically Infused Proppant - A Uinta Basin Case History**

*J. Leasure, R.J. Duenckel, CARBO Ceramics, Inc.; J. Hebert, CARBO Ceramics Inc.*

SPE-173794-MS

### **Determination of the Diffusion Coefficient of Methanesulfonic Acid Solutions with Calcite Using the Rotating Disk Apparatus**

*S.M. Reyath, Texas A & M University Library; H.A. Nasr-El-Din, Texas A&M University; S. Rimassa, BASF Corporation*

SPE-173795-MS

### **The Impact of Clay Type on the Asphaltene Deposition during Bitumen Extraction with Steam Assisted Gravity Drainage**

*Y. Unal, T. Kar, A. Mukhametshina, B. Hascakir, Texas A&M University*

SPE-173796-MS

### **Temperature-Induced Changes in the Solved Conformation of Cement Fluid Loss Polymers and the Consequences for Their Performance**

*J. Plank, T. Hurnaus, C. Tiemeyer, T. Echt, Technische Universität München*

Follow us on:



# SPE International Symposium on Oilfield Chemistry

## Table of Contents *(continued)*

SPE-173797-MS

### **Surfactant-Enhanced Oil Recovery from Fractured Oil-wet Carbonates: Effects of Low IFT and Wettability Alteration**

*P. Chen, The University of Texas at Austin; K.K. Mohanty, University of Texas At Austin*

SPE-173799-MS

### **High Active Aqueous-Based Pour Point Depressants and Wax Inhibitors**

*S. Potisek, K. Capaldo, D. Dermody, R. Moglia, K. Ender, Dow Chemical Co.*

SPE-173801-MS

### **Low Salinity Surfactant Flooding - A Multi-Mechanistic Enhanced Oil Recovery Method**

*S. Tavassoli, A. Kazemi Nia Korrani, G.A. Pope, K. Sepehrnoori, University of Texas At Austin*

SPE-173802-MS

### **A Novel Method to Evaluate Cement-Shale Bond Strength**

*X. Liu, S.D. Nair, University of Texas At Austin; K. Cowan, University of Texas at Austin; E. van Oort, University of Texas At Austin*

SPE-173803-MS

### **Scale Prediction and Control at Ultra HTHP**

*A.T. Kan, Z. Dai, Rice University; F. Zhang, Rice University Executive Education; N. Bhandari, F. Yan, Z. Zhang, Y. Liu, M.B. Tomson, Rice University*

SPE-173804-MS

### **Development of a Novel Biofilm Testing Method**

*C. Keller, J. Barron-Aldana, C. St. Peter, R.M. De Paula, V. Keasler, Nalco Champion, An Ecolab Company; L. Grieme, Ecolab USA Inc.; D. Nguyen, PepsiCo*

SPE-173805-MS

### **Advances in Tools to Monitoring Souring and Corrosion in Oil and Gas Fields**

*A. An, D. An, A. Elliott, P. Menon, Y. Shen, G. Voordouw, University of Calgary; D. Cote, K. Miner, Baker Hughes Canada*

Follow us on:

