

SPE/IADC Drilling Conference and Exhibition 2015

**London, United Kingdom
17 – 19 March 2015**

Volume 1 of 3

ISBN: 978-1-5108-0388-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by the Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact the Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

ACTIVATED REAMER AT-BIT SYSTEM REDUCES RATHOLE TO 3 FT IN RSS HOLE-ENLARGEMENT APPLICATIONS	1
<i>J. Tilley, J. Evans, S. Ravindal</i>	
FIT-FOR-PURPOSE ACOUSTIC CEMENT EVALUATION USING LOGGING WHILE DRILLING IN DEEPWATER	12
<i>G. Fuller, N. Gupta, M. Blyth, A. Aparicio</i>	
USING NANOPARTICLES TO FORMULATE SAG-RESISTANT INVERT EMULSION DRILLING FLUIDS	22
<i>V. Wagle, A. Al-Yarni, Z. Alabdullatif</i>	
ELASTIC PIPE CONTROL AND COMPENSATION FOR MANAGED PRESSURE DRILLING UNDER SEA WAVE HEAVE CONDITIONS	34
<i>R. Samuel, R. Lovorn</i>	
HISTORICAL ADVANCES IN DRILL PIPE INTERNAL COATING SYSTEMS AND THE PERFORMANCE OF LIQUID VERSUS POWDER APPLIED COATING SYSTEMS	50
<i>R. Lauer</i>	
PERCUSSION DRILLING SYSTEM COMBINED WITH HYBRID PDC BIT INCREASES ROP AND INTERVAL DRILLED ON TAOUDENNI BASIN WELL IN MAURITANIA	57
<i>S. Powell, A. Garcia, H. Barocio, A. Alonso</i>	
DEFINING DESIGN AND OPTIMIZATION METHOD: DYNAMIC SIMULATION MODEL PRODUCES INTEGRATED BHA SOLUTIONS FOR EFFICIENT WELLBORE DELIVERY	70
<i>W. Chen, Y. Shen, R. Harmer, S. Rawlins, Y. Dong, R. Chen</i>	
MPC-BASED FEEDBACK DELAY COMPENSATION SCHEME FOR DIRECTIONAL DRILLING ATTITUDE CONTROL	85
<i>M. Bayliss, C. Bogarth, J. Whidborne</i>	
DRILLING SYSTEMS AUTOMATION ROADMAP - THE MEANS TO ACCELERATE ADOPTION	98
<i>J. Wardt, J. Macpherson, M. Zamora, B. Dow, S. Hbaieb, A. Macmillan, L. Laing, A. Difiore, C. Inabinett Jr., M. Anderson</i>	
INTEGRATED 3-D METHOD FOR PREDICTION OF MUD-WEIGHT WINDOW FOR SUBSALT WELL SECTIONS	117
<i>X. Shen, X. Hu, X. Zheng, W. Standifird</i>	
APPLICATION OF LEAN PRINCIPLES TO ACCELERATE PROJECT DEVELOPMENT	133
<i>R. Tonnessen, R. Byrnes, M. Franco, K. Romaine</i>	
DRILLPIPE INFLUENCE ON DRILLING PERFORMANCE	142
<i>C. Herbig, H. Oueslati, A. Hohl, H. Reckmann, D. Heinisch, R. Pessier, N. Silva, C. Castilho, D. Gozzi</i>	
UTILIZATION OF ELECTRICAL PLASMA FOR HARD ROCK DRILLING AND CASING MILLING	165
<i>I. Kocis, T. Kristofic, M. Gajdos, G. Horvath, S. Jankovic</i>	
CLAY-FREE HIGH PERFORMANCE WATER-BASED DRILLING FLUID FOR EXTREME HIGH TEMPERATURE WELLS	179
<i>K. Galindo, W. Zha, H. Zhou, J. Deville</i>	
ENGINEERING DESIGN OF LOST CIRCULATION MATERIALS (LCMS) IS MORE THAN ADDING A WORD	189
<i>S. Savari, S. Kulkarni, D. Whitfill, D. Jamison</i>	
ADVANCED FEA MODELING DELIVERS SOLUTION FOR DESIGNING A DUAL HOLE OPENING BHA FOR A SINGLE DIRECTIONAL RUN	197
<i>N. Najmi, A. Soh, D. Nair, M. Zaim, B. James, B. Subroto, T. Omar</i>	
INNOVATIVE AND MODULAR EQUIPMENT DESIGN FOR RHEOLOGY AND COMPATIBILITY MEASUREMENT OF COMPLEX WELLBORE FLUIDS	209
<i>P. Sairam, G. Pangu, B. Gajji</i>	
CASE STUDY: USING MANAGED PRESSURE DRILLING AND OIL BASED MUD TO EFFICIENTLY DRILL AN EXTREMELY THICK AND HIGHLY FRACTURED CARBONATE SEQUENCE UNDER AN EXTREMELY THICK AND HIGHLY SENSITIVE LAMINATED SHALE	236
<i>H. McGowen III</i>	

FIRST TIME DRILLING WITH STEERABLE DRILLING LINER FROM SEMI-SUBMERSIBLE	257
<i>Q. Noordoven, G. Grindhaug, M. Eidern, N. Spreckelmeyer</i>	
THE EFFECT OF BOREHOLE PRESSURE ON THE DRILLING PROCESS IN SALT	266
<i>D. Curry, A. Lourenco, L. Ledgerwood III, R. Mahardige, S. Fontoura, N. Inoue</i>	
AXIAL OSCILLATION TOOLS VS. LATERAL VIBRATION TOOLS FOR FRICTION REDUCTION - WHAT'S THE BEST WAY TO SHAKE THE PIPE?	290
<i>R. Gee, C. Hanley, R. Hussain, L. Canuel, J. Martinez</i>	
DRILLING PERFORMANCE: EFFICIENT INTEGRATION OF THE ENTIRE DRILLING SYSTEM	306
<i>J. Greenwood</i>	
PROBABILISTIC WELL TIME ESTIMATION REVISITED: FIVE YEARS ON	313
<i>A. Adams, K. Grundy, C. Kelly</i>	
INNOVATIVE HYBRID BIT DELIVERS BREAKTHROUGH IN A DEEPWATER EXPLORATION WELL ON THE WEST COAST OF IRELAND	361
<i>C. Holub, B. Chiniwala, J. Montgomery, R. Buske</i>	
EXTENDING BIT LIFE THROUGH BEARING INNOVATIONS	379
<i>J. Schroder, A. Aldarwaish, J. Richards, M. Pasquale, M. Mohamed, J. Yorty</i>	
RELIABLE HIGH-SPEED MUD PULSE TELEMETRY	396
<i>W. Emmerich, O. Akimov, I. Brahim, A. Greten</i>	
USING DRILL CUTTINGS WASTE AS RESOURCE FOR SPUD MUD	405
<i>F. Taghiyev, H. Hodne, A. Saasen</i>	
NEW DEEP-WATER, HIGH-PRESSURE COMPLETION TUBULAR FOR GULF OF MEXICO MAXIMIZES COMBINED-LOAD CAPABILITY WHILE INCORPORATING PROVEN COST SAVING FEATURES	424
<i>T. Anderson, C. Fontenot, R. Davey, J. Dugas, B. White, K. Hamilton, P. Beauchamp, A. Muradov, J. Brock</i>	
ACCURACY AND CORRECTION OF HOOK LOAD MEASUREMENTS DURING DRILLING OPERATIONS	442
<i>E. Cayeux, H. Skadsem, R. Kluge</i>	
OVERCOMING COMPLEX GEOSTEERING CHALLENGES IN THE CARDIUM RESERVOIR OF THE FOOTHILLS OF CANADA TO INCREASE PRODUCTION USING AN INSTRUMENTED MUD MOTOR WITH NEAR BIT AZIMUTHAL GAMMA RAY AND INCLINATION	480
<i>A. Suh, J. Bradley, G. Feltham</i>	
RECENT ADVANCES IN SOFT TORQUE ROTARY SYSTEMS	495
<i>S. Dwars</i>	
HYDRAULIC DESIGN OF SHALE DRILL BIT USING AN INTEGRATED NUMERICAL AND EXPERIMENTAL APPROACH	507
<i>A. Mostemi, R. Rahmani, R. Graham, B. Ivie</i>	
STRAIN-GAUGE BENDING-MOMENT MEASUREMENTS USED TO IDENTIFY WELLBORE TORTUOSITY	525
<i>C. Marland, J. Greenwood</i>	
MANAGED PRESSURE CEMENTING ENABLES OFFSHORE OPERATOR TO REACH TD IN NARROW MARGIN ULTRA-HP/HT WELL IN MALAYSIA	540
<i>B. Tan, J. Gillies, A. Noh, K. Mohamed, F. Wahid, W. Bordessoulles, P. Jain</i>	
A NEW TECHNIQUE FOR CALCULATING DOWNHOLE ROTATION SPEED AND TORQUE FROM SURFACE MEASUREMENTS	559
<i>A. Kyllingstad</i>	
FIRST EVER NORTH SEA DEPLOYMENT OF TANDEM DIV SYSTEM ELIMINATES SNUBBING - A CASE STUDY	574
<i>G. Mueller</i>	
BRITTLE LONGITUDINAL SPLITS OF P-110 COUPLINGS DUE TO LOCAL MATERIAL DEFECTS AND INSUFFICIENT CONTROL OF MATERIAL PROPERTIES DURING MANUFACTURING OF HIGH COLLAPSE P-110 CASING	581
<i>S. Koneti, S. Gokhale</i>	
DRILLING MODELING AND SIMULATION: CURRENT STATE AND FUTURE GOALS	602
<i>J. Sugiyura, R. Samuel, J. Oppelt, G. Ostermeyer, J. Hedengren, P. Pastusek</i>	
DRILLING WITH LINER TECHNOLOGY ENABLES SUCCESSFUL SIDETRACK THROUGH DEPLETED SANDS IN SHALLOW WATER GULF OF MEXICO	629
<i>W. Bridgeman, C. Salminen, M. Karimi, M. Shahri</i>	
ANTI-COLLISION CONSIDERATIONS FOR ARCTIC AND OTHER HIGH LATITUDE LOCATIONS	640
<i>C. Chatar, N. Beck, D. Simeone, A. Buchanan, L. Borri, L. Occhionero</i>	

TIME DEPENDENT BOREHOLE STABILITY: EFFECT OF STATIC VS. DYNAMIC MUD WEIGHT	658
<i>O. Nes, J. Stenebraten, E. Fjaer</i>	
INVESTIGATING THE BENEFITS OF INDUCED VIBRATIONS IN UNCONVENTIONAL HORIZONTALS VIA NONLINEAR DRILL STRING DYNAMICS MODELING	676
<i>J. Wilson, G. Heisig</i>	
APPLICATION OF WIRED DRILLPIPE TECHNOLOGY USED TO INCREASE DRILLING EFFICIENCY ON NORTH SEA PROJECT	697
<i>A. Craig, R. Teelken</i>	
AN EXPERIMENTAL STUDY OF THE SWELLING PROPERTIES OF UNCONVENTIONAL SHALE-OIL ROCK SAMPLES USING BOTH WATER-BASED AND OIL-BASED MUDS AND EFFECTS OF INVASION ON ROCK MECHANICAL PROPERTIES	710
<i>H. Emadi, M. Soliman, L. Heinze, R. Moghaddam, R. Samuel</i>	
SMART KICK DETECTION; FIRST STEP ON THE WELL CONTROL AUTOMATION JOURNEY	725
<i>J. Brakel, B. Tarr, W. Cox, F. Jorgensen, H. Straume</i>	
CASING WEAR FACTORS: HOW DO THEY IMPROVE WELL INTEGRITY ANALYSES?	742
<i>A. Kumar, R. Samuel</i>	
ADVANCES IN THE CALCULATION OF CIRCULATING PRESSURE DROP WITH AND WITHOUT DRILLPIPE ROTATION	760
<i>T. Hemphill</i>	

VOLUME 2

A MODEL FOR WELL RELIABILITY ANALYSIS THROUGHOUT THE LIFE OF A WELL USING BARRIER ENGINEERING AND PERFORMANCE	771
<i>B. Das, R. Samuel</i>	
##ALTERNATE WEIGHTING MATERIAL FOR HIGH PRESSURED JURASSIC WELLS IN KUWAIT - CASE HISTORIES OF SUCCESSFUL K-FORMATE MN3O4 DRILLING FLUIDS	792
<i>S. Al-Foudari, M. Al-Muhailan, A. Rajagopalan, F. Al-Qadhi</i>	
DRILLING TECHNIQUE IMPROVES DIRECTIONAL STEERING CONTROL IN VERY WEAK FORMATION AND REDUCES WELLBORE COLLISION RISK	806
<i>J. Ogwumike, Y. Ajjolaiya, E. Appleton, H. Schrader, N. Foekema, J. Ruzska, H. Wilson, A. Adams</i>	
CASE STUDY: TAPPING INTO CORPORATE DOMAIN EXPERTISE USING A STANDARD REALTIME DATA SOLUTION	825
<i>M. Regan, R. Kucs</i>	
DEFINING FRAGILE - THE CHALLENGE OF ENGINEERING DRILLING FLUIDS FOR NARROW ECD WINDOWS	838
<i>E. Knox, R. Bulgachev, I. Cameron</i>	
DESIGN, QUALIFICATION, QAQC AND OPERATIONAL PERFORMANCE OF COMPLETION FLUID, RESERVOIR DRILL-IN FLUID AND BREAKER - TAMAR, OFFSHORE ISRAEL	855
<i>J. Healy, J. Sanford, T. Hopper, K. Dufrene, J. Fink, C. Baloderrama, V. Steve, G. Mackenzie</i>	
WELL ADVISOR - INTEGRATING REAL-TIME DATA WITH PREDICTIVE TOOLS, PROCESSES AND EXPERTISE TO ENABLE MORE INFORMED OPERATIONAL DECISIONS	881
<i>R. Israel, C. Mason, N. Whiteley, K. Gibson, D. Dobson, P. Andresen</i>	
MANAGING LOSSES IN NATURALLY FRACTURED FORMATIONS: SOMETIMES NANO IS TOO SMALL	900
<i>S. Savari, D. Whitfill</i>	
APPLICATION OF MODERN TECHNOLOGY TO A MULTI-POSITION DOWN HOLE DRILLING ELECTRONIC CIRCULATING VALVE AND INTEGRAL DISCONNECT MECHANISM	910
<i>G. Hunter, A. Ollerenshaw</i>	
A CASE STUDY OF FLEXIBLE/EXPANDABLE AND SELF-HEALING CEMENT FOR ENSURING ZONAL ISOLATION IN A SHALLOW, HYDRAULICALLY FRACTURED GAS WELL, ONSHORE THAILAND	926
<i>J. Bermea, S. Taoutaou, K. Olutimehin, M. Vinaipanit, S. Ashraf, G. Segret, J. Asawakowitkorn, N. Kongpat</i>	
STUDIES OF CEMENT WIPER PLUGS SUGGEST NEW DEEPWATER STANDARDS	939
<i>M. Trogus, D. Farley, G. Gaspard</i>	
HARDBANDING COMPATIBILITY TEST PROGRAM TO STEM TOOL JOINT FAILURES CAUSED BY REAPPLICATION OF INCOMPATIBLE HARDBANDING	948
<i>S. Konet, S. Gokhale</i>	

FASTER ROP IN HARD CHALK: PROVING A NEW HYPOTHESIS FOR DRILLING DYNAMICS	963
<i>E. Akutsu, M. Rodsjo, J. Gjertsen, M. Andersen, N. Reimers, M. Granhoy-Lieng, E. Strom, K. Horvei</i>	
CASING COLLAPSE STRENGTH ENHANCEMENT DUE TO CEMENT AND PIPE SUPPORT VIA MODELLING AND TESTING	977
<i>P. Jammer, H. Hariharan, F. Klever</i>	
DRILLING WITH 100% NATURAL GAS ENGINES	996
<i>J. McEvers, B. Kent</i>	
DRILLING DEPLETED SANDS: CHALLENGES ASSOCIATED WITH WELLBORE STRENGTHENING FLUIDS	1013
<i>K. Chellappah, A. Kumar, M. Aston</i>	
BLOWOUT WELL-FLOW SIMULATION FOR DEEPWATER DRILLING USING HIGH-PRESSURE/ HIGH-TEMPERATURE (HP/HT) BLACK-OIL VISCOSITY MODEL	1026
<i>Z. Liu, R. Samuel, A. Gonzales, Y. Kang</i>	
NOVEL HIGH DENSITY BRINE-BASED DRILL-IN FLUIDS SIGNIFICANTLY INCREASED TEMPERATURE LIMIT FOR HP/HT APPLICATIONS	1040
<i>H. Zhou, J. Deville, C. Davis</i>	
A STOCHASTIC MODEL FOR AN ACTIVE OVER PASSIVE MOTION COMPENSATOR FOR OFFSHORE DRILLING OPERATIONS	1053
<i>A. Barr</i>	
WIRED NEAR BIT UNDERREAMER CONNECTS MEASUREMENT WHILE DRILLING TOOLS TO ROTARY STEERABLE SYSTEM WHILE ELIMINATING THE UNDER GAUGE RATHOLE AT TD	1069
<i>E. Valverde, A. Goodwin</i>	
IMPLEMENTATION OF MANAGED PRESSURE CASING DRILLING AND MANAGED PRESSURE CEMENTING TECHNIQUES IN UNCONVENTIONAL RESERVOIRS	1075
<i>J. Balanza, L. Justiniano, I. Poletzky</i>	
ALL-ATTITUDE GYRO WHILE DRILLING TECHNOLOGY PROVIDES ACCURATE SURVEYS IN HIGH ANGLE EAST/WEST DIRECTIONAL WELLBORES DELIVERING REDUCED COSTS AND INCREASING THE LENGTH OF THE PRODUCING ZONE	1091
<i>K. Beattle, R. Shoup, J. Weston, P. Burke</i>	
DYNAMIC SOFT STRING MODEL AND ITS PRACTICAL APPLICATION	1105
<i>S. Miska, Z. Zamanipour, A. Merlo, M. Porche</i>	
AUTOMATED DRILLING FLUID RHEOLOGY CHARACTERIZATION WITH DOWNHOLE PRESSURE SENSOR DATA	1126
<i>A. Vajargah, E. Oort</i>	
PDC SHEARING CAP TECHNOLOGY PROTECTS CUTTERS WHEN DRILLING OUT CASING BITS FOR INCREASED ROP AND BIT LIFE IN THE NEXT HOLE SECTION	1148
<i>W. King, C. Leon, M. Reese, T. Rumbos, K. Schader, J. Cano, H. Chevre</i>	
USING MODEL-BASED SYSTEMS ENGINEERING FOR RIG-LEVEL SAFETY AUTOMATION	1167
<i>D. Hetherington</i>	
CHANGING THE GAME FROM STEEL TO ALUMINUM DRILL PIPE: RESULTS FROM FULL STRING ALUMINUM ALLOY DRILL PIPE DEPLOYMENT TO ENHANCE EXTENDED REACH DRILLING PERFORMANCE	1181
<i>B. Legarth, J. Lehner, H. Okide, V. Koinkar, Z. Mammood</i>	
NEW ROUTES TO ACHIEVING WELL INTEGRITY IN CHALLENGING WELL SCENARIOS	1204
<i>J. McNicol, S. Bakken, S. Haavardstein</i>	
REAL TIME DATA MONITORING EXPERIENCE RESULTS IN ENHANCED SAFETY AND EFFICIENCY	1218
<i>C. Harder, J. Sutler, N. Hale</i>	
LOOK AHEAD TEAM MXS: TRANSFORMING KNOWLEDGE IN SUCCESSFUL OPERATIONS	1236
<i>E. Rodriguez, A. Jimenez, J. Angel, H. Bedino, S. Scagliarini, N. Salinas, F. Valdiviezo, P. Mendoza</i>	
CHEMICAL SAND CONSOLIDATION - DEVELOPING A STRATEGIC CAPABILITY ACROSS A WIDE PORTFOLIO	1254
<i>D. Aytkhozhina, D. Mason, R. Marulanda, B. Orekha, J. Villesca, P. Beaumont</i>	
DESIGNING AND TESTING A NEW ROTARY STEERABLE SYSTEM (RSS) FOR THE ONSHORE DRILLING MARKET	1263
<i>A. Gorrara, S. Grant, T. Kvalvik, S. Bakke, P. Clark</i>	
DEVELOPING A MPD OPERATION MATRIX – CASE HISTORY	1284
<i>L. Hollman, I. Haq, C. Christenson, T. Silva, M. Fayed, N. Thorn, W. Geldof</i>	
FIELD TESTING AND APPLICATIONS OF A SMART FLOW DIVERTER	1306
<i>N. Spreckelmeyer, T. Regener, C. Clemmensen, M. Eldem, G. Grindhaug</i>	

DOWNHOLE AUTOMATION USING SPLINE, CATENARY, AND CLOTHOID CURVES BASED ON MINIMUM WELLPATH ENERGY	1314
<i>P. Yi, R. Samuel</i>	
A GUIDE TO RELIEF WELL TRAJECTORY DESIGN USING MULTIDISCIPLINARY COLLABORATIVE WELL PLANNING TECHNOLOGY	1334
<i>R. Goobie, W. Allen, M. Lasley, K. Corser, J. Perez</i>	
ASSESSMENT OF THE VALIDITY OF MWD SURVEY ACCURACY FOLLOWING MULTISTATION ANALYSIS	1361
<i>F. Hanak, H. Wilson, M. Gjertsen</i>	
USE OF REAL-TIME DOWNHOLE DATA HELPS MITIGATE OPERATIONAL RISKS IN CHALLENGING DEEPWATER BYPASS OPERATION	1383
<i>P. Chouquette, N. Seiler</i>	
WELLBORE TORTUOSITY ANALYSED BY A NOVEL METHOD MAY HELP TO IMPROVE DRILLING, COMPLETION, AND PRODUCTION OPERATIONS	1394
<i>J. Bang, O. Jegbefume, A. Gyrodata, J. Thompson</i>	
GETTING TO GRIPS WITH HUMAN FACTORS IN DRILLING OPERATIONS	1410
<i>J. Thorogood, K. Lauche, M. Crichton, I. Pollard, L. Hviid, B. Vergweijen</i>	
DRILLING MUD COOLER OPENS UP NEW AUTOMATED DRILLING MARKETS IN HOT HOLE APPLICATIONS	1424
<i>K. Dorry, A. Coit, C. Gutierrez, J. Woolums, D. Herrington</i>	
SIMULATED PRESSURE DROP WHEN CIRCULATING FLUIDS PAST LINER HANGER EQUIPMENT IN AN ANNULAR CONFIGURATION: COMPUTATIONAL FLUID DYNAMICS (CFD) STUDIES AND EXPERIMENTAL VALIDATION	1431
<i>P. Gomes, M. Murray, A. Dondale</i>	
NEW AUTOMATED MPD SYSTEM PROVIDES A STEP CHANGE IN PERFORMANCE WITH A STREAMLINE EQUIPMENT FOOTPRINT	1448
<i>Y. Couturier, B. Dow, J. Hardt, T. Leonard, B. Milligan, P. Thow</i>	
BIT TRIP OPTIMIZER: JUST IN TIME BIT TRIP DECISION MODEL	1458
<i>A. Kuesters, J. Wingate</i>	
TESTED AND CONFIRMED: THE 1250-TON SLIP-PROOF LANDING STRING AND SLIP SYSTEM	1468
<i>R. Verhoef, H. Rijzingen</i>	
ANALYSIS OF THE IMPACT OF WELLBORE TORTUOSITY ON WELL CONSTRUCTION USING SCALED TORTUOSITY INDEX AND HIGH-RESOLUTION CONTINUOUS SURVEYS	1479
<i>R. Lowdon, S. Brands, G. Alexander</i>	
LUBRICANTS AND ACCELERATED TEST METHODS FOR EXPANDABLE TUBULAR APPLICATION	1492
<i>D. Cresenzo, M. Shuster, A. Petlyuk, D. Emens, D. Zijsling, H. Pasaribu</i>	
THE DRILLING OPTIMIZATION BENEFITS OF DIRECT DRILLSTRING SURFACE MEASUREMENTS - CASE STUDIES FROM FIELD OPERATIONS	1502
<i>R. Wylie, I. Soukup, H. Mata, S. Cuff</i>	
DURABLE BIT COATING REDUCES SHALE BALLING IN FIELD TESTS AND CONTRIBUTES TO LONGER RUNS	1530
<i>S. Radford, S. Patel, K. Dee</i>	

VOLUME 3

DEVELOPING THE NEXT GENERATION OF DEEPWATER DRILLING RIG: A UNIQUE COLLABORATION IN DESIGN	1546
<i>M. Leary, S. Rettie</i>	
AN HOLISTIC APPROACH TO IMPROVING DRILLING PERFORMANCE IN REALTIME: INTEGRATING MEASURED, ANALYSED, MODELLED AND REPORTED DRILLING DATA	1553
<i>R. Kucs, G. Thonhauser, M. Regan, J. Hanson, J. Haugen, O. Gundersen</i>	
EXPERIENCES, CHALLENGES, AND COMMON RECOMMENDATIONS FROM PERFORMING HAZOP STUDIES TO IDENTIFY POTENTIAL HAZARDS ASSOCIATED TO SURFACE GAS AND MUD HANDLING SYSTEMS DURING DRILLING OPERATIONS	1571
<i>C. Rubiano, P. Sullivan, F. Gil, J. Tench</i>	
STRUCTURAL INTERACTION BETWEEN ROCK FORMATION AND WELLBORE COMPONENTS IN A HIGHLY DEPLETED RESERVOIR	1585
<i>A. Vasquez, O. Soreide, H. Nasvik</i>	

FOR BETTER OR WORSE: APPLICATIONS OF THE TRANSFER MATRIX APPROACH FOR ANALYZING AXIAL AND TORSIONAL VIBRATION	1597
<i>R. Shor, O. Hoffmann, M. Coming</i>	
THE MACONDO INFLOW TEST DECISION: IMPLICATIONS FOR WELL CONTROL AND NON-TECHNICAL SKILLS TRAINING	1621
<i>J. Thorogood</i>	
CEMENT DISPLACEMENT AND PRESSURE CONTROL USING MAGNETO-RHEOLOGICAL FLUIDS	1636
<i>S. Nair, Q. Wu, M. Cowan, E. Oort</i>	
PIONEER TURBODRILLING WITH 16 1/2 IMPREGNATED BIT IN DEEP PRE-SALT WELL IN SANTOS BASIN	1655
<i>R. Pantoja, G. Britto, J. Buzza, A. Vieira, F. Laroca, G. Appelshaeuser</i>	
BREAKTHROUGH ADVANCE IN MPD AUTOMATION: A NEW SYSTEM MANAGES NARROWER DRILLING WINDOW WITH REDUCED EQUIPMENT AND CREW	1668
<i>Y. Couturier, J. Hansen, F. Prent, P. Thow</i>	
FRAC PLUG DRILL OUT BENEFITS FROM HYBRID ROLLER CONE BIT DESIGN	1681
<i>K. Rose, K. Nobile, V. Rodriguez, R. Rose</i>	
PRESSURE TRANSMISSION IN GELLED DRILLING FLUIDS	1690
<i>G. Oliveira, A. Franco, C. Negrao, R. Vadinal, B. Lomba, T. Fonseca, A. Martins</i>	
WELL OF THE FUTURE: A NEW APPROACH TO REAL-TIME WELLBORE STABILITY MONITORING IN THE COLOMBIAN FOOTHILLS	1700
<i>J. Almeida, M. Rangel, G. Rey, M. Pacione, C. Lopez, A. Valdivieso</i>	
NOVEL WORKFLOWS AND UNDERREAMING MEASUREMENTS REDUCE RISK BY SUPPORTING DECISION MAKING	1729
<i>W. Rasheed, J. Thorogood, J. Bernardini</i>	
NOVEL FILTER CAKE BREAKER DESIGN AND SUCCESSFUL USE FOR OHGP CARRIER FLUID	1748
<i>R. Bulgachev, W. Duran, G. Harpley, G. Hurst, R. Lee, A. Twynam, T. Thay, A. Sookoo</i>	
APPLICATION OF UNCEMENTED SOLID EXPANDABLE LINER FOR COMBINED OPENHOLE ISOLATION AND CASING REPAIR	1765
<i>M. Park, P. Teasdale, M. Cowling</i>	
HIGH SPEED, CONTINUOUS SINGLE WELL MAGNETIC RANGING	1778
<i>F. Hanak, R. Estes</i>	
ROP ENHANCEMENT IN SHALES THROUGH OSMOTIC PROCESSES	1795
<i>E. Oort, M. Ahmad, N. Legacy</i>	
MANAGING MARINE GEOHAZARD RISKS OVER THE FULL BUSINESS CYCLE	1820
<i>A. Hill, G. Wood</i>	
INNOVATIVE PRODUCT CONCEPTS AND DRILLING PRACTICES IMPROVE BIT AND REAMER PERFORMANCES IN HARSH DRILLING ENVIRONMENT	1842
<i>G. Mensa-Wilmot, J. Gagneaux, G. Woldtvedt, A. Osborn</i>	
ADVANCED DRILLING ENGINEERING METHODOLOGY PROVES ROBUST IN PREVENTING MECHANICAL LOCK-UP WHILE DEPLOYING SAND-CONTROL COMPLETIONS THROUGH COMPLEX 3D DRAINS	1867
<i>R. Studer, S. Menand, S. Bourgoin</i>	
ASSESSING CASING WEAR IN THE ABSENCE OF A BASELINE CALLIPER LOG	1879
<i>S. Sawaryn, P. Patillo, C. Brown, V. Schoepf</i>	
CONICAL DIAMOND ELEMENT BIT SETS NEW PERFORMANCE BENCHMARKS DRILLING EXTREMELY HARD CARBONATE/CHERT FORMATIONS, PERM REGION RUSSIA	1905
<i>V. German, M. Pak, M. Azar, S. Bits</i>	
A DYNAMIC DUAL GRADIENT MODEL AND ITS USE FOR TRAINING PRIOR TO DGD OPERATIONS IN NORWAY AND GOM	1921
<i>M. Svendsen, K. Bjorkevoll, R. Rommetveit, M. Aghito, J. Froyen, S. Odegard, D. Molde</i>	
NEW QUANTITATIVE, ANALYTICAL APPROACH PROVIDES RAPID IDENTIFICATION AND DIAGNOSIS OF DYSFUNCTIONAL BIT PERFORMANCE	1934
<i>R. Rahmani, J. Smith</i>	
NOVEL MECHANISTIC MODELING OF CASED-HOLE FRACPACK (CHFP) WELL PRODUCTIVITY WITH NON-DARCY EFFECTS AND FRACTURE-PLANE ALIGNMENT	1947
<i>R. Angeles, J. Yin, M. Hecker, K. Dares, J. Burdette</i>	
WELL COST ESTIMATION AND CONTROL - ADVANCED METHODOLOGIES FOR EFFECTIVE WELL COST MANAGEMENT	1961
<i>J. Wardt, S. Peterson</i>	

ASSURING THE EFFECTIVENESS OF WELL ENGINEERING OPERATIONS THROUGH A COMPANY-WIDE INTERNAL AUDIT PROCESS	1979
<i>A. Colt, J. Thorogood, S. Wirth</i>	
MODELING DRILLSTRING MAGNETIC INTERFERENCE OF WELLBORE SURVEYS USING DEMAGNETIZING FACTORS	1987
<i>W. Phillips, D. Aklestad</i>	
REDUCING WELL DELIVERY COSTSTHROUGH PRACTICAL EXPERIENCE GAINED IMPLEMENTING AN INTEGRATED DRILLSHIP DESIGN AND AUTOMATION OF DRILLING EQUIPMENT	2001
<i>E. Adams, D. Wijning</i>	
EVALUATING FORMATION FLUID PROPERTIES DURING SAMPLING-WHILE-DRILLING OPERATIONS.....	2010
<i>K. Indo, J. Pop, K. Hsu, S. Ossia, G. Atzeni, A. Malossi, V. Agarwal, A. Garcia-Mayans, S. Paul, J. Varughese, S. Haq</i>	
A BARRIER ANALYSIS APPROACH TO WELL CONTROL TECHNIQUES.....	2039
<i>D. Fraser, D. Moore, M. Staak</i>	
FULLY-COUPLED NONLINEAR 3-D TIME-DOMAIN SIMULATION OF DRILLING DYSFUNCTIONS USING A MULTI-BODY DYNAMICS APPROACH	2050
<i>A. Elliott, M. Hutchinson</i>	
CFS V. MPD- REVOLUTIONARY TECHNOLOGY TO OUTSHINE INDUSTRY LEADER?	2068
<i>J. Cunningham, A. Ozegovic, B. Grayson, C. Salvo-Shook</i>	
SPIRALED BOREHOLES: AN EXPRESSION OF 3D DIRECTIONAL INSTABILITY OF DRILLING SYSTEMS	2075
<i>J. Marck, E. Detournay</i>	
INNOVATIVE DUAL-CHAMFER EDGE TECHNOLOGY LEADS TO PERFORMANCE GAINS IN PDC BITS	2100
<i>K. Izbinski, S. Patel, A. Vandeven</i>	
TESTING THE PERFORMANCE IMPACT OF AUTOMATION APPLICATIONS ON DIFFERENT DRIVE SYSTEMS IN UNCONVENTIONAL WELL DEVELOPMENT	2116
<i>T. Pink, A. Coit, J. Smith, J. Nieto</i>	
MULTIPLE RELIEF WELL PLANNING FOR AN HPHT BLOWOUT IN SOUTHERN MEXICO	2140
<i>R. Varela, F. Iturrizaga, D. Patino, N. Atencio, D. Romero, O. Buitrago, J. Pineda</i>	
INNOVATIVE FISHBONE SAGD WELL PAIR: AN INTEGRATED APPROACH TO EFFICIENTLY UNLOCK THE RESOURCE POTENTIAL IN CANADIAN OIL SANDS PLAY	2157
<i>M. Ozdemirtas, T. McGinn, J. Mejia, R. McLennan, J. Lopez</i>	
ACHIEVING ZONAL ISOLATION USING THREE-STAGE CEMENTING SYSTEMS (AN AUSTRALIAN CSG FIRST).....	2169
<i>M. Zaman, C. Ingram, R. McLennan, G. Watt</i>	
OVERCOMING BARRIERS TO ADOPTION OF DRILLING AUTOMATION: MOVING TOWARDS AUTOMATED WELL MANUFACTURING	2175
<i>A. Ambrus, P. Pournazari, P. Ashok, R. Shor, E. Oort</i>	
SUCCESSFUL USE OF ALUMINUM DRILL PIPE WITH STEERABLE MUD MOTORS: CASE STUDY IN SHALE PLAYS.....	2213
<i>S. Menand, J. Lehner, N. Evans, A. Palmer, A. Metcalfe'</i>	
DEADMAN/AUTOSHEAR: MANAGING PRECHARGE PRESSURE AND TEMPERATURE UNCERTAINTY	2228
<i>E. Cole</i>	
FREEING DIFFERENTIAL STUCK-PIPE WITH NITROGEN REDUCES SIGNIFICANTLY LOST-IN-HOLE DRILL STRINGS	2242
<i>N. Heitmann, E. Burgos</i>	
GEO-STOPPING USING DEEP DIRECTIONAL RESISTIVITY LWD: A NEW METHOD FOR WELL BORE PLACEMENT USING BELOW-THE-BIT RESISTIVITY MAPPING	2248
<i>E. Upchurch, S. Saleem, K. Russell, M. Viandante</i>	
EXPERT REAL-TIME DRILLING PERFORMANCE PREVENTS TWIST-OFFS AND REDUCES BIT DAMAGE IN THE PERMIAN BASIN	2262
<i>J. Hood, R. Taylor, P. Morris, B. Riley, D. Plouzek, J. Wilson, M. Metz, R. Alam</i>	
NORG WELLS: AN EVOLUTIONARY STEP IN PIPE SHEARING TECHNOLOGY	2276
<i>R. Horstketter, S. Egeraat</i>	
FROM INFLUX MANAGEMENT TO WELL CONTROL; REVISITING THE MPD OPERATIONS MATRIX	2284
<i>W. Bacon, C. Sugden, O. Gabaldon</i>	
Author Index	