

2015 IEEE 6th International Symposium on Power Electronics for Distributed Generation Systems

(PEDG 2015)

**Aachen, Germany
22-25 June 2015**



**IEEE Catalog Number: CFP15PEG-POD
ISBN: 978-1-4799-8587-6**

Table of Contents

Tue-1A: Power Electronics in Distribution Systems: Grid-Connected Converters

| | |
|--|-----------|
| An Analysis Method for Harmonic Resonance and Stability of Multi-Paralleled LCL-Filtered Inverters | <u>1</u> |
| <i>M. Lu, X. Wang, F. Blaabjerg, P. C. Loh</i> | |
| A Unified Active Damping Control for Single-Phase Differential Mode Buck Inverter with LCL-Filter | <u>7</u> |
| <i>W. Yao, X. Wang, X. Zhang, Y. Tang, P. C. Loh, F. Blaabjerg</i> | |
| Active Damping Method Equivalent to Series Resistor Effect for LCL Filters in a Grid-connected PWM Converters | <u>15</u> |
| <i>B. Cho, Y. Lee, S. Sul</i> | |
| SOGI-Based Capacitor Voltage Feedback Active Damping in LCL-Filtered Grid Converters | <u>23</u> |
| <i>Z. Xin, X. Wang, P. C. Loh, F. Blaabjerg</i> | |

Tue-1B: Power Electronics for Sustainable Sources: Wind Energy Systems

| | |
|--|------------|
| Development of a 4 MW Full-Size Wind Turbine Test-Bench | <u>29</u> |
| <i>N. R. Averous, M. Stieneker, S. Kock, C. Andrei, A. Helmedag, R. W. de Doncker, G. Jacobs, K. Hameyer, A. Monti</i> | |
| A SCR Crowbar Commutated with Rotor-Side Converter for Doubly Fed Wind Turbines | <u>37</u> |
| <i>S. Yang, T. Zhou, R. Shao, L. Chang</i> | |
| High Voltage Ride-through Control Method for DFIG-based Wind Turbines Based on Resonant Controller | <u>B#5</u> |
| <i>P. Song, Y. Zhang, K. Bai, J. Liu, H. Liu, Y. Wu</i> | |

Tue-1C: Energy Storage Systems (stationary and mobile)

| | |
|--|------------|
| The Power Output and Capacity Configuration Method of Hybrid Energy Storage Systems considering the Confidence Level of PV Fluctuation | <u>B#5</u> |
| <i>J. Zong, K. Bai, B. Yuan, Z. Li</i> | |
| Design and Modeling of a Transformerless Hybrid Inverter System Using a Fuel Cell as Energy Storage Element for Microgrids with Sensitive Loads | <u>57</u> |
| <i>R. Rimoldi, F. Cardoso Melo, L. Garcia, L. Freitas, E. Coelho, V. Farias, L. C. G. Freitas</i> | |
| Realtime Model-based Estimation of SOC and SOH for Energy Storage Systems | <u>65</u> |
| <i>M. Cacciato, G. Nobile, G. Scarcella, G. Scelba</i> | |
| Design Considerations for a PM-BLDC Machine for Flywheel Energy Storage Applications | <u>73</u> |
| <i>G. Salinamakki Ramabhatta, V. Agarwal, A. Sharma</i> | |

Tue-1D: System-Level PV Integration

| | |
|---|-----------|
| Impact of Non-Simultaneous P/f and Q/V Grid Code Requirements on PV Inverters on Unintentional Islanding Operation in Distribution Network | <u>81</u> |
| <i>S. Lissandron, R. Sgarbossa, L. Dalla Santa, P. Mattavelli, R. Turri, A. Cerretti</i> | |

| | |
|--|------------|
| Impact of Reactive Power Injection Outside Feed-In Hours on the Reliability of Photovoltaic Inverters | <u>89</u> |
| <i>A. Anurag, Y. Yang, F. Blaabjerg</i> | |
| Wide Input Range High Step-Up Converter for PV Application | <u>97</u> |
| <i>U. Chatterjee, J. Driesen</i> | |
| Residential Photovoltaic and Battery Energy System with Grid Support Functionalities | <u>103</u> |
| <i>I. Ranaweera, S. S. Acevedo, O. Midtgard</i> | |

Tue-2A: Power Electronics in Distribution Systems: Grid-Connected Converters II

| | |
|---|------------|
| Performance Evaluation of a New Hybrid Unified Power Quality Conditioner (HUPQC) | <u>111</u> |
| <i>T. Köroğlu, M. U. Cuma, A. Tan, M. Inci, T. Demirdelen, K. Ç. Bayindir, M. Tümay</i> | |
| Performance Evaluation of Sinusoidal and Space Vector Pulse-Width-Modulation for Power Quality Enhancement in Distributed Generation Systems | <u>117</u> |
| <i>A. Shahid</i> | |
| A New Forward-Flyback Based Single Switch Single Stage Power Factor Correction Converter | <u>123</u> |
| <i>H. Bodur, K. Y. Kaya, E. Akboy, I. Aksoy</i> | |
| Power Electronic Voltage Regulation in LV Distribution Networks | <u>127</u> |
| <i>T. Frost, P. Mitcheson, T. Green</i> | |

Tue-2B: Design of Power Electronic Converters

| | |
|---|------------|
| Conduction, reverse conduction and switching characteristics of GaN E-HEMT | <u>135</u> |
| <i>C. Sørensen, M. Fogsgaard, M. N. Christiansen, M. Graungaard, J. Nørgaard, C. Uhrenfeldt, I. Trintis</i> | |
| Design of low impedance busbar for 10 kV, 100A 4H-SiC MOSFET short-circuit tester using axial capacitors | <u>143</u> |
| <i>E. Eni, T. Kerekes, C. Uhrenfeldt, R. Teodorescu, S. Munk-Nielsen</i> | |
| Design Issues for the Active Clamp Forward Converter in Micro-inverter Applications | <u>149</u> |
| <i>H. Yang, P. Wu, Y. Wang</i> | |
| Analytical fault-tolerant method for cascaded H-bridge converters | <u>153</u> |
| <i>I. Sanz, E. J. Bueno, M. Moranchel, F. J. Rodriguez</i> | |

Tue-2C: Reliability Solutions and Improvements

| | |
|---|------------|
| Interconnection of DAB Converters for Application in Solid-State Transformers with Redundancy | <u>159</u> |
| <i>H. Mamede, W. Dos Santos, D. Martins</i> | |
| Reliability Aspects of a Power Electronic Voltage Regulator for Active Low-Voltage Distribution Networks | <u>165</u> |
| <i>C. Felgemacher, W. Kruschel, C. Nöding, P. Zacharias</i> | |
| Thermal Impedance Spectroscopy for Non-Destructive Evaluation of Power Cycling | <u>173</u> |
| <i>F. Grieger, A. Lindemann</i> | |
| Converter Reliability Optimization Based on Mission Profile | <u>179</u> |
| <i>S. de León Aldaco, H. Calleja, J. Mina Antonio</i> | |

Tue-2D: Small Signal Modeling and Estimation

- Validation of Impedance-Based Small-Signal Stability Analysis for Single-Phase Grid-Feeding Inverters with PLL** [185](#)
S. Lissandron, L. Dalla Santa, P. Mattavelli, B. Wen
- Online Wideband Identification of Single-Phase AC Power Grid Impedances using an Existing Grid-tied Power Electronic Inverter** [193](#)
A. Riccobono, S. K. A. Naqvi, M. Antonello, T. Caldognetto, J. Siegers, E. Santi
- Modeling of Inverter Output Impedance for Stability Analysis in Combination with Measured Grid Impedances** [201](#)
L. Jessen, F. W. Fuchs
- Robust Small Signal Stability for Microgrid under Uncertainty** [209](#)
J. Elizondo, R. Zhang, J. White, J. Kirtley

Tue-3A: Power Quality Analysis, Testing and Solutions

- Measurements on vehicle to grid application in industrial power grid for peak load reduction** [217](#)
M. Hofmann, S. Raab, M. Schaefer, P. Ponomarov, A. Ackva
- Investigation into the Post-Fault Recovery Time of a Droop Controlled Inverter-Interfaced Microgrid** [223](#)
N. Bottrell, T. Green
- Distributed Generation System with Hybrid Inverter Interfaces for Unbalanced Loads** [231](#)
D. Vyawahare, M. Chandorkar
- A Novel Low Cost Sag/Swell Generator** [239](#)
M. Inci, T. Demirdelen, A. Tan, T. Köroğlu, M. U. Cuma, K. Ç. Bayindir, M. Tümay

Tue-3B: Current Control

- Design of a High Performance Deadbeat-type Current Controller for LCL-filtered Grid-parallel Inverters** [243](#)
J. Wang, Y. Song, M. Antonello
- Modeling and Control of Single-stage Boost Inverter for grid-connected PV System** [251](#)
Y. Zhou, F. Hong
- Advanced Current Control based on Linear Quadratic Regulators for 3-Phase Grid-Connected Inverters** [259](#)
R. Shao, S. Yang, R. Wei, L. Chang

Tue-3C: Power Semiconductor Devices

- Thermal Design Considerations for Medium Voltage Power Converters with 15 kV SiC IGBTs** [265](#)
S. Madhusoodhanan, K. Mainali, A. Tripathi, A. Kadavelugu, D. Patel, S. Bhattacharya
- The new high power density 7th generation IGBT module for compact power conversion systems** [273](#)
E. Ogawa, J. Kawabata, Y. Kusunoki, Y. Onozawa, Y. Nishimura, Y. Kobayashi, O. Ikawa
- A Photoconductive Semiconductor Switch Vertically Embedded with MISFETs for High-Power High-Repetition-Rate Application** [279](#)
X. Wang, S. Mazumder

Avoiding Reverse Recovery Effects in Super Junction MOSFET based Half Bridges [285](#)
M. Conrad, R. W. de Doncker

Tue-3D: Grid Stability with Virtual Synchronous Generation

The challenge to replace synchronous generators by inverter based distributed generation systems [291](#)
S. Winternheimer, M. Ames, M. Igel

Coordinated Control of VSC-HVDC Connected Offshore Windfarms for Enhanced Ability of Providing Synthetic Inertia [297](#)
X. Liu, A. Lindemann

Emulating the behavior of steam power plants using wind power stations to provide instantaneous and primary reserve [303](#)
J. Adler, O. Bernd

A Synchronization Controller for Grid Reconnection of Islanded Virtual Synchronous Machines [309](#)
S. D'Arco, J. A. Suul

Tue-4A: Control Methods

Control Strategy for Five-Phase Dual Stator-Winding Induction Generator DC Generating System [317](#)
F. Bu, H. Xu, H. Wenxin, H. Liu, Y. Zhao

A DC Noise Error Compensator of Single-Phase Grid-Connected Converter in D-Q Synchronous Reference Frame [321](#)
C. Park, T. Jung

Design of Systematical Parameter Tuning Approaches for Multiple Proportional-Resonance AC Current Regulator [327](#)
Y. Song, J. Wang, M. Antonello

Stabilization of a Cascaded DC System via Adding a Virtual Impedance in Parallel with the Load Converter [335](#)
X. Zhang, Q. Zhong, W. Ming, X. Ruan

Tue-4B: MPPT Solutions for PV Systems

A Technique for Tracking the Global Maximum Power Point of Photovoltaic Arrays under Partial Shading Conditions [341](#)
F. Spertino, P. Di Leo, J. Ahmad, A. Ciocia

Permanent execution of MPPT algorithm for PV systems with energy storage [B#5](#)
D. Heredero-Peris, M. Pagès-Giménez, D. Montesinos-Miracle, G. Gross

Modeling and Design of a Three-Phase Grid Connected PV System based on PWM Current Source Inverter and P-I Curve Slope MPPT Technique [355](#)
A. Sandali, A. Cheriti, K. Ayache, F. Al Kadi Al Ouahabi

Fast and Efficient Solar Incremental Conductance MPPT Using Lock-In Amplifier [363](#)
F. Paz, M. Ordonez

Tue-4C: Power Electronics for Energy Storage Systems (stationary and mobile)

- Distributed Energy Storage Device Based On A Novel Bidirectional DC-DC Converter With 650V GaN Transistors** [369](#)
F. Xue, R. Yu, W. Yu, A. Huang
- Fuel-Cell Energy Processing Using a Quadratic Boost Converter for High Conversion Ratios** [375](#)
D. Langarica-Cordoba, L. Diaz, J. Leyva Ramos
- HIGH STEP UP DC-DC CONVERTER WITH INPUT CURRENT SHARING FOR FUEL CELL APPLICATIONS** [383](#)
R. Coelho, L. Schmitz, D. Martins

Wed-5A: Filtering in AC Grid Applications

- PERFORMANCE INVESTIGATION OF SHUNT HYBRID ACTIVE POWER FILTER WITH A SYNCHRONOUS REFERENCE FRAME BASED CONTROLLER** [391](#)
A. Tan, T. Koroğlu, T. Demirdelen, M. Inci, M. U. Cuma, K. Ç. Bayindir, M. Tümay
- An Active Trap Filter for High-Power Voltage Source Converters** [399](#)
H. Bai, X. Wang, P. C. Loh, F. Blaabjerg
- Resonance Propagation of AC Filters in a Large-Scale Microgrid** [407](#)
Y. Liu, C. Farnell, V. Jones, K. George, A. Mantooth, J. C. Balda

Wed-5B: Multilevel Converters

- Design of State Observer for Modular Multilevel Converter** [413](#)
H. Liu, K. Ma, P. C. Loh, F. Blaabjerg
- Modular Multilevel Converter based Medium Voltage DC Amplifier for Ship board Power System** [419](#)
K. Vechalapu, S. Bhattacharya
- Three-Phase Multilevel Inverter Configuration for Open-Winding High Power Application** [427](#)
S. Padmanaban, F. Blaabjerg, P. W. Wheeler, J. O. Ojo
- Implementation of Nearest Level Modulation for Modular Multilevel Converter** [433](#)
M. Moranchel, E. J. Bueno, I. Sanz, F. J. Rodriguez

Wed-5C: Power-Electronics-Based Power Systems

- Regional modeling approach for analyzing harmonic stability in radial power electronics based power system** [439](#)
C. Yoon, H. Bai, X. Wang, C. Leth Bak, F. Blaabjerg
- Voltage Regulation Strategies for Flemish LV Distribution Grids Utilizing Single-Phase PV Inverters** [445](#)
N. Efkarpidis, J. Driesen
- Smart LV Distribution Networks: An Approach for Power Flow Formulation with Smart Home Models** [453](#)
E. Bernal Alzate, P. D. -. J. Xie
- A Novel Control Strategy for an Ultra-Capacitor Based Dynamic Voltage Restorer with Controllable DC-Link Voltage** [461](#)
V. S, V. Agarwal

Wed-5D: Power Electronics for Sustainable Sources: Wind Energy Systems II

| | |
|---|------------|
| FixReF sinusoidal control in line side converters for offshore wind power generation | <u>469</u> |
| <i>C. Prignitz, H. Eckel, A. Rafoth</i> | |
| Lifetime Estimation for Three Level Converter for Wind Energy Application | <u>475</u> |
| <i>S. Gierschner, T. Rump, H. Eckel</i> | |
| Analysis and Comparison of Current-Source-Converter-Based Medium-Voltage PMSG Wind Energy Conversion Systems | <u>483</u> |
| <i>Q. Wei, B. Wu</i> | |
| Design of PI Parameters Based on Analytical Method for CSC-PMSG-WGS | <u>489</u> |
| <i>M. Mao, Z. Zhang, Y. Ding, L. Chang</i> | |

Wed-6A: Power Electronics in Distribution Systems: Grid-Connected Converters III

| | |
|---|------------|
| Experimental Comparison of DPC and VOC Control of a Three-level NPC Grid Connected Converter | <u>497</u> |
| <i>H. Yin, S. Dieckerhoff</i> | |
| Single-phase voltage source converter with active power decoupling operating in both grid-connected and island modes | <u>505</u> |
| <i>I. Serban, C. Marinescu, A. Busca-Forcos</i> | |
| An Active Power Synchronizing Controller for Grid-Connected Power Converters with Configurable Natural Droop Characteristics | <u>511</u> |
| <i>W. Zhang, A. Luna, I. Candela, J. Rocabert, P. Rodriguez</i> | |
| Enhanced Utilization of Grid-Connected Inverter | <u>519</u> |
| <i>C. Kumar, M. K. Mishra, M. K. M.v</i> | |

Wed-6B: New Components and Topologies

| | |
|--|------------|
| A Novel Buck-Boost DC-DC Converter Using Close-Coupled Inductors | <u>527</u> |
| <i>S. Al-Zubaidi, M. Z. Ahmed, P. Davey</i> | |
| Improved Modified Active Clamp Circuit for a Current Fed DC/DC Power Converter | <u>535</u> |
| <i>O. Al-Atbee, H. Bleijs</i> | |
| Control of a Flyback Converter Operating in BCM using the Natural Switching Surface | <u>543</u> |
| <i>L. Garcia-Rodriguez, E. Williams, J. Gonzalez-Llorente, H. Chiacchiarini, J. C. Balda</i> | |
| Potential of Using GaN Devices Within Air-Cooled Bidirectional Battery-Chargers for Electric Vehicles | <u>551</u> |
| <i>P. Schülting, M. Rosekeit, S. Garikoitz, M. Biskoping, R. W. de Doncker</i> | |

Wed-6C: Microgrids

| | |
|---|------------|
| Development of a Short Circuit Strategy for Medium Voltage Hybrid Microgrids | <u>557</u> |
| <i>A. Gkountaras, S. Dieckerhoff, T. Sezi</i> | |
| Novel Soft Switched Interleaved DC-DC Converters for Integration of Renewable Sources and Storage into Low Voltage DC Micro grid | <u>565</u> |
| <i>P. Patil, V. Agarwal</i> | |

Research on the Synchronization Control Strategy for Microgrid-connected Voltage Source Inverter 573
Y. Cao, Y. Hu, R. Hu, J. Chen

Effect of Power Measurement Filter Properties on CERTS Microgrid Control Performance 579
P. Hart, A. Nelson, R. Lasseter, T. Jahns

Wed-7A: DC-DC Converter

Control and Experimental Validation of a Dual Active Bridge Series Resonant Converter 587
E. Prieto-Araujo, S. Fekriasl, O. Gomis-Bellmunt

A New Reduced Voltage Stress ZVT-ZVS PWM Full-Bridge DC-DC Converter 595
Y. Sahin, I. Aksoy, N. S. Ting

A Bidirectional Multi-Port DC-DC Converter Integrating Voltage Equalizer 599
J. Chen, S. Hou, F. Deng, Z. Chen

An efficiency-optimized mode of operation for resonant dc-dc converter with extended input voltage range for solar applications in dc-microgrids 605
C. Loef, R. W. de Doncker

Wed-7B: Islanded Operation and Islanding Detection

Renewable Energy Supply of Refugee Camps to Decrease Fuel Consumption and CO₂ Emissions 611
P. Frack, G. Sarriegui, P. E. Mercado, R. W. de Doncker

A Decentralized Negative Sequence Compensation Method for Islanded Microgrids 617
M. S. Golsorkhi, D. D. C. Lu

A Bilateral Reactive Power Injection Method for Islanding Detection of Grid-connected Converters in Distributed Generation Units 625
B. Cho, Y. Lee, S. Chee, S. Sul

Impedance Shaping for Parallel Operation of Inverters in Islanded AC Microgrids 633
S. Gadelovits, Q. Zhong, V. Kadiramanathan, A. Kuperman

Wed-7C: Control of Sustainable Power Sources

Control Strategy of Low Voltage Ride-Through for Grid-Connected Photovoltaic Inverter 639
P. Zhang, G. Zhang, H. Wang

Control and dynamic behavior of the double-generator system in hydraulic power plants 645
M. Zhang, C. Fraeger, A. Mertens

Design of a Constant Switching Frequency Control-Based Linear-Assisted DC/DC Regulator for Photovoltaic Solar-Powered Facilities 653
H. Martínez-García

Thu-8A: Power Electronics in Distribution Systems

Stability Analysis and Design of the Improved Droop Controller on a Voltage Source Inverter 659
M. Calabria, W. Schumacher, J. M. Guerrero, J. C. Vasquez, X. Zhao

| | |
|--|------------|
| A DC-Bus Voltage Control Technique for Grid-Connected AC/DC Converters used in Smart Energy Storage Units | <u>669</u> |
| <i>M. Pahlevani, S. Eren, A. Akhshai, P. Jain</i> | |
| Stabilization of a Cascaded DC System via Adding a Virtual Impedance in Series with the Load Converter | <u>677</u> |
| <i>X. Zhang, Q. Zhong, W. Ming, X. Ruan</i> | |
| Calculation of loadability in a droop controlled DC microgrid with constant power loads | <u>683</u> |
| <i>M. Srinivasan, A. Kwasinski</i> | |

Thu-8B: Grid Stabilization

| | |
|--|------------|
| A Control Scheme to Enhance DSTATCOM Operation in Power Distribution System | <u>691</u> |
| <i>C. Kumar, M. K. M.v, M. K. Mishra</i> | |
| A Dual Three-leg VSI Based DSTATCOM in Three Phase Four-Wire Distribution Systems | <u>697</u> |
| <i>M. K. M.v, M. K. Mishra, C. Kumar</i> | |
| Site Selection of Active Damper for Stabilizing Power Electronics Based Power Distribution System | <u>703</u> |
| <i>C. Yoon, X. Wang, C. Leth Bak, F. Blaabjerg</i> | |

Thu-8C: Energy Storage Systems (stationary and mobile) II

| | |
|--|------------|
| LLC Charger using Matrix Core Coupling for Power Transfer to Electric Vehicle | <u>709</u> |
| <i>H. Hsieh, P. Lin, G. Hsieh, H. Lin</i> | |
| Impedance-Based Local Stability Criterion for Standalone PV-battery Hybrid System | <u>717</u> |
| <i>X. Zhang, Q. Zhong, W. Ming, S. Gadelovits</i> | |
| Energy Storage Sizing for Effective Primary and Secondary Control of Low-Inertia Microgrids | <u>723</u> |
| <i>A. Toliyat, A. Kwasinski</i> | |
| Financially Optimized Scheduling of Electric Energy Storage in Presence of Renewable Energy Resources | <u>731</u> |
| <i>A. Narimani, G. Nourbakhsh, G. Ledwich, G. Walker, N. Ghasemi</i> | |

Thu-8D: Miscellaneous

| | |
|--|------------|
| Complexity analysis and verification of real-time operation for a semi-Markov process model of photovoltaic intermittency | <u>737</u> |
| <i>A. Barnes, J. C. Balda, L. Garcia-Rodriguez</i> | |
| Analysis of Phase-Locked Loop Influence on the Stability of Single-phase Grid-Connected Inverter | <u>743</u> |
| <i>C. Zhang, X. Wang, F. Blaabjerg</i> | |
| Nonlinear Reduced-Order Model of an AC Microgrid | <u>751</u> |
| <i>M. Calabria, W. Schumacher</i> | |
| Smart Transformer for Improving Performance of Medium Voltage Power Distribution System | <u>757</u> |
| <i>C. Kumar, M. Liserre</i> | |