

International Exhibition & Conference for Power Electronics, Intelligent Motion and Power Quality 2015 (PCIM Asia 2015)

Shanghai, China
24 – 26 June 2015

ISBN: 978-1-5108-1049-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by Mesago PCIM GmbH
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact Mesago PCIM GmbH
at the address below.

Mesago PCIM GmbH
Rotebuehlstrasse 83-85
70178 Stuttgart Germany

Phone: 49 711 619 460
Fax: 49 711 619 4690

info@mesago.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Table of Content PCIM Asia 2015

Wide Bandgap Devices – Challenges in Application

Recent Progress of 650 V Cascade GaN Technology 13

Charlie Liu, ON Semiconductor, USA
Ali Salih, ON Semiconductor, USA
Balaji Padmanabhan, ON Semiconductor, USA
Woochul Jeon, ON Semiconductor, USA
Peter Moens, ON Semiconductor, Belgium
Marnix Tack, ON Semiconductor, Belgium
Eddy De Backer, ON Semiconductor, Belgium

Advantages of Temperature-stable Ron of SiC DiodeMOS in Practical Applications 21



Hideki Nakata, Panasonic Corporation, Japan
**Nominated for the Best Paper Award*
Kazuyuki Sawada, Panasonic Corporation, Japan
Keisuke Watanabe, Panasonic Corporation, Japan
Ryosuke Usui, Panasonic Corporation, Japan
Tetsuzo Ueda, Panasonic Corporation, Japan
Eiji Fujii, Panasonic Corporation, Japan

Drive and Protection of SiC Power Module 28

Xiankui Ma, Mitsubishi Electric & Electronics, China
Xing Zhang, Mitsubishi Electric & Electronics, China
Jianfei Li, Wuxi Sineng New Energy, China

Performance Comparison for A4WP Class-3 Wireless Power Compliance between eGaN® FET and MOSFET in a Class E Amplifier 35

Michael de Rooij, Efficient Power Conversion Corporation, USA

New Hybrid Large DIPIPM™ for PV Application with Built-in SiC-SBD and Seventh-generation CSTBT™ 43

Yazhe Wang, Mitsubishi Electric Corporation, Japan
Kosuke Yamaguchi, Mitsubishi Electric Corporation, Japan
Tomofumi Tanaka, Mitsubishi Electric Corporation, Japan
Kiyoto Watabe, Mitsubishi Electric Corporation, Japan

Power Electronics Modulation and Motor Control

ΣΔ-Conversion used for Motor Control 49



Li Tao, Analog Devices, China
**Nominated for the Best Paper Award*
Jens Sorensen, Analog Devices, USA

Highly Dynamic, Highly Integrated Current Sensors for Electromobility Applications 57

Peter Radde, Sensitec, Germany
Rolf Slatter, Sensitec, Germany

Analysis of Temperature Correlation on IGBT Modules	65
ZiQing Zheng, Infineon Technologies, China	
Song Shen, Infineon Technologies, China	
Zhenbo Zhao, Infineon Technologies, China	
Zhou Zeping, Shenzhen Hopewind Electric, China	
Xie Feng, Shenzhen Hopewind Electric, China	

Cost Efficient Matrix Converter Employing a Conventional Simple Controller	72
Rui Zhao, University of Sheffield, Great Britain	
Daniel T. Gladwin, University of Sheffield, Great Britain	
David A. Stone, University of Sheffield, Great Britain	

Cost Efficient Medium Power Inverter Design up to 90 kW	80
Timo Gassauer, Semikron, South Korea	
Nak-Gyu Sung, Semikron, South Korea	

Keynote

Toyota's Challenge of Applying SiC Power Semiconductors to Environmentally Friendly Vehicles	86
Kimimori Hamada, Toyota Motor Corporation, Japan	

Poster Session

Benefits of HTS Technology to FLNG Power Systems	87
Alexey Kuchaev, SuperOx, Russia	

Modelling and Control of Commercial PV Solar Inverter for use in Electromechanical Performance Simulation	94
--	-----------



Marcos Aurélio Izumida Martins, CERTI Foundation, Brazil
**Nominated for the Best Paper Award Renewable Energy*
 Cesare Quinteiro Pica, CERTI Foundation, Brazil
 Yales Romulo de Novaes, CERTI Foundation, Brazil
 Kadu Henrique Miranda Lemes, CERTI Foundation, Brazil

A New and Innovative Gate Charge Measurement Technique	102
Kai-Seong Cheah, Keysight Technologies International, Singapore	
Atsushi Mikata, Keysight Technologies International, Japan	
Hisao Kakitani, Keysight Technologies International, Japan	
Ryo Takeda, Keysight Technologies International, Japan	

An Efficient Method to Estimate the Maximum Junction Temperature of IGBT Modules	108
Hu Bo, Mitsubishi Electric & Electronics, China	
Gaosheng Song, Mitsubishi Electric & Electronics, China	
Xiankui Ma, Mitsubishi Electric & Electronics, China	

Optimizing Gate Drive to Smooth Gate Waveform	114
Yuancheng Zhang, Mitsubishi Electric & Electronics, China	
Xiankui Ma, Mitsubishi Electric & Electronics, China	


New Power Module for 3 Level Power Solution	120
Nobuya Nishida, Mitsubishi Electric Corporation, Japan	
Akiko Goto, Mitsubishi Electric Corporation, Japan	
Yasuo Konishi, Mitsubishi Electric Corporation, Japan	
Hideki Tsukamoto, Mitsubishi Electric Corporation, Japan	
SiC-MOSFET Based Power Modules Utilizing Split Output Topology for Superior Dynamic Behavior	127
Roger Chen, Vincotech, China	
Michael Frisch, Vincotech, Germany	
Pressureless Sintering of Nano-Ag Paste with Low Porosity for High Power Die Attach	132
Fen Chen, Indium Corporation, China	
Sihai Chen, Indium Corporation, USA	
Guangyu Fan, Indium Corporation, USA	
Xue Yan, Indium Corporation, USA	
Chris LaBarbera, Indium Corporation, USA	
Lee Kresge, Indium Corporation, USA	
Ning-Cheng Lee, Indium Corporation, USA	
New MOSFET Packaging Techniques for High Power Density	142
Chien-Hsun Lee, ON Semiconductor, USA	
David Billings, ON Semiconductor, USA	
Yenting Wen, ON Semiconductor, USA	
Study on Semi-Tensor Product Theory in Suppressing Negative Effect of Reactive Power Surge of Power Distribution System	150
Jianxiong Yu, Harbin Institute of Technology, China	
Haicong Zhang, Harbin Institute of Technology, China	
Tianqi An, Harbin Institute of Technology, China	
Liguo Wang, Harbin Institute of Technology, China	
Dianguo Xu, Harbin Institute of Technology, China	
Determination of Harmonic Contributions in a Multi-Harmonic Source Network	158
Osita Omeje, University of Lagos, Benin	
Frank Okafor, University of Lagos, Benin	
Challenges for IGBT Driver in MW Applications	166
Johannes Krapp, Semikron Electronic, Germany	

Special Session: Multilevel Power Converter Technologies

Two Novel Hybrid-Clamped Multilevel Converters for Medium-Voltage Direct-Driven Wind Turbines	171
Kui Wang, Tsinghua University, China	
Lie Xu, Tsinghua University, China	
Zedong Zheng, Tsinghua University, China	
Yongdong Li, Tsinghua University, China	

A Novel Modulation with Voltage Balancing Control for a Modular Matrix Converter	179
Yao Li, Tsinghua University, China	
Lie Xu, Tsinghua University, China	
Yongdong Li, Tsinghua University, China	
1.14 kV Tri-level Converters for Direct Drive Wind Turbines	181
Bing Liu, Beijing Etechwin Electric, China	
The Application of Parallel Connected Multilevel Converters in Urban Mass Transit	182
Yan Zhanghui, Hunan Hengxin Electric, China	
Research on the Modulation and Control Theory for the Multilevel Matrix Converter	183
Qiu Lin, Tsinghua University, China	

Automotive Power Electronics

Influence of High Frequency Charge-Discharge Cycling Induced by a Configurable Modular Multilevel Converter	184
Martel Tsinromeny, EPFL Lausanne, Switzerland	
Alfred Rufer, EPFL Lausanne, Switzerland	
New Standard 800 A / 750 V IGBT Module Technology for Automotive Applications	191
 Keiichi Higuchi, Fuji Electric, Japan	
<i>*Winner of the Best Paper Award</i>	
Takahiro Koyama, Fuji Electric, Japan	
Akio Kitamura, Fuji Electric, Japan	
Shin Soyano, Fuji Electric, Japan	
Yoshikazu Takamiya, Fuji Electric, Japan	
Hiromichi Gohara, Fuji Electric, Japan	
Souichi Yoshida, Fuji Electric, Japan	
Hideto Kobayashi, Fuji Electric, Japan	
Yoshitaka Nishimura, Fuji Electric, Japan	
Thomas Heinzl, Fuji Electric Europe, Germany	
Akira Nishiura, Fuji Electric, Japan	
Automotive Power Module Solution for EV Inverter Application	199
Hui Han, Mitsubishi Electric & Electronics, China	
Gaosheng Song, Mitsubishi Electric & Electronics, China	
A New Versatile High Power Intelligent Power Module (IPM) for EV and HEV Applications	205
Seiichiro Inokuchi, Mitsubishi Electric Corporation, Japan	
Shoji Saito, Mitsubishi Electric Corporation, Japan	
Arata Izuka, Mitsubishi Electric, Corporation, Japan	
Hata Yuki, Mitsubishi Electric Corporation, Japan	
Shinji Hatae, Mitsubishi Electric Corporation, Japan	
Reliability Design for Automotive Power Modules	210
Yangang Wang, Dynex Semiconductor, Great Britain	
Yibo Wu, Dynex Semiconductor, Great Britain	
Xiaoping Dai, Dynex Semiconductor, Great Britain	
Steve Jones, Dynex Semiconductor, Great Britain	
Guoyou Liu, Dynex Semiconductor, Great Britain	

High Frequency Converter

Design High Power Factor High Efficiency Primary-Side Regulated Flyback LED Driver 218

Ningliang Mi, Fairchild Semiconductor Corporation, USA
Richard Chung, Fairchild Semiconductor Corporation, USA
Xiukuan Jing, Fairchild Semiconductor Corporation, USA
Jason Guo, Fairchild Semiconductor Corporation, USA

Optimal Design of an Interleaved DC-DC Switch Mode Converter 226

Prasanna Kumar, PES Institute of Technology, India
Ramu T S, Indian Institute of Science, India

A Novel LED Driver Based on Single-stage LLC Resonant Converter 233



Yijie Wang, Harbin Institute of Technology, China
**Nominated for the Young Engineer Award*
Jiawei Sun, Harbin Institute of Technology, China
Yueshi Guan, Harbin Institute of Technology, China
KaiLin Ren, Harbin Institute of Technology, China
Wei Wang, Harbin Institute of Technology, China
Dianguo Xu, Harbin Institute of Technology, China

Performance of 1700V Si-IGBT/SiC-SBD Hybrid Module for High Efficiency AC690V Inverters 241

Taku Takaku, Fuji Electric, Japan
Haining Wang, Fuji Electric, Japan
Seiki Igarashi, Fuji Electric, Japan
Takashi Nishimura, Fuji Electric, Japan
Yuichi Onozawa, Fuji Electric, Japan
Shuji Miyashita, Fuji Electric, Japan
Osamu Ikawa, Fuji Electric, Japan
Jun Li, Fuji Electric, China

On the Multi-Level Inverter with Bi-directional Switching 248

Gayathri Devi, PES Institute of Technology, India
Ramu T S, Indian Institute of Science, India

Keynote

Driving Transport Electrification 256

Chris Gerada, University of Nottingham, Great Britain

Poster Session


An Accurate Thermal Resistance Testing Method for Power Semiconductors 257

Jin Zhang, Chinese Academy of Science, China
Zhijie Qiu, Chinese Academy of Science, China
Xuhui Wen, Chinese Academy of Science, China

Investigation on V_{CE} Slope of Field Stop IGBT (FS IGBT) during Low Current Turn-off Transient of Inductive Load Switching	264
Jiyong Lim, Fairchild Semiconductor, South Korea	
Kyuhyun Lee, Fairchild Semiconductor, South Korea	
Sungmin Yang, Fairchild Semiconductor, South Korea	
Sekyeong Lee, Fairchild Semiconductor, South Korea	
Youngchul Choi, Fairchild Semiconductor, South Korea	
A New Version Transfer Mold-Type DIIPM™s with Built-in Converter and Brake Function	272
Kosuke Yamaguchi, Mitsubishi Electric Corporation, Japan	
Shinya Nakagawa, Mitsubishi Electric Corporation, Japan	
Tomofumi Tanaka, Mitsubishi Electric Corporation, Japan	
Yazhe Wang, Mitsubishi Electric Corporation, Japan	
Performance of J1-Series Power Modules with Evaluation Kit	277
Kazuaki Hiyama, Mitsubishi Electric Corporation, Japan	
Noburu Miyamoto, Mitsubishi Electric Corporation, Japan	
Mikio Ishihara, Mitsubishi Electric Corporation, Japan	
Kazuki Yamada, Mitsubishi Electric Corporation, Japan	
Yosuke Nakata, Mitsubishi Electric Corporation, Japan	
Tatsuya Kawase, Mitsubishi Electric Corporation, Japan	
Kentarō Yoshida, Mitsubishi Electric Corporation, Japan	
Shinsuke Godo, Mitsubishi Electric Corporation, Japan	
A Comparison of Switching Characteristics between SiC BJT and Si IGBT at Junction Temperature above 200 °C	283
Hui Zhu, University of Sheffield, Great Britain	
Mark R Sweet, University of Sheffield, Great Britain	
E.M. Sankara Narayanan, University of Sheffield, Great Britain	
The Improvement of High Temperature Zn- Based Lead Free Solder by the Application of Besi's Programmable Ultrasonic Module (PUM)	291
Xiaodan Wu, Honeywell Electronic Materials, USA	
Jianxing Li, Honeywell Electronic Materials, USA	
Hyo Xi, Honeywell Co., Ltd, China	
Charles Galea, Besi Switzerland AG, Switzerland	
Heinrich Berchtold, Besi Switzerland AG, Switzerland	
Tora Unuvar, Honeywell Electronic Materials, USA	
Better Efficiency with Linear-Regulator Compared to Flyback-Converters in LED Lamps at AC Grids	300
Reinhard Jaschke, Helmut-Schmidt-University, Germany	
Klaus F. Hoffmann, Helmut-Schmidt-University, Germany	
Evaluating and Comparing IGBT Performance in Application Conditions	305
Ajit Dubhashi, ezIGBT.com, USA	
Modelling the Enhancement to the Thermal Performance of Encapsulants using Thermally Conductive Filler Materials	312
David Hewitt, University of Sheffield, Great Britain	
David Stone, University of Sheffield, Great Britain	
Martin Foster, University of Sheffield, Great Britain	

Design and Implementation of a 125 kW T-NPC PV Inverter	320
Yuelin Wu, Beijing Jiaotong University, China	
Guohong Zeng, Beijing Jiaotong University, China	
Jingdou Liu, Beijing Jiaotong University, China	
Gaosheng Song, Mitsubishi Electric & Electronics, China	
Jian Sun, Mitsubishi Electric & Electronics, China	

Silicone Protection Solution for IGBT Modules: from Dielectric Encapsulation to Thermal Management	328
Zhiliang Li, Wacker Chemicals, China	
Northy Zhou, Wacker Chemicals, China	
Kevin Xiao, Wacker Chemicals, China	
Bruce Yang, Wacker Chemicals, China	
Winter Li, Wacker Chemicals, China	
Jason Rouse, Wacker Chemicals, USA	

Economic Assessments of Electric Energy Storage in Wave Power Integrations	333
 Mukai Hao, China Electric Power Research Institute, China	
<i>*Winner of the Best Paper Award Renewable Energy</i>	
He Guoqing, China Electric Power Research Institute, China	
Xu Bolun, China Electric Power Research Institute, China	

4th Generation Field Stop IGBT with High Performance and Enhanced Latch Up Immunity	341
Kyuhyun Lee, Fairchild Semiconductor, South Korea	
Sungmin Yang, Fairchild Semiconductor, South Korea	
Sekyeong Lee, Fairchild Semiconductor, South Korea	
Jiyong Lim, Fairchild Semiconductor, South Korea	
Youngchul Choi, Fairchild Semiconductor, South Korea	

High Power Switching Device and Related Applications

An Approach to Balancing the Switching Behavior of Paralleled IGBT-Modules using a Differential-Mode Choke in a Gate-Control Loop	347
Karsten Fink, Power Integrations, Germany	
Christoph Dustert, Power Integrations, Germany	
Andreas Volke, Power Integrations, Germany	

Advanced Features in Sophisticated Inverter Design Supporting MW-Applications	355
Yizheng Zhou, Infineon Technologies AG, Germany	
Stefan Schmies, Infineon Technologies AG, Germany	
Peter Lahl, Infineon Technologies AG, Germany	
Karsten Schoo, Infineon Technologies AG, Germany	
Martin Schulz, Infineon Technologies AG, Germany	

Application Benefits Achieved Utilizing IGBT5-Based Power Semiconductors	363
Martin Schulz, Infineon Technologies, Germany	
Raghavan Nagarajan, Infineon Technologies, Germany	
Dirk Brieke, Infineon Technologies, Germany	
ZhenBo Zhao, Infineon Technologies, China	

State of the Art Thyristors for UHVDC Applications	370
Jens Przybilla, Infineon Technologies Bipolar, Germany	
Uwe Kellner-Werdehausen, Infineon Technologies Bipolar, Germany	
Sebastian P. Sommer, Infineon Technologies Bipolar, Germany	
Mario Schenk, Infineon Technologies Bipolar, Germany	

New Generation of Clustered IGBT with High Ruggedness	378
--	------------



Hong Yao Long, University of Sheffield, Great Britain
**Winner of the Young Engineer Award*
 Mark R Sweet, University of Sheffield, Great Britain
 Maria M. De Souza, University of Sheffield, Great Britain
 Ekkanath M. S. Narayanan, University of Sheffield, Great Britain

New Technologies for Energy Generation and Conversion

Integration of a Photovoltaic and Battery System into a Decentralized Power Generation	384
---	------------



Hartmut Hinz, University of Applied Sciences Frankfurt, Germany
**Nominated for the Best Paper Award Renewable Energy*
 Yavor Stefanov, University of Applied Sciences Frankfurt, Germany
 Jonas Kilz, Süwag Energie, Germany

Thermal Comparison of SO8FL and DPAK Power Semiconductor Packages	392
Donald Zaremba, ON Semiconductor, USA	

How to turn off IGBTs with Unipolar Voltage (0V)?	400
Norbert Pluschke, Semikron, Hong Kong	
Niklas Hofstoetter, Semikron International, Germany	

The High Power Density and High Efficiency 7th Generation IGBT Module Realizing Compact Power Conversion Systems	410
---	------------

Jun Li, Fuji Electric, China
 Junya Kawabata, Fuji Electric, Japan
 Yoshiyuki Kusunoki, Fuji Electric, Japan
 Yuichi Onozawa, Fuji Electric, Japan
 Yoshitaka Nishimura, Fuji Electric, Japan
 Yasuyuki Kobayashi, Fuji Electric, Japan
 Song Chen, Fuji Electric, China
 Osamu Ikawa, Fuji Electric, Japan

A Low-Switching Noise and High-Efficiency Superjunction MOSFET, Super J MOS® S2	419
--	------------

Toshiaki Sakata, Fuji Electric, Japan
 Yasushi Niimura, Fuji Electric, Japan
 Shunji Takenoiri, Fuji Electric, Japan
 Sota Watanabe, Fuji Electric, Japan
 Takayuki Shimatoh, Fuji Electric, Japan
 Hiroshi Minazawa, Fuji Electric, Japan
 Yasuhiko Arita, Fuji Electric, Japan
 Yasuyuki Kobayashi, Fuji Electric, Japan
 Jun Li, Fuji Electric, Hong Kong