

2015 38th International Spring Seminar on Electronics Technology (ISSE 2015)

**Eger, Hungary
6-10 May 2015**



IEEE Catalog Number: CFP15509-POD
ISBN: 978-1-4799-8861-7

Table of Contents

Stulik, J.; Kroupa, M.; Blecha, T.; Hamacek, A. Carbon Nanotube Dispersion Preparation and Deposition of Thin Layers for Gas Sensors	1-4
Reitberger, T.; Hoerber, J.; Schramm, R.; Sennefelder, S.; Franke, J. Aerosol Jet® Printing of Optical Waveguides	5-10
Mracek, L.; Pretl, S.; Syrový, T.; Hamacek, A. Ionic Liquid as an Electrolyte for Organic Electrochemical Transistor	11-15
Perný, M.; Šály, V.; Váry, M.; Mikolášek, M.; Huran, J. Electrical Characterization of a-SiC/c-Si Solar Cell Structures	16-20
Staat, A.; Vogt, M.; Harre, K.; Bauer, R. Effect of Incorporation of Different Additives in Sustainable Polymers on Selected Electrical and Mechanical Properties	21-25
Kharabet, I.; Patsora, I.; Heuer, H.; Joneit, D.; Tatarchuk, D. Study of Carbon-Fiber-Reinforced Polymers Conductivity's Dependence on a Mechanical Strain	26-29
Soukup, R.; Navratil, J.; Reboun, J.; Rericha, T. A Comparison of the Interdigital Electrodes Prepared by Aerosol Jet Printing and Lift-Off Technique	30-35
Navratil, J.; Hamacek, A.; Reboun, J.; Soukup, R. Perspective Methods of Creating Conductive Paths by Aerosol Jet Printing Technology	36-39
Menicanin, A.; Živanov, L.; Blaž, N.; Damnjanović, M.; Žlebič, C.; Kisić, M. Flexible Inkjet Printed CPW Octagonal Inductor on PET Substrate	40-42
Menicanin, A.; Živanov, L.; Žlebič, C.; Kisić, M.; Blaž, N.; Damnjanović, M. Fully Inkjet Printed CPW Meander Inductors on PET Flexible Substrate	43-46
Skwarek, A.; Kulawik, J.; Witek, K. Induction of Tin Pest Transformation in Solder Joints in Ceramic packages of Sub-THz Scanner	47-51
Géczy, A.; Gál, L.; Dudás, L.; Horváth, G.; Kovács, B.; Nagy, D.; Hajdu, I. Experimental 13.56 MHz RFID Cards on Biodegradable Substrates	52-56
Csarnovics, I.; Molnar, S.; Burunkova, J.; Zhuk, D.; Denisyuk, I.; Bonyar, A.; Cserhati, C.; Kokenyesi, S. Patterning Photosensitive Layers for Optoelectronic Applications	57-60
Mizsei, J.; Bein, M.; Juhász, L.; Jelinek, E. Thermal-Electronic Devices and Thermal-Electronic Logic Circuits (TELC)	61-65
Shlykevich, A.; Blecha, T.; Řeboun, R.; Hamáček, A.; Syrový, T. Printed Inductors for RFID Tags	66-69
Hurtony, T.; Gordon, P. The Correlation Between the Mechanical and Electrochemical Properties of Solder Joints	70-74
Hadjiev, H.; Rrahnev, I.; Philippov, P. Hybrid Microelectronic Technology in Textile Techniques with the Aim of Realizing Smart Textiles	75-79

Freisleben, J.; Dzugan, T.; Hamacek, A. Comparative Study of Printed Circuit Board Substrates used for Thermal Management of High Power LEDs	80-84
Mashkov, P.; Gyoch, B.; Kandilarov, R.; Beloev, H.; Pencheva, T. Tunable LED Lamp – Design and Thermal Management	85-90
Mashkov, P.; Gyoch, B.; Kandilarov, R.; Beloev, H.; Varbanov, M.; Pencheva, T. LED Lamp For Poultry Housing – Design and Thermal Management	91-96
Stojek, K.; Platek, B.; Fałat, T.; Felba, J.; Matkowski, P.; Mościcki, A. The Method of Measuring the Efficiency of Heat Transfer Through Thermal Interface Materials in Microelectronics Packaging	97-102
Mueller, D.; Hildebrandt, S.; Reifegerste, F.; Zerna, T. Dimensioning of Peltier Cooling System for Laser Applications in an Electric Cabinet	103-107
Vakrilov, N.; Andonova, A.; Kafadarova, N. Study of High Power COB LED Modules with Respect to Topology of Chips	108-113
Fodor, A.; Jánó, R.; Pitica, D. Component Placement Optimizations on PCBs for Improved Thermal Behaviour	114-117
Dinnyés, C.; Szappanos, S. Heat Treatment of Epoxy Resin Used for BGA Chip Capillary Underfilling from Thawing to Curing	118-123
Bădălan, N.; Svasta, P. Peltier Elements vs. Heat Sink in Cooling of High Power LEDs	124-128
Schubert, M.; Kirsten, S.; Voitsekhivska, T.; Bock, K. Characterization of Polymeric Encapsulation for Implantable Microsystems Applying Dynamic Fluidic and Electrical Load	129-133
Ruman, K.; Pietrikova, A.; Vehec, I.; Rovensky, T.; Galajda, P. Modified I – Q Demodulator for M–Sequence UWB Sensor System Based on LTCC	134-139
Bournias–Varotsis, A.; Harris, R.; Friel, R. The Effect of Ultrasonic Excitation on the Electrical Properties and Microstructure of Printed Electronic Conductive Inks	140-145
Hromadka, K.; Řeboun, J.; Rendl, K.; Wirth, V.; Hamáček, A. Comparison of the Surface Properties of PowerElectronic Substrates	146-150
Bonasewicz, R.; Knies, S.; Krauss, A.; Wolter, K. Multiphysics Investigation of Gas Sensor Packages	151-156
Kisiel, R.; Myśliwiec, M. Solder Joints for Flexible Connection Working at Low Temperatures	157-160
Marghescu, A.; Svasta, P.; Simion, E. Randomness Extraction Techniques for Jittery Oscillators	161-166
Hirman, M.; Steiner, F. A Comparison of the Shear Strength of Conductive Adhesives and Soldering Alloys	167-172
Illés, B.; Fehérvári, N. Relation Between Tin Whiskering Ability Sn/Ag/Cu Solder Alloys and Current Load	173-178
Fulmek, P.; Nemitz, W.; Wenzl, F.; Schweitzer, S.; Hartmann, P.; Nicolics, J. Simulation Based Experimental Study of the Temperature and Power Density Distribution in a High–Power LED	179-182

Nemitz, W.; Sommer, C.; Schweitzer, S.; Hartmann, P.; Fulmek, P.; Nicolics, J.; Wenzl, F. Chromaticity Coordinate Maintenance of Phosphor Converted LEDs by a Self-Compensation Approach	183-187
Rovensky, T.; Pietrikova, A.; Ruman, K.; Kovac, O. Microstrip Methods for Measurement of Dielectric Properties in High Frequency Area	188-191
Rovensky, T.; Pietrikova, A.; Vehec, I.; Kmec, M. Measuring of Dielectric Properties by Microstrip Resonators in the GHz Frequency	192-196
Rendl, K.; Wirth, V.; Steiner, F. Impact of No-Clean Fluxes Cleaning on PCB Ionic Contamination	197-201
Stoyanov, S.; Turloukis, G.; Bailey, C. Similarity Based Reliability Qualification of Electronic Components	202-207
Váry, M.; Šály, V.; Packa, J.; Perný, M.; Schlosser, V. Diagnostics and Testing of Photovoltaic Devices	208-212
Neiser, A.; Seehase, D.; Fink, A.; Nowotnick, M. Placement of Embedded Temperature Sensors in a Printed Circuit Board for a Manufacturing Process	213-217
Lüngen, S.; Klemm, A.; Wohlrabe, H. Evaluation of the Quality of SMDs According to Vacuum Vapour Phase Soldering	218-222
Cabúk, P.; Ďurišin, J.; Pietriková, A. Influence of Current and Combined Thermo-Current Load on Microstructure and Resistance of Solder Joints	223-225
Wirth, V.; Rendl, K.; Steiner, F. Effect of Multiple Reflow Cycles on Intermetallic Compound Creation	226-230
Njoku, J.; Mallik, S.; Bhatti, R.; Amalu, E.; Ekere, N. Effect of Component Standoff Height on Thermo-Mechanical Reliability of Ball Grid Array (BGA) Solder Joints Operating in High-Temperature Ambient	231-236
Dušek, K.; Bušek, D.; Beran, T.; Rudajevová, A. Comparison of Shear Strength of Soldered SMD Resistors for Various Solder Alloys	237-240
Dušek, K.; Bušek, D.; Slavata, M.; Rudajevová, A. Surface Finish Influence on PCB Contamination by Flux Spattering Effect	241-244
Řihák, P.; Vala, R.; Szendiuch, I. Detection of Defects on BGA Solder Balls Using 2D and 3D Methods	245-249
Řihák, P.; Vala, R.; Szendiuch, I. Influence of Flux Throughout Reflow Process on FBGA Solder Balls	250-254
Branzei, M.; Varzaru, G.; Svasta, P. Shear Strength Function of Temperature for Lead/Lead-Free Alloys Samples Obtained with Different Cooling Rate	255-260
Andonova, A.; Georgieva, V.; Kim, N.; Vakrilov, N.; Bonev, B. Quality Control of Chip on Board LED Packaging by Transient Thermography	261-266
Mach, P. Properties of Tunnel Junctions with Alumina Barrier	267-271
Mach, P.; Horak, M.; Stancu, C. Thermal Ageing of Polypropylene Film Capacitors	272-276
Kardoš, S.; Pietriková, A.; Tóthová, J. Possibilities of Motor Oil Continuous Diagnostics	277-282

Major, I.; Molnár, I.	
Quality Control of Metric Screw–Driving Process in Automotive Electronics Production	283-287
Buršík, M.; Jankovský, J.; Řezníček, M.; Szendiuch, I.; Sítko, V.	
Innovative Procedures for the Evaluation Method of the Efficiency in the Cleaning Process	288-291
Mazare, A.; Ionescu, L.; Lita, A.; Serban, G.	
Real Time System for Image Acquisition and Pattern Recognition Using Boolean Neural Network	292-295
Medgyes, B.; Tamási, P.; Hajdu, F.; Murányi, R.; Lakatos-Varsányi, M.; Gál, L.; Harsányi, G.	
Corrosion Investigations on Lead–Free Micro–Alloyed Solder Alloys used in Electronics	296-299
Tourloukis, G.; Stoyanov, S.; Tilford, T.; Bailey, C.	
Data Driven Approach to Quality Assessment of 3D Printed Electronic Products	300-305
Bušek, D.; Dušek, K.; Plaček, M.; Urbánek, J.; Horník, J.; Holec, J.	
Determination of BGA Solder Joint Detachment Cause – Warpage Effect	306-309
Bušek, D.; Beshajová, I.; Kodad, T.	
Assembly Method and Its Influence on Electrically Conductive Adhesives and Solder Pastes Joints Durability	310-314
Gordon, P.; Hurtony, T.	
Investigation of the Wetting Properties of Cu₆Sn₅ Intermetallic Compound	315-319
Batorfi, R.	
Examination of Soldering Defect Formation at QFN Components	320-323
Marghescu, C.; Drumea, A.; Mihailescu, B.	
Investigation on Current Capabilities of Ni–Based Conductive Pastes for PCB Repair	324-328
Costea, I.; Dumitrescu, C.; Banu, C.; Soare, B.	
Trajectory Estimation for Transportation Systems: Aircraft Tracking Applications	329-332
Garami, T.; Takács, G.; Krammer, O.; Szabó, A.	
Investigation of the Pre–Heating Process during Thermosonic Wire Bonding by FEM Simulation	333-338
Otáhal, A.; Psota, B.; Szendiuch, I.	
The Vibration Testing as Tool for Optimizing of Two PCB Connection	339-342
Krammer, O.	
Investigating the Effect of Squeegee Attack Angle on the Solder Paste Pressure during Stencil Printing	343-348
Šimota, J.; Tupa, J.	
Role of Risks Modelling in Electronics Manufacturing	349-352
Tóth, K.; Balogh, B.; Proszts, N.; Nagy, S.; Gerényi, G.; Bojtos, G.	
Optimization of Resistance Welding Process of Copper Power Pins	353-357
Botau, A.; Bonfert, D.; Negrea, C.; Svasta, P.; Ionescu, C.	
Electro–Thermal Analysis of Flexible Micro–Heater	358-363
Lázár, E.; Pătăraș, T.; Etz, R.; Petreus, D.	
Sizing Photovoltaic–Geothermal Smart Microgrid with Battery Storage Interface	364-369
Patarau, T.; Petreus, D.; Etz, R.	
Analysis and Optimization of a Geothermal, Biomass, Solar Hybrid System: An Application of PV*Sol Software	370-375
Géczy, A.; Krammer, O.; Kovács, A.; Sipos, A.	
Analysing Current Density in the Solder Joints of Chip–Size Surface Mounted Resistors	376-380

Grama, A.; Petreus, D.; Etz, R.; Patarau, T. Fuel Consumption Reduction of a Diesel–Electric Power Generator	381-384
Berényi, R.; Szaffner, D. FEM Based 3D Simulation of Nanosecond UV Laser Ablation	385-389
Ceuca, E.; Corsiuc, G. The Smart City – Integrated Green Energy System	390-395
Franz, M.; Nicolics, J. Environmental Aspects of LED–Lighting Systems	396-401
Miskovic, G.; Hrovat, M.; Drnovsek, S.; Nikolic, M.; Aleksic, O.; Radosavljevic, G. Grain Size and Porosity Dependence of Titanium Dioxide Nano–Paste on Sintering Temperature for Gas Sensing Application	402-407
Lukacs, P.; Pietrikova, A.; Potencki, J.; Tomaszewski, G. UWB Antenna Based on Nanoparticles of Silver on Polyimide Substrate	408-413
Žlebič, Č.; Živanov, L.; Kisić, M.; Blaž, N.; Menićanin, A.; Randelović, D.; Damnjanović, M. Electrical Properties of Inkjet Printed Graphene Patterns on PET–based Substrate	414-417
Bonyár, A. Enhancing Plasmonic Biosensors with Nanotechnology	418-424
Kámán, J.; Bonyár, A.; Hurtony, T.; Harsányi, G. Investigation of Surface Mechanical Properties of the Copper–Solder Interface by Atomic Force Microscopy	425-430
Miccoli, B.; Bonanno, A.; Cauda, V.; Sanginario, A.; Demarchi, D. Interface of a Single ZnO–Nanowire Assembled onto Custom–Fabricated Nanogap Device for UV Sensing Applications	431-435
Tămaș, C.; Codreanu, N.; Pantazică, M. Investigations on Modern Power Supplies Development Based on Custom PCB Structures	436-439
Daraban, M.; Fizesan, R.; Pitica, D.; Viman, L. A SPICE Analysis on How PDNs Can Benefit From Crosstalk Avoidance Code	440-446
Blecha, T.; Stulik, J.; Cengery, J.; Smitka, V. Measurement System for Sensitive Layers of Carbon Nanotubes	447-451
Nenov, N.; Dimitrov, E.; Piskulev, P. Examination and Development of Specialized Force Sensor	452-457
Niță, L.; Bozomitu, R.; Cehan, V.; Rotariu, C.; Lupu, R. Software for a Bidirectional Communication System for Neuromotor Disabled Patients	458-461
Bozomitu, R.; Păsărică, A.; Cehan, V.; Rotariu, C.; Barabașa, C. Pupil Centre Coordinates Detection Using the Circular Hough Transform Technique	462-465
Marinov, M.; Nikolov, G.; Gieva, E.; Ganev, B. Improvement of NDIR Carbon Dioxide Sensor Accuracy	466-471
Kisic, M.; Blaz, N.; Zlebic, C.; Zivanov, L.; Damnjanovic, M. Flexible Inkjet Printed Sensor for Liquid Level Monitoring	472-476
Blaž, N.; Kisić, M.; Žlebič, C.; Mišković, G.; Radosavljević, G.; Živanov, L. Displacement Sensor Based on Interdigital Capacitor	477-481
Somer, J.; Štekovič, M.; Urban, F.; Szendiuch, I. Development of Optical Inclinator in LTCC Technology	482-486
Rotariu, C.; Bozomitu, R.; Cehan, V.; Pasarica, A.; Costin, H. A Wireless Sensor Network for Remote Monitoring of Bioimpedance	487-490

Damilano, A.; Crepaldi, M.; Hayat, H.; Demarchi, D. A Flexible Resistive Read-Out Circuit Suitable to Multi-Purpose ZnO Nanostructured Transducers for Robotic Applications	491-495
Cabúk, P.; Girašek, T. Education Tools for PCB Thermal Analysis	496-499
Jánó, R.; Fodor, A. Educational Tool for Capacitor Lifetime Prediction	500-504
Taut, A.; Pop, O.; Baciú, I. Tool for Design and Simulation of Flyback Converters	505-509
Vlad, T.; Pitica, D. Implementing Some Fundamental Electronics Concepts Using Project Based Learning in Educational Platforms	510-515
Martinek, P.; Villányi, B. Supporting the Education of CAD Tools with Hardware Virtualization	516-521
Mihailescu, B.; Svasta, P.; Marghescu, C.; Borcea, A. Clusters as a Catalyst for Developing Human Resources for the Internet of Things Industry	522-525
Ionescu, C.; Drăghici, F.; Bonfert, D. A SPICE Model for Electroluminescent Foils	526-531
Cehan, V.; Bozomitu, R.; Coca, E. A Simple Method for Measuring and Sorting RF Coils Based on the Inductance and Quality Factor	532-535
Ionescu, L.; Mazare, A.; Lita, A.; Serban, G. Fully Integrated Artificial Intelligence Solution for Real Time Route Tracking	536-540
Dziedzic, A.; Świetlik, T.; Winiarski, P. Low-Temperature Properties of Capacitors Embedded into Printed Circuit Boards	541-546