

SPE European Formation Damage Conference and Exhibition 2015

Budapest, Hungary
3 - 5 June 2015

Volume 1 of 2

ISBN: 978-1-5108-1164-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by the Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact the Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

SPE-174182-MS: 40 YEARS OF LOW-SALINITY WATERFLOODING IN PERVOMAISKOYE FIELD, RUSSIA: INCREMENTAL OIL	1
<i>V. Akhmetgareev, R. Khisamov</i>	
SPE-174198-MS: ACID ZONE COVERAGE FOR LONG HORIZONTAL WELL STIMULATION CHALLENGES AND FIELD CASE STUDY	28
<i>A. Nino-Penalozza, X. Li, A. Gomaa, S. Chaudhary</i>	
SPE-174220-MS: AN ADVANCED PROPPANT BASED FRACTURE STIMULATION TREATMENT ON AN EXTENDED REACH WELL IN THE SOUTHERN NORTH SEA UTILISING A NEW PURPOSE BUILT VESSEL: A CASE STUDY	42
<i>L. Souza, E. Oliveira, I. Angheliou, J. Barry, H. Leigh, S. Austin, J. Shaoul, W. Spitzer</i>	
SPE-174178-MS: ADVANCED RESIDUE-FREE FRACTURING FLUID WITH IMPROVED FRICTION REDUCTION AND EXCEPTIONAL CLEANUP PROPERTIES	51
<i>D. Singh, A. Russell, E. Schnoor, U. Inyang</i>	
SPE-174192-MS: APPLYING METHOD OF CHARACTERISTICS TO STUDY UTILIZATION OF NANOPARTICLES TO REDUCE FINES MIGRATION IN DEEPWATER RESERVOIRS	65
<i>B. Yuan, R. Moghanloo, P. Pattamasingh</i>	
SPE-174188-MS: BURSTING THE SKIN BUBBLE – DECOUPLING FORMATION DAMAGE FROM SKIN IN COMPLEX WELL GEOMETRIES	86
<i>M. Byrne, C. McPhee, R. Lemanczyk</i>	
SPE-174183-MS: CAPTAIN FIELD INJECTOR PERFORMANCE, HISTORICAL PERSPECTIVE AND RECENT IMPROVEMENTS	95
<i>C. Jones, M. Ross, J. Getliff, M. Fuller, I. Hiscox, F. Mandracchia</i>	
SPE-174276-MS: A CASE STUDY FOR EFFECTIVE PERFORATION AND GRAVEL PLACEMENT IN A COMPLEX DUAL CASING COMPLETION	114
<i>M. Vigo, N. Obanor, J. Munro, Y. Shumakov</i>	
SPE-174224-MS: A CASE STUDY OF MODELLING SQUEEZE TREATMENTS IN A FRACTURED FORMATION	130
<i>V. Spooner, R. Stalker, G. Graham, C. Haugen, H. Lu</i>	
SPE-174226-MS: CHARACTERIZATION AND DEVELOPMENT OF DEEP CARBONACEOUS SHALES: A NORTH KUWAIT CASE STUDY	141
<i>M. Al-Arouj, A. Barasia, E. Fidan, C. Darous, S. Sharma, M. Al-Mutairi</i>	
SPE-174240-MS: CHEMICAL SAND CONSOLIDATION AS A FAILED GRAVEL PACK SAND-CONTROL REMEDIATION ON HANDIL FIELD, INDONESIA	162
<i>A. Mahardhini, I. Abidiy, H. Poitrenaud, S. Wiendyahwati, F. Mayasari, T. Wood, D. Ariadi, C. Magee</i>	
SPE-174235-MS: COMPARISON OF STREAMLINE RESERVOIR SIMULATION OF BRINE FLOW, MIXING AND BARIUM SULPHATE INDUCED FORMATION DAMAGE WITH OBSERVED PRODUCED WATER CHEMICAL DATA TO AID SCALE MANAGEMENT	183
<i>Y. Hu, E. Mackay, O. Vazquez, O. Ishkov</i>	
SPE-174229-MS: CONTROLLING EXCESSIVE WATER PRODUCTION USING INDUCED FORMATION DAMAGE	212
<i>A. Zeinijahromi, P. Bedrikovetski</i>	
SPE-174169-MS: CONTROLLING LOSSES WHEN RECOMPLETING LOW-PRESSURE RESERVOIRS	220
<i>G. Uguna, R. Rachid, A. Milne, S. Ali</i>	
SPE-174263-MS: CUSTOMIZED SEALANTS FOR WATER/GAS SHUTOFF OPERATIONS IN HORIZONTAL AND HIGHLY DEVIATED WELLBORE COMPLETIONS	235
<i>L. Eoff, J. Vasquez, A. Recio, B. Reddy, N. Pascarella</i>	
SPE-174203-MS: DETERMINING THE OPTIMUM HF CONCENTRATION FOR STIMULATION OF HIGH TEMPERATURE SANDSTONE FORMATIONS	250
<i>S. Abdelmoneim, H. Nasr-El-Din</i>	
SPE-174176-MS: DEVELOPMENT AND FIELD APPLICATION OF AN INNOVATIVE, MINIMALLY DAMAGING, LOW-ECD INVERT EMULSION FLUID FOR ENHANCED DRILLING AND COMPLETION OF HP/HT WELLS	266
<i>D. McMillan, O. Lunde, R. Mikalsen, Y. Maeland, T. Wroblewski, A. Vante, B. Dillner</i>	

SPE-174191-MS: DEVELOPMENT OF A NOVEL METHODOLOGY TO IDENTIFY SEAWATER BREAKTHROUGH ONSET AND UNDERSTAND FORMATION DAMAGE CAUSED BY BASO₄ SCALE DEPOSITION - HISTORY MATCH OF NORTH SEA WELLS	283
<i>T. Chen, E. Marinou, F. Chalmers</i>	
SPE-174221-MS: EARLY DETECTION OF GAS WELL FORMATION DAMAGE, WATER BREAKTHROUGH AND LIQUID LOADING BY USE OF SURFACE PRESSURE BUILD-UP DATA	300
<i>C. Veeken, A. Mittal, S. Bertsche</i>	
SPE-174193-MS: THE EFFECT OF PH ON SILICATE SCALING	316
<i>R. Sazali, K. Sorbie, L. Boak</i>	
SPE-174187-MS: THE EFFECT OF STRESS SENSITIVE PERMEABILITY REDUCTION ON THE EVALUATION OF POST-FRACTURE WELLTESTS IN TIGHT GAS AND UNCONVENTIONAL RESERVOIRS	329
<i>J. Shaoul, A. Ayush, J. Park, C. Peter</i>	
SPE-174208-MS: EFFICIENT PROPPANT FLOWBACK PREVENTION STRATEGY ALLOWS PRODUCTION OF A MULTI FRACTURED OFFSHORE HORIZONTAL WELL EQUIPPED WITH ESP AND SCREENLESS COMPLETION	352
<i>F. Martocchia, A. Dirya, S. Baretta, L. Farina, G. Rizza, F. Okassa, T. Haaland</i>	
SPE-174177-MS: ELIMINATING FORMATION DAMAGE BY UNDERBALANCED COILED TUBING DRILLING - A FIELD CASE HISTORY FROM HUNGARY	366
<i>M. Wesemann, D. LeClair</i>	
SPE-174233-MS: EXPERIMENTAL STUDY OF THE PERMEABILITY DAMAGE ASSOCIATED WITH FINES PRODUCTION FROM A BITUMINOUS COAL DURING WATER INJECTION	373
<i>Z. Guo, F. Hussain, Y. Cinar</i>	
SPE-174179-MS: EXPLOITATION OF DANISH SECTOR NORTH SEA CHALK FIELD: A CASE STUDY OF THE HESS SOUTH ARNE FIELD – ACID STIMULATION DESIGN, OPTIMIZATION AND EXECUTION	392
<i>R. Miller, E. Jakobsen, L. Kalfayan, B. Troelsen</i>	
SPE-174217-MS: FORMATE DRILLING & COMPLETION FLUIDS: EVALUATION OF POTENTIAL WELL PRODUCTIVITY IMPACT, VALEMON	414
<i>N. Fleming, L. Moland, G. Svanes, R. Watson, J. Green, I. Patey, M. Byrne, S. Howard</i>	
SPE-174279-MS: FORMATION DAMAGE DIAGNOSIS FACILITATES A SUCCESSFUL REMEDIAL TREATMENT DESIGN AND EXECUTION IN SANDSTONE HORIZONTAL OIL PRODUCER: A LABORATORY AND FIELD CASE STUDY	430
<i>M. Bataweel, A. Al-Ghamdi, P. Osode, T. Almubarak, E. Azizi, E. Sarhan, M. Al-Faifi</i>	
SPE-174237-MS: FORMATION DAMAGE IN TIGHT GAS RESERVOIRS	449
<i>H. Qutob, M. Byrne</i>	
SPE-174244-MS: FROM COMPUTERIZED TOMOGRAPHY TO CFD: PRODUCTION FLOW PREDICTION IN REALISTIC PERFORATION TUNNELS	467
<i>R. Satti, D. Kim, M. Ji, D. Bale</i>	
SPE-174196-MS: A GENERAL METHOD FOR THE SELECTION OF AN OPTIMUM CHOKE MANAGEMENT STRATEGY	483
<i>E. Karantinos, M. Sharma, J. Ayoub, M. Parlar, R. Chanpura</i>	
SPE-174264-MS: GLDA/HF FACILITATES HIGH TEMPERATURE ACIDIZING AND COILED TUBING CORROSION INHIBITION	501
<i>E. Reyes, A. Smith, A. Beuterbaugh, T. Calabrese</i>	
SPE-174200-MS: GRADED PROPPANT INJECTION INTO COAL SEAM GAS AND SHALE GAS RESERVOIRS FOR WELL STIMULATION	516
<i>A. Keshavarz, A. Badalyan, T. Carageorgos, P. Bedrikovetsky, J. Ray</i>	
SPE-174206-MS: HALITE ENVELOPE FOR DOWNHOLE SALT DEPOSITION PREDICTION AND MANAGEMENT	531
<i>Y. Zhang, E. Isaj</i>	
SPE-174241-MS: HOW TO DETERMINE TRUE ACID DIFFUSION COEFFICIENT TO OPTIMIZE FORMATION DAMAGE TREATMENT?	544
<i>X. Qiu, M. Khalid, A. Sultan</i>	
SPE-174231-MS: HYDRAULIC FRACTURING IN THE DUTCH POSEDONIA SHALE	560
<i>M. Janszen, T. Bakker, P. Zitha</i>	
SPE-174189-MS: THE IMPACT OF FORMATION DAMAGE ON CORE QUALITY	594
<i>M. Byrne, I. Zubizarreta, Y. Sorrentino</i>	

SPE-174274-MS: THE IMPLEMENTATION OF STATE-OF-THE-ART CHANNEL FRACTURING TECHNIQUE IN HIGH PERMEABILITY LAYERED RESERVOIRS IN THE SINAI PENINSULA	604
<i>M. Kortam, M. Anwar, D. Mousa, A. Fouad, M. Yosry, A. Mathur, N. Abbas, M. Sahli</i>	
SPE-174227-MS: INDENTATION HARDNESS FOR IMPROVED PROPPANT EMBEDMENT PREDICTION IN SHALE FORMATIONS	622
<i>M. Mueller, M. Amro</i>	
SPE-174185-MS: INJECTIVITY DURING PWRI AND DISPOSAL IN THICK LOW PERMEABLE FORMATIONS (LABORATORY AND MATHEMATICAL MODELLING, FIELD CASE)	636
<i>A. Kalantariasl, K. Schulze, J. Storz, C. Burmester, S. Kuenckeler, Z. You, A. Badalyan, P. Bedrikovetsky</i>	
SPE-174239-MS: IN-SITU MICROEMULSIONS ENHANCE REMOVAL OF NON-AQUEOUS DRILLING FLUID IN GULF OF GUINEA WELLS	658
<i>G. Pietrangeli, L. Quintero, Y. Gonzalez</i>	
SPE-174174-MS: INTEGRATED APPROACH TO MANAGING FORMATION DAMAGE IN WATERFLOODING	674
<i>S. Aristov, P. Hoek, E. Pun</i>	

VOLUME 2

SPE-174180-MS: INTEGRATED APPROACH TO SAND MANAGEMENT IN MATURED FIELD OPERATIONS	687
<i>M. Rusian, P. Lee</i>	
SPE-174257-MS: INVESTIGATION OF FORMATION DAMAGE BY DEEP EUTECTIC SOLVENTS AS A NEW EOR AGENTS	704
<i>A. Mohsenzadeh, Y. Al-Wahaibi, R. Al-Hajri, B. Jibril, S. Joshi, B. Pracejus</i>	
SPE-174247-MS: LONG INTERVAL FOAMED DIVERSION TREATMENT: A MID-SCALE MULTIZONE DIVERSION TREATMENT STUDY	718
<i>C. Parton, D. Singh, T. Khamaturova, C. Lewis, L. Vo</i>	
SPE-174269-MS: MAKING CLAYS WATER RESISTANT: NEW TECHNOLOGY THAT MINIMIZES FORMATION DAMAGE	732
<i>T. Monroe, S. Bhaduri, A. Koch, K. Lant</i>	
SPE-174184-MS: MATHEMATICAL MODELLING OF NON-UNIFORM EXTERNAL CAKE PROFILE IN LONG INJECTION WELLS	740
<i>A. Kalantariasl, R. Farajzadeh, Z. You, P. Bedrikovetsky</i>	
SPE-174248-MS: A METHOD FOR DETERMINATION OF NEAR-WELLBORE ZONE PROPERTIES ALTERATION DURING WELL DRILLING, COMPLETION AND CLEANUP OPERATIONS BY COMBINATION OF NUMERICAL SIMULATIONS AND SPECIAL EXPERIMENTAL TECHNIQUE	765
<i>D. Mikhailov, N. Ryzhikov, A. Makarova, V. Shako, A. Burukhin, B. Theuveny</i>	
SPE-174251-MS: MITIGATING FORMATION DAMAGE BY USING COMPLETION WITH BUILT-IN-CASING PERFORATIONS INSTEAD OF PERFORATION WITH EXPLOSIVE CHARGES	791
<i>R. Rastegar, M. Munawar, D. Nowowiejski, S. Granberg, C. Mehus, A. Benson</i>	
SPE-174260-MS: MITIGATION OF FORMATION DAMAGE AND WELLBORE INSTABILITY IN UNCONVENTIONAL RESERVOIRS USING IMPROVED PARTICLE SIZE ANALYSIS AND DESIGN OF DRILLING FLUIDS	808
<i>J. Dorman, I. Lakatos, G. Szentes, A. Meidl</i>	
SPE-174278-MS: MODELING PRESSURE-TRANSIENT DATA FOR CHARACTERIZING THE FORMATION DAMAGE IN WATER INJECTION WELLS OPERATING ABOVE THE FRACTURING PRESSURE	831
<i>S. BinAkresh, N. Rahman</i>	
SPE-174214-MS: MOLECULAR WEIGHT EFFECTS IN POLYMERIC SCALE INHIBITOR PRECIPITATION SQUEEZE TREATMENTS	843
<i>N. Farooqui, K. Sorbie, L. Boak</i>	
SPE-174265-MS: NANOSILICA-BASED CONFORMANCE GELS	858
<i>P. Boul, A. Ye, X. Pang, V. Goel, L. Eoff, B. Reddy</i>	
SPE-174267-MS: NEARLY PERFECT PROPPANT TRANSPORT BY PARTICLE FRACTURING FLUIDS YIELDS EXCITING OPPORTUNITIES IN WELL COMPLETION APPLICATIONS	871
<i>J. Zhou, P. Carman, H. Sun, R. Wheeler, H. Brannon, D. Gupta</i>	

SPE-174225-MS: NEW ALTERNATIVES IN CONFORMANCE CONTROL: NANOSILICA AND LIQUID POLYMER AIDED SILICATE TECHNOLOGY	881
<i>I. Lakatos, J. Lakatos-Szabo, G. Szentes, A. Vago, Z. Karaffa, T. Bodi</i>	
SPE-174243-MS: A NEW APPROACH TO IMPROVE FRACTURING IN MATURE RESERVOIRS, CASE STUDY	905
<i>A. Klyubin, A. Konchenko, S. Parkhonyuk, S. Pavlova, D. Sitdikov, A. Ivanov</i>	
SPE-174210-MS: A NEW CLASS OF ASSOCIATIVE POLYMER FOR HYDRAULIC FRACTURING APPLICATIONS	919
<i>A. Cadix, J. Wilson, T. Carouhy, S. Harrisson, H. Guichon</i>	
SPE-174204-MS: A NEW FRACTURING FLUID FOR HP/HT APPLICATIONS	940
<i>H. Zhao, H. Nasr-El-Din, M. Al-Bagoury</i>	
SPE-174236-MS: NEW INNOVATIVE PROCESS FOR UNDERBALANCED DRILLING CANDIDATE SCREENING	957
<i>H. Qutob, M. Byrne</i>	
SPE-174186-MS: NEW INSIGHTS INTO FRACTURING FLUID ADDITIVES AND THEIR INTERACTION IN SHALE OUTCROP CORES USING NMR TECHNIQUES	965
<i>J. Kim, A. Goma, B. Zhang, Q. Qu, S. Nelson, H. Zhang</i>	
SPE-174199-MS: NEW LABORATORY METHOD TO ASSESS FORMATION DAMAGE IN GEOTHERMAL WELLS.....	981
<i>Z. You, A. Badalyan, Y. Yang, T. Carageorgos, U. Schacht, P. Bedrikovetsky, M. Hand</i>	
SPE-174234-MS: A NEW TECHNICAL STANDARD PROCEDURE TO MEASURE STIMULATION AND GRAVEL-PACK FLUID LEAK-OFF UNDER DYNAMIC CONDITIONS	1002
<i>M. Asadi, B. Ainley, D. Archacki, E. Aubry, H. Brannon, A. Ghalambor, M. Parker, R. Watson</i>	
SPE-174242-MS: NEXT GENERATION ACID SYSTEM – FIRST FIELD TRIAL OF A NEW BIODEGRADABLE FLUID IN A SANDSTONE/GRANITE FORMATION.....	1016
<i>N. Lummer, O. Rauf, S. Gerdes</i>	
SPE-174280-MS: A NON-DAMAGING POLYMER FLUID SYSTEM FOR CONVENTIONAL AND UNCONVENTIONAL FORMATIONS	1022
<i>X. Wang, H. Sun, J. Zhou, M. Guerin, L. Li</i>	
SPE-174207-MS: A NOVEL METHOD FOR OPTIMAL PERFORATION DESIGN.....	1036
<i>A. Pasztor, B. Kosztin</i>	
SPE-174201-MS: NUMERICAL STUDY OF FRACTURE CLEANUP EFFECTS AND OPTIMIZATION OF POST-FRACTURE PRODUCTION	1057
<i>J. Han, J. Yang, A. Sookprasong, R. Lafollette</i>	
SPE-174173-MS: OPERATOR USES ADVANCED PERFORATION FLOW LABORATORY TO SUPPORT HMX PERFORATING BY COILED TUBING IN HPHT FIELD	1073
<i>D. Haggerty, S. Christie</i>	
SPE-174213-MS: PERFORATING ON WIRELINE: MAXIMIZING PRODUCTIVITY AND MINIMIZING GUNSHOCK.....	1084
<i>C. Baumann, D. Gultom, A. Salsman, M. Smart, I. Primasari, R. Rahman, S. Warsito</i>	
SPE-174232-MS: PRESSURE BEHAVIOR AND FRACTURE DEVELOPMENT DURING POLYMER INJECTION IN A HEAVY OIL SATURATED UNCONSOLIDATED SAND	1106
<i>P. Zitha, A. Barnhoom, R. Logister</i>	
SPE-174277-MS: PREVENTION OF CALCIUM CARBONATE PRECIPITATION DURING WATER INJECTION INTO HIGH-PRESSURE HIGH-TEMPERATURE WELLS	1118
<i>A. Khormali, D. Petrakov, A. Lamidi, R. Rastegar</i>	
SPE-174172-MS: RESTORED PRODUCTIVITY USING DYNAMIC UNDERBALANCE	1129
<i>K. Gasmı, B. Alarcon, M. Guerrero, M. Daoud</i>	
SPE-174197-MS: ROLE OF WELL COMPLETION IN PWRI DESIGN.....	1134
<i>J. Ochi, T. Hofsaess</i>	
SPE-174270-MS: SCALE INHIBITOR SQUEEZE TREATMENT DESIGN IN AN ACID STIMULATED CARBONATE RESERVOIR.....	1151
<i>O. Vazquez, E. Mackay, J. Myles</i>	
SPE-174222-MS: SELECTION OF NON-DAMAGING PHOSPHONATE-BASED SCALE INHIBITORS FOR FIELD APPLICATION IN A RESERVOIR CONTAINING REACTIVE IRON MINERALS.....	1167
<i>M. Tahir, M. Orme, S. Kidd, L. Hoeth, R. Wright, G. Graham</i>	
SPE-174246-MS: A SHALLOW-PENETRATION POLYMER SEALANT FOR WATER AND GAS CONTROL: CASE HISTORIES AND LESSONS LEARNED AFTER MORE THAN 250 WELL INTERVENTIONS.....	1186
<i>J. Vasquez, R. Curtice</i>	

SPE-174254-MS: STABILIZING CO₂-FOAM USING NANOPARTICLES	1196
<i>A. Emrani, H. Nasr-El-Din</i>	
SPE-174167-MS: STIMULATING HIGH-TEMPERATURE DOLOMITIC LIMESTONE RESERVOIRS WITH CHELANT FLUIDS	1218
<i>Y. Antunano, M. Losada, A. Milne</i>	
SPE-174273-MS: STUDY OF FILTRATE AND MUD CAKE CHARACTERIZATION IN HPHT: IMPLICATIONS FOR FORMATION DAMAGE CONTROL	1241
<i>S. Salehi, A. Ghalambor, F. Saleh, H. Jabbari, S. Hussmann</i>	
SPE-174171-MS: SUCCESSFUL HYDRAULIC FRACTURE STIMULATION OF YOREDALE CARBONIFEROUS SANDS IN THE UKCS	1250
<i>P. Jones, R. Symonds, D. Talbot, P. Jeffs, A. Kohok, J. Shaoul, W. Spitzer</i>	
SPE-174181-MS: SWELLABLE PACKER FLUIDS DESIGNED FOR ZONAL ISOLATION IN OPENHOLE COMPLETIONS	1268
<i>M. Offenbacher, B. Gadiyar, D. Messler, S. Krishnamoorthy, D. Abasher</i>	
SPE-174272-MS: SYSTEMATIC ENGINEERING AND CANDIDATE RECOGNITION METHODOLOGY FOR STIMULATION IN DEPLETED FIELDS LEADS TO MULTIFOLD INCREASE IN PRODUCTION	1278
<i>A. Barasia, P. Pankaj, R. Venkateshwaran</i>	
SPE-174209-MS: THERMAL DECOMPOSITION EFFECTS ON PERFORATING PERFORMANCE AND SAFETY	1298
<i>A. Boock, M. Brinsden, C. Sokolove, T. Golian, J. Maienschein, E. Glascoe</i>	
SPE-174175-MS: THERMALLY STABLE BRINE-BASED DRILL-IN FLUIDS	1315
<i>W. Zha, K. Galindo, H. Zhou, J. Deville</i>	
SPE-174194-MS: UNDERSTANDING PERFORATION GEOMETRY INFLUENCE ON FLOW PERFORMANCE USING CFD	1328
<i>S. Allison, J. Lohken, L. Nelis, L. Djayapertapa, M. Byrne, K. Watson, A. Clarke</i>	
SPE-174268-MS: UNIQUE APPLICATION OF AN INHIBITOR TO MITIGATE SCALE BETWEEN FORMATION WATER AND DIVALENT-BASE DRILLING AND COMPLETION FLUIDS	1345
<i>C. Allogo, R. Ravitz, C. Nguyen</i>	
SPE-174282-MS: WELLSITE MINERALOGICAL DATA ACQUISITION; UNDERSTANDING RESULTS FROM MULTIPLE ANALYTICAL SOURCES	1362
<i>B. Davis, A. Koch, G. Braun, C. O'Connor, E. Frost, T. Quinn, C. Ly, G. Oliver, G. Spence, B. Whatley, N. Cardy, M. Wilson</i>	
SPE-174228-MS: XANTHAN STABILITY IN FORMATE BRINES - FORMULATING NON-DAMAGING FLUIDS FOR HIGH TEMPERATURE APPLICATIONS	1388
<i>S. Howard, L. Kaminski, J. Downs</i>	
Author Index	