

SPE Canada Heavy Oil Technical Conference 2015

Calgary, Alberta, Canada
9 - 11 June 2015

Volume 1 of 2

ISBN: 978-1-5108-1165-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by the Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2015)

For permission requests, please contact the Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

SPE-174461-MS: APPLICATION OF NOVEL HYPER-BRANCHED POLYMER FRACTURING FLUID SYSTEM IN LOW-PERMEABILITY HEAVY OIL RESERVOIR	1
<i>Y. Liu, H. Li</i>	
SPE-174517-MS: CASE STUDY OF FLUE GAS ASSISTED SAGD IN OFFSHORE HEAVY OIL RESERVOIRS	21
<i>S. Zhao, Y. Sun, Y. Wu, X. Liu</i>	
SPE-174440-MS: CASE STUDY OF SOLVENT-ASSISTED START-UP IN FENGCHENG SAGD PROJECT	31
<i>Y. Wu, X. Li, R. Zhao, J. Li, X. Liu, Y. Zhou, X. Du</i>	
SPE-174489-MS: CHEMICAL ADDITIVES AND FOAM TO ENHANCE SAGD PERFORMANCE	45
<i>R. Li, S. Etmnan, Z. Chen</i>	
SPE-174405-MS: CONTINUOUS ENVIRONMENTALLY EFFICIENT PIPELINE LEAK DETECTION	74
<i>M. Rahmes, T. Bingman, M. Blue, G. Lemieux</i>	
SPE-174425-MS: COUPLED RESERVOIR AND GEOMECHANICAL MODELING OF SAND PRODUCTION IN WATERFLOODING OF HEAVY OIL RESERVOIRS	88
<i>M. Nassir, D. Walters, D. Yale, R. Chivvis, J. Turak</i>	
SPE-174490-MS: DESIGN, TESTING, AND FIELD PERFORMANCE OF STEAM-INJECTION FLOW-CONTROL DEVICES FOR USE IN SAGD OIL RECOVERY	99
<i>R. McChesney, F. Felten, S. Hobbs, J. Edlebeck</i>	
SPE-174502-MS: DETAILED HISTORY MATCHING OF A SAGD WELL PAIR USING DISCRETIZED WELLBORE MODELING	115
<i>K. Nguyen, L. Doan, K. Kato</i>	
SPE-174475-MS: DETERMINATION OF TWO-PHASE AND THREE-PHASE RELATIVE PERMEABILITIES IN HEAVY OIL/WATER/GAS SYSTEMS	126
<i>J. Modaresghazani, R. Moore, S. Mehta, K. Fraassen</i>	
SPE-174408-MS: DEVELOPMENT OF A THERMAL WELLBORE SIMULATOR WITH FOCUS ON IMPROVING HEAT LOSS CALCULATIONS FOR SAGD STEAM INJECTION	139
<i>W. Xiong, M. Bahonar, Z. Chen</i>	
SPE-174482-MS: DISSOLUTION AND MOBILIZATION OF BITUMEN AT PORE SCALE	157
<i>B. Bayestehparvin, J. Abedi, S. Ali</i>	
SPE-174417-MS: DRAINED/UNDRAINED ZONES BOUNDARY IN STEAM-ASSISTED GRAVITY DRAINAGE PROCESS	180
<i>M. Irani, I. Gates</i>	
SPE-174473-MS: EFFECTS OF LITHOFACIES AND RESERVOIR HETEROGENEITY ON IMPROVED OIL RECOVERY PROCESSES	217
<i>T. Nguyen, T. Dang, Z. Chen, L. Nghiem</i>	
SPE-174492-MS: ELIMINATING THE SILVER BULLET FROM SAGD CASING CEMENTING	234
<i>B. Lim, J. Forsyth, J. Kelly, M. McDonald</i>	
SPE-174483-MS: ENHANCED THERMAL WELL INTEGRITY THROUGH THE USE OF A NEW CEMENT TENSILE STRENGTH-ENHANCING FIBER	246
<i>S. Iremonger, M. Bolt, S. Lawrence</i>	
SPE-174469-MS: ENHANCED VISCOSITY FORMULATIONS FOR STEAM FOAM APPLICATIONS: IMPACT ON PERFORMANCES IN BULK AND POROUS MEDIA	258
<i>A. Cuenca, E. Lacombe, M. Chabert, M. Morvan, E. Delamaide</i>	
SPE-174423-MS: EVALUATING EOR POTENTIAL IN AN UNCONVENTIONAL HEAVY-OIL RESERVOIR WITH STRONG FOAMY SOLUTION GAS DRIVE	275
<i>B. Jamaloei, A. Singh</i>	
SPE-174481-MS: EVALUATING SAGD PERFORMANCE DUE TO CHANGES IN WELL SPACING AND LENGTH	286
<i>M. Verney</i>	
SPE-174424-MS: EVALUATION OF DIFFUSION OF LIGHT HYDROCARBON SOLVENTS IN BITUMEN	307
<i>F. Diedro, J. Bryan, S. Kryuchkov, A. Kantzas</i>	

SPE-174450-MS: EVALUATION OF THERMAL EFFICIENCY OF THE PRE-HEAT PERIOD IN THE SAGD PROCESS FOR DIFFERENT COMPLETION METHODS	329
<i>D. Saks, M. Kyanpour, O. Onamade</i>	
SPE-174486-MS: EXPERIMENTAL EVALUATION OF H₂S YIELDS DURING THERMAL RECOVERY PROCESSES	358
<i>R. Lin, D. Song, X. Wang, D. Yang</i>	
SPE-174453-MS: EXPERIMENTAL STUDY ON GEOMECHANICAL DILATION DURING INJECTION	370
<i>X. Wang, R. Chalaturnyk, H. Huang, J. Leung</i>	
SPE-174411-MS: FEASIBILITY OF WIDER WELL SPACING WITH SOLVENT AIDED PROCESS: A FIELD TEST BASED INVESTIGATION	387
<i>S. Gupta, S. Gittins, A. Benzvi, J. Dragani</i>	
SPE-174438-MS: GEOCHEMICAL BITUMEN CHARACTERIZATION FOR THE SALESKI STEAM PILOT IN THE GROSMONT CARBONATE RESERVOIR	407
<i>W. Wei, D. Yang</i>	
SPE-174415-MS: GEOMECHANICAL MODELLING OF CYCLIC STEAMING INDUCED SURFACE DEFORMATION	424
<i>L. Shen, D. Schmidt, R. Dokht, S. Samsonov, V. Singhroy, T. Shipman</i>	
SPE-174462-MS: GEO-MECHANICS OF A SUGAR-CUBE BOX: CYCLIC INJECTION AND PRODUCTION IN A FRACTURED CARBONATE AT THE SALESKI PILOT	441
<i>D. Yang, J. Xu</i>	
SPE-174402-MS: HALF-CENTURY OF HEAVY OIL POLYMER FLOODING FROM LABORATORY CORE FLOODS TO PILOT TESTS AND FIELD APPLICATIONS	453
<i>H. Saboorian-Jooybari, M. Dejam, Z. Chen</i>	
SPE-174465-MS: HEAVY CRUDE OIL DEWATERING PROCESSES FOR FLUID PROPERTY MEASUREMENTS: COMPARISON, IMPACT, AND SUITABILITY OF METHODS	479
<i>H. Zhao, A. Memon, J. Gao, S. Taylor, D. Sieben, J. Ratulowski, H. Alboudwarej, J. Pappas, J. Creek</i>	
SPE-174467-MS: HISTORY MATCH AND STRATEGY EVALUATION FOR CSI PILOT	505
<i>J. Chang, J. Ivory</i>	
SPE-174466-MS: HISTORY MATCHES AND INTERPRETATION OF CHOPS PERFORMANCE FOR CSI FIELD PILOT	526
<i>J. Chang, J. Ivory, M. London</i>	
SPE-174404-MS: HOLE CLEANING PERFORMANCE OF WATER VS. POLYMER-BASED FLUIDS UNDER TURBULENT FLOW CONDITIONS	545
<i>M. Bizhani, F. Rodriguez-Corredor, E. Kuru</i>	
SPE-174439-MS: THE IMPACT OF ASPHALTENE PRECIPITATION AND CLAY MIGRATION ON WETTABILITY ALTERATION FOR STEAM ASSISTED GRAVITY DRAINAGE (SAGD) AND EXPANDING SOLVENT-SAGD (ES-SAGD)	563
<i>T. Kar, J. Yeoh, C. Ovalles, E. Rogel, I. Benson, B. Hascakir</i>	
SPE-174501-MS: IMPACT OF FLOW CONTROL DEVICES ON SAGD PERFORMANCE FROM LESS HETEROGENEOUS TO STRONGLY HETEROGENEOUS RESERVOIRS	576
<i>Y. Su, I. Gates</i>	
SPE-174446-MS: IMPACT OF FORMATION DILATION-RECOMPACTION ON DEVELOPMENT OF CYCLIC STEAM STIMULATION (CSS) IN AN UNCONVENTIONAL HEAVY-OIL RESERVOIR: SEAL'S CADOTTE CASE	591
<i>B. Jamaloei, A. Singh</i>	
SPE-174478-MS: IMPROVEMENT OF THE RECOVERY FACTOR USING NANO-METAL PARTICLES AT THE LATE STAGES OF CYCLIC STEAM STIMULATION	601
<i>J. Farooqui, T. Babadagli, H. Li</i>	
SPE-174476-MS: IMPROVING HORIZONTAL WELL PLACEMENT IN THE ORINOCO OIL BELT WITH THE USE OF BED BOUNDARY MAPPING TECHNOLOGIES	618
<i>G. Cuadros, E. Chamat, N. Villarroel, J. Scrofina, E. Cermeno, O. Rodriguez</i>	
SPE-174496-MS: INSAR NATURAL REFLECTOR SURVEY FOR SURFACE HEAVE AND STEAM CHAMBER MONITORING AT A SAGD SITE	633
<i>K. Tang, B. James, V. Aguado</i>	
SPE-174518-MS: INTEGRATION OF PC-SAFT EQUATION OF STATE INTO HEAT ASSISTED SOLVENT RECOVERY SIMULATION	646
<i>M. Ma, S. Chen, J. Abedi</i>	
SPE-174488-MS: INVESTIGATION OF NANOPARTICLE AND SURFACTANT STABILIZED EMULSION TO ENHANCE OIL RECOVERY IN WATERFLOODED HEAVY OIL RESERVOIRS	666
<i>H. Pei, G. Zhang, J. Ge, J. Zhang, Q. Zhang, L. Fu</i>	

SPE-174406-MS: INVESTIGATION ON COMBINED CO₂ SEQUESTRATION AND ELECTRICAL HEATING ASSISTED GRAVITY DRAINAGE TO ENHANCE HEAVY OIL PRODUCTION	677
<i>L. Zhong, D. Yu, C. Zhang, Z. Dong, S. Ma, C. Wang, X. Du, L. Guo</i>	
SPE-174519-MS: MATHEMATICAL MODELING OF DYNAMIC MASS TRANSFER IN CYCLIC SOLVENT INJECTION	692
<i>X. Jia, J. Li</i>	
SPE-174419-MS: A METHOD TO CALCULATE IN-SITU WATER RELATIVE-PERMEABILITY USING THE RESPONSE AT OBSERVATION WELL ADJACENT TO STEAM-ASSISTED-GRAVITY-DRAINAGE WELL-PAIRS	713
<i>M. Irani</i>	
SPE-174487-MS: METHODOLOGY FOR IN-WELL DTS VERIFICATIONS IN SAGD WELLS	732
<i>B. Hiscock, L. Hinrichs, B. Banack, B. Rapati</i>	
SPE-174454-MS: MINI-FRAC ANALYSIS IN OILSANDS AND THEIR ASSOCIATED CAP ROCKS USING PTA BASED TECHNIQUES	750
<i>R. Bachman, B. Afsahi, D. Walters</i>	
SPE-174494-MS: MODELLING OF NON-CONDENSABLE GAS INJECTION IN SAGD PROCESS - IMPORTANT MECHANISMS AND THEIR IMPACT ON FIELD SCALE SIMULATION MODELS	780
<i>H. Nourozieh, E. Ranjbar, A. Kumar</i>	

VOLUME 2

SPE-174435-MS: MONITORING AND OPTIMIZATION OF AN IN-SITU COMBUSTION PILOT APPLYING STAR™ TECHNOLOGY	795
<i>E. Gil, N. Quintero, L. Rojas, M. Fuenmayor, S. Ali</i>	
SPE-174444-MS: MULTIPHASE EQUILIBRIA OF SOLVENT-STEAM-BITUMEN SYSTEM WITHIN SAGD STEAM-CHAMBER BOUNDARY	810
<i>M. Arshad, H. Li</i>	
SPE-174510-MS: NEW INSIGHT ON CARBONATE HEAVY OIL RECOVERY: PORE SCALE MECHANISMS OF SOLVENT ALTERNATING CO₂ FOAM/POLYMER ENHANCED FOAM FLOODING	830
<i>A. Telmadarreie, J. Trivedi</i>	
SPE-174511-MS: A NEW POLYMER FLOODING TECHNOLOGY FOR IMPROVING HEAVY OIL RESERVOIR RECOVERY-FROM LAB STUDY TO FIELD APPLICATION- CASE STUDY OF HIGH TEMPERATURE HEAVY OIL FIELD Z70	854
<i>X. Wu, S. Song, C. Xiong, Z. Guo, H. Xu, P. Jiang, J. Zhang, Y. Zhang, J. Chen, X. Tian</i>	
SPE-174521-MS: NODAL ANALYSIS FOR SAGD PRODUCTION WELLS WITH GAS LIFT	874
<i>G. Duncan, S. Young, P. Moseley</i>	
SPE-174470-MS: NON-LINEARITY AND STRESS-DEPENDENCY IN UNCONSOLIDATED FORMATIONS AND THE ASSOCIATED IMPACTS ON THERMAL RECOVERY: AN ANALYTICAL ASSESSMENT	891
<i>A. Hosseini</i>	
SPE-174420-MS: NOVEL WATER-BASED FLUIDS FOR OIL-SANDS DRILLING	909
<i>Z. Deng, P. Livanec, J. Deville</i>	
SPE-174509-MS: NUMERICAL ASSESSMENT OF THE MAXIMUM OPERATING PRESSURE FOR ANISOTROPIC CAPROCK IN SAGD PROJECTS	918
<i>E. Rahmati, A. Nouri, V. Fattahpour, J. Trivedi</i>	
SPE-174455-MS: OIL RECOVERY FROM GAS OVER BITUMEN (GOB) RESERVOIRS - RESULTS FROM THE AIDROH PILOT PROJECT IN ALBERTA	939
<i>B. Hogue, D. Gutierrez, C. Hong, J. Steiner, L. Freeman</i>	
SPE-174477-MS: ON THE ACCURACY OF SURFACE MOVEMENT MEASUREMENT OVER A SAGD OPERATION IN NORTHERN ALBERTA THROUGH EFFECTIVE SURVEY DESIGN	959
<i>M. Henschel, S. Sato, B. Lehrbass, B. Deschamps</i>	
SPE-174480-MS: OPTIMIZATION OF CO₂ FLOODING STRATEGY TO ENHANCE HEAVY OIL RECOVERY	980
<i>T. Huang, H. Yang, G. Liao, F. Zeng</i>	
SPE-174429-MS: OPTIMIZED SOLVENT FOR SOLVENT ASSISTED-STEAM ASSISTED GRAVITY DRAINAGE (SA-SAGD) RECOVERY PROCESS	1000
<i>R. Khaledi, T. Boone, H. Motahhari, G. Subramanian</i>	

SPE-174427-MS: OPTIMIZING STEAM INJECTION SCHEDULING USING ANALYTICAL MODELS IN A PROBABILISTIC APPROACH	1024
<i>F. Oliveira, D. Gomes, J. Cavalcante, H. Leitao</i>	
SPE-174485-MS: A PARAMETRIC STUDY OF THE HYDRODYNAMIC ROUGHNESS PRODUCED BY A WALL-COATING LAYER OF OIL DURING THE PIPELINE TRANSPORTATION OF HEAVY OIL-WATER MIXTURES	1035
<i>S. Rushd, S. Sanders</i>	
SPE-174493-MS: PERFORMANCE CHARACTERIZATION AND OPTIMIZATION OF CEMENT SYSTEMS FOR THERMALLY STIMULATED WELLS	1047
<i>M. Chartier, S. Thompson, M. Bordieanu, G. Bustamante, J. Saunders, T. Kaiser</i>	
SPE-174458-MS: PERFORMANCE DATA OF A DISTRIBUTED FLUX BURNER IN A HEAVY OIL HEATER TREATER	1069
<i>D. Bartz, J. Gotterba</i>	
SPE-174414-MS: PERFORMANCE EVALUATION OF A NEWLY DEVELOPED DEMULSIFIER ON DILBIT DEHYDRATION, DEMINERALIZATION AND HYDROCARBON LOSSES TO TAILINGS	1087
<i>I. Kailey, J. Behles</i>	
SPE-174443-MS: PERFORMANCE STEP CHANGE IN SHALLOW EXTENDED REACH WELLS IN VENEZUELA ENABLES DRILLING OPTIMIZATION AND INCREASED HEAVY OIL PRODUCTION	1104
<i>E. Chamat, G. Cuadros, E. Trejo, J. Scrofina, E. Cermeno, O. Rodriguez</i>	
SPE-174412-MS: PHYSICAL AND NUMERICAL SIMULATIONS OF SUBSURFACE UPGRADING USING SOLVENT DEASPHALTING IN A HEAVY CRUDE OIL RESERVOIR	1124
<i>C. Ovalles, E. Rogel, H. Alboudwarej, A. Inouye, I. Benson</i>	
SPE-174431-MS: A PRACTICAL APPROACH FOR THE MODELING OF FOAMY OIL DRIVE PROCESS	1142
<i>C. Shen</i>	
SPE-174403-MS: PRACTICAL APPROACH TO CAPROCK ANALYSIS	1159
<i>M. Carlson, M. Uwiera, P. Cooper, D. Lee, A. MacDonald</i>	
SPE-174460-MS: PRACTICAL DATA MINING AND ARTIFICIAL NEURAL NETWORK MODELING FOR SAGD PRODUCTION ANALYSIS	1178
<i>Z. Ma, Y. Liu, J. Leung, S. Zanon</i>	
SPE-174464-MS: PRODUCTION OF GASES DURING THERMAL DISPLACEMENT TESTS	1203
<i>J. Butron, J. Bryan, X. Yu, A. Kantzas</i>	
SPE-174428-MS: REACTIVE STEAM ASSISTED GRAVITY DRAINAGE OIL SANDS RECOVERY PROCESS	1223
<i>Z. Khansari, I. Gates</i>	
SPE-174459-MS: REAL-TIME SEISMIC SURVEILLANCE OF THERMAL EOR AT PEACE RIVER	1231
<i>J. Lopez, P. Willis, J. Follett, T. Barker, Y. Xue, J. Przybysz-Jarnut, J. Potters, M. Lokven, D. Brouwer</i>	
SPE-174413-MS: REMEDIATION OF CHANNELED WELLS AND COMPLETIONS OF INFILL WELLS BY USING RESIN-COATED PROPPANT AND PROPPANT COATED WITH SPECIAL RESINS IN AN UNCONSOLIDATED SANDSTONE RESERVOIR	1242
<i>G. Kruse, R. Puliti, S. Millan, R. Best</i>	
SPE-174441-MS: RESERVOIR SIMULATION OF H₂S PRODUCTION DURING A SAGD PROCESS USING A NEW SULFUR-BASED-COMPOSITIONAL KINETIC MODEL	1265
<i>S. Ayache, V. Lamoureux-Var, P. Michel, C. Preux</i>	
SPE-174508-MS: RIGOROUS COUPLING OF GEOMECHANICS AND THERMAL-COMPOSITIONAL FLOW FOR SAGD AND ES-SAGD OPERATIONS	1282
<i>T. Garipov, D. Voskov, H. Tchelepi</i>	
SPE-174503-MS: SAGD LINER EVALUATION AND LINER TEST DESIGN FOR JACOS HANGINGSTONE SAGD DEVELOPMENT	1298
<i>E. Spronk, L. Doan, Y. Matsuno, B. Harschnitz</i>	
SPE-174520-MS: SELECTION OF A CHEMICAL EOR STRATEGY IN A HEAVY OIL RESERVOIR USING LABORATORY DATA AND RESERVOIR SIMULATION	1309
<i>R. Fortenberry, P. Suniga, S. Mothersole, M. Delshad, H. Lashgari, G. Pope</i>	
SPE-174457-MS: SIMULTANEOUS HISTORY MATCHING FOR MULTIPLE DIFFERENT OIL SANDS RESERVOIR MODELS: CASE STUDY OF HANGINGSTONE DEMO AREA	1331
<i>K. Kato, L. Doan</i>	
SPE-174436-MS: STEAM CIRCULATION STRATEGIES IN THE FENGCHENG SAGD PROJECT TO ACHIEVE ENHANCED CONFORMANCE AND PRODUCTION: A CASE STUDY	1340
<i>Y. Wu, X. Li, X. Liu, J. Li, R. Zhao, L. Yang, W. He, L. Gao</i>	

SPE-174463-MS: STEAM INJECTION SCHEMES FOR BITUMEN RECOVERY FROM THE GROSOMT CARBONATE DEPOSITS	1349
<i>Q. Song, Z. Chen, S. Ali</i>	
SPE-174498-MS: STUDY OF THE NON-EQUILIBRIUM PVT PROPERTIES OF METHANE- AND PROPANE-HEAVY OIL SYSTEMS	1386
<i>H. Wang, F. Zeng, X. Zhou</i>	
SPE-174491-MS: SUCCESSFUL APPLICATION OF HOT WATER CIRCULATION IN THE PELICAN LAKE FIELD - RESULTS AND ANALYSES OF THE E29 HOT WATER INJECTION PILOT	1409
<i>K. Duval, D. Gutierrez, D. Petrakos, P. Ollier, D. Johannson</i>	
SPE-174407-MS: A SUCCESSFUL POST COMPLETION SAND CONTROL METHOD USED IN THERMAL ENHANCED OIL RECOVERY OPERATIONS AT THE KERN RIVER FIELD IN BAKERSFIELD, CA	1430
<i>S. Franks, J. Wise, S. Rodriguez, H. Hay, F. Sanchez, M. Ripley, B. Erlendson</i>	
SPE-174471-MS: SURVEILLANCE TECHNIQUES FOR RECOVERY FACTOR OPTIMIZATION IN A HIGH VISCOSITY UNCONSOLIDATED SAND RESERVOIR	1439
<i>S. Aguero, R. Best, M. Garcia, A. Cremonini</i>	
SPE-174434-MS: THERMAL CONDUCTIVITY MEASUREMENTS OF BITUMEN BEARING RESERVOIR ROCKS	1454
<i>J. Arthur, O. Akinbobola, S. Kryuchkov, A. Kantas</i>	
SPE-174449-MS: THERMAL FORMATION DAMAGE AND RELATIVE PERMEABILITY OF OIL SANDS OF THE LOWER CRETACEOUS FORMATIONS IN WESTERN CANADA	1474
<i>U. Romanova, T. Ma, M. Pivowar, R. Strom, J. Stepic</i>	
SPE-174479-MS: THINKING BEYOND THE CONVENTIONAL - A CASE STORY OF USING A SURFACE READ OUT WIRELINE DEVICE WHILE RANGING TO REDUCE RISK OF FAILURE DURING DRILLING OF A SAGD WELL IN HOT ZONE	1489
<i>J. Ray</i>	
SPE-174448-MS: TYPE CURVES FOR CYCLIC STEAM OPERATIONS IN THE GROSOMT SALESKI PILOT AND THEIR IMPLICATIONS FOR RECOVERY MECHANISMS	1495
<i>D. Yang, M. Hosseininejad, D. Stewart, S. Brand</i>	
SPE-174416-MS: USE OF FLOW CONTROL DEVICES (FCDS) TO ENFORCE CONFORMANCE IN STEAM ASSISTED GRAVITY DRAINAGE (SAGD) COMPLETIONS	1511
<i>G. Vachon, W. Klaczek, P. Erickson, D. Langer, D. Booy, A. Baugh</i>	
SPE-174504-MS: WELL INTEGRITY EVALUATION USING DISTRIBUTED TEMPERATURE SENSING (DTS) ON AN OPERATING SAGD INJECTOR WELL INFLUENCED BY NEIGHBORING STEAM CHAMBERS	1527
<i>S. Thompson, A. Bello, M. Medina, T. Greig</i>	
Author Index	