2014 IEEE International Power Modulator and High Voltage Conference (IPMHVC 2014)

Santa Fe, New Mexico, USA 1-5 June 2014



IEEE Catalog Number: ISBN:

CFP14PMS-POD 978-1-4799-5648-7

2014 IEEE IPMHVC Proceedings Paper Index

ORAL SESSION 1 -

DIELECTRICS, INSULATION, AND BREAKDOWN 1
GLASS CERAMICS AS DIELECTRICS FOR HIGH POWER CAPACITORS. Martin Letz¹, Jörn Besinger¹, Martun Hovhannisyan¹², Hubertus Braun¹³, Michael Kluge¹, Daniela Seiler¹, Niko Schultz¹, Bernd Rüdinger¹ ¹Research and Development, SCHOTT AG, Mainz, Germany/²Institut for Mikrowellentechnik und Photonik, Technical University Darmstadt, Darmstadt, Germany/³Graduate School of Materials Science, Mainz, Germany
THE EFFECT OF ELECTRODE COMPOSITION ON PARTIAL DISCHARGE BEHAVIOR IN DIELECTRIC ELASTOMERS
DIELECTRIC RELAXATION IN DIELECTRIC MIXTURES: USING MIXTURE RULES AND MODELING WITH A RELAXATION MODEL FUNCTION
FIRST RESULTS IN THE DEVELOPMENT OF DOUBLE-POSITIVE METAMATERIALS FOR HIGH POWER MICROWAVE COMPONENTS
ORAL SESSION 2 – SOLID STATE SWITCHES
A NEW APPROACH FOR IMPLEMENTING HV (10 KV's) FAST CLOSURE (ns) SEMICONDUCTOR SWITCHES
OVERVIEW OF HIGH VOLTAGE 4H-SiC PHOTOCONDUCTIVE SEMICONDUCTOR SWITCH EFFORTS AT TEXAS TECH UNIVERSITY
SOLID-STATE HIGH VOLTAGE MODULATOR WITH OUTPUT CONTROL UTILIZING SERIES-CONNECTED IGBTs
HIGH POWER THYRISTORS TRIGGERING PROVIDING A SUBNANOSECOND CLOSING TIME
Anton I. Gusev, Sergei K. Lyubutin, Sergei N. Rukin, Sergei N. Tsyranov Institute of Electrophysics, Ural Division of Russian Academy of Sciences, Ekaterinburg, Russia

ORAL SESSION 3 – BIOLOGICAL, MEDICAL AND ENVIRONMENTAL APPLICATIONS OF POWER MODULATORS
COMPACT SOLID STATE PULSED POWER ARCHITECTURE FOR BIOMEDICAL WORKFLOWS: MODULAR TOPOLOGY, PROGRAMMABLE PULSE OUTPUT AND EXPERIMENTAL VALIDATION ON EX VIVO PLATELET ACTIVATION35
Antonio Caiafa ¹ , V. Bogdan Neculaes ¹ , Allen L. Garner ² , Yan Jiang ¹ , Steve Klopman ¹ , Andrew Torres ¹ , Nicole LaPlante ¹ GE Global Research, Niskayuna, NY, United States/ ² School of Nuclear Engineering, Purdue University, West Lafayette, IN, United States
PLANE WAVE IN VITRO EXPOSURE OF BIOLOGICAL SAMPLES, GEOMETRIES CONSIDERATIONS
Rene Vezinet ¹ , Alexandre Catrain ¹ , Thomas Chretienot ¹ , Jacques Tarayre ¹ , Laure Gibot ² , Flavien Pillet ² , Marie-Pierre Rols ² CEA, DAM, GRAMAT, Gramat, France/ ² IPBS-CNRS Université de Toulouse, Toulouse, France
EFFECTS OF APPLIED ULTRASHORT PULSED ELECTRIC FIELDS ON SOLID TUMOR
LOW COST, MULTI-KILOHERTZ PULSE GENERATION FOR NON-EQUILIBRIUM PLASMA-BASED AIR PURIFICATION
Venkata Raja Potturi ^{1,2} , Muhammad Arif Malik ¹ , Karl H. Schoenbach ¹ , Chunqi Jiang ^{1,2} ¹ Frank Reidy Research Center for Bioelectrics, Old Dominion University, Norfolk, VA, United States/ ² Department of Electrical & Computer Engineering, Old Dominion University, Norfolk, VA, United States
LIQUID STERILIZATION USING INTENSE ELECTRICAL PULSES COMBINED WITH THERMAL POST TREATMENT
ORAL SESSION 4 – REPETITIVE PULSED POWER SYSTEMS AND ACCELERATORS AND POWER MODULATOR CONFIGURATIONS AND SYSTEMS AND BEAMS, ACCELERATORS, RADAR, AND RF APPLICATIONS
A HIGH VOLTAGE PULSED POWER SUPPLY TO DRIVE A CAPILLARY DISCHARGE
WAVEGUIDE AT KHz REPETITION RATES
A MICROWAVE RESONANCE DIAGNOSTIC FOR MEASURING CHARACTERISTICS OF PULSED ION BEAMS
George R. Laity, Edward V. Barnat Sandia National Laboratories, Albuquerque, NM, United States
A 216 CABLES SYNCHRONIZATION TRIGGER FOR LINEAR TRANSFORMER DRIVER63 Yue Zhao ^{1,2} , Lin Chen ¹ , Liangji Zhou ¹ ¹ Institute of Fluid Physics, Chinese Academy of Engineering Physics, Mianyang, China/ ² School of Nuclear Science and Technology, University of Science and Technology of China, Hefei, China
FINAL KLYSTRON MODULATOR DESIGN, TESTING, AND INSTALLATION PLAN FOR THE LOS ALAMOS NEUTRON SCIENCE CENTER ACCELERATOR

SUB-NANOSECOND PULSE GENERATOR AND ELECTRON BEAM SOURCE FOR nToF APPLICATION	73
Archana Sharma ¹ , Naresh Pasula ² , Ranjeet Kumar ¹ , Romesh Chandra ¹ , Tanmay S. Kolge ¹ , Jayanta Mondal ¹ , Kailash C. Mittal ¹	, 0
¹ Accelerator and Pulse Power Division, Bhabha Atomic Research Centre, Mumbai, India/ ² Accelerator and Pulse Power Division, Homi Bhabha National Institute, Mumbai, India	
ORAL SESSION 5 – POWER ELECTRONICS AND POWER SUPPLIES	
A RATTEDV POWEDED 80 PAY CAPACITOR CHARCED	76
A BATTERY POWERED 80 kVA CAPACITOR CHARGER Shad Holt ¹ , Eric Cordero ¹ , John Mankowski ¹ , James Dickens ¹ , Andreas Neuber ¹ , Michael Scott ² , Steve Calico ² ¹ Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, United States/ ² Lockheed Martin Missiles and Fire Control, Grand Prairie, TX, United States	, 0
A PHASE LOCKED LOOP SYSTEM FOR SOFT SWITCHING TRACKING OF RESONANT POWER CONVERTERS IN HIGH VOLTAGE, HIGH POWER RF APPLICATIONS	79
Alan J. Watson, Chao Ji, Jon C. Clare Power Electronics, Machines and Control Group, University of Nottingham, Nottingham, United Kingdom	
OPTIMAL POWER SYSTEM AND GRID INTERFACE DESIGN CONSIDERATIONS FOR THE CLICS KLYSTRON MODIL ATORS	83
CLICs KLYSTRON MODULATORS	•
¹ University of Nottingham, Nottingham, United Kingdom/ ² CERN - European Organization for Nuclear Research, Geneva, Switzerland	
DESIGN OF A SOLID-STATE FAST VOLTAGE COMPENSATOR FOR KLYSTRON	
MODULATORS REQUIRING CONSTANT AC POWER CONSUMPTION	39
¹ CERN - European Organization for Nuclear Research Technology Dept., Electric Power Converter Group,	
Geneva, Switzerland/ ² LEEPCI Lab., Electrical and Computer Eng. Dept., Laval University, Québec, Canada	
ORAL SESSION 6 – OPENING AND CLOSING SWITCHES, HIGH REPETITION-RATE SYSTEMS, AND THERMAL MANAGEMENT	
COMPARISON OF TRIGGER REQUIREMENTS FOR GAS SWITCHES FOR LINEAR	
TRANSFORMER DRIVERS J. J. Leckbee ¹ , G. E. Peña ¹ , M. L. Kiefer ¹ , J. A. Alexander ¹ , B. S. Stoltzfus ¹ , J. L. Brown ² , H. Wigelsworth ² , F. E. White ³ , B. Bui ³	93
¹ Sandia National Laboratories, Albuquerque, NM, United States/ ² Fiore Industries, Inc., Albuquerque, NM, United States/ ³ Leidos, Albuquerque, NM, United States	
STUDY ON GRAPHITE-ELECTRODE GAS SWITCH APPLIED FOR PULSED POWER SUPPLY	07
WITH 700 kA PEAK CURRENT	97
State Key Laboratory of Advanced Electromagnetic Engineering and Technology, Huazhong University of Science and Technology, Wuhan, China	
EVALUATION OF HIGH VOLTAGE, HIGH POWER 4H-SiC INSULATED-GATE BIPOLAR TRANSISTORS	N 1
TRANSISTORS	V1
EXPERIMENTAL CHARACTERISTICS OF SEMICONDUCTOR OPENING SWITCH DIODE	05
¹ Extreme Energy-Density Research Institute, Nagaoka University of Technology, Nagaoka, Japan/ ² Pulsed Power Japan Laboratory, Kusatsu, Japan	

10 kV, 44 ns PULSE GENERATOR FOR 1 kHz TRIGATRON REPRATE OPERATION OF NLTL10 Jared M. Johnson, Jonathan M. Parson, David V. Reale, Andreas A. Neuber, John J. Mankowski, James C. Dickens Center for Pulsed Power & Power Electronics, Texas Tech University, Lubbock, TX, United States	
THERMAL ANALYSIS AND DESIGN FOR HIGH-POWER GaAs PCSS	1
ORAL SESSION 7- ANALYTICAL METHODS	
A 100 kW HIGH VOLTAGE POWER SUPPLY FOR DUAL ENERGY COMPUTER TOMOGRAPHY APPLICATIONS	15
RESONANT CONVERTER TOPOLOGY FOR THE NEW ISOLDE/CERN MODULATOR	ا
RADIATION FROM SiC PCSS DRIVEN GYROMAGNETIC NONLINEAR TRANSMISSION LINE HIGH POWER MICROWAVE SOURCE	!3
SUPERCRITICAL FLUIDS FOR HIGH-POWER SWITCHING	!6
CURRENT FILAMENTATION IN BULK GaAs PHOTOCONDUCTIVE SEMICONDUCTOR SWITCHES	30
Hongwei Liu, Weiping Xie, Jianqiang Yuan, Lingyun Wang, Meng Wang Key Laboratory of Pulsed Power, Institute of Fluid Physics, CAEP, Mianyang, China	
ORAL SESSION 8– DIELECTRICS, INSULATION, AND HIGH VOLTAGE DEVICES	
METALLIZED POLYPROPYLENE FILM CAPACITORS IN REPETITIVE PULSE APPLICATIONS	33
Hua Li, Zhiwei Li, Fuchang Lin, Qin Zhang, Bowen Wang, Haoyuan Li, Zhijian Xu, Wenjuan Wang State Key Laboratory of Advanced Electromagnetic Engineering and Technology, Huazhong University of Science & Technology, Wuhan, China	
STUDY ON SWEEP FREQUENCY IMPEDANCE METHOD FOR DETECTING INTERNAL WINDING SHORT CIRCUIT FAULT IN POWER TRANSFORMER13	37
Yong Liu ¹ , Fan Yang ¹ , Xiaochen Liang ¹ , Shengchang Ji ¹ , Xiang Sun ² , Shenghong Zhu ³ , Xiu Yao ⁴ ¹ State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University, Xi'an, China/ ² Zhejiang Electric Power Research Institute, State Grid Corporation of China, Hangzhou, China/ ³ Gansu Electric Power Research Institute, State Grid Corporation of China, Lanzhou, China/ ⁴ Department of Electrical and Computer Engineering, The Ohio State University, Columbus, OH, United States	

PARTIAL DISCHARGE MEASUREMENT AT HIGH VOLTAGE TEST CIRCUIT HAVING STATIC FREQUENCY CONVERTERS141
Rainer Haller, Petr Martinek University of West Bohemia, Pilsen, Czech Republic
ORAL SESSION 9– HIGH VOLTAGE DESIGN, DEVICES, AND TESTING
CERAMIC-POLYMER COMPOSITE CAPACITORS FOR COMPACT PULSED POWER APPLICATIONS
INSULATION COORDINATION AND FAILURE MITIGATION CONCERNS FOR ROBUST dc ELECTRICAL POWER SYSTEMS
INVESTIGATION OF ELECTRIC FIELD GRADING OF BUSHINGS WITH MICROVARISTOR FILLED EPOXY RESIN COMPONENTS
PULSED HIGH POWER AMPLIFIER
RESONANT LASER-INDUCED BREAKDOWN ACROSS HIGH VOLTAGE GAP FOR AIR-FUEL IGNITION
Steven F. Adams ¹ , Daniel L. Schweickart ¹ , Boyd A. Tolson ² , Amber L. Hensley ² ¹ Aerospace Systems Directorate, Air Force Research Laboratory, Wright-Patterson AFB, OH, United States/ ² UES Inc., Dayton, OH, United States
A NOVEL CURRENT DISTRIBUTION SENSOR FOR USE IN PARALLEL PLATE TRANSMISSION LINES
K. Omar ^{1,2} , N. Graneau ¹ , B. Novac ² , I. Smith ² ¹ Hydrodynamics Department, AWE, Reading, United Kingdom/ ² School of Electronic, Electrical and Systems Engineering, Loughborough University, Loughborough, United Kingdom
ORAL SESSION 10– SOLID STATE POWER MODULATORS
GLOBAL DESIGN ANALYSIS FOR HIGHLY REPEATABLE SOLID-STATE KLYSTRON MODULATORS
A STRIPLINE KICKER DRIVER FOR THE NEXT GENERATION LIGHT SOURCE
STUDY OF SHORT-PULSE COMPRESSION CIRCUIT USING A FAST RECOVERY DIODE

NIF SOLID-STATE SWITCH PULSE GENERATOR OPTIMIZATION FOR MULTI-PULSE OPERATION178
G. F. James, G. B. McHale, P. A. Arnold, A. S. Runtal, P. S. Cardinale, L. S. Pades National Ignition Facility, Lawrence Livermore National Laboratory, Livermore, CA, United States
DESIGN AND COMPARISON OF IGBT-BASED SWITCHING MODULES FOR LASER APPLICATIONS
Andreas Kluge ¹ , Henry Gueldner ¹ , Thomas Trompa ² , David Mory ² ¹ Power Electronics Group, TU Dresden, Dresden, Germany/ ² Lasertechnik Berlin GmbH, Berlin, Germany
EXPERIMENTAL ANALYSIS OF A SOLID-STATE MARX TOPOLOGY UTILIZING A BOOST REGULATOR CIRCUIT TO GENERATE MILLISECOND PULSES WITH LOW DROOP
ORAL SESSION 11– ANALYTICAL METHODS, MODELING, AND SIMULATIONS
THE IMPACTS OF DISTRIBUTED GENERATION ON FAULT DETECTION AND VOLTAGE PROFILE IN POWER DISTRIBUTION NETWORKS
Pooria Mohammadi ^{1,2} , Hassan El-Kishky ¹ , Mamdouh Abdel-Akher ² , Mazen Abdel-Salam ³ ¹ Department of Electrical Engineering, University of Texas, Tyler, TX, United States/ ² Department of Electrical Engineering, Asswan University, Asswan, Egypt/ ³ Department of Electrical Engineering, Assiuty University, Assiut, Egypt
HYBRID DESIGN OPTIMIZATION OF HIGH VOLTAGE PULSE TRANSFORMERS FOR KLYSTRON MODULATORS197
Sylvain Candolfi ¹ , Philippe Viarouge ¹ , Davide Aguglia ² , Jérôme Cros ¹ ¹ LEEPCI Lab., Electrical and Computer Eng. Dept., Laval University, Quebec, Canada/ ² CERN - European Organization for Nuclear Research, Technology Dept., Electric Power Converter Group, Geneva, Switzerland
3-D ELECTROMAGNETIC SIMULATION OF MONOLITHIC RADIAL TRANSMISSION LINES FOR Z-PINCH
STUDY OF ELECTRIC FIELD DISTRIBUTION AND LINE CHARACTERISTICS OF A SYNTACTIC FOAM INSULATED TRANSMISSION LINE
ORAL SESSION 12– POWER CONDITIONING AND PULSE SHAPING, ENERGY STORAGE DEVICES AND COMPONENTS
FREQUENCY TUNING A REFLEX TRIODE VIRCATOR FROM 1.5 TO 5.9 GHz
PERFORMANCE OF St707 GETTER MATERIAL IN A REP-RATED HIGH POWER MICROWAVE SEALED-TUBE VIRCATOR UNDER UHV CONDITIONS
M. Scott ² ¹ Center for Pulsed Power and Power Electronics, Department of Electrical and Computer Engineering, Texas Tech University, Lubbock, TX, United States/ ² Lockheed Martin Missiles and Fire Control, Grand Prairie, TX, United States

OPERATION OF DIELECTRIC NONLINEAR TRANSMISSION LINES BASED ON CERAMIC PZT SLABS
Jose O. Rossi, L. P. Silva Neto, F. S. Yamasaki National Institute for Space Research, Plasma Laboratory, Sao Jose dos Campos, Brazil
A METAMATERIAL-INSPIRED ELECTRICALLY SMALL ANTENNA FOR OPERATION AT 2 TO 20 MHz
P. Gatewood, A. Neuber, J. Dickens, J. Mankowski Center for Pulsed Power and Power Electronics, Department of Electrical and Computer Engineering, Texas Tech University, Lubbock, TX, United States
PULSED POWER APPLICATIONS RESEARCH: FROM SUPER CRITICAL SWITCHES TO RENEWABLE FUELS
E. J. M. van Heesch, W. F. L. M. Hoeben, J. Zhang, F. J. C. M. Beckers, T. Huiskamp, A. J. M. Pemen Department of Electrical Engineering, Electrical Energy Systems Group, Eindhoven University of Technology, Eindhoven, The Netherlands
EXPERIMENTAL STUDY ON ROCK FRACTURING BY USING PULSED POWER TECHNOLOGY
Yaohong Sun ¹ , Jian Zhou ² , Rongyao Fu ¹ , Yinghui Gao ¹ , Ping Yan ¹ , Tingxue Jian ² ¹ Institute of Electrical Engineering Chinese Academy of Sciences, Beijing, China/ ² SINOPEC Research Institute of Petroleum Engineering, Beijing, China
CONTROL OF PLASMA JET PRODUCED BY PULSED POWER
POSTER SESSION 1 – ANALYTICAL METHODS, MODELING, SIMULATION, ACCELERATORS, HIGH POWER MICROWAVES, ELECTROMAGNETIC LAUNCHERS, HIGH CURRENT SYSTEMS, POWER MODULATOR APPLICATIONS AND COMPONENTS
CONCEPT DESIGN OF CFETR STEADY-STATE ELECTRICAL NETWORK Lu Qu, Ge Li, Hua Li Institute of Plasma Physics, Chinese Academy of Sciences, Hefei, China
QUANTITATIVE ANALYSIS AND COMPARISON OF OFFLINE AND ONLINE METHODS USED TO DETECT THE CORE MULTI-POINT GROUNDING FAULT Wei Feng, Zhong Zheng, Xiaoyun Chen, Zhiwei Huang Beijing Key Laboratory of High Voltage & EMC, North China Electrical Power University, Beijing, China241
LOSSES IN A CONDUCTING CYLINDER CARRYING PERIODIC NONSINUSOIDAL CURRENT
Alex Pokryvailo Spellman High Voltage Electronics Corp., Hauppauge, NY, United States245
BEHAVIOR OF HV CABLE AT SHORT CIRCUIT: PART II
Alex Pokryvailo Spellman High Voltage Electronics Corp., Hauppauge, NY, United States249
A ROBUST INITIALIZATION ALGORITHIM FOR k-MEANS CLUSTERING IN POWER DISTRIBUTION NETWORKS WITH PMU-BASED ADAPTIVE PROTECTION SYSTEM Pooria Mohammadi, Hassan El-Kishky
Deparatment of Electrical Engineering, University of Texas at Tyler, Tyler, TX, United States252
A NONUNIFORM TRANSMISSION LINE CODE FOR PULSED POWER Z-PINCH DRIVERS Chongyang Mao, Xiaobing Zou, Xinxin Wang Department of Electrical Engineering, Tsinghua University, Beijing, China

HIGH VOLTAGE POWER SUPPLY AND SOLID STATE MODULATOR FOR CSNS LINAC TRIODE-TYPE KLYSTRON Wenzhong Zhou, Linyan Rong, Jian Li, Xianan Xu, Yuan Yao, Zhencheng Mu, Meifei Liu, Bo Wang, Maliang Wan, Zhexin Xie, Yun Feng Fu, Zonghua Zhang, Jimin Qiao Dongguan Branch, Institute of High Energy Physics, Chinese Academy of Sciences (CAS), Guangdong,	
China	304
NEW POWER MODULATOR FOR HIGH VOLTAGE ACCELERATORS Ge Li ¹ , Yinghui Zhou ² , Hua Li ¹ , Lu Qu ¹ , Jing Zhang ² , Ying Wang ¹ ¹ Institute of Plasma Physics, Chinese Academy of Sciences, Hefei, China/ ² National Synchrotron Radiation Laboratory, University of Science and Technology of China, Hefei, China	308
HIGH POWER MICROWAVE GENERATION BY VIRTUAL CATHODE OSCILLATOR Yuichi Machida ¹ , Rie Matsuda ¹ , Ryosuke Sato ¹ , Weihua Jiang ¹ , Akira Tokuchi ^{1,2} ¹ Extreme Energy-Density Research Institute, Nagaoka University of Technology, Nagaoka, Japan/ ² Pulsed Power Japan Laboratory Ltd., Kusatsu, Japan	312
MULTILAYER STRUCTURE OF ELECTRICAL CONDUCTIVITY FOR CONTACT SURFACE OF RAILGUN Volodymyr Chemerys National Aviation University of Ukraine, Kyiv, Ukraine	316
STABILITY MEASUREMENTS OF SwissFEL RESONANT KICKER PROTOTYPE Martin Paraliev, Christopher Gough Paul Scherrer Institute, Villigen PSI, Switzerland	322
REP-RATE OPERATION OF A 300 kV, HIGH-POWER MICROWAVE SEALED-TUBE VIRCATOR Jonathan M. Parson ¹ , Curtis F. Lynn ¹ , James-William B. Bragg ¹ , Patrick Kelly ¹ , Mark Taylor ¹ , David Barnett ¹ , Shad Holt ¹ , James C. Dickens ¹ , Andreas A. Neuber ¹ , John J. Mankowski ¹ , Michael C. Scott ² , Steve E. Calico ² Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, United States/ Lockheed Martin Missiles and Fire Control, Grand Prairie, TX, United States	326
SIMULATION ANALYSES OF ELECTROMAGNETIC RAIL LAUNCHER SYSTEM WITH AN IMPROVED MODEL Yuan Zhou ¹ , Dongdong Zhang ² , Yaohong Sun ² ¹ Automation and Electrical Engineering College, Tianjin University of Technology and Education, Tianjin, China/ ² Institute of Electrical Engineering, Chinese Academy of Sciences, Beijing, China	329
INVESTIGATION OF A 12-CAVITY RISING-SUN RELATIVISTIC MAGNETRON WITH DIFFRACTION OUTPUT USING PARTICLE-IN-CELL SIMULATION M. Liu¹, E. Schamiloglu², W. Jiang³, F. Mikhail², C. Liu¹ ¹Key Laboratory of Physical Electronics and Devices of the Ministry of Education, Xiʾan Jiaotong University, Xiʾan, China/²Department of Electrical and Computer Engineering, University of New Mexico, Albuquerque, NM, United States/³Extreme Energy-Density Research Institute, Nagaoka University of Technology, Nagaoka, Japan	333
FABRICATION AND OPERATING CHARACTERISTICS OF CARBON NANOTUBE DIODE Baha Yakupoglu, Hulya Kirkici Electrical and Computer Engineering Department, Auburn University, Auburn, AL United States	337
FINITE ELEMENT MODELING OF PLASMA INITIATION BY CARBON NANOTUBES (CNTs) AS COLD CATHODE IN PSEUDOSPARK SWITCHES Huirong Li ¹ , Michael Baginski ¹ , Rik Blumenthal ² , Hulya Kirkici ¹ Electrical and Computer Engineering Department, Auburn University, Auburn, AL, United States/ Chemistry and Biochemistry Department, Auburn University, Auburn, AL, United States	340
REMOTE CONTROL SYSTEM OF NANOSECOND PULSE POWER SUPPLY Kun Liu ¹ , Dongdong Zhang ¹ , Yinghui Gao ¹ , Yaohong Sun ^{1,2} , Ping Yan ^{1,2} ¹ Institute of Electrical Engineering, Chinese Academy of Sciences, Beijing, China/ ² Key Laboratory of Power	244
Electronics and Electric Drive, Chinese Academy of Sciences, Beijing, China	544

DEVELOPMENT OF A PHASED ARRAY SPARKER Yaohong Sun, Rongyao Fu, Yinghui Gao, Xuzhe Xu, Chengyan Ren, Ping Yan Institute of Electrical Engineering Chinese Academy of Sciences, Beijing, China/Key Laboratory of Power Electronics and Electric Drive, Chinese Academy of Sciences
CHARACTERISTICS OF DIFFUSE DISCHARGES SUSTAINED BY PULSED POWER IN OPEN AIR Cheng Zhang ^{1,2} , Wenjin Yang ^{1,2} , Tao Shao ^{1,2} , Yixiao Zhou ¹ , Zhongsheng Zhou ¹ ¹ Institute of Electrical Engineering, Chinese Academy of Science, Beijing, China/ ² Key Laboratory of Power Electronics and Electric Drive, Chinese Academy of Sciences, Beijing, China
A MICROSECOND GENERATOR BASED ON PULSE TRANSFORMER AND ITS DISCHARGE APPLICATIONS Weimin Huang ¹ , Yang Zhou ¹ , Tao Shao ^{1,2} , Cheng Zhang ¹ , Lei Wang ^{1,2} ¹ Institute of Electrical Engineering, Chinese Academy of Science, Beijing, China/ ² Key Laboratory of Power Electronics and Electric Drive, Chinese Academy of Sciences, Beijing, China
XUV SOURCE BASED ON THE FAST HIGH-CURRENT CAPILLARY-DISCHARGE SYSTEM Jiri Schmidt, Karel Kolacek, Oleksandr Frolov, Jaroslav Straus Pulse Plasma Systems Department, Institute of Plasma Physics AS CR, v.v.i., Prague, Czech Republic
BEHAVIOR OF LIQUID MENISCUS IN ELECTROSPRAY DEPENDENT ON VOLTAGE WAVEFORM Daichi Obata ¹ , Hiroshi Tasaka ¹ , Sunao Katsuki ² , Hidenori Akiyama ² ¹ Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan/ ² Institute of Pulsed Power Science, Kumamoto University, Kumamoto, Japan
ANALYSIS OF THE WAVE PROCESS IN THE LAMINATED CORE OF THE PULSED MAGNETIC DEVICES Volodymyr Chemerys, Iren Borodiy National Aviation University of Ukraine, Kyiv, Ukraine
CHARACTERIZATION OF FLASH X-RAY SOURCE AND RADIOGRAPHY RESULTS OF NEWLY DEVELOPED KALI-30GW RELATIVISTIC ELECTRON BEAM SYSTEM Archana Sharma ¹ , Pasula Naresh ² , Romesh Chandra ¹ , Tanmay Kolge ¹ , A. M. Shaikh ³ , Ratna Pal ⁴ , K. Senthil ¹ , Sandeep Kumar Singh ¹ , M. Rakhee ¹ , M. Danish Beg ¹ , Vijay Sharma ¹ , M. S. Kulkarni ⁴ , D. B. Babu ⁴ , K. C. Mittal ¹ Accelerator and Pulse Power Division, Bhabha Atomic Research Centre, Mumbai, India/ ² Accelerator and Pulse Power Division, Homi Bhabha National Institute, Mumbai, India/ ³ RRF-Physics Group, Bhabha Atomic Research Centre, Mumbai, India
DESIGN AND OPERATION OF A FAST-RISETIME, 500 Hz, 24 kV, OPTICALLY-ISOLATED PULSE TRIGGER GENERATOR David H. Barnett ¹ , Jonathan Parson ¹ , Curtis Lynn ¹ , Patrick Kelly ¹ , Mark Taylor ¹ , James Dickens ¹ , Andreas Neuber ¹ , John Mankowski ¹ , Steve Calico ² , Michael Scott ² Department of Electrical and Computer Engineering, Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, United States/ Lubbock, TX, United States
OPERATION OF A 500 kV, 4 kA MARX GENERATOR AT 500 Hz REP-RATE M. B. Taylor ¹ , P. M. Kelly ¹ , J. M. Parson ¹ , C. Lynn ¹ , J. C. Dickens ¹ , A. A. Neuber ¹ , J. J. Mankowski ¹ , JW. B. Bragg ¹ , S. Calico ² , M. Scott ² ¹ Center for Pulsed Power & Power Electronics, Texas Tech University, Lubbock, TX, United States/ ² Lockheed Martin Corporation, Missiles and Fire Control, Dallas, TX, United States
EVALUATING EFFECTS OF CONSTANT AND PULSED CURRENT IN PULSE INITIATED SYSTEMS Andrea M. Martinez, Daniel P. Muffoletto, Kevin M. Burke, Jennifer L. Zirnheld Energy Systems Integration, Department of Electrical Engineering, University at Buffalo, Buffalo, NY, United States

THE CORRELATION AND REGRESSION BETWEEN THE PRE-BREAKDOWN CURRENT AND BREAKDOWN VOLTAGE OF THE VACUUM SWITCHGEAR IN DEPENDENCE OF SWITCHING OPERATION Uroš Kovacević ¹ , Miloš Vujisić ¹ , Bratislav Iričanin ¹ , Predrag Osmokrović ¹ , Srdjan Milosavljević ²
¹ Faculty of Electrical Engineering, University of Belgrade, Belgrade, Serbia/ ² The Institute of Electrical Engineering "Nikola Tesla," Belgrade, Serbia
NOVEL CALORIMETRY TECHNIQUE FOR PULSED WIRES J. Baker ² , J. Gahl ² , P. Norgard ² , O. Azizi ¹ , A. El-Boher ¹ , G. Hubler ¹ , J. He ¹ , D. Pease ¹ Sidney Kimmel Institute for Nuclear Renaissance (SKINR), Department of Physics, University of Missouri, Columbia, MO, United States/ Department of Electrical and Computer Engineering, University of Missouri, Columbia, MO, United States
SIMULATION OF SPARK DYNAMIC PLASMA RESISTANCE AND INDUCTANCE USING PSpice M. Hogg, I. Timoshkin, S. MacGregor, M. Given, M. Wilson, T. Wang Department of Electronic and Electrical Engineering, University of Strathclyde, Glasgow, United Kingdom391
POSTER SESSION 2 – BIOLOGICAL, MEDICAL, AND ENVIORNMENTAL APPLICATIONS OF POWER MODULATORS, DIELECTRICS, INSULATION, BREAKDOWN, SOLID STATE SWITCHES, AND REPETITIVE SYSTEMS
THE INVESTIGATION OF PULSED DIELECTRIC BARRIER DISCHARGE SYSTEM ON WATER TREATMENT BY LIQUID DROPLET IN AIR Song Jiang, Yiyong Wen, Yan Xu, Kefu Liu Fudan University, Shanghai, China
REAL TIME MEASUREMENTS OF CELL SUSPENSION CONDUCTIVITY CHANGES DUE TO PULSED ELECTRIC FIELDS Andrew J. Fairbanks, Anand Vadlamani, Tylor Whitmer, Allen L. Garner School of Nuclear Engineering, Purdue University, West Lafayette, IN, United States
MEASURING DIELECTRIC PROPERTIES OF BIOLOGICAL CELLS AS A FUNCTION OF TEMPERATURE Anand Vadlamani ¹ , Jie Zhuang ² , Juergen F. Kolb ² , Allen L. Garner ¹ ¹ School of Nuclear Engineering, Purdue University, West Lafayette, IN, United States/ ² INP Greifswald, Greifswald, Germany
NANOSECOND PULSED ELECTRIC FIELD INTERACTIONS WITH MICROGLIA AND ASTROYCTES Salah Sommakia ¹ , Season Wyatt ² , Kevin Otto ^{1,3} , Anand Vadlamani ² , Allen L. Garner ² ¹ Weldon School of Biomedical Engineering, Purdue University, West Lafayette, IN, United States/ ² School of Nuclear Engineering, Purdue University, West Lafayette, IN, United States/ ³ Department of Biological Sciences, Purdue University, West Lafayette, IN, United States. 405
MODIFICATION OF CELL POPULATION DYNAMICS BY PULSED ELECTRIC FIELDS Tylor Whitmer, Anand Vadlamani, Philip Bardos, Allen L. Garner School of Nuclear Engineering, Purdue University, West Lafayette, IN, United States
EFFECT OF THE SURFACTANT TREATMENT USING NANOSECOND PULSED POWERS Mitsuru Morimoto, Kazuhiro Kusunoki, Toshiki Ninomiya, Kenji Teranishi, Naoyuki Shimomura The University of Tokushima, Tokushima, Japan
INVESTIGATION OF DENSE OZONE PRODUCTION IN COAXIAL REACTOR USING NANOSECOND PULSED POWER Toshiki Ninomiya, Mitsuru Morimoto, Yuki Nakata, Kenji Teranishi, Naoyuki Shimomura The University of Tokushima, Tokushima, Japan

INVESTIGATION ABOUT EFFECTS ON ENDOPLASMIC RETICULUM STRESS RESPONSES BY APPLYING NANOSECOND PULSED ELECTRIC FIELDS Hiroto Hirai, Masato Miyake, Akihiko Nagano, Kenji Teranishi, Naoyuki Shimomura, Seiichi Oyadomari The University of Tokushima, Tokushima, Japan
A NEW FORMULA FOR PREDICTING THE AMPLITUDE OF THE DYNAMIC PRESSURE WAVE RESULTING FROM BREAKDOWN IN WATER GAP J. Martin ¹ , T. Reess ¹ , A. De Ferron ¹ , R. Ruscassié ¹ , F. Rey-Bethbeder ² ¹ University of Pau, SIAME, Pau, France/ ² TOTAL Avenue Larribau, Pau, France
INVESTIGATION OF NON-THERMAL STERILIZATION METHOD OF PACKED FRESH FOODS USING PULSED BARRIER DISCHARGE Takafumi Onuma, Daichi Ota, Yasushi Minamitani Graduate School of Science and Engineering, Yamagata University, Yonezawa, Japan
INVESTIGATION OF FREQUENCY RESPONSE BY PULSED ELECTRIC FIELD ON BUDDING YEAST FOR CANCER TREATMENT Yasushi Minamitani, Yuta Kobayashi, Riku Kageyama, Kenji Tamura Graduate School of Science and Engineering, Yamagata University, Yonezawa, Japan
CHARGING AND DYNAMICS OF FINE AIR-BORNE PARTICLES IN IMPULSIVE ELECTRIC FIELDS Y. Liu, I. Timoshkin, M. Wilson, M. Given, S. MacGregor Department of Electronic and Electrical Engineering, University of Strathclyde, Glasgow, United Kingdom435
FAST PULSED GENERATOR BASED ON PCSS FOR KILLING PATHOGEN IN BLOOD Hongwei Liu ¹ , Weiping Xie ¹ , Jianqiang Yuan ¹ , Hongtao Li ¹ , Ping Jiang ¹ , Lingyun Wang ¹ , Tianlun Jiang ² , Qiang Zhang ² ¹ Key Laboratory of Pulsed Power, Institute of Fluid Physics, CAEP, Mianyang, China/ ² The Southwest Hospital of Third Military Medical University, Chongqing, China
EXPERIMENTAL STUDY ON THE CURRENT-CARRYING TEST OF METALLIZED ELECTRODE Hua Li, Bowen Wang, Zhijian Xu, Zhiwei Li, Wenjuan Wang, Haoyuan Li, Fuchang Lin State Key Laboratory of Advanced Electromagnetic Engineering and Technology, Huazhong University of Science and Technology, Wuhan, China
BREAKDOWN AND OPTICAL EMISSION CHARACTERISTICS OF POINT-TO-POINT ELECTRODES SUBJECT TO PULSED 20 kHz APPLIED FIELD IN SUB-ATMOSPHERIC PRESSURE N ₂ -He GAS MIXTURES John Gray, Huirong Li, Hulya Kirkici Electrical and Computer Engineering, Auburn University, Auburn, AL, United States
20 kHz UNIPOLAR PULSED FIELD SURFACE FLASHOVER CHARACTERISTICS OF POLYMER NANOCOMPOSITES IN SUBATMOSPHERIC PRESSURE HELIUM Ali Osman Özkan ¹ , Muciz Özcan ¹ , Maria Auad ² , Hulya Kirkici ³ ¹ Electrical and Electronics Engineering Department, Necmettin Erbakan University, Faculty of Engineering and Architecture, Konya, Turkey/ ² Polymer and Fiber Engineering Department, Auburn University, Auburn, AL, United States/ ³ Electrical and Computer Engineering Department, Auburn University, Auburn, AL, United States. 450
CONDUCTION INTERFERENCE SUPPRESSION FOR TOKAMAK ACCELERATORS Fei Xie ^{1,2} , Ge Li ² , Huarong Li ² , Qianjian Chen ² ¹ Department of Electronic and Information Engineering, Shunde Polytechnic, Shunde, Guangdong, China/ ² Institute of Plasma Physics, Chinese Academy of Sciences, Hefei, Anhui, China
SPARK GAP DISCHARGE PROPERTIES MEASURED BY OPTICAL EMISSION SPECTROSCOPY C. S. Reddy ¹ , Naresh Pasula ¹ , Archana Sharma ¹ , R. Sarathi ² , K. C. Mittal ¹ Accelerator and Pulse Power Division, Bhabha Atomic Research Centre, Mumbai, India/ ² Indian Institute of Technology, Madras, Chennai, India

NEW APPROACH TO BREAKDOWN VOLTAGE ESTIMATION AFTER INTERRUPTION OF CAPACITIVE CURRENTS
Sead Delić ^{1,2} , Dejan Bešlija ^{1,2} , Mahir Muratović ^{1,2} , Myoung-Hoo Kim ^{1,3} , Mirsad Kapetanović ^{1,2} , Hamid Zildžo ¹ Faculty of Electrical Engineering Sarajevo, Department of Power Engineering, University of Sarajevo, Sarajevo, Bosnia and Herzegovina/ ² EnergoBos ILJIN d.o.o., Sarajevo, Bosnia and Herzegovina/ ³ ILJIN Electric Co. Ltd., Seoul, South Korea
INFLUENCE OF CONTACT EROSION ON THE STATE OF SF6 GAS IN INTERRUPTER CHAMBERS OF HV SF6 CIRCUIT BREAKERS
Myoung-Hoo Kim ^{1,3} , Kyong-Hoe Kim ^{1,3} , Amer Smajkić ^{1,2} , Mirsad Kapetanović ^{1,2} , Mahir Muratović ^{1,2} ¹ Faculty of Electrical Engineering Sarajevo, Department of Power Engineering, University of Sarajevo, Sarajevo, Bosnia and Herzegovina/ ² EnergoBos ILJIN d.o.o., Sarajevo, Bosnia and Herzegovina/ ³ ILJIN Electric Co., Ltd., Seoul, South Korea
PRESSURE DISTRIBUTION ALONG THE NOZZLE OF A HV SF6 CIRCUIT BREAKER Mahir Muratović ^{1,2} , Sead Delić ^{1,2} , Armin Hajdarović ² , Mirsad Kapetanović ^{1,2} , Yonggang Guan ³ ¹ Faculty of Electrical Engineering Sarajevo, Department of Power Engineering, University of Sarajevo, Sarajevo, Bosnia and Herzegovina/ ² EnergoBos ILJIN d.o.o., Sarajevo, Bosnia and Herzegovina/ ³ Department of Electrical Engineering, Tsinghua University, Beijing, China
PIII IN BATCH PROCESSING MODE USING HV BLUMLEIN PULSER WITH PULSE EXTENDED TO THE MICROSECOND RANGE Ataide R. Silva ^{1,2} , Jose O. Rossi ¹ , Mario Ueda ¹ Associated Plasma Laboratory, National Institute for Space Research, Sao Jose dos Campos, Brazil/
² Laboratory of Materials and Sensors, Sao Jose dos Campos, Brazil
SURFACE FLASHOVER OF ATMOSPHERIC-PRESSURE PLASMA TREATED PMMA IN TRANSFORMER OIL Zhongsheng Zhou ^{1,2} , Wenjin Yang ² , Tao Shao ² , Cheng Zhang ² , Zhi Fang ¹ Institute of Electrical Engineering, Chinese Academy of Science, Beijing, China/2School of Automation and Electrical Engineering, Nanjing University of Technology, Nanjing, China
ELECTRICAL BREAKDOWN OF HETEROGENEOUS DIELECTRICS UNDER 10 ns HIGH-VOLTAGE
PULSES Vladimir Vdovin ¹ , Valery Andreev ² , Victor Kulagin ^{3,1} ¹ Kotel'nikov Institute of Radioengineering and Electronics of RAS, Moscow, Russia/ ² Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia/ ³ Sternberg Astronomical Institute, M.V. Lomonosov Moscow State University, Moscow, Russia
EXPERIMENTAL OBSERVATIONS OF QUASIPERIODIC BEHAVIOR IN AN ATMOSPHERIC-PRESSURE DIELECTRIC BARRIER DISCHARGE IN HELIUM Dong Dai, Qi M. Wang, Ling Luo School of Electric Power, South China University of Technology, Guangzhou, China
MEASUREMENT AND SIMULATION OF PULSED PLASMA DEVELOPMENT AT MEDIUM PRESSURE IN A NON-UNIFORM FIELD Andrew Fierro, James Dickens, Andreas Neuber Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, United States
THE PARAMETERS OF THE FREE ELECTRONS GAS SPECTRUM OF NOBLE GASES MIXTURE AT SMALL PRESSURES AND INTER-ELECTRODE DISTANCES Koviljka Stanković, Malisa Alimpijević, Dejan Despotović, Uroš Kovačević, Dragan Brajović Faculty of Electrical Engineering, University of Belgrade, Belgrade, Serbia
RECENT RESULTS IN THE DEVELOPMENT OF COMPOSITES FOR HIGH ENERGY DENSITY CAPACITORS Kevin A. O'Connor, Randy D. Curry Center for Physical and Power Electronics, Dept. of ECE, University of Missouri, Columbia, MO, United States496

EXPERIMENTAL COMPARISON OF THE PERFORMANCE OF AN EARLY STREAMER EMISSION AIR TERMINAL VERSUS A FRANKLIN ROD IN LABORATORY USING A NOVEL METHODOLOGY L. Pécastaing ¹ , T. Reess ¹ , A. de Ferron ¹ , S. Souakri ¹ , E. Smycz ² , A. Skopec ³ , C. Stec ³
¹ Laboratoire SIAME, Université de Pau, Pau, France/ ² Piorteh and Orw-Els, Paris, France/ ³ Wroclaw University of Technology, Wroclaw, Poland
FAST, SOLID STATE CROWBAR SWITCH TO PROTECT HIGH POWER AMPLIFIER TUBES Howard D. Sanders ¹ , Chris White ² , Craig Dunham ¹ , Daniel Warnow ¹ ¹ Applied Pulsed Power, Inc., Ithaca, NY, United States/ ² Science & Technology Facilities Council, Daresbury Laboratory, Warrington, United Kingdom
DESIGN AND OPERATIONAL ASPECTS OF A BI-POLAR SEMICONDUCTOR SWITCH AS POSSIBLE CANDIDATE FOR REPLACEMENT OF ELECTRO-MECHANICAL SWITCHGEAR IN ENERGY EXTRACTION SYSTEMS FOR THE LHC CORRECTOR MAGNET CIRCUITS G. J. Coelingh, K. Dahlerup-Petersen, A. Erokhin, B. Panev CERN European Organization for Nuclear Research, Accelerator Technology Dept., Geneva, Switzerland508
VOLTAGE RECOVERY CHARACTERISTICS OF SPARK GAP USING REPETITIVE PULSE POWER SYSTEM C. S. Reddy, P. Naresh, A. S. Patel, Archana Sharma, K. C. Mittal Accelerator and Pulse Power Division, Bhabha Atomic Research Centre, Mumbai, India
DESIGN OF A NOVEL SELF-TRIGGERING LINEAR TRANSFORMER DRIVER Jian Qiu, Kefu Liu, Zhuolin Tu, Langming Yu Institute of Electric Light Sources, Fudan University, Shanghai, China
REPETITIVE HIGH STABILITY MODULATOR FOR PAL-XFEL S. S. Park ¹ , S. H. Kim ¹ , S. J. Kwon ¹ , BJ. Lee ¹ , H. S. Lee ¹ , H. S. Kang ¹ , I. S. Ko ¹ , D. S. Kim ² , H. S. Shin ³ ¹ Pohang Accelerator Laboratory, Pohang, South Korea/ ² Dawonsys cop., Siheung City, South Korea/ ³ POSCO ICT, Seongnam City, South Korea
THERMAL ANALYSIS OF 4H-SiC DMOSFET STRUCTURE UNDER RESISTIVE SWITCHING Bejoy N. Pushpakaran ¹ , Stephen B. Bayne ¹ , Aderinto A. Ogunniyi ² ¹ Electrical and Computer Engineering, Texas Tech University, Lubbock, TX, United States/ ² Army Research Lab, Adelphi, MD, United States
CARRIER LIFETIME MEASUREMENT OF SILICON CARBIDE FOR PHOTOCONDUCTIVE SWITCH APPLICATIONS USING AN IR PROBE LASER Chris White, Daniel Mauch, David Thomas, James Dickens Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock, TX, United States
CHARACTERIZATION OF MID-BANDGAP DEFECT STATES IN 4H-SiC FOR OPTIMIZATION OF SiC PHOTOCONDUCTIVE SEMICONDUCTOR SWITCHES David Thomas, Daniel Mauch, Chris White, A. Neuber, J. Dickens Center for Pulsed Power and Power Electronics, Department of Electrical and Computer Engineering, Texas Tech University, Lubbock, TX, United States
FEATURES OF GENERATING PULSE SERIES AND PULSE TRAINS OF GIGAWATT POWER AND MILLISECOND DURATION WITH RESISTIVE LOADS AND LOADS OF RAILGUN TYPE O. G. Egorov TRINITI, Moscow, Troitsk, Russia
LARGE CHIP AREA SiC PIN DIODES DEMONSTRATED FOR THYRISTOR PROTECTION IN A PULSED SYSTEM Heather K. O'Brien¹, William Shaheen², Aderinto Ogunniyi¹, Charles Scozzie¹, Lin Cheng³, Miguel Hinojosa¹, Kevin Lawson⁴, Shelby Lacouture⁴, Stephen Bayne⁴ ¹U.S. Army Research Laboratory, Adelphi, MD, United States/²Berkeley Research Associates, Beltsville, MD, United States/³Cree Inc., Durham, NC, United States/⁴P³E, Texas Tech University, Lubbock, TX, United States. 538

PECULIAR WORK MODE OF GaAs PCSSs AT HIGH BIAS ELECTRIC-FIELD Hongwei Liu, Weiping Xie, Jianqiang Yuan, Hongtao Li, Meng Wang Key Laboratory of Pulsed Power, Institute of Fluid Physics, CAEP, Mianyang, China
OVERVIEW AND EVALUATION METHODOLOGIES OF HIGH VOLTAGE POWER DEVICES Lixing Fu, He Li, Xintong Lu, Jin Wang The Ohio State University, Columbus, OH, United States
POSTER SESSION 3 – HIGH VOLTAGE DESIGN, DEVICES AND TESTING; POWER ELECTRONICS, POWER SUPPLIES, POWER MODULATOR COMPONENTS AND SYSTEMS
STUDY ON POLARIZATION AND DEPOLARIZATION CURRENT DETECTION DEVICE FOR XLPE
CABLE Gang Ye ^{1,2} , Hua Li ¹ , Fuchang Lin ¹ , Jin Tong ¹ , Qin Zhang ¹ , Xiaogang Wu ¹ , Zeqi Huang ¹ ¹ State Key Laboratory of Advanced Electromagnetic Engineering and Technology, School of Electrical and Electronic Engineering, Huazhong University of Science and Technology, Wuhan, China/ ² Electronic and Information School, Yangtze University, Jingzhou, China
TWO GAS SWITCHES WITH LOW INDUCTANCE APPLYING TO A COMPACT FAST MARX GENERATOR
Youcheng Wu, Lidong Geng, Yu Yang, Minhua Wang, Nanchuan Zhang, Shirong Hao Key Laboratory of Pulsed Power, Institute of Fluid Physics, CAEP, Mianyang, China
EVALUATION OF INSULATION SYSTEMS FOR THE OPTIMAL DESIGN OF HIGH VOLTAGE PULSE TRANSFORMERS Sylvain Candolfi ¹ , Sebastian Blume ² , Davide Aguglia ³ , Philippe Viarouge ¹ , Jürgen Biela ² , Jérôme Cros ¹ LEEPCI Lab., Electrical and Computer Eng. Dept., Laval University, Québec, Canada/ ² Laboratory for High Power Electronics, ETH Zürich, Zürich, Switzerland/ ³ Technology Dept., CERN – European Organization for Nuclear Research, Electric Power Converter Group, Geneva, Switzerland
HIGH VOLTAGE POWER TRANSFORMER DIAGNOSTICS USING VIBROACOUSTIC METHOD Dariusz Zmarzly, Tomasz Boczar, Pawel Fracz, Sebastian Borucki Department of Electrical Engineering, Automatic Control and Informatics, Opole University of Technology, Opole, Poland
COINCIDENCE DETECTION SYSTEM FOR MULTI-SWITCH PULSED POWER SYSTEMS Robert E. Beverly III R. E. Beverly III and Associates, Lewis Center, OH, United States
NON-INVASIVE DIAGNOSIS OF SF6 HIGH VOLTAGE SELFBLAST CIRCUIT BREAKER NOZZLES S. Wetzeler, P. G. Nikolic, D. Eichhoff, A. Schnettler Institute for High Voltage Technology, RWTH Aachen University, Aachen, Germany
INVESTIGATIONS ON THE INFLUENCE OF THE SWITCHING CHAMBER DESIGN ON THE THERMAL INTERRUPTION PERFORMANCE OF CARBON DIOXIDE IN HIGH VOLTAGE CIRCUIT BREAKERS P. G. Nikolic, A. Schnettler Institute for High Voltage Technology, RWTH Aachen University, Aachen, Germany
HIGH VOLTAGE DIAGNOSTIC MEASUREMENTS FOR SURGE ARRESTER CONDITION MONITORING Donald G. Kasten ¹ , Stephen A. Sebo ¹ , John L. Lauletta ² Dept. of ECE, The Ohio State University, Columbus, OH, United States/Exacter, Inc., Columbus, OH, United States

CHARACTERIZATION OF HIGH-VOLTAGE LITHIUM NIOBATE PIEZOELECTRIC TRANSFORMERS James A. VanGordon ¹ , Scott D. Kovaleski ¹ , Brady B. Gall ¹ , Peter Norgard ¹ , Emily A. Baxter ¹ , Jae Wan Kwon ¹ ,
Gregory E. Dale ² Department of Electrical and Computer Engineering, University of Missouri, Columbia, MO, United States/ High Power Electrodynamics Group, Los Alamos National Laboratory, Los Alamos, NM, United States580
PRODUCTION OF NANOPOROUS PALLADIUM FROM A DEUTERIUM LOADED WIRE DRIVEN BY A LOW ENERGY, FAST PULSER J. Baker ¹ , J. Gahl ¹ , P. Norgard ¹ , O. Azizi ² , A. El-Boher ² , G. Hubler ² , J. He ² , W. Isaacson ² , D. Pease ² Department of Electrical and Computer Engineering, University of Missouri, Columbia, MO, United States/ Department of Physics, Sidney Kimmel Institute for Nuclear Renaissance (SKINR), University of Missouri, Columbia, MO, United States. 584
DESIGN OF AN ISOLATED DC-DC CONVERTER FOR TWT APPLICATION Claudio C. Motta University of Sao Paulo, Sao Paulo, Brazil
IMPROVEMENT AND APPLICATION OF DYNAMIC THERMAL CIRCUIT MODEL FOR OIL-IMMERSED POWER TRANSFORMER Lingyu Zhu ¹ , Hualong Li ² , Xiu Yao ³ , Shengchang Ji ¹ State Key Lab of Electrical Insulation and Power Equipment, Xi'an Jiaotong University, Xi'an, China/ Shaoxing Electric Power Bureau, Shaoxing, China/ Department of Electrical and Computer Engineering, The Ohio State University, Columbus, OH, United States
LOSS AND PERMEABILITY CHARACTERIZATION OF FE-BASED NANOCRYSTALLINE CORES FOR PULSED POWER MAGNETIC APPLICATIONS Yi Liu, Yibo Han, Siwei Liu, Fuchang Lin State Key Laboratory of Advanced Electromagnetic Engineering and Technology, Huazhong University of Science and Technology, Wuhan, China
TEST-BED OF PULSED RADIO FREQUENCY (RF) SIGNAL USED WITH A DIODE MADE OF CARBON NANOTUBES (CNTs) Michael Jung, Thomas Baginski, Hulya Kirkici Electrical and Computer Engineering Department, Auburn University, Auburn, AL, United States
NOVEL HIGH FREQUENCY CONVERTER cum INVERTER BASED CAPACITOR CHARGING POWER SUPPLY P. Naresh ¹ , A. Patel ² , T. Kolge ² , Hitesh Choudhary ² , Archana Sharma ² , K. C. Mittal ² Homi Bhabba National Institute, Mumbai, Inidia/ ² Bhabha Atomic Research Centre, Mumbai, India
COMPARATIVE ANALYSIS OF 2 ND AND 4 TH ORDER RESONANT BASED CAPACITOR CHARGING POWER SUPPLIES N. Pasula ¹ , A. Patel ² , T. Kolge ² , Hitesh C. ² , Archana Sharma ² , K. C. Mittal ² ¹ Homi Bhabba National Institute, Mumbai, India/ ² Bhabha Atomic Research Centre, Mumbai, India607
THE PRECISION HIGH VOLTAGE POWER SUPPLY SYSTEM FOR THE ACCELERATING COLUMN OF THE 2 MeV ELECTRON COOLER FOR COSY Dmitry N. Skorobogatov, Maxim I. Bryzgunov, Anatoly D. Goncharov, Igor Gusev, Mikhail N. Kondaurov, Victor R. Kozak, Anatoly S. Medvedko, Vasily V. Parkhomchuck, Dimitriy Pureskin, Alexander Putmakov, Vladimir B. Reva, Dmitriy Senkkov Budker Institute of Nuclear Physics, Siberian Branch of Russian Academy of Science, Novosibirsk, Russia
A LCL CONVERTER FOR TOKAMAK Hua-rong Li, Ge Li Institute of Plasma Physics, Chinese Academy of Sciences, Hefei, China

CHARGING-BALANCING CIRCUIT DESIGN OF SERIES-CONNECTED ELECTRIC DOUBLE-LAYER CAPACITORS IN HIGH POWER APPLICATIONS Dae-Joong Cha ¹ , Ji-Eun Baek ¹ , Young-Maan Cho ¹ , Kwang-Cheol Ko ¹ , Woo-Cheol Lee ² Department of Electrical Engineering, Hanyang University, Seoul, Korea/ ² Department of Electrical
Electronic & Control Engineering, Hankyong National University, Kyeonggi-do, Korea
DEVELOPMENT OF INTERLEAVED BUCK CONVERTER USING SOFT-SWITCHING FOR HIGH CURRENT APPLICATIONS Dae-Joong Cha ¹ , Ji-Eun Baek ¹ , Young-Maan Cho ¹ , Kwang-Cheol Ko ¹ , Woo-Cheol Lee ² Department of Electrical Engineering, Hanyang University, Seoul, Korea/Department of Electrical Electronic & Control Engineering, Hankyong National University, Kyeonggi-do, Korea
RESEARCH ON TRANSIENT THERMAL MANAGEMENT OF CAPACITOR CHARGING POWER SUPPLY Yinghui Gao ^{1,2} , Kun Liu ^{1,2} , Yaohong Sun ^{1,2} , Rongyao Fu ^{1,2} , Ping Yan ^{1,2} ¹ Institute of Electrical Engineering, Chinese Academy of Sciences, Beijing, China/ ² Key Laboratory of Power
Electronics and Electric Drive, Chinese Academy of Sciences, Beijing, China
A STUDY ON CAPACITOR CHARGER USING VARIABLE FREQUENCY INVERTER AS A HIGH REPETITIVE PULSED POWER MODULATOR Taiji Kajiwara, Hiroyuki Asou, Takashi Sakugawa, Hidenori Akiyama Graduate School of Science and Technology, Kumamoto University, Kumamoto, Japan
DIGITAL CONTROL OF A RAPID CAPACITOR CHARGER WITH SENSOR-LESS VOLTAGE FEEDBACK Michael G. Giesselmann, Argenis Bilbao Department of Electrical & Computer Engineering, Texas Tech University, Lubbock, TX, United States
AFFORDABLE SHORT PULSE MARX MODULATOR Robert Phillips ¹ , Gerald DelPriore ¹ , Marcel P. J. Gaudreau ¹ , Michael Kempkes ¹ , Jeffrey Casey ² ¹ Diversified Technologies, Inc., Bedford, MA, United States/ ² Rockfield Research, Inc., Las Vegas, NV, United States
ILC-CLASS MARX MODULATOR AT KEK Marcel P. J. Gaudreau ¹ , Noah Silverman ¹ , Michael Kempkes ¹ , Jeffrey Casey ² Diversified Technologies, Inc., Bedford, MA, United States/ ² Rockfield Research, Inc., Las Vegas, NV, United States
REPETITIVE HIGH VOLTAGE ALL-SOLID-STATE MARX GENERATOR FOR DIELECTRIC BARRIER DISCHARGE PULSED PLASMA Yonggang Wang, Yuanda Lu, Jian Qiu, Kefu Liu Institute of Electrical Light Sources, Fudan University, Shanghai, China
THE DESIGN OF A COMPACT BIPOLAR PULSE CURRENT GENERATOR BASED ON SOLID-STATE MARX ADDER Yuanda Lu, Yonggang Wang, Jian Qiu, Kefu Liu Institute of Electrical Light Sources, Fudan University, Shanghai, China
A COST EFFECTIVE UPGRADE TO THE DIII-D NEUTRAL BEAM MODULATOR CONTROL SYSTEMS W. L. McDaniel, C. Pawley General Atomics, San Diego, CA, United States

STUDY OF THE CLAMP DIODES OF GRID-EMITTER INFLUENCING THE ACTIVE VOLTAGE BALANCING OF SERIES CONNECTED IGBTs XuZhe Xu ^{1,2} , YaoHong Sun ^{1,2} ¹ Institute of Electrical Engineering, Chinese Academy of Sciences, Beijing, China/ ² Key Laboratory of Power Electronics and Electric Drive, Chinese Academy of Sciences, Beijing, China
DESIGN OF A SEMICONDUCTOR-BASED BIPOLAR MARX GENERATOR Martin Sack, Martin Hochberg, Georg Mueller Institute for Pulsed Power and Microwave Technology, Karlsruhe Institute of Technology, Eggenstein- Leopoldshafen, Germany
COMPACT PULSED POWER MODULE FOR MEDICAL EXCIMER LONGPULSE LASER Claus F. Strowitzki MLase AG, Germering, Germany
RECENT DEVELOPMENTS IN THE IMPROVEMENT CAMPAIGN FOR THE HIGH VOLTAGE CONVERTER MODULATOR AT THE SPALLATION NEUTRON SOURCE David E. Anderson, Vladimir Peplov, Dennis J. Solley, Mark Wezensky Oak Ridge National Laboratory, Oak Ridge, TN, United States
TESTING SINGLE PHASE IGBT H-BRIDGE SWITCH PLATES FOR THE HIGH VOLTAGE CONVERTER MODULATOR AT THE SPALLATION NEUTRON SOURCE Vladimir V. Peplov, David E. Anderson, Dennis J. Solley Oak Ridge National Laboratory (ORNL), Oak Ridge, TN, United States
FEW SECONDS AND FEW TEN kV HIGH PULSED POWER SUPPLY S. C. Kim ¹ , H. Heo ¹ , H. S. Kong ¹ , S. S. Oho ² , S. M. Han ² , J. H. So ³ , S. H. Nam ¹ Pohang Accelerator Laboratory/POSTECH, Pohang, South Korea/ ² LIGNEX1, Yongin, South Korea/ ³ ADD, Daejeon, South Korea. 680
HIGH-POWER SOLID-STATE SWITCH USING STATIC INDUCTION THYRISTORS FOR THE KLYSTRON MODULATOR Akira Tokuchi ^{1,2,3} , Fumiyoshi Kamitsukasa ² , Keigo Kawase ² , Kazuya Furukawa ² , Ryukou Kato ² , Shoji Suemine ² , Goro Isoyama ² ¹ Pulsed Power Japan Laboratory Ltd., Kusatsu, Japan/ ² Institute of Scientific and Industrial Research, Osaka University, Ibaraki, Japan/ ³ Extreme Energy-Density Research Institute, Nagaoka University of Technology, Nagaoka, Japan
A MODULAR HIGH POWER BATTERY SYSTEM FOR PULSED POWER APPLICATIONS Eric Cordero ¹ , Shad Holt ¹ , James Dickens ¹ , Andreas Neuber ¹ , John Mankowski ¹ , Steve Calico ² , Mike Scott ² ¹ Center for Pulsed Power and Power Electronics, Department of Electrical and Computer Engineering, Texas Tech University, Lubbock, TX, United States/ Carand Prairie, TX, United States
MODULAR MARX GENERATOR FOR dV/dt TESTING OF POWER SEMICONDUCTOR DEVICES William B. Ray II, James A. Schrock, Kevin Lawson, Stephen B. Bayne The Center for Pulsed Power & Power Electronics, Texas Tech University, Lubbock, TX, United States691
CORE RESET CONSIDERATIONS OF THE STEPPED IMPEDANCE MAGNETIC COMPRESSION MODULATOR A. Kuthi, J. M. Sanders, M. A. Gundersen University of Southern California, Los Angeles, CA, United States
AN ALL SOLID-STATE HIGH-VOLTAGE RECTANGULAR PULSE GENERATOR Junfeng Rao ¹ , Zi Li ¹ , Kun Xia ¹ , Kefu Liu ² ¹ School of Optical-Electrical and Computer Engineering, University of Shanghai for Science and Technology, Shanghai, China/ ² Institute for Electric Light Sources, Fudan University, Shanghai, China

SOLID-STATE MARX GENERATOR FOR INTERNATIONAL LINEAR COLLIDER Yuki Kozasa ¹ , Sho Sato ¹ , Taichi Sugai ¹ , Weihua Jiang ¹ , Akira Tokuchi ² , Mitsuo Akemoto ³ , Hiromitsu Nakajima ³ ¹ Nagaoka University of Technology, Nagaoka, Japan/ ² Pulsed Power Japan Laboratory Ltd., Kusatsu, Japan/ ³ High Energy Accelerator Research Organization (KEK), Tsukuba, Japan	701
EVALUATION OF HIGH-VOLTAGE, HIGH-POWER 4H-SiC INSULATED-GATE BIPOLAR TRANSISTORS Miguel Hinojosa ^{1,2} , Aderinto Oguynniyi ² , Heather O'Brien ² , Stephen B. Bayne ¹ , Charles Scozzie ² Department of Electrical and Computer Engineering, Texas Tech University, Lubbock, TX, United States/ Army Research Laboratory, Adelphi, MD, United States	705