

2015 International Conference on Numerical Simulation of Optoelectronic Devices (NUSOD 2015)

**Taipei, Taiwan
7-11 September 2015**



**IEEE Catalog Number: CFP15817-POD
ISBN: 978-1-4799-8380-3**

Table of Contents

Monday, 7 September 2015

MA Light-Emitting Diodes I

- MA1** Simulation Study on Surface Plasmon Coupled Light-emitting Diode; Yang Kuo, Wen-Yen Chang, Chu-An Huang, Yean-Woei Kiang, and Chih-Chung (C. C.) Yang; National Taiwan University (invited) 1
- MA2** Effect of Doping and Impurities on the Efficiency of III-Nitride Light Emitting Diodes; *F. Roemer* and *B. Witzigmann*; University of Kassel, Germany 3
- MA3** Investigation of Carrier Transport in Nitride Based LED by Considering the Random Alloy Fluctuation; Chen-Kuo Wu, Chi-Kang Li, and Yuh-Renn Wu; National Taiwan University, Taiwan 5
- MA4** 3D Finite Element Strain Analysis of V-Shaped Pits in Light Emitting Diodes; Chung-Cheng Hsu (1), Chen-Kuo Wu (1), Chi-Kang Li (1), Tien-Chang Lu (2), and Yuh-Renn Wu (1); (1) National Taiwan University, Taiwan; (2) National Chiao-Tung University, Hsinchu, Taiwan 7
- MA5** Enhance Infrared Light Emitting Diodes Efficiency Using Surface Plasmonic Effect and Photonic Crystals; M.Y. Li, Y.L. Jing, L. Li, H. Wang, N. Li, H. L. Zhen; Shanghai Institute of Technical Physics, China 9

MB Light-Emitting Diodes II

- MB1** Bipolar Monte Carlo simulation of hot carriers in III-N LEDs; Pyry Kivilahti (1), Toufik Sadi (2), Jingrui Li (3), Jani Oksanen (3), Patrick Rinke (3), and Jukka Tulkki (3); (1) Lund University, Sweden; (2) University of Glasgow, UK; (3) Aalto University, Finland 11
- MB2** Impact of Mesh-Like Top p-Electrode on Output Performance of Light-Emitting Diode: Numerical Study; Y.Nishidate (1), J.Kholopova (2), E.Polushkin (2), I.Khmyrova (1), and S. Shapoval (2); (1) University of Aizu, Japan; (2) IMT RAS, Russia 13
- MB3** Greatly Improved Efficiency Droop for InGaN-Based Green LEDs by Quaternary Content Superlattice EBL; D.-W. Lin, A.-J. Tzou, J.-K. Huang, B.-C. Lin, C.-Y. Chang, and H.-C. Kuo; National Chiao Tung University, Taiwan 15
- MB4** Modeling for Carrier Transportation in Organic Light-emitting Diode by Considering Effective Tail States; I-Hsin Lu and Yuh-Renn Wu; National Taiwan University, Taiwan 17

MP Posters

- MP01** Opto-electrical characteristics of Si-based blocked-impurity-band detector: Experiment and simulation; Xiaodong Wang (1), Bingbing Wang (1), Liwei Hou (1), Wei Xie (1), Xiaoyao Chen (2), and Ming Pan (1); (1) China Electronics Technology Group Corporation, China; (2) Fudan University, China 19
- MP02** Electronic properties of polar and semi-polar dot-in-a-well heterostructures; S. Schulz (1) and O. Marquardt (2); (1) Tyndall National Institute, Ireland; (2) Paul-Drude-Institute, Germany 21
- MP03** Development of Quantum Transport Simulation Model by Considering Phonon Scattering in Nanowire Device; Hung Lin, Chi-kang Li and Yuh-Renn Wu; National Taiwan University, Taiwan 23
- MP04** Injection Inhomogeneity and Lasing Threshold in III-Nitride Multi-QW Deep-UV Laser Diodes; Mikhail V. Kisin, Denis V. Mamedov, Chih-Li Chuang, and Hussein S. El-Ghoroury; Ostendo Technologies Inc., Carlsbad, CA, USA 25
- Mp05** Designing of p-AlGaN super lattice structure as the p-contact and transparent layer in AlGaN UVLEDs; Xinhui Chen and Yuh-Renn Wu; National Taiwan University 27
- MP06** Plasmon coupling in vertical split-ring resonator magnetic metamolecules; Mu Ku Chen(1), Pin Chieh Wu(1), Wei-Lun Hsu(1) Wei Ting Chen(1), Yao-Wei Huang(1), Chun Yen Liao(1), Ai Qun Liu(2), Nikolay I. Zheludev(3), Greg Sun(4) and Din Ping Tsai(1,5); (1) National Taiwan University, Taiwan; (2) Nanyang Technological University, Singapore; (3) University of Southampton, UK; (4) University of Massachusetts Boston, USA; (5) Academia Sinica, Taiwan 29
- MP07** Effect of V-shaped pit density on quantum efficiency of blue InGaN/GaN multiple-quantum well light-emitting diodes: Simulation; Z. J. Quan, J. L. Liu, F. Fang, and F. Y. Jiang; Nanchang University, China 31
- MP08** The Design of Asymmetrical TIR Optics with Micro-Structure for Museum Exhibition Lighting; Ke-Fang Hsu, Mei-Wen Chen, Chih-Wei Lin, Jung-Min Hwang and Li-Ling Lee; Industrial Technology Research Institute (ITRI), Taiwan 33
- MP09** Theoretical modeling of subwavelength structure integrated LEDs for enhanced extraction efficiency and uniform field distribution; G. J. Lee, J. H. Lee, and Y. M. Song; Pusan National University, Republic of Korea. 35

MP10 Light enhancement by Metal-Insulator-Metal Plasmonic Focusing Cavity; J. Wen (1,2), W. J. Wang (1,3), N. Li (1), Z.F. Li (1),W. Lu (1); (1) Shanghai Institute of Technical Physics, China; (2) University of Chinese Academy of Sciences, China; (3) University of Science and Technology of China, China	37
MP11 Reflective Semiconductor Optical Amplifier Electrode Voltage based Phase Shifter Model; M.J. Connelly; University of Limerick, Ireland	39
MP13 Pumping of 7-Core Erbium-Doped Double-Clad Fiber Amplifier Based on Higher-Order Mode Coupling; Ryoichiro Nakamura (1), Tatsuya Koike (1), Moriya Nakamura (1), Werner Klaus (2), Yoshinari Awaji (2), and Naoya Wada (2); (1) Meiji Univ., Japan; (2) National Institute of Information and Communications Technology, Japan	41
MP14 Infrared tunable dual-band polarization filter based on compound asymmetrical cross-shaped resonator; B. Ni (1), X. Y. Chen (2), B. Chen (2), D. B. Zhang (3), X. D. Wang(4), H. Liu (1), G. H. Hua (1) and H. Zhou (1); (1) Nanjing University of Information Science & Technology,China; (2) Fujian Normal University, China; (3) Changshu Institute of Technology, China; (4) China Electronics Technology Group Corporation, China	43
MP15 The Dependence of Dark Current on Temperature in Epitaxial Si:P BIB Detector; Bingbing Wang (1), Xiaodong Wang (1), Liwei Hou (1), Wei Xie (1), Xiaoyao Chen (2), and Ming Pan (1); (1) China Electronics Technology Group Corporation, China; (2) Fudan University, China	45
MP16 Rear Located Hemispherical Silver Nanoparticles for Light Trapping in Thin Film Solar Cells; Debao Zhang, Xifeng Yang, Xuekun Hong, Yushen Liu, Jinfu Feng; Changshu Institute of Technology, China	47
MP17 Surface Plasmon Coupling in a Deep-UV Light-emitting Diode with an Embedded Al Nanoparticle; Y. Kuo (1), C. C. Yang (2), and Y. W. Kiang (2); (1) Tung Nan University, Taiwan; (2) National Taiwan University, Taiwan	49
MP18 All-Optical Switch Based on the Local Nonlinear Plasmonic Mach-Zehnder Interferometer Waveguides; Yaw-Dong Wu, Chia-Ling Liu and Guan-Yu Jhan; National Kaohsiung University of Applied Sciences, Taiwan	51
MP20 Study on GaN-based light-emitting diodes with graded-thickness quantum barriers; Liwen Cheng (1), Daoren Gong (2), and Weida Hu (3); (1), Yangzhou University,China; (2) Yangzhou Opto-electrical Products Testing Institute,China; (3) Shanghai Institute of Technical Physics,China	53
MP21 Characteristics of Plasmon Coupling Mode in SPR Based LPFG; Zhengtian Gu (1), Jinlong Lan (1), Kan Gao (2); (1) College of Science,	

Uni. of Shanghai for Sci. and Tech.; (2) No.23 Research Inst. of China Electronics Tech. Group; China	55
MP22 All Optical Switch Based on Surface Plasmon Polaritons and Multimode Interference Microcavities; Yaw-Dong Wu, Jui-Hong Hsu and Show-Jun Huang; National Kaohsiung University, Taiwan	55
MP23 Processing window broadened by a barrier structure in dual-band HgCdTe IRFPAs; Yiyu Chen, Zhenhua Ye, Peng Zhang, Weida Hu, C. Lin, X. N. Hu, R. J. Ding, L. He; Shanghai Institute of Technical Physics, China	59
MP24 Dependence of Cd Compositione on Transient Photovoltage Characteristics in HgCdTe Photodiode; Haoyang Cui, Xiang Li, Kaiyun Pi, Zhong Tang; Shanghai University of Electric Power, China	61
MP25 Simulation of Metallic Photonic Crystal Triangular Arrays Embedded in GaN Light Emitting Diodes; S. Y. Hsu, C. C. Chen, G. M. Wu; Chang Gung University, Taiwan	63
MP27 Analysis of FDTD Cloaking in the Visible Frequency Spectrum; N.Anam, E.Zahir; American International University, Bangladesh	65
MP28 Modeling of Mach-Zehnder and Electroabsorption Modulator Pulse Generators and Extraction of the Chirp Factor; M.J. Connelly, J. Romero-Vivas, A. Meehan, L. Krzczanowicz; University of Limerick, Ireland	67
MP29 Design and Simulation of Silicon Micro-ring for Optical Mode Converter; Saika Muntaha Bari, Mainul Haque, Nur-E- Mohammad Rifat, M. Raquib Ehsan, and Intekhab Alam; United International University, Bangladesh	69
MP30 Simulation of a Resonance-shifted DFB-LD for High Efficiency Operation; K. Ichikawa and T. Numai; Ritsumeikan Univ. Japan	71
MP31 Design of hollow silica nanospheres for high efficiency optical devices applications; Y. J. Yoo, J. H. Lee, and Y. M. Song; Pusan National University, Republic of Korea	73
MP32 Stepless Tunable Four-Chip LED Lighting Control on the Black Body Radiation Curve with Generalized Reduced Gradient Method; C.W.Lin, K.F.Hsu, C.M. Kung, S.Y.Yang, and J.M. Hwang; Industrial Technology Research Institute (ITRI), Taiwan	75
MP33 Design and Optimization of Surface Plasmon Resonance Fiber Sensor Based on Gold Square Nano-rod Array; Chaoying Chen, Yunhan Luo, Peiling Mao, Shuihua Peng, Jun Zhang, Jieyuan Tang, Huihui Lu, Jianhui Yu, Zhe Chen; Jinan University, China	77

MP34 Simulation and design of a photonic crystal triple waveguide directional coupler switch; M.Ghomashi (1), H.Kaatuzian (1), and M. Danaie (2); (1) Amirkabir University of Technology,Iran; (2) Semnan University, Iran	PDE
MP35 Injection Efficiency of DI and CTIA Readout Integrated Circuit; Pengyun Song, Zhenhua Ye, Weida Hu, Xiaoning Hu; Shanghai Institute of Technical Physics, China	81
MP36 All-Optical Decision Gate Circuits Using Cascaded Periodically Poled Lithium Niobate Devices; Yutaka Fukuchi, Daiki Minamide, and Masaru Yamamoto; Tokyo University of Science, Japan	83
MP37 Resonant Tunneling Effect of InAs Quantum Dots Grown on InAlAs/InP; B. Zhang, W. G. Ning, F. M. Guo; East China Normal University, China	85
MP38 Simulation of mode deflection and reshaping in lithium niobate planar waveguide with serrated array electrodes; Yuan Wang, Huihui LU, Jianhui Yu, Yingxin Zeng, Yunhan Luo, Jun Zhang, Jieyuan Tang, Zhe Chen; Jinan University, China	87
MP39 Output Waveform Stability Analysis Integrated with Auto-Regressive Model in Two-Section DFB Self-Sustaining-Pulsation Lasers; JerShien Chen; Intellectual Property Office, Ministry of Economic Affairs, Taiwan	89
MP40 Selecting Conversion Phosphors for White Light-Emitting Diodes Package by Generalized Reduced Gradient Method in Dispensing Application; Ke-Fang Hsu, Chih-Wei Lin,Jung-Min Hwang; Green Energy and Environment Research Laboratories, Taiwan	91
MP41 Space Harmonic Distribution at Bragg Condition in Periodical Dielectric Waveguides; Nai-Hsiang Sun, Yu-Wei Liu, Min-Yu Tsai, Li-Ti Kung, Jung-Sheng Chiang; I-Shou University, Taiwan	93
MP42 Tolerance Analysis of Optical Interconnection Based on Image Motion; Young-Gu Ju; Kyungpook National University, Korea	95
MP43 Modeling of Current Dependent Microwave Behavior of a Two-Section DFB Laser; Yi-Chia Hwang, Yao-Zhong Dong, Shun-Chieh Hsu, Chien-Chung Lin; National Chiao-Tung University, Taiwan	97
MP44 Double-sided Hemispherical Pattern Design on Patterned Sapphire Substrate of GaN-based LEDs; Zhen Che, Jun Zhang, Xinyu Yu, Mengyuan Xie, Jianhui Yu, Huihui Lu, Yunhan Luo, Zhe Chen; Jinan University, China	99

MP45 Simulation of InAlAs/InGaAs/InAs Quantum Dots - Quantum Well Near-infrared Detector; W. W. Wang and F. M. Guo; East China Normal University, China 101

MP46 Three-barrier, two-well Resonant Tunneling Structure: Photoinduced Voltage Shift Behavior; W. W. Wang and F. M. Guo; East China Normal University, China 103

Tuesday, 8 September 2015

TuA Circuits and Systems

TuA1 Heterogeneous III-V/Si Photonic Integration: Configuration and Optical Coupling; Qian Wang, Jing Pu, Doris Ng, Chee Wei Lee, Vivek Krishnamurthy, Ter Hoe Loh, Kim Peng Lim, Min Ren; Data Storage Institute, Agency for Science, Technology and Research, Singapore (invited) 105

TuA3 Thermal analysis of an SOA integrated in SG-DBR laser module; X. M. Han, J. W. Gao, H. Wang, Y. L. Yu; Wuhan National Laboratory for Optoelectronics, China 107

TuA4 Numerical Analyses of All-Optical Retiming Switches Employing the Cascaded Second-Order Nonlinear Effect in Quasi-Phase Matched Lithium Niobate Devices: Effects of Device Fabrication Errors; Yutaka Fukuchi, Kazuhiro Ohnaka, and Daiki Minamide; Tokyo University of Science, Japan 109

TuB Nanostructures

TuB1 Impact of random composition fluctuations on electron and hole states in InAlN and InGaN alloys and heterostructures; Eoin O'Reilly (1), S. Schulz (1), D. Tanner (1), C. Coughlan (1), and M. A. Caro (2); (1) Tyndall National Institute, Ireland; (2) Aalto University, Finland (invited) 111

TuB2 Impact of individual dopants on the electronic properties of axial (In,Ga)N/GaN nanowire heterostructures; O. Marquardt, L. Geelhaar, and O. Brandt; Paul-Drude-Institute, Germany 113

TuB3 Ripples, Phonons and Bandgap in Strained Graphene; U Monteverde, J Pal, O M Dawood, Z L Li, R J Young, H-Y Kim, M. Missous, L. Britnell, M A Migliorato; University of Manchester, UK 115

TuB4 Diffusion-driven current transport to near-surface nanostructures; Pyry Kivilahti (1), Lauri Riuttanen (2), Sami Suihkonen (2), and Jani Oksanen (2); (1) Lund University, Sweden; (2) Aalto University, Finland 117

TuB5 Fundamental properties of GaN(0001) films grown directly on Gd₂O₃(0001) platforms: ab initio structural simulations; Kuo-Cheng Liao, Po-Liang Liu*, Huan-Chen Wang, and Yu-Hsien Wang; National Chung Hsing University, Taiwan 119

TuC Laser Diodes I

TuC1 High-level dynamics in semiconductor lasers: regimes and applications; Sheng-Kwang Hwang (1), Yu-Han Hung (1), Kai-Hung Lo (1), and Silvano Donati (2); (1) National Cheng Kung University, Taiwan; (2) University of Pavia, Italy (invited) 121

TuC2 Advanced Control Schemes for Passively Mode-Locked Lasers: Coupled Lasers and Dual-Feedback Approaches; Lina Jaurigue (1), Benjamin Lingnau (1), Kathy Lüdge (1,2); (1) Technical University Berlin, Germany; (2) Free University Berlin, Germany 123

TuC3 Modulation response of nanolasers: What rate equation approaches miss; R. Aust (1), T. Kaul (1), Benjamin Lingnau (1), and K. Lüdge (2); (1) Technical University Berlin, Germany; (2) Free University Berlin, Germany 125

TuC4 Enhanced Modulation Bandwidth by Exploiting Photon Resonance in Push-Pull Modulated DFB lasers; Junqiu Qi, Yanping Xi, Xun Li; Wuhan National Laboratory for Optoelectronics, China 127

TuD Laser Diodes II

TuD1 On device concepts for CMOS-compatible edge-emitters based on strained germanium; D. Peschka (1), M. Thomas (1), A. Glitzky (1), R. Nuernberg (1), K. Gaertner (2), M. Virgilio (3), S. Guha (4), Th. Schroeder (4), G. Capellini (4), Th. Koprucki (1); (1) WIAS Berlin, Germany; (2) Universita della Svizzera Italiana, Switzerland; (3) Uni Pisa, Italy; (4) IHP, Germany 129

TuD2 Numerical Simulations of n-Type Optoelectronic Devices with Single-Band Effective Mass Hamiltonian; A. Kolek; Rzeszów University of Technology, Poland 131

TuD3 Simulation and analysis of 1.55 quantum dot lasers designed for ultra-narrow spectral linewidth; M. Bjelica and B. Witzigmann; University of Kassel, Germany 133

TuD5 Metallic subwavelength grating on GaN-based edge emitting lasers; Shen-Che Huang, Kuo-Bin Hong, Heng Li, and Tien-Chang Lu; National Chiao-Tung University, Taiwan 135

TuD6 Numerical Analysis on V-shape Gratings for III-V/Silicon Hybrid Lasers; Jen-Hung Huang, Bai-Ci Chen, Yu-Chang Wu, and Chien-Chung Lin; National Chiao Tung University, Taiwan 137

- TuD7** Greatly Improved Carrier Injection in GaN-based VCSEL by Multiple Quantum Barrier Electron Blocking Layer; Dan-Hua Hsieh, An-Jye Tzou, Da-Wei Lin, Tsung-Sheng Kao, Chien-Chung Lin, Chun-Yen Chang and Hao-Chung Kuo; National Chiao Tung University, Taiwan 139

Wednesday, 9 September 2015

WA Solar Cells

- WA1** Numerical Analysis of Nano-scale Solar Cells with Surface States; Chien-chung Lin, Shih-Li Lin, Hung-Ruei Tseng, Shun-Chieh Hsu, Yin-Han Chen, Po-Ching Wu, Yun-han Jheng; National Chiao Tung University, Taiwan (invited) 141
- WA2** Optimization of All-Back-Contact GaAs Solar Cells; Kuan-Ying Ho(1), Chung-Yu Hong(2,3), Peichen Yu(2) and Yuh-Renn Wu(1); (1) National Taiwan University, (2) National Chiao-Tung University, (3) Arima Photovoltaic & Optical Corp. Taiwan 143
- WA3** Antireflection of Nano-sized SiO Sphere Arrays on Crystalline Silicon Solar Cells; C.-T. Lu (1) and C. W. Liu (1,2); (1) National Taiwan University; (2) National Nano Device Laboratories, Taiwan 145
- WA4** Simulation of the Optimized Performance of Thin-Film Silicon Solar Cell with Nano-holes Surface Structures; Chia-Min Chang, Wen-Jeng Ho, Yu-Tang Shen, Sheng-Kai Feng, and Wei-Chen Laio; National Taipei University of Technology, Taiwan 147

WB Novel Devices

- WB1** Reflective Plasmonic Metasurface and Metahologram; Yao-Wei Huang (1), Wei Ting Chen (1), Kuang-Yu Yang (2), Wei-Yi Tsai (1), Pin Chieh Wu (1), I-Da Chiang (1), Chun Yen Liao (1), Wei-Lun Hsu (1), Hao Tsun Lin (1), Shulin Sun (3), Lei Zhou (4), Ai Qun Liu (5), Chih-Ming Wang (6), Greg Sun (7), and Din Ping Tsai (1) (2); (1) National Taiwan University; (2) Academia Sinica, Taiwan; (3,4) Fudan University, China; (5) Nanyang Technological University, Singapore; (6) National Dong Hwa University, Taiwan; (7) University of Massachusetts Boston, USA (invited) 149
- WB2** Modeling and numerical simulation of electrically pumped single-photon emitters; Markus Kantner, Uwe Bandelow, Thomas Koprucki, and Hans-Juergen Wuensche; Weierstrass Institute for Applied Analysis and Stochastics, Germany 151

WB3	Aharonov-Bohm Magneto-Optical Spectroscopy and Photoluminescence of Spinor Excitons in Semiconductor Nano Rings; Han-Hsun Chiang, Wen-Hsuan Kuan and Kuei-Huei Lin; University of Taipei, Taiwan	153
WB4	Integrated Dual-Mode Waveguide Interferometer; N. Hoppe (1), T. Föhn (1), M. Félix Rosa (1), W. Vogel (1), W. Sfar Zaoui (1), M. Kaschel (2), J. Butschke (2), F. Letzkus (2), and M. Berroth (1); (1) INT, University of Stuttgart, Germany; (2) Institute for Microelectronics Stuttgart, Germany	155
WB5	Design of Square Microlasers for Dual-Transverse-Mode Lasing With Tunable Wavelength Intervals; Heng Long, Yong-Zhen Huang, Yue-De Yang, Jin-Long Xiao, and Yun Du; State Key Laboratory on Integrated Optoelectronics, Institute of Semiconductors, China	157

Thursday, 10 September 2015

ThA Photonics

ThA1	Reduced basis methods for optimization of nano-photonic devices; S. Burger (1,2), M. Hammerschmidt (1), S. Herrmann (1), J. Pomplun (2), F. Schmidt (1,2); (1) Zuse Institute Berlin; (2) JCMwave GmbH, Germany (invited)	159
ThA2	Investigation of Defect Cavities Formed in Inverse Three-Dimensional Rod-Connected Diamond Photonic Crystals; Mike P.C. Taverne, Lifeng Chen, Xu Zheng, Martin Lopez-Garcia, Ying-Lung D. Ho, and John G. Rarity; University of Bristol, UK	161
ThA3	Performance analysis of polarization transformation waveguide structures for planar light circuits; P. Samadian, D. Sun, T. J. Hall; University of Ottawa, Canada	163
ThA4	An effective design method for trapezoidal pulse compression metal multilayer dielectric gratings; Heyuan Guan (1), Zhe Chen (1), Yunxia Jin (2), Kui Yi (2), and Jianda Shao (2); (1) Jinan University, China; (2) Shanghai Institute of Optics and Fine Mechanics, China	165

ThB Nano- and Fiber-Optics

ThB1	Perfect absorption in uniform and nanostructured media; C. <i>Martijn de Sterke</i> (1), Björn C.P. Sturmberg (1), Lindsay C. Botten (2,3), Christopher G. Poulton (3), Kokou B. Dossou (3), Ross C. McPhedran (1); (1) University of Sydney; (2) Australian National University; (3) University of Technology Sydney; Australia (invited)	167
-------------	--	-----

ThB2 Highly Sensitive Surface Plasmon Resonance Fiber Sensor Based On Triangle Gold Nano-rod Array; Shuihua Peng, Yunhan Luo, Peiling Mao, Chaoying Chen, Jun Zhang, Jieyuan Tang, Huihui Lu, Jianhui Yu, Zhe Chen; Jinan University, China 169

ThB4 A Study of Signal Integrity in Multimode Fiber Links with Vortex Phase Launc hes; *Jiajie Wu*; Finisar Cooperation, USA 171

ThB5 Characteristics of All-Optical Retiming Switches Using Periodically Poled Lithium Niobate Waveguides: Effects of Input Timing of Data Signal; Yutaka Fukuchi, Akihiro Enda, and Taku Sekine; Tokyo University of Science, Japan 173

ThC Photodetectors

ThC1 3D Modeling of CMOS Image: Comparison between Front- and Back-illumination; *Y. G. Xiao, K. Uehara, S. Gao, Y. Fu, M. Lestrade, Z.Q. Li, Y.J. Zhou, and Z.M. Simon Li*; Crosslight Software, Canada 175

ThC2 Measured and 3D modelled quantum efficiency of an oxide-charge induced junction photodiode at room temperature; C.K. Tang (1), J. Gran (1), I. Muller (2), U. Linke (2) and L. Werner (2); (1) Justervesenet, Norway; (2) Physikalisch-Technische Bundesanstalt, Germany 177

ThC3 nBn HgCdTe infrared detector with HgTe/CdTe SLs barier; Jalal Benyaya, *P. Martyniuk, M. Kopytko, J. Antoszewski, W. Gawron, P. Madejczyk*; Military University of Technology, Poland 179

ThC4 Boundary conditions in characterizing In_xGa_{1-x}As /GaAs quantum well infrared photodetector; X .Tong, N. Lan, X. Q. Lu, D. Y. Xiong; East China Normal University, China 181

ThC5 Photoresponse Characteristics from Computationally Efficient Dynamic Model of Uni-traveling Carrier Photodiode; S. Khanra and A. D. Barman; Calcutta University, India 183

Author Index 185

Postdeadline paper summaries are distributed separately at the conference.