

XIII International Conference on Durability of Building Materials and Components (XIII DBMC)

RILEM Proceedings Pro 96

Sao Paulo, Brazil
2-5 September 2014

Volume 1 of 2

Editors:

M. Quattrone

V. M. John

ISBN: 978-1-5108-1294-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by RILEM Publications SARL
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact RILEM Publications SARL
at the address below.

RILEM Publications SARL
157 rue des Blains
F-92220 Bagneux
France

Phone: +33 1 45 36 10 20
Fax: +33 1 45 36 63 20

dg@rilem.net

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

Preface

Accelerated aging test to study self cleaning properties of photocatalytic post treatments	
Garcia, G., Werle, A. P., Maranhão, F., Loh, K. and John, V. M.....	1
Evaluation of a modular framework for performance-based durability engineering through assessment of a coastal reinforced concrete structure	
Flint, M. M. and Billington, S. L.	9
Prediction of the sealant modulus change due to outdoor weathering	
White, C. C., Tan, K. T., Hunston, D. L., Pintar, A. and Filliben, J.....	17
Durability of cool and conventional colored coatings after six months exposure at different environments	
Loh, K., Sato, N. M. N., and Liborio, I. M. S.....	23
Impact of different European local climate conditions on the moisture performance of wooden commodities	
Bornemann, T., Brischke, C., Alfredsen, G., Humar, M. and Larsson-Breli, P.	30
No concrete is sustainable without being durable!	
De Schutter, G.....	38
Towards performance based durability standards for wood in construction – part 1: delivering customer service life needs	
Brischke, C., Suttie, E., Englund, F., Heisel, E., Jermer, J., Lorenzo, D., Polášek, M., Thelandersson, S. and Acker, J. V.	45
Towards performance based durability standards for wood in construction – part 2: considering moisture risks in wooden components	
Brischke, C., Meyer, L. and Suttie, E.	53
Repeated autogenous healing in cementitious composites with microfibres and superabsorbent polymers	
Snoeck, D., Debaecke, S. and De Belie, N.....	61
Structural recycled concrete science and market: a success story	
Viviani, M., Dorthe, L. and Bugnon, M.	69
Improving the resilience and durability of New Zealand's buildings	
Jones, M. S., Marston, N. J., Shaw, P. and Li, Z.....	77
Re-assessment of New Zealand's atmospheric corrosivity	
Marston, N. J., Li, Z., Jones, M. S. and Shaw, P.....	85

Comparing the influence of fly ash on the durability properties of Portland cement-based and alkali activated slag-based concretes	93
Provis, J. L., Bernal, S. A., Ismail, I., Nicolas, R. S., Brice, D. G. and van Deventer, J. S. J.....	
Assessment of the hydration constants of post blended blast furnace slag cements	101
Visser, J., van Zon, Q., Beijersbergen, H., Hacquebord, A. and van Zwet, R.	
Hygrothermal consequences of applying exterior air barrier systems in highly insulated wood-frame walls: a parameter analysis	109
Langmans, J., Vereecken, E. and Roels, S.	
The durability of basalt fibres reinforced polymer (BFRP)	117
Alaimo, G., Valenza, A., Enea, D., Fiore, V., Cracolici, A., and Spatafora, M.....	
The influence of carbonation on deicer scaling resistance of blast furnace slag concrete (BFSC)	126
Egüez, H. E., De Belie, N. and De Schutter, G.....	
Dissolution kinetics experiments as a method to assess the reactivity of Supplementary Cementitious Materials (SCMs): the effect of solution composition and SCM structure	134
Snellings, R. and Scrivener, K.	
Durability of structural steel in transitional framed buildings	142
Bentz, S. P., P.E., R.R.C., R.W.C., R.E.W.C., R.B.E.C., A.W.S.-C.W.I. and Guerrero, S. C., P.E.	
Development of evaluation method by small core specimen for deteriorated fiber cement corrugated sheet and some results of roofs over station platforms	150
Ishihara, S. and Tanaka, K.	
Service life prediction and embody CO₂ of wooden buildings	158
Nakajima, S., Yamaguchi, N., Koga, J., Nakajima, M., Momohara, I., Ohmura, W. and Tomura, S.	
Performance analysis and durability of environmental and energy sustainability interventions on existing buildings	166
Basiricò, T. and Cottone, A.	
Freeze-thaw resistance of ultra-high performance concrete in normal and severe conditions	174
Jeroen, D., Boel, V. and De Schutter, G.	
Gypsum efflorescence on clay brick masonry: field survey and literature study	182
Chwast, J., Todorovic, J., Janssen, H. and Elsen, J.	
Decay susceptibility of rain exposed wood joints – comparison of two decay models	190
Fredriksson, M., Wadsö, L. and Johansson, P.	
The efficiency of autonomous crack healing of mortar in chloride solutions	198
Maes, M. and De Belie, N.	
Degradation of brazilian gypsum exterior walls due to hygrothermal action	206
Santos, A., Delgado, J. M. P. Q. and Ramos, N. M. M.	

A new performance test to assess the potential deleterious effect of sulphide-bearing aggregates for concrete	Duchesne, J., Rodrigues, A. and Fournier, B.	214
Vacuum insulation technology for buildings – a comparative LCA study of a Swedish multifamily building	Gudmundsson, K., Karami, P. and Sjöström, C.	222
System model of mould growth on building materials	Li, Y.	231
Assessment of damage due to alkali-silica reaction through microscopic and mechanical tools	Sanchez, L. F. M., Fournier, B., Jolin, M. and Bastien, J.	236
An <i>in-situ</i> and laboratory study of the effect of the intrinsic properties of mortars on their potential bioreceptivity	Tran, T. H., Govin, A., Guyonnet, R., Grosseau, P., Lors, C., Damidot, D., Deves, O. and Ruot, B.	244
Influence of material characteristics on electrochemical realkalisation of carbonated concretes	Ribeiro, P. H. L. C., Meira, G. R. and Ferreira, P. R. R.	252
Environmental impact assessment of fire retardant treated wood used in exterior claddings	Fufa, S. M. and Bohne, R. A.	260
Performance analysis of wood subjected to treatments modified with titanium dioxide and clay nanoparticles	Fufa, S. M. and Jelle, B. P.	267
Performance over time of adhesive systems for bonding ceramic tiles on façades – a case study	Freitas, V. P., Corvacho, H., Quintela, M. and Delgado, J. M. P. Q.	275
Hygrothermal performance of a naturally ventilated gypsum house – the Brazilian climate influence	Almeida, R. M. S. F., Freitas, V. P., Delgado, J. M. P. Q. and Paula, P.	283
Actual service life prediction of building components	Niels-Jørgen, A., Brandt, E. and Hansen, E. J. P.	291
Alkaline hydrolysis of polymers in contact with cement based materials	Wadsö, L. and Karlsson, O. J.	300
The environmental benefits of service life extension of buildings components with transformable design strategies	Paduart, A., Temmerman, N. De, and Vandebroucke, M.	304
Experimental study on carbonation and chloride migration coefficients of self-compacting concrete (SCC) with binary and ternary mixtures of fly ash (FA) and limestone filler (LF)	Silva, P. R. and Brito, J.	312

Resistant-based moisture content measurements on water repellent treated mortar and brick	Sachse, K. A., Littmann, K., Fege, R. L. and Oremek, X.	320
Durability of roof underlays exposed to long time exposure under in-use conditions	Brandt, E. and Hansen, E. K. P.	328
Drying rate as a transport index for concrete	Villagrán-Zaccardi, Y. A., Alderete, N. M., Píttori, A. and Di Maio, A. A.	336
Development of a methodological procedure for the durability evaluation of existing exterior finishings	Erba, S., Daniotti, B. and Rosina, E.	344
Stochastic, deterministic, statistical and artificial intelligence based models to predict the service life of rendered facades	Silva, A., Gaspar, P. L. and Brito, J.	351
Influence of limestone powder on the setting and hydration of cement paste in the fresh state	Villagrán-Zaccardi, Y. A., Falcone, D. D. and Benito, D. E.	359
In-situ measurements of moisture content and temperature in wooden constructions	Sandberg, K., Dahlquist, S. and Pousette, A.	367
Experimental evaluation of performances of different solutions of finishing for masonry buildings for determining durability	Nicolella, M. and Iucolano, F.	375
A methodology for evaluating maintainability as a tool for durable and sustainable buildings	Nicolella, M.	384
Investigation of the effects of leaching on the scaling resistance of concrete	Rosenqvist, M., Hassanzadeh, M., Long-Wei, P. and Terzi, A.	392
Service life of innovative siloxane coating formulations	Enea, D. and Alaimo, G.	400
Evaluation of rising damp using infrared thermography	Barreira, E., Delgado, J. M. P. Q. and Guimarães, A. S.	409
Effect of confinement and concrete strength upon crack behavior induced by corrosion-product expansion	Shinohara, Y. and Aryanto, A.	417
A new test method to evaluate the resistance of cementitious materials exposed to biogenic attack in sewer networks	Lavigne, M. P., Bertron, A., Cockx, A., Jean-Noël, F., Escadeillas, G. and Paul, E.	425
Durability of quaternary cements containing calcareous fly ash, slag and limestone	Durdziński, P. T., Haha, M. B. and Scrivener, K. L.	434

Rating building asset degradation with efficiency indexes Re Cecconi, F., Dejaco, M. C. and Maltese, S.....	441
Durability of fibre-cement roofing corrugated sheets Fiorelli, J., Savastano Junior, H., Tonoli, G. H. D. and Santos, S. F.....	449
Thermal shock effects on bonding of cement mortar renderings Esquivel, J. F. T. and Barros, M.....	458
Effect of carbonation on the chloride diffusion of mortar specimens exposed to cyclic wetting and drying Malheiro, R., Camões, A., Ferreira, R. M., Meira, G. and Amorim, T.	467
Accelerated climate ageing of wood surface treatments and their evaluation by Fourier Transform Infrared Spectroscopy Jelle, B. P., Fufa, S. M. and Olsen, M. B.....	475
Nanorenders on building facades: technical, economic and environmental performance Soares, A., Flores-Colen, I. and Brito, J.	483
An investigation of the effectiveness and durability characteristic of biomass ashes as pozzolanic materials Demis, S., Rodrigues, C. S., Santos, L. A. and Papadakis, V. G.....	491
Multi-physics modelling for durability evaluation of ETICS Daniotti, B., Re Cecconi, F., Paolini, R., Cocchetti, G., Galliano, R. and Cornaggia, A.....	499
Microstructure development in slag-cement systems Berdier, E. and Scrivener, K.....	507
A numerical study of the influence of the hydraulic interface contact on the hygric performance of a multi-layered system Vereecken, E. and Roels, S.	512
Evaluation of damage of building facades in Brasilia Bauer, E., Kraus, E., Silva, M. N. B. and Zanoni, V. A. G.	520
Accelerated ageing and characterization of expanding weather stripping foam Jelle, B. P., Jorun-Marie, H., Gao, T., Bugten, A., Rognvik, E. and Kvalvik, M.	527
Development of a 2D numerical model for rainwater runoff on vertical planes Bossche, N. van D., Ge, H., Vogelaere, T. D., Pacco, M. and Janssens, A.	535
Airtightness of the window-wall interface in wood-frame walls Bracke, W., Devos, L., Maertens, S., Bossche, N. van D., N. and Janssens, A.....	543
A model of carbonation and a technique to determine the degree of carbonation Fridh, K. and Lars-Olof, N.....	554
Nondestructive determination of chloride ion using Ag/AgCl electrode prepared by electrochemical anodization Pargar, F., Koleva, D. A., Copuroglu, O., Koenders, E. A. B. and Breugel, K. van.....	561

Modification of cellulose-cement composites by admixture of sugar cane bagasse ash Rodrigues, C. S., Zukowski, B., Figueiredo, S. C. and Santos, L. A.	569
Accelerated ageing and durability of double-glazed sealed insulating window panes Asphaug, S. K., Jelle, B. P., Gullbrekken, L. and Uvsløkk, S.	577
Tortuosity and electrical impedance of contaminated mortars with nitrates of Cr³⁺, Pb²⁺, and Zn²⁺ Venâncio, C., Rocha, J. C. and Cherif, M.	585
The influence of wetting prior and addition of fines in produced mortars with recycled aggregate Jochem, L. F., Rocha, J. C. and Cherif, M.	593
Mould risk assessment for thermal bridges: what is the impact of the mould prediction model? Vereecken, E. and Roels, S.	599
A method for blind validation of hygrothermal calculation tools Mundt-Petersen, S. O. and Harderup, L.-E.	607
Methods for compensate lack of climate boundary data Mundt-Petersen, S. O. and Wallentén, P.	616
Fragility curves for thin-walled cold-formed steel wall frames with different sheathing systems affected by ground settlements due to land subsidence Ortiz, J. A., Hernandez, L. A., Hernandez, M., Pacheco, J., Soto, J. J., Ramos, J., Fernandez, R. and Soto, M. A.	625
Self-healing of self-compacting concretes made with Brazilian blast furnace slag cements activated by crystalline catalyst Takagi, E. M., Lima, M. G. and Helene, P.	633
Durability assessment of innovative building products in Brazil: example of PVC components used as stay-in-place forms and finishing of concrete walls Oliveira, L. A., Rodolfo Junior, A., Fontenelle, J. H. and Mitidieri Filho, C. V.	641
Sulfate ingress and microstructural changes in cement pastes at early age Ragoug, R., Omikrine-Metalssi, O., Divet, L., Deman, A., Barberon, F., Gegout, P., Baroghel-Bouny, V. and Roussel, N.	650
Determination of criteria for the exploration and for obtaining indicators in evolutional analysis of degradation in urban facades Gibert, V., Serrat, C. and Casas, J. R.	656
Maintenance and refurbishment; market price and fixed assets value Marteinsson, B.	664
Chemical treatment with oxalic acid to improve the durability of cement-based materials in acid environments Voegel, C., Bertron, A., Erable, B. and Escadeillas, G.	670

Method development for the particle size analysis of supplementary cementitious materials	Arvaniti, E. C. and De Belie, N.	679
Synthesis, characterization and durability of self-cleaning antireflection coatings for glazing applications	Gao, T. and Jelle, B. P.	687
Evaluation of chloride ion penetration methods in concrete with recycled concrete aggregate and rice husk ash	Kulakowski, M. P., Fedumenti, M. B., Kazmierczak, C. S. and Mancio, M.	695
Performance of the copper treated, and naturally durable wood in laboratory and outdoor conditions	Humar, M., Lesar, B. and Thaler, N.	703
From lab scale to in situ applications - the ascent of a biogenic carbonate based surface treatment	Muynck, W. D., Boon, N. and De Belie, N.	711
Microscopy and computed micro-tomography for evaluation of microbial self-healing in concrete	Wang, J., Tittelboom, K. van and De Belie, N.	719
Microbially influenced degradation of cement-based materials in biogas production environments	Voegel, C., Bertron, A. and Erable, B.	727
Durability problems with zinc cladded roofs due to inproper underlays	Bunch-Nielsen, T. and Brandt, E.	737
The high school “Giustino Fortunato” in Rionero in Vulture (Potenza, Italy): how to refurbish an higher education institute made in brutalist architecture of ‘80, leading it to be a NZEB and preserving its formal features	Lembo, F. and Marino, F. P. R.	744
Durability and microstructure of mortar with calcined marl as supplementary cementing material	Justnes, H. and Østnor, T. A.	752
Embodied energy as a tool to sustainable strategic decisions on refurbishment	Gaspar, P. L. and Santos, A. L.	762
The influence of the substrate characteristics on the behavior of the mortar	Torres, I., Veiga, R. and Freitas, V. P.	770
Durability of PVC roofing and waterproofing membranes – case studies after 40+ years of exposure	Beer, H. R. and Bonnet, M.	778
Durability of reinforced concrete made with low clinker, ternary blend cement	Martirena, J. F., Vizcaíno, L. M., Antoni, M. G., Henocq, P., Alujas, A. and Scrivener, K. L.	786

Pull-out tests of cast-in-place anchor studs with different embedment depths	794b
Delhomme, F., Roure, T., Arrieta, B., Trunfio, R. and Limam, A.	
Service life assessment of concrete structures based on site testing	801
Torrent, R. J. and Luco, L. F.	
Environmental sustainability performance of residential buildings' thermal retrofits	810
Cetiner, I. and Ecem Edis, E.	
Specifications for external renders and internal plasters: a review on durability assessment	818
Sá, A. V., Abrantes, V. and Sousa, H.	
Anisotropic expansion of ASR affected concrete prism specimens	826
Gautam, B. P. and Panesar, D. K.	
The influence of crack width on the durability of reinforced concrete structures	834
Blagojević, A., Koleva, D. A. and Walraven, J. C.	
Time-dependent passive infrared thermographic inspection of facades	842
Edis, E., Flores-Colen, I. and Brito, J.	
Study of wood waste ash as a pozzolanic addition	850
Matos, A. M., Ramos, T. and Sousa-Coutinho, J.	
Probabilistic modeling durability of wooden window frames	858
Straalen, I. J. J. van, Abspoel-Bukman, L. M., Courage, W. M. G. and Mennink, J.	
Durability of jointed reinforced concrete pavements under sever exposure conditions: a case study in Iran	866
Arabali, P. and Shekarchi, M.	
Response monitoring of national heritage five story wooden pagoda by the use of image processing	874
Mikoshiba, T., Niitsu, Y., Hanazato, T. and Minowa, C.	
Outdoor exposure test of photocatalyst-coated materials in various test locations within Asia	882
Toyoda, H., Murakami, T., Sano, T. and Takeuchi, K.	
Rehabilitation of a wastewater treatment plant	889
Barreto, M. P. and Torres, I.	
Bacteriogenically induced sulfuric acid attack on concrete in an Austrian sewer system	897
Grengg, C., Mittermayr, F., Baldermann, A., Böttcher, M. E., Leis, A., Koraimann, G. and Dietzel, M.	
Durability of cement-reduced eco-friendly concretes against sulfate attack	904
Hainer S., Rezvani M., Baldermann A., Proske T. and Mittermayr F.	
Physical and chemical properties of cementitious materials undergoing accelerated decalcification	912
Babaahmadi, A., Tang, L. and Abbas, Z.	

Evolution of the cement mortar microstructure caused by salt crystallization and water freezing investigated by multicycle mercury intrusion porosimetry	920
Grymin, W., Koniorczyk, M., Konca, P., Marciak, A. and Gawin, D.....	
Durability performance of concrete with glass powder as supplementary cementitious material	928
Du, H. and Tan, K. H.....	
Use of 2-D nano-particle to enhance the concrete resistance to chloride ingress	936
Du, H., Gao, H. J. and Pang, S. D	
Characteristics of in-service, 30-year-old EPDM roof membrane	944
Hutchinson, T. W., Trischuk, K. and Paroli, R. M.	
Evaluation of clustered distribution of superabsorbent polymers and its relation to autogenous shrinkage behaviour of internally cured mortars	950
Yokota, K. and Shin-ichi, I.	
Hail protected ETFE-roof lights for the new elephant park building of zoo Zurich	958
Flüeler, P., Kübler, W. and Hohl, A.....	
Characterization of mortars with ceramic residues	966
Matias, G., Torres, I. and Faria, P.	
Study of the durability of mortar for structural concrete made with fine powder of white glass	974
Sales, F. A., Sales, R. B. C., Corrêa, E. C. S., Molhallem, N. D. S. and Aguilar, M. T. P.....	
Adhesive tapes for building purposes: framework for evaluation of performance and durability	983
Fufa, S. M., Kvalvik, M. and Rüther, P.	
Investigation methods of the resistance of UHPC to chemical attack and its classification in the exposure classes of the european standard	991
Schmidt, H., Schmidt-Döhl, F., Franke, L. and Deckelmann, G.....	
Reduction of autogenous shrinkage in OPC and BFSC pastes with internal curing	999
Wyrzykowski, M. and Lura, P.	
Quality control of reinforced concrete structures for durability	1006
Nganga, G. W., Alexander, M. G. and Beushausen, H. D.....	
A numerical investigation of aggregate shape effect on the diffusivity of mortar based on ellipsoidal particle packing	1015
Liu, L., Chen, H. and Xu, W.....	
Biogenic corrosion of concrete sewer pipes: a review of the performance of cementitious materials	1023
Kiliswa, M. W. and Alexander, M. G.....	

The effects of various mould release technologies on concrete surface finish	1031
Coventry, K. A., Richardson, A. E. and Baines, C.....	
Influence of service life on building LCA	1041
Hoxhra, E., Bazzana, M., Habert, G., Chevalier, J. and Le Roy, R.....	
Characterization through mercury porosimetry of tortuosity factors of concretes containing mineral additions	1049
Andrade, C., Rebolledo, N., Menéndez, E., Perez, R. and Baz, M.....	
Influence of redispersible polymer powders on damage mechanisms of ETICS render mortars	1057
Valdès, L., Aulagnier, M., Prat, E. and Chaouche, M.....	
Transport properties of recycled fine aggregate concretes	1065
Zega, C. J., Sosa, M. E. and Di Maio, A. A.....	
Evolution of hydration of cements with coal bottom and fly ash by non – destructive techniques and porosimetry	1073
Menéndez, E., Alvaro, A. M. and Andrade, C.	
Measuring water sorption isotherm of mortar containing chloride	1081
Taher, A., Arends, T., van der Zanden, A. J. J. and Brouwers, H. J. H.....	
Bacterial concrete: a biological approach to reduced permeability	1089
Richardson, A., Coventry, K. and Scott, A.	
Development and standardization of rapid methods for assessing the fluid penetration resistance of concrete	1099
Hooton, R. D., Charmchi, G. and Karkar, E.....	
Assessment of chloride ingress in blended cement with combined addition of calcined clays and limestone	1106
Antoni, M., Henocq, P., Kazemi-Kamyab, H., Favier, A., Martirena, F. and Scrivener, K.	
Chloride penetration dependency on freeze-thaw cycles	1114
Ferreira, M., Leivo, M., Kuosa, H., Makkonen, L. and Lange, D.	
Combining geographical information systems and multi-scale modelling to predict service life	1122
Cole, I. S. and Ganther, W. D.	
Sustaining a historic high-rise structure	1129
Mahjoub, N. A. P. E., Stringer, M. P. E. and Tremayne, B. S. E.	
Effect of cement content on concrete durability	1137
Katz, A., Bentur, A. and Wasserman, R.	