

2015 IEEE-APS Topical Conference on Antennas and Propagation in Wireless Communications (APWC 2015)

**Torino, Italy
7-11 September 2015**



**IEEE Catalog Number: CFP1574N-POD
ISBN: 978-1-4799-7810-6**

TABLE OF CONTENTS - IEEE APWC

	SESSION 8:Multiband/wideband antennas and emerging antenna technologies, organized by H. Nakano	Pages	
Elamin N.M., Abd Rahman T.	2-Element Slot Meander Patch Antenna system for LTE-WLAN Customer Premise Equipment	1	4
Cheung S.W., Wu D., Yuk T.I.	A Compact Loop Antenna with Seven Resonant Modes for Smartphones	5	8
Fukusako T., Nakano T.	A compact patch antenna using artificial ground structure with high permittivity substrate	9	10
Suganuma A., Kagoshima K., Takeda S., Umehira M.	A compact tri-band and tetra-band short helical antenna electromagnetically coupled feed by a loop antenna	11	14
Makino S., Moroya T., Kotaka M., Itoh K., Noguchi K., Hirota T.	A proposal of AMC inspired small antenna MACKKEY	15	18
Guan N., Tayama H., Ueyama M., Yoshijima Y., Chiba H.	A roof automobile module for LTE-MIMO antennas	19	22
Koga Y., Shimizu M., Egawa H.	A Small Tunable Multiband Antenna with Parasitic Elements for Mobile Applications	23	26
Tanabe M., Oyama M., Oishi Y., Masuda Y.	A Spiral Antenna over a High-Impedance Surface Consisting of Fan-shaped Patch Cells	27	30
Saitou A., Long J., Ishikawa R., Honjo K.	Analytical expression of broadband characteristics for wide-angle planar sectorial antennas	31	34
Phongcharoenpanich C., Boonying K.	Circularly Polarized Unidirectional Antenna using Planar Tennis Shape Structure	35	38
Huang C.-F., Kuo C.-H.	Design of microstrip antenna based on the liquid substrate	39	40
Andrenko A.S.	EM Simulation and Design of Frequency Reconfigurable Planar Antenna	41	44
Gray D., Nikolic N., Thornton J.	Frequency performance of 8 wavelength radius minimal layer number lens antennas	45	48
Maruyama T.	Genetic Algorithm using Fractal concept for quasi optimum antenna design	49	51
Nakano H., Takeuchi M., Yamauchi J.	Modified Wideband BOR-SPR Antenna	52	54
Ong L.T., Tan P.K.	Multipath mitigation techniques based on spatial smoothing linear antenna arrays	55	58
Kawano T., Nakano H.	Numerical Analysis of a Bowtie-Shaped Grid Array Antenna	59	60
Taguchi M., Tsutsumi T.	Triple band MIMO antenna composed of unbalanced fed low profile inverted L antennas on rectangular conducting plane	61	64
Watanabe H., Yamaguchi S., Nakamoto N., Ohtsuka M., Miyashita H.	Ultra Wide Band Dual Polarized Tapered Slot Array with Nested Sub Band Elements	65	68
Watanabe A., Iwasaki H.	Wide Band Planar Monopole Antenna for Repeater Use	69	72
Mehta A., Pal A.	Wide-Angle Scanning Phased Array System Using Beam Switchable Square Loop Antenna	N/A	
	SESSION 19:Indoor and urban propagation		
Ramos B., D'Amico M., Santos J., Nolivos I., Manzoni A., Ponguillo R., Gómez J., Chávez T.	Measuring rain with microwave links: a pilot experiment in Ecuador	73	76

Tajvidy A., Ghorbani A.	MISO Uniform Theory of Diffraction Based Channel Model for Mobile Wireless Communications in Urban Areas	77	80
Erol M.A., Seker S.S., Kunter F., Citkaya A.Y.	Optimized Indoor Propagation Model for Office Environment at GSM Frequencies	81	84
Castellanos P.V.G., Almeida M.P.C., Cal-Braz J., David R.P., Arnez J.J., Souza R.S.L., Silva-Mello L., Lima F.F.	Preliminary field tests results of ISDB-TB digital TV transmission in the VHF-high band	85	88
Oliveira R.A.N., Magno F.N.B., Souza J.F., Cozzolino K., Cavalcante G.P.S.	Use of Parabolic Equation Wide-Angle for calculation of Path Loss in Indoor Environment	N/A	
	SESSION 23:Antennas and arrays		
Andriambeloson J.A., Wiid P.G.	A 3D-Printed PLA Plastic Conical Antenna with Conductive-Paint Coating for RFI Measurements on MeerKAT Site	89	92
Buttazzoni G., Vescovo R.	A deterministic approach to the synthesis of sparse arrays with far-field and near-field constraints	93	96
Jekabsons N., Upnere S.	Coupled structural–electromagnetic numerical modeling and analysis of large reflector antenna	97	100
Kaouach H., Kabashi A.	Design and Characterization of 1-bit Passive Unit-Cells for Transmit-arrays and Frequency Selective Surfaces in V-Band	101	104
Bondarik A., Sjöberg D.	Investigation of reconfigurability for a stacked microstrip patch antenna pattern targeting 5G applications	105	108
Hayouni M., Choubani F., Vuong T.-H., David J.	Main Functions Ensured by Symmetric Circular and Straight Open Ended Slots Etched on The Radiating Patch of A Compact UWB Antenna	N/A	
de Villiers D.I.L., Koziel S.M.	Multi-objective optimization of Cassegrain reflector feeds using space mapping surrogate models	109	112
Kufa M., Raida Z., Mateu J.	Novel formulation of coefficients of low-pass prototype filter for the design of four-element planar filtering antenna array	113	116
Melnikov A., Le Kernec J., Gray D.	Porting Spotlight Range Migration Algorithm processor from Matlab to Virtex 6	117	120
Munir A., Harfianto M.A., Suprayogi S.	SRR Incorporation for Dual-band Square Patch Antenna	121	124
Wiid P.G.	The Answer is in Fact 41, or How to Get 35:1 Bandwidth from a Cone Antenna	125	128
	SESSION 25:Wireless and Mobile networks		
Silva A., Moghaddam M.	Adaptive sub-MHz magnetic induction-based system for mid-range wireless communication in soil	129	132
van Kemenade R., Smolders A.B., de Hon B.P.	Micromachined microwave cavity resonator filters for 5G: a feasibility study	133	136
Vélim J., Raida Z., Lácík J., Lambor J., Kotel M.	On-roof wireless link operating at 60 GHz	137	140
An B., Zhang W., Wang Z.	Study on Influence of Electromagnetic Disturbance on Wireless Sensor Unit in Substation	141	144
	SESSION 30:MIMO systems		
Madany Y.M., Elkamchouchi H.M., Ahmed A.E.	Analysis and Design of Microstrip Array Antenna Using SPDT-T/R Switch for MIMO Antenna System Applications	145	148

Alfano G., Chiasserini C.F., Nordio A., Zhou S.	Ergodic Mutual Information and Its Fluctuation in Multi-Level MIMO Relay System	149	152
Foo S.	Orthogonal beam-space massive MIMO array	153	156
Zhou S., Alfano G., Chiasserini C.F., Nordio A.	Outage Probability of Beamforming for Multiuser MIMO Relay Networks with Interference	157	160
▲	SESSION 31:Active and Adaptive Antennas		
Joler M., Hodanić D., Šegon G.	A MATLAB Algorithm for Evaluation of a Rectangular Microstrip Antenna Slot Dimensions Given the Resonant Frequency	161	164
Johnson M.C., Brunton S.L., Kundtz N.B., Kutz J.N.	An extremum-seeking controller for dynamic metamaterial antenna operation	165	168
Singh A., Pajona O., Rowson S., Shamblyn J., Garg M., Sron S.T., Kyllonen J.	Compact Frequency Reconfigurable Antenna Structure for Laptops	169	172
Alhuwaimel S., Tong K.F.	Performance Enhancement of a Slotted Waveguide Antenna by Utilizing Parasitic Elements	173	176
Bouslama M., Traii M., Gharsallah A., Denidni T.A.	Reconfigurable radiation pattern antenna based on a New Active Frequency Selective Surface	177	180
Baroni A., Rogier H., Nepa P.	Wearable active Sierpinski fractal antenna for off-body communication	180	183
▲	SESSION 40:Radio astronomy (including SKA)		
Badescu A., Matei D.	A baseline design for a radio interferometer	184	187
Lehmensiek R., de Villiers D.I.L.	Accuracy Improvement of Approximate Noise Temperature Calculations of Offset Gregorian Reflector Systems	188	191
Dunning A., Bowen M., Bourne M., Hayman D., Smith S.L.	An Ultra-Wideband Dielectrically Loaded Quad-Ridged Feed Horn for Radio Astronomy	192	195
Kuja S., Wiid P.G.	Characterization of RF Signal Coupling Between MeerKAT Telescope Structures	196	199
Prinsloo D.S., Meyer P., Maaskant R., Ivashina M.V.	Conical quad-mode antenna with integrated tapered slot antennas for wide-field polarimetry	200	203
Phiri T.J., Davidson D.B., Wiid P.G.	Propagation Modelling for the South African SKA Site	204	207
▲	SESSION 47:Channel modeling		
Topcu S., Goktas P., Karasan E., Altintas A.	A New Approach to Diffraction Modelling for Line-of-Sight (LOS) Paths	208	211
Górniak P., Bandurski W.	A New Method of Direct Time-Domain Simulations of an UWB Transmission for an Electromagnetic Wave Source Placed on a Convex Obstacle	212	215
Fricke A., Achir M., Le Bars P., Kürner T.	Characterization of transmission scenarios for terahertz intra-device communications	216	219
Lyras N.K., Kourogiorgas C.I., Panagopoulos A.D.	Cloud Attenuation Time Series Synthesizer for Earth-Space Links Operating at Optical Frequencies	220	223
Pascual-García J., Martínez-Ingles M.-T., Molina-García-Pardo J.-M., Rodríguez J.-V., Degli-Esposti V.	Experimental parameterization of a diffuse scattering model at 60 GHz	224	227
Abdallah M.N., Sarkar T.K., Salazar-Palma M.	HOW TO ELIMINATE SHADOW FADING IN A CELLULAR WIRELESS SYSTEM	228	229
Bezerra Cardoso M.H., Mostarshedi S., Laheurte J.-M., Baudoin G.	Near Ground Wave Propagation Modeling for Wireless Network Applications	230	231

Kotol M., Raida Z., Velim J.	Neural modeling of in-vehicle wireless channels: wave propagation along the vehicle body at 60 GHz	232	235
Narrainen J., Besnier P., Gatsinzi Ibambe M.	Simple electromagnetic modeling scenarios emulating typical propagation channels for V2V communications.	236	239
▲	SESSION 51:Low-profile wideband antennas		
Scorrano L., Manna A., Trotta F.	A Novel Dual-Polarized Broadband UHF Blade Antenna for Avionic Applications	240	241
Rahmani M.H., Deslandes D.	A Novel Periodic Microstrip Leaky-Wave Antenna with Backward to Forward Scanning	242	245
Agaram R., Udaia Shankar N., Sathyanarayana Rao M., Subrahmanyam R.	Design of frequency independent profiled discone antenna for detecting spectral ripples from the epoch of recombination	246	249
Surjati I., Haidi J.	Increasing Bandwidth Triangular Microstrip Antenna Using Parasitic Patch	250	253
Elkorany A.S., Elhalafawy S.M., Shahid S., Gentili G.G.	UWB Integrated Microstrip Patch Antenna with Unsymmetrical Opposite Slots	254	256
Tanha M.A., Brennan P.V.	Wideband T-squared patch Antenna with Reduced Cross-polarization	257	260
▲	SESSION 52:Small mobile device antennas		
Gong L., Chan K.Y., Ramer R.	A split-ring structures loaded SIW sectorial horn antenna	261	262
Shoaib S., Shoaib I., Shoaib N., Chen X., Parini C.	Compact and Printed MIMO Antennas for 2G/3G and 4G - LTE Mobile Tablets	263	266
Tabbabi O., Labidi M., Choubani F., David J.	Design of Orthogonal Z-Shaped Metamaterial with Improved Miniaturization Performance	N/A	
Mitra D., Das D., Bhadra Chaudhuri S.R.	Miniaturization of Meander Line Slot Antenna	267	269
Tabbabi O., Labidi M., Choubani F., David J.	Miniaturized antenna based on Z shape slotted ground plane	N/A	
Mrnka M., Raida Z.	Rectangular Dielectric Resonator Antenna with Switchable Radiation Pattern	270	273
▲	SESSION 54:RFID technologies		
Kim J., Kim D.-H., Park Y.-J.	Effective Magnetic Resonant Wireless Power Transfer System Over Medium Range Using an Intermediate Resonant Coil of Two Loops	274	277
Kim D.-H., Kim J., Park Y.-J.	Free-Positioning Wireless Power Transfer Using Multiple Coupling Coils in a Transmitter	278	281
Valmiro R, Barbin S.E.	Verifying Sensitivity of RFID Tags Manufactured by Conductive Ink Printed on Paper Versus an RFID Tag Made of Copper on Hard Substrate	282	284
Parrón J., López-Soriano S.	Wearable RFID Tag Antenna for healthcare applications	285	288