

2015 Opto-Electronics and Communications Conference (OECC 2015)

**Shanghai, China
28 June – 2 July 2015**



**IEEE Catalog Number: CFP1575G-POD
ISBN: 978-1-4673-7945-8**

TABLE OF CONTENTS

SINGLE-CARRIER 400G TRANSMISSION AND DIGITAL SIGNAL PROCESSING	1
<i>J. Yu, J. Zhang</i>	
SUPER-NYQUIST-WDM TECHNIQUES FOR ULTRA-LONG-HAUL HIGH-CAPACITY OPTICAL FIBER TRANSMISSION SYSTEMS.....	4
<i>K. Igarashi, T. Tsuritani, I. Morita, M. Suzuki</i>	
10×200 GB/S REAL-TIME TRANSMISSION OVER 2000KM WITH COMMERCIAL DEVICES, FLEX-GRID, FLEXIBLE MODULATION FORMAT AND 5 TYPES OF FIBER	7
<i>J. Li, Y. Ma, P. Ren, C. Zhang</i>	
TBIT/S 1000 KM FIELD TRIAL, ACHIEVING INCREASED SPECTRAL EFFICIENCY, SDN ENABLED APPLICATION TRAFFIC, AND PASSIVE WAVELENGTH SWITCHING.....	10
<i>R.-P., Braun, A. Schippel, O. Andryushchenko, J. Weingart, S. Neidlinger, M. Eiselt, M. Alfiad, T. William, S. Hohlig, N. Schafer, S. Tibuleac, W. Weiershausen, E. Beier</i>	
1.28TB/S LONG-HAUL SUPERCHANNEL TRANSMISSION EMPLOYING EDFA-RAMAN AMPLIFICATION	13
<i>T. Rahman, C. Okonkwo, H. De Waardt, D. Rafique, A. Napoli, B. Spinnler</i>	
UNREPEATERED 515GB/S NYQUIST PDM-128QAM TRANSMISSION OVER 120KM SSMF WITH BACKWARD RAMAN AMPLIFICATION.....	16
<i>D. Wang, X. Lv, Y. Zhu, K. Zou, F. Zhang, L. Zhu, Z. Chen</i>	
FIELD TRANSMISSION OF AN UNCOMPRESSED 8K ULTRA-HIGH DEFINITION TELEVISION OPTICAL SIGNAL WITH FORWARD ERROR CORRECTION CODES	19
<i>J. Kawamoto, T. Nakatogawa, T. Kurosu</i>	
SINGLE-CARRIER 400G TRANSMISSION AND DIGITAL SIGNAL PROCESSING	22
<i>J. Yu, J. Zhang</i>	
SUPER-NYQUIST-WDM TECHNIQUES FOR ULTRA-LONG-HAUL HIGH-CAPACITY OPTICAL FIBER TRANSMISSION SYSTEMS.....	25
<i>K. Igarashi, T. Tsuritani, I. Morita, M. Suzuki</i>	
10×200 GB/S REAL-TIME TRANSMISSION OVER 2000KM WITH COMMERCIAL DEVICES, FLEX-GRID, FLEXIBLE MODULATION FORMAT AND 5 TYPES OF FIBER	28
<i>J. Li, Y. Ma, P. Ren, C. Zhang</i>	
NEXT GENERATION PASSIVE OPTICAL NETWORKS USING FREQUENCY DIVISION MULTIPLEXING	31
<i>S. Abrate, R. Gaudino</i>	
INTER-CHANNEL CROSSTALK AWARE UPSTREAM WAVELENGTH ASSIGNMENT IN TWDM-PON	34
<i>C.-H. Lo, Y. Luo, F. Effenberger</i>	
NOVEL BURST-MODE EDFA USING BACKWARD LASER INJECTION FOR 40-GB/S TWDM- PON	37
<i>Y. Xu, M. Shi, J. Han, X. Wang, L. Yi</i>	
MULTIPLE WAVELENGTH LOAD BALANCING IN TWDM-PON.....	40
<i>D. Zhao, Y. Luo, J. Gao, H. Lin</i>	
N:1 FAST PROTECTION IN NG-PON2	43
<i>Y. Luo, B. Gao, M. Jiang, F. Effenberger</i>	
HIGH-RESOLUTION RAMAN MICROSCOPY FOR MOLECULAR IMAGING OF CELLS.....	46
<i>K. Fujita</i>	
A SIMPLE OPTICAL CLEARING METHOD FOR TISSUE BLOCK.....	48
<i>J. Wang, T. Yu, Y. Qi, D. Zhu</i>	
A SIMPLE AND RAPID OPTICAL CLEARING METHOD FOR IMPROVING OPTICAL IMAGING DEPTH.....	51
<i>T. Yu, J. Wang, Y. Qi, D. Zhu</i>	
TIME STRETCH IMAGING WITH OPTICAL DATA COMPRESSION FOR LABEL-FREE BIOLOGICAL CELL CLASSIFICATION	54
<i>A. Mahjoubfar, C. Chen, B. Jalali</i>	
LONG WAVELENGTH MULTIMODE FIBER TRANSMISSIONS FOR HIGH SPEED DATA CENTER APPLICATIONS.....	57
<i>X. Chen, S. Bickham, J. Hurley, M.-J. Li</i>	

COMPACT HYBRID-INTEGRATED 100-GBIT/S TOSA FOR 40-KM TRANSMISSION	60
<i>T. Ohyama, Y. Doi, S. Kanazawa, K. Takahata, A. Kanda, T. Kurosaki, T. Ohno, H. Sanjoh, W. Kobayashi, T. Tanaka, T. Hashimoto</i>	
25 GBPS TRANSMISSION FROM A 1310 NM SI PHOTONICS TRANSCEIVER OVER OM4 FIBERS USING MODAL DISPERSION COMPENSATION	63
<i>X. Chen, S. Bickham, J. Hurley, M.-J. Li, H.-F. Liu</i>	
OPTICAL MODULES FOR PHOTONIC SIGNAL PROCESSING	66
<i>X. Yi, R. Minasian</i>	
MODE CONVERTER BASED ON THE LONG PERIOD FIBER GRATINGS WRITTEN IN TWO MODE FIBER	69
<i>Y. Zhao, Y. Liu, J. Wen, T. Wang</i>	
MODE CONVERTER WITH SIDEWALL-CORRUGATED POLYMER WAVEGUIDE GRATING	72
<i>W. Jin, K. Chiang</i>	
MODELING OF SINGLE MULTIMODE FIBER IMAGING	75
<i>C. Liu, L. Deng, L. Su</i>	
MICROWAVE PHOTONICS FOR INTEGRATED MULTIFREQUENCY LIDAR/ RADAR SYSTEM	78
<i>F. Scotti, F. Laghezza, D. Onori, E. Lazzeri, M. Scaffardi, P. Ghelfi, A. Bogoni</i>	
FLAT OPTICAL FREQUENCY COMB GENERATION USING A SINGLE POLARIZATION MODULATOR AND A MACH-ZEHNDER INTERFEROMETER	81
<i>X. Ge, F. Zhang, P. Zhou, S. Pan</i>	
IMPROVEMENT OF PHASE NOISE IN A WIDELY TUNABLE OPTOELECTRONIC OSCILLATOR BASED ON BALANCED DETECTION	84
<i>C. Jiang, W. Zou, H. Zhang, J. Chen</i>	
FIRST DEMONSTRATION OF MACH-ZEHNDER-INTERFEROMETRIC PHASE-STABILIZATION AT OPTOELECTRONIC CARRIER GENERATION FOR PHASE-SHIFT KEYING SIGNAL	87
<i>K. Sakuma, S. Takeuchi, Y. Fujimura, J. Haruki, K. Kato, S. Hisatake, T. Nagatsuma</i>	
THE USE OF UNCOOLED DFB LASERS IN MICROWAVE PHOTONIC PHASE SHIFTERS	90
<i>C. Pulikkaseril, L. Li, X. Yi, S. Poole</i>	
HIGH-SPEED MICROSCOPIC IMAGING SYSTEM WITH INCOHERENT BROADBAND OPTICAL SOURCE	92
<i>H. Chen</i>	
AMPLITUDE MODULATED DIGITAL SIGNAL TRANSMISSION IN ROF SYSTEM FOR MMW-RF ANTENNA BEAM STEERING	93
<i>T. Hirasawa, K. Minoguchi, M. Oishi, S. Akiba, J. Hirokawa, M. Ando</i>	
OPTICAL FREQUENCY-INTERLEAVING FULL-DUPLEX TECHNIQUE FOR FIBER-OPTIC TRANSMISSION OF 96-GHZ-BAND FREQUENCY-MODULATED CONTINUOUS-WAVE DOWNLINK SIGNAL AND 10-GB/S ON-OFF-KEYING UPLINK SIGNAL	96
<i>T. Kuri, A. Kanno, T. Kawanishi</i>	
RECOVERED-CONSTELLATION COMBINING FOR POLARIZATION-INSENSITIVE OFFSET-FREQUENCY-SPACED TWO-TONE OPTICAL COHERENT DETECTION SCHEME IN RADIO-OVER-FIBER SYSTEMS	99
<i>T. Kuri, T. Sakamoto, T. Kawanishi</i>	
PHOTONIC DEMULTIPLEXER FOR RADIO FREQUENCY ORBITAL-ANGULAR-MOMENTUM SIGNALS	102
<i>B. Liu, J. Liu, P. Chen, S. Yu</i>	
A 2×2 QUANTUM PHOTONIC SWITCH FABRIC USING TWO-PHOTON QUANTUM INTERFERENCE IN AN INTEGRATED SILICON MICRORING RESONATOR ARRAY	105
<i>Z. Yao, L. Zhang, A. Poon</i>	
ULTRA-COMPACT AND BROADBAND 1?4 THERMO-OPTIC SWITCH BASED ON W2 PHOTONIC CRYSTAL WAVEGUIDES	108
<i>K. Cui, Q. Zhao, X. Feng, F. Liu, Y. Huang, W. Zhang</i>	
4X4 SI-WIRE OPTICAL PATH SWITCH WITH OFF-CHIP POLARIZATION DIVERSITY	111
<i>K. Tanizawa, K. Suzuki, S. Suda, G. Cong, K. Ishii, J. Kurumida, K. Ikeda, S. Namiki, H. Kawashima</i>	
SMALL FORM FACTOR REFLECTIVE INTEGRATED SILICON-BASED SLOT-BLOCKER	114
<i>G. De Valicourt, C.-M. Chang, J. Sinsky, Y. Chen, L. Bramerie, J.-C. Simon, J.-M Fedeli, M. Mestre, Y. Pointurier, L. Vivien, E. Cassan, D. Marris-Morini, A. Le Liepvre, A. Shen, G. Duan</i>	
VCSEL BASED OPTICAL COMMUNICATIONS SYSTEMS WITH ADVANCED MODULATION FORMATS	117
<i>C. Xie, P. Dong</i>	

OPTIMIZED SILICON MZI MODULATORS FOR 50 GBIT/S OOK AND 40 GBIT/S BPSK MODULATION	120
<i>Y. Zhou, L. Zhou, H. Zhu, J. Wang, F. Su, Z. Wang, L. Liu, T. Wang, X. Li, J. Chen</i>	
ACCURATE MODELLING AND SIMULATION OF LOW LOSS SILICON OPTICAL MODULATORS IN QPSK	123
<i>C. Png, M. Sun, S. Lim, K. Ogawa</i>	
ULTRAFAST LINEAR OPTICAL SAMPLING TECHNIQUE FOR OPTICAL COMMUNICATION SYSTEMS	126
<i>T. Okamoto, F. Ito</i>	
PHOTONIC ANALOG-TO-DIGITAL CONVERSION FOR ENERGY-CONSCIOUS ARCHITECTURE.....	129
<i>T. Konishi, M. Hasegawa, T. Nagashima</i>	
PHOTONICS-ASSISTED COMPRESSIVE SENSING FOR SPARSE SIGNAL ACQUISITION	132
<i>H. Chi, Y. Chen, T. Jin, X. Jin, S. Zheng, X. Zhang</i>	
A PERSPECTIVE ON HIGH SPEED ANALOG TO DIGITAL CONVERSION WITH SILICON LIGHT-EMITTING DEVICES	134
<i>K. Xu, S. Wu, Z. Zhang, Q. Yu, X. Huang, Y. Wang, J.-L. Polleux</i>	
ADAPTIVE CORRECTION OF AMPLITUDE NOISE FOR TIME-INTERLEAVED PHOTONIC ANALOG-TO-DIGITAL CONVERTER.....	137
<i>L. Ye, G. Wu, F. Su, J. Chen</i>	
RECENT ADVANCES IN MODE-LOCKED FIBRE LASERS	140
<i>A. Martinez</i>	
TWO-DIMENSIONAL MATERIALS-DEPOSITED MICROFIBER AS HIGHLY-NONLINEAR PHOTONIC DEVICE FOR PULSE SHAPING IN A FIBER LASER.....	142
<i>Z.-C. Luo, M. Liu, N. Zhao, H. Liu, X.-W. Zheng, A.-P. Luo, W.-C. Xu</i>	
A NEW METHOD OF ETHANOL CATALYTIC DEPOSITION OF MOS₂ ON TAPERED FIBER FOR PHOTONIC APPLICATION	143
<i>H. Wang, B. Chen, X. Zhang, J. Wang, K. Wu, J. Chen</i>	
PHOTONIC FREQUENCY CONVERSION USING GRAPHENE FETS FOR FUTURE FULLY COHERENT ACCESS NETWORK.....	146
<i>K. Sugawara, T. Kawasaki, M. Hussin, G. Tamamushi, M. Suemitsu, H. Fukidome, K. Iwatsuki, T. Suemitsu, V. Ryzhii, T. Otsuji</i>	
OPTICAL NONLINEARITY OF FEW-LAYER MOS₂ DEVICES AND APPLICATIONS IN SHORT-PULSE LASER TECHNOLOGY	149
<i>R. Woodward, T. Hasan, E. Kelleher</i>	
REVIEW OF EXPERIMENTAL OBSERVATIONS OF INTERMODAL NONLINEARITIES IN A FEW-MODE FIBER	152
<i>R.-J. Essiambre, R. Ryf, M. Mestre, N. Fontaine, M. Esmaelpour</i>	
WDM/SDM TRANSMISSION OF 76 X 128-GBIT/S NYQUIST-PULSE-SHAPED DP-QPSK SIGNALS OVER 4,200 KM USING CLADDING PUMPED 7-CORE EDFA	155
<i>K. Takeshima, T. Tsuritani, K. Igarashi, I. Morita, Y. Tsuchida, K. Maeda, T. Saito, K. Watanabe, T. Sada, K. Imamura, R. Sugizaki</i>	
EIGENVALUE MODULATED OPTICAL TRANSMISSION SYSTEM.....	158
<i>A. Maruta</i>	
OPTICAL AND DIGITAL PHASE CONJUGATION TECHNIQUES FOR FIBER NONLINEARITY COMPENSATION	161
<i>S. Le, M. McCarthy, S. Turitsyn, I. Phillips, D. Lavery, T. Xu, P. Bayvel, A. Ellis</i>	
EXPERIMENTAL DEMONSTRATION OF NONLINEAR CROSSTALK MITIGATION IN SUPERCHANNELS USING SUBCARRIER POWER PRE-EMPHASIS.....	164
<i>T. Yamauchi, S. Oda, T. Hoshida, Y. Aoki, J. Rasmussen, O. Vassilieva, I. Kim, M. Sekiya</i>	
INTRA SUPER-CHANNEL NONLINEARITY MITIGATION IN UNIFORM AND NON-UNIFORM LINKS EMPLOYING PRE-DISPERSED SPECTRAL INVERSION	167
<i>D. Rafique, A. Napoli, B. Spinnler</i>	
SPATIALLY-COUPLED CODES FOR OPTICAL COMMUNICATIONS: STATE-OF-THE-ART AND OPEN PROBLEMS	170
<i>A. Amat, C. Hager, F. Brannstrom, E. Agrell</i>	
IS CODED MODULATION THE FUTURE OF FIBER-OPTIC COMMUNICATIONS?	173
<i>H. Batshon, H. Zhang</i>	
OPTICAL 8-DIMENSIONAL TIME-POLARIZATION MODULATION USING SQUARE-QAM-CONSTELLATION AND A SIMPLE DECODING ALGORITHM.....	176
<i>M. Nakamura, M. Yoshida, F. Hamaoaka, K. Yonenaga</i>	

REVIEW OF EXPERIMENTAL OBSERVATIONS OF INTERMODAL NONLINEARITIES IN A FEW-MODE FIBER	179
<i>R.-J. Essiambre, R. Ryf, M. Mestre, N. Fontaine, M. Esmaelpour</i>	
WDM/SDM TRANSMISSION OF 76 X 128-GBIT/S NYQUISTPULSE-PULSE-SHAPED DP-QPSK SIGNALS OVER 4,200 KM USING CLADDING PUMPED 7-CORE EDFA	182
<i>K. Takeshima, T. Tsuritani, K. Igarashi, I. Morita, Y. Tsuchida, K. Maeda, T. Saito, K. Watanabe, T. Sasa, K. Imamura, R. Sugizaki</i>	
EIGENVALUE MODULATED OPTICAL TRANSMISSION SYSTEM.....	185
<i>A. Maruta</i>	
OPTICAL AND DIGITAL PHASE CONJUGATION TECHNIQUES FOR FIBER NONLINEARITY COMPENSATION	188
<i>S. Le, M. McCarthy, S. Turitsyn, I. Phillips, D. Lavery, T. Xu, P. Bayvel, A. Ellis</i>	
EXPERIMENTAL DEMONSTRATION OF NONLINEAR CROSSTALK MITIGATION IN SUPERCHANNELS USING SUBCARRIER POWER PRE-EMPHASIS.....	191
<i>T. Yamauchi, S. Oda, T. Hoshida, Y. Aoki, J. Rasmussen, O. Vassilieva, I. Kim, M. Sekiya</i>	
INTRA SUPER-CHANNEL NONLINEARITY MITIGATION IN UNIFORM AND NON-UNIFORM LINKS EMPLOYING PRE-DISPERSED SPECTRAL INVERSION	194
<i>D. Rafique, A. Napoli, B. Spinnler</i>	
SPATIALLY-COUPLED CODES FOR OPTICAL COMMUNICATIONS: STATE-OF-THE-ART AND OPEN PROBLEMS	197
<i>A. Amat, C. Hager, F. Brannstrom, E. Agrell</i>	
IS CODED MODULATION THE FUTURE OF FIBER-OPTIC COMMUNICATIONS?	200
<i>H. Gatshon, H. Zhang</i>	
OPTICAL 8-DIMENSIONAL TIME-POLARIZATION MODULATION USING SQUARE-QAM-CONSTELLATION AND A SIMPLE DECODING ALGORITHM.....	203
<i>M. Nakamura, M. Yoshida, F. Hamaoka, K. Yonenaga</i>	
DYNAMIC OPTICAL PACKET SWITCHING NETWORK WITH ADVANCED SDN/OPENFLOW CONTROL	206
<i>X. Cao, N. Yoshikane, T. Tsuritani, I. Morita, M. Shiraiwa, N. Wada</i>	
SELF-HOMODYNE AWG-BASED COHERENT OPTICAL PACKET SWITCHING ARCHITECTURE FOR DATA CENTERS	209
<i>J. Mendinueta, B. Puttnam, S. Shinada, N. Wada</i>	
40GB/S PURE PHOTONIC PACKET SWITCH FOR DATACENTERS	212
<i>X. Yang, H. Ma, Y. Wang, L. Liu, H. Mehrvar, D. Goodwill, E. Bernier</i>	
POLARIZATION INSENSITIVE SAW-TOOTH BASED WAVELENGTH CONVERTER IN CROSS-PHASE MODULATION SCHEME	215
<i>K. Kashiwagi</i>	
EXPERIMENTAL DEMONSTRATION OF MULTI-GRANULAR OPTICAL-PATH NETWORK UTILIZING WAVELENGTH/WAVEBAND-SELECTIVE SWITCHES	218
<i>K. Udea, M. Niwa, Y. Mori, H. Hasegawa, K.-I. Sato, T. Miyazawa, H. Harai</i>	
EFFICIENT SIGNAL MULTIPLEXING SCHEME BASED ON OPTICAL SIGNAL PROCESSING	221
<i>T. Kato, T. Tanimura, T. Richter, C. Schmidt-Langhorst, R. Elschner, C. Schubert, S. Watanabe</i>	
FILTERING TOLERANCE OF 512-GB/S DUAL-CARRIER PDM-16QAM SIGNALS IN 75-GHZ-GRID ROADM NETWORKS	224
<i>Y. Kawaguchi, T. Tsuritani</i>	
NONLINEAR PERFORMANCE OF 200GB/S, 400GB/S AND 1TB/S PM-16QAM SUPERCHANNELS IN DYNAMIC WDM TRAFFIC SCENARIO	227
<i>T. Rahman, C. Okonkwo, H. De Waardt, D. Rafique, A. Napoli, B. Spinnler</i>	
FLEXIBLE MODULATION AND NONLINEAR TOLERANCE FOR COHERENT TRANSCEIVERS	230
<i>Q. Zhuge, M. Reimer, A. Shiner, A. Borowiec, D. Charlton, F. Zhang, M. Qiu, W. Wang, D. Plant, M. O'Sullivan</i>	
FIRST DEMONSTRATION OF WAVELENGTH CONVERSION OF DP-64-QAM SIGNAL USING AN IMPROVED COUNTER-DITHERING PUMP SCHEME.....	233
<i>H. Tan, T. Inoue, K. Solis-Trapala, S. Petit, Y. Oikawa, S. Takasaka, T. Yagi, M. Pelusi, S. Namiki</i>	
HITLESS SPECTRUM DEFRAGMENTATION IN FLEXIBLE GRID OPTICAL NETWORK USING MAXIMUM RATIO COMBINING IN WAVELENGTH DIVERSITY TRANSMISSION	236
<i>S. Yamamoto, K. Saito, A. Naka, H. Maeda</i>	
BEYOND 100G FLEX-GRID NETWORK UPGRADES: ON THE TRAFFIC ALLOCATION STRATEGIES.....	239
<i>D. Rafique, A. Napoli, T. Rahman</i>	

LAUNCH POWER OPTIMIZATION CO-OPERATED WITH DIGITAL NONLINEAR COMPENSATOR FOR ELASTIC OPTICAL NETWORK	242
<i>H. Nakashima, Y. Akiyama, T. Hoshida, T. Oyama, T. Tanimura, J. Rasmussen</i>	
SLOW-LIGHT EFFECTS IN PHOTONIC CRYSTAL MEMBRANE LASERS	245
<i>W. Xue, Y. Yu, L. Ottaviano, E. Semenova, K. Yvind, J. Mork</i>	
SPACE-EFFICIENT SINGLE-MODE FIBER WITH REDUCED CLADDING DIAMETER.....	248
<i>J. Chang, S. Bae, H. Kim, Y. Chung</i>	
BROADBAND PHOTONIC LANTERN MODE MULTIPLEXERS BASED ON MULTILAYER POLYMER WAVEGUIDES	250
<i>Y. Wu, K. Chiang</i>	
POLARIZATION MAINTAIN FIBER COUPLERS WITH NOVEL TRANSMISSION CHARACTERISTICS	253
<i>X. Wang, Q. Wang, C. He, J. Xie, Z. Wang</i>	
MEMBRANE PHOTONIC INTEGRATION ON SI PLATFORM.....	256
<i>T. Amemiya, T. Hiratani, D. Inoue, T. Tomiyasu, K. Fukuda, N. Nishiyama, S. Arai</i>	
53.2 GB/S NRZ TRANSMISSION OVER 10 KM USING HIGH SPEED EML FOR 400GBE.....	258
<i>M. Shirao, K. Kojima, H. Itamoto</i>	
FULLY CHARACTERIZATION OF A DFB-SOA BASED ACTIVE OPTICAL FIBER.....	261
<i>Y. Deng, M. Li, S. Sun, H. Yuan, Y. Shi, X. Chen, N. Zhu</i>	
THE TRANSIENT YTTERBIUM DOPED FIBER AMPLIFIER PHASE NOISE MEASUREMENT USING HETERODYNE DETECTION.....	264
<i>S. Lee, K. Oh</i>	
A HIGHLY STABLE MULTI-BEAM WAVELENGTH MONITOR FOR WAVELENGTH-STABLE TUNABLE LASERS	267
<i>K. Mochizuki, M. Nogami, H. Aruga</i>	
HIGH-SPEED, HIGH-ACCURACY 400-GHZ WAVELENGTH SWITCHING AT TUNABLE DISTRIBUTED AMPLIFICATION (TDA-) DFB LASER USING FEEDFORWARD CONTROL)	270
<i>Y. Tatsumoto, H. Onji, R. Kimura, K. Kato, H. Ishi, M. Simokozono</i>	
BROADENED OPTICAL FREQUENCY SWEEPING FOR HIGH SPATIAL RESOLUTION OFDR BASED ON RECIRCULATING FREQUENCY SHIFTER	273
<i>J. Li, J. Du, D. Xu, S. Wang, X. Fan, Q. Liu, Z. He</i>	
TEMPERATURE PROFILE EXTRACTION USING ARTIFICIAL NEURAL NETWORK IN BOTDA SENSOR SYSTEM.....	276
<i>A. Azad, L. Wang, N. Guo, C. Lu, H. Tam</i>	
STRUCTURAL HEALTH MONITORING BASED ON STRAIN DISTRIBUTIONS MEASURED BY FIBER-OPTIC DISTRIBUTED SENSORS	279
<i>H. Murayama</i>	
MINIATURIZED STEREO FIBER DEVICES BASED ON THE WRAPON-ON-A-ROD TECHNOLOGY	281
<i>F. Xu, Y. Chen, J.-H. Chen, J.-L. Kou, Y.-Q. Lu</i>	
ALL FIBER VIBRATION SENSOR BASED ON A TAPERED FIBER PLUG FUSED HOLLOW CORE FIBER	284
<i>Y.-N. Tsai, C.-Y. Chen, G.-H. Chen, C.-L. Lee</i>	
EXPERIMENTAL STUDY ON THERMAL MEMORY EFFECT IN PLASTIC OPTICAL FIBERS	287
<i>K. Minakawa, N. Hayashi, Y. Mizuno, K. Nakamura</i>	
PROFILING THE SPATIAL SENSITIVITY OF DUAL-FREQUENCY FIBER GRATING LASER SENSORS.....	290
<i>F. Zhou, L. Jin, L. Cheng, B.-O. Guan</i>	
HIGH SENSITIVITY OPTICAL-FIBER TEMPERATURE SENSOR WITH SOLID CLADDING MATERIAL BASED ON MULTIMODE INTERFERENCE	293
<i>D. Watanabe, H. Fukano, S. Taue</i>	
INTRAVITAL LASER-SCANNING MICROSCOPY FOR BIOMEDICAL RESEARCH	296
<i>P. Kim</i>	
IN VIVO LUNG IMAGING IN PULMONARY DISEASE MODEL	298
<i>I. Park, K. Choe, Y. Hwang, H. Seo, E. Song, J. Ahn, Y. Kim, S. Ahn, P. Kim</i>	
IN VIVO QUANTITATION OF CIRCULATING TUMOR CELLS BY VIDEO-RATE INTRAVITAL LASER-SCANNING CONFOCAL MICROSCOPY	300
<i>H. Seo, Y. Hwang, K. Choe, P. Kim</i>	
ADVANCING OPTICAL TIME STRETCH FOR HIGH-THROUGHPUT IMAGING DIAGNOSTICS ON THE SINGLE-CELL AND TISSUE SCALES	302
<i>K. Tsia</i>	

NEW MATERIALS AND DEVICES FOR OPTICAL INTERCONNECT	303
<i>D. Van Thourhout, Z. Wang, B. Tian, Y. Hu, J. George, J. Beeckman, M. Pantouvaki, C. Merckling, I. Asselberghs, S. Brems, P. Absil, H. Min-Hsiang, J. Van Campenhout</i>	
A SIMPLE FABRICATION PROCESS FOR SiN/SiO₂ WAVEGUIDE BASED ON SIDEWALL OXIDATION OF PATTERNED SILICON SUBSTRATE	305
<i>Y. Wang, J. Wang, C. Sun, B. Xiong, Y. Luo, Z. Hao, Y. Han, L. Wang, H. Li</i>	
BROADBAND, POLARIZATION-INSENSITIVE SUPERCONDUCTING SINGLE-PHOTON DETECTORS BASED ON WAVEGUIDE-INTEGRATED ULTRA-NARROW NANOWIRES	308
<i>X. Zhu, C. Gu, Y. Cheng, X. Hu</i>	
MID-INFRARED INTEGRATED PHOTONICS ON A SiGe PLATFORM	311
<i>L. Carletti, C. Blanchard, D. Allieux, C. Monat, R. Orobtcouk, P. Rojo-Romeo, Z. Lin, C. Jomois, J.-L. Leclercq, P. Viktorovitch, X. Letartre, C. Grillet, P. Ma, Y. Yu, B. Luther-Davies, D. Hudson, S. Madden, M. Brun, S. Ortiz, P. Labeye, S. Nicoletti, M. Sinobab, D. Moss</i>	
NONLINEAR OPTICS ON A SILICON PLATFORM FOR BROADBAND LIGHT GENERATION AND ULTRAFAST INFORMATION PROCESSING	314
<i>B. Kuyken, R. Van Laer, F. Leo, D. Thourhout, R. Baets, G. Roelkens, T. Ideguchi, S. Holzner, M. Yan, T. Hansch, S. Coen, P. Verheyen, J. Campenhout S.-P. Gorza, S. Combrie, A. De Rossi, F. Raineri, W. Green, N. Picque</i>	
HIGH-EFFICIENCY AND BROADBAND WAVELENGTH CONVERSION IN A SLOT WAVEGUIDE WITH THE PERIODIC STRUCTURE ALTERING THE PHASE-MISMATCH	317
<i>F. Zhou, M. Zhang, Y. Wang, J. Dai, L. Deng, D. Liu</i>	
SILICON NANOWIRES FOR ULTRA-FAST AND ULTRA-BROADBAND OPTICAL SIGNAL PROCESSING	320
<i>H. Ji, H. Hu, M. Pu, Y. Ding, A. Jensen, J. Galili, K. Yind, L. Oxenlowe</i>	
SOI SLOT PHOTONIC CRYSTAL CAVITIES ON SiO₂ FROM $\lambda = 1.3 \mu\text{m}$ TO $1.6 \mu\text{m}$	323
<i>T. Hoang, W. Zhang, S. Serna, C. Caer, X. Le Roux, L. Vivien, E. Cassan</i>	
A NOVEL VARIABLE OPTICAL ATTENUATOR BASED ON TWO DETUNED COUPLED RINGS	326
<i>H. Zhang, H. Yu, M. Chen, S. Yang, H. Chen, S. Xie</i>	
COMPACT WAVEGUIDE RESONATOR FILTER FOR WAVELENGTH-SELECTIVE REFLECTION AND REJECTION IN SILICON WAVEGUIDES	329
<i>C.-J. Chae, D.-Y. Choi, E. Skafidas, Y.-T. Lee</i>	
COUPLED-CAVITY FABRY-PÉROT SEMICONDUCTOR LASERS FOR SINGLE-MODE OPERATION	332
<i>X.-W. Ma, Y.-D. Yang, Y.-Z. Huang, J.-L. Xiao, B.-W. Liu, H. Long, L.-X. Zou</i>	
INVESTIGATION OF LOSS MECHANISM OF SOI SLOT WAVEGUIDE RING RESONATORS	335
<i>W. Zhang, S. Serna, X. Roux, L. Vivien, E. Cassan</i>	
TUNABLE SILICON SLOT MICRO-RING OPERATING AT 1000NM	337
<i>X. Li, X. Feng, X. Xiao, Y. Li, K. Cui, Y. Huang</i>	
PASSIVE AND ACTIVE ALL-FIBER GRAPHENE DEVICES FOR ULTRAFAST FIBER LASER APPLICATION	340
<i>D.-I. Yeom</i>	
HIGH ENERGY Q-SWITCHING OF AN ALL-FIBERIZED 1.55-μm LASER USING GNRS/PVA EVANESCENT FIELD INTERACTION	343
<i>J. Koo, J. Lee, J. Lee</i>	
Q-SWITCHED RING-CAVITY ERBIUM-DOPED FIBER LASER BASED ON TUNGSTEN DISULFIDE (WS₂)	345
<i>B. Chen, H. Wang, X. Zhang, J. Wang, K. Wu, J. Chen</i>	
TUNABLE MULTI-WAVELENGTH DISSIPATIVE SOLITON GENERATION IN AN YB-DOPED FIBER LASER BASED ON SESAM AND LYOT-SAGNAC FILTER	348
<i>M. Li, X. Zou, J. Qiu, W. Li, W. Jian</i>	
SPECTRALLY-FILTERING PHOTONIC BANDGAP FIBER LASERS	351
<i>A. Shirakawa</i>	
STARK EFFECT INDUCED MICROCAVITY POLARITON SOLITONS	352
<i>X. Wu, W. Zhang, Y. Rao</i>	
GENTLY-SLOPED SMALL SIGNAL RESPONSE BY INTRA-CAVITY LOSS MODULATION	355
<i>S. Mieda, S. Shiratori, N. Yokota, H. Yasaka, W. Kobayashi</i>	
BANDWIDTH CONSTRAINING AND DIGITAL SIGNAL PROCESSING FOR HIGH SPECTRAL EFFICIENCY OPTICAL FIBER TRANSMISSIONS	358
<i>Y. Cai, Z. Jia, H.-C. Chien, J. Zhang, J. Yu</i>	
CARRIER FREQUENCY OFFSET ESTIMATION BASED ON CIRCULAR HARMONIC EXPANSION FOR OPTICAL COHERENT M-QAM COMMUNICATION SYSTEMS	361
<i>T.-H. Nguyen, M. Joindot, M. Gay, L. Bramerie, J.-C. Simon, P. Scalart, O. Sentieys</i>	

LOW-COMPLEXITY DIGITAL PRE-EMPHASIS TECHNIQUE FOR NEXT GENERATION OPTICAL TRANSCEIVER	364
<i>A. Napoli, D. Rafique, M. Kuschnerov, B. Spinnler, V. Sleiffer, J. Surof, T. Rahman, M. Bohn</i>	
FIRST EXPERIMENTAL DEMONSTRATION OF SIGNAL PERFORMANCE IMPROVEMENT BY THE WALSH-HADAMARD TRANSFORM FOR THE SUPER-CHANNEL TRANSMISSION.....	367
<i>A. Masuda, K. Shibahara, S. Kawai, M. Fukutoku</i>	
PAPR REDUCTION TECHNIQUE FOR OPTICAL SSB MODULATION USING PEAK FOLDING.....	370
<i>K. Sampath, K. Takano</i>	
NON-COHERENT SINGLE WAVELENGTH 56GBPS 640KM TRANSMISSION OVER DCF-FREE SSMF LINK BY USING DIRECT-DETECTION DMT	373
<i>Q. Zhang, C. Xie, N. Stojanovic, G. Goeger, C. Sun, Y. Fang, E. Zhou, G. Liu, X. Xu</i>	
DISPERSION-PRECOMPENSATED DIRECT-DETECTION NYQUIST PULSE-SHAPED SUBCARRIER MODULATION USING A DUAL-DRIVE MACH-ZEHNDER, MODULATOR	376
<i>M. Erkilinc, S. Pachnicke, H. Griesser, B. Thomsen, P. Bayvel, R. Killey</i>	
DUAL-POLARIZATION SIGNAL CARRIER INTERLEAVED DIRECT DETECTION THROUGH DISCRETE-TIME GAUSSIAN CHANNEL WITH CONJUGATE INTER-SYMBOL INTERFERENCE	379
<i>D. Che, H. Khodakarami, W. Shieh</i>	
DEMONSTRATION OF CHAOTIC-LASER BASED WDM-PON SECURE OPTICAL COMMUNICATION AND REAL-TIME ONLINE FIBER-FAULT DETECTION AND LOCATION	382
<i>X. Dou, H. Yin, Y. Hao, H. Yue, X. Qi, Y. Jin, J. Qin, L. Li</i>	
TRENDS IN PON - FIBER/WIRELESS CONVERGENCE AND SOFTWARE-DEFINED TRANSMISSION AND NETWORKING	385
<i>X. Liu, F. Effenberger</i>	
25.2923-GB/S OPTICAL LINK USING EML FOR MOBILE FRONTHAUL NETWORK OF LTE-A SYSTEMS	388
<i>S. Bae, H. Shim, H. Kim, Y. Chung</i>	
NEW MOBILE BACKHAUL NETWORK DESIGN METHOD FOR DENSE SMALL CELL DEPLOYMENTS	391
<i>K. Sone, Y. Aoki, J. Rasmussen, I. Kim, X. Wang, Q. Zhang</i>	
DBA WITH CONSIDERATION OF ENERGY, DELAY AND BW FOR COMMUNITY WDM-OFDM PON	394
<i>Y. Yang, M. Zhang, D. Wang, J. Liu, Z. Ghassemlooy</i>	
FEEDFORWARD CANCELLATION OF REMODULATION CROSSTALK IN WDM PON USING SELF-SEEDED RSOAS.....	397
<i>N. Cheng, F. Effenberger</i>	
VIRTUALIZATION TECHNOLOGY IN OPTICAL PACKET AND CIRCUIT INTEGRATED NETWORKS.....	400
<i>H. Furukawa</i>	
QUASI-PASSIVE RECONFIGURABLE (QPAR) NODE ENABLED SOFTWARE-DEFINED AND ENERGY-EFFICIENT INTRA-PON OPTICAL FLOW TRANSMISSION	403
<i>S. Yin, T. Shen, Y. Bi, J. Jin, L. Kazovsky</i>	
PATH ACCOMMODATION DESIGN AND RECONFIGURATION FOR DIFFERENT RELIABILITY CLASSES IN VIRTUALIZED MULTI-LAYER TRANSPORT NETWORK	406
<i>A. Kadohata, T. Tanaka, A. Watanabe, A. Hirano, H. Hasegawa, K.-I. Sato</i>	
LABEL-FREE OBSERVATION OF CANCER-CELL FILOPODIUM ACTIVITIES USING STRUCTURED ILLUMINATION NANO-PROFILOMETRY	409
<i>C.-H. Lee</i>	
SURFACE-PLASMON ENHANCED MICROSCOPY USING BLOCKED SILVER NANODOT ARRAYS	411
<i>T. Son, Y. Oh, W. Lee, H. Yang, D. Kim</i>	
EVALUATION OF MICROVASCULATURE DIAMETER IN DEEP TISSUE USING A PHOTOACOUSTIC SPECTRAL ANALYSIS	414
<i>X. Gao, C. Tao, X. Liu, X. Wang</i>	
SCANNING MIRROR-BASED PHOTOACOUSTIC MICROSCOPY WITH SYNTHETIC APERTURE FOCUSING TECHNIQUE	417
<i>D. Cai, Z. Li, S.-L. Chen</i>	
LASER NANO-MANUFACTURING TECHNOLOGY AND APPLICATIONS TOWARDS OPTICAL FUNCTIONAL NANOSTRUCTURES AND DEVICES	420
<i>M.-L. Zheng, X.-M. Duan</i>	

3D-HYPERSPECTRAL MAPPING OF LIGHT PROPAGATION THROUGH DIATOM FRUSTULE SILICA NANOSTRUCTURES	423
<i>J.-C. Valmalaet, J. Romann, A. Royset, M.-A. Einarsrud</i>	
HYDROGEL-BASED PHOTONIC CRYSTAL MATERIALS FOR SENSING APPLICATION	426
<i>C. Chen, Z. Zhu</i>	
ORGANIC-INORGANIC HYBRID COMPOSITES FOR THZ APPLICATIONS	428
<i>B. Cai, B. Guo, X.-C. Wang, Y.-Z. Li, Y.-M. Zhu</i>	
TUNABLE THERMO-OPTIC WAVELENGTH FILTER OF THE C-SHAPED MICROFIBER TAPER INTERFEROMETER INTEGRATED WITH NANOSIZED LIQUID CRYSTAL LAYER*	431
<i>H. Luo, C. Wang, W. Yuan, J. Wang, Z. Hong</i>	
DESIGN METHOD OF HETEROGENEOUS TRENCH-ASSISTED GRADED-INDEX FEW-MODE MULTI-CORE FIBER WITH LOW DIFFERENTIAL MODE DELAY	434
<i>J. Tu, K. Saitoh, Y. Amma, K. Takenaga, S. Matsuo</i>	
ALL FIBER BASED BROADBAND MODE-SELECTIVE COUPLERS WITH 200NM WAVELENGTH BANDWIDTH	437
<i>X. Zeng, Y. Li, W. Li, Y. Zheng, J. Wu, J. Qiu</i>	
AN OPTICAL RELATIVE HUMIDITY SENSOR BASED ON THE ENHANCED GOOS-HANCHEN SHIFT	440
<i>X. Wang, W. Yuan, M. Sang</i>	
FIBER BRAGG GRATINGS FABRICATED BY FEMTOSECOND LASER MICROMACHINING METHODS.....	443
<i>C. Liao, J. He, Q. Wang, C. Zhang, Z. Li, C. Wang, Y. Wang</i>	
FEMTOSECOND LASER INSCRIBED PHASE-SHIFTED FIBER BRAGG GRATINGS.....	446
<i>J. He, C. Liao, K. Yang, Y. Wang, Q. Wang</i>	
DESIGN OF DUAL-BAND PERFECT ABSORBER	449
<i>Z. Chen, C. Jiang, Z. Chen, C. Wang, L. Wang, H. Luo</i>	
MICROWAVE PHOTONIC CHANNELIZED RECEIVER BASED ON DOUBLE COLUMN MICRORING ARRAY	451
<i>S. Song, X. Yi, T. Huang</i>	
PM-DCO-OFDM FOR PAPR REDUCTION IN VISIBLE LIGHT COMMUNICATIONS	454
<i>T. Mao, C. Qian, Q. Wang, J. Quan, Z. Wang</i>	
POWER-EFFICIENT HIGH-DIMENSIONAL CONSTELLATION DESIGN FOR VISIBLE LIGHT COMMUNICATIONS	457
<i>Q. Gao, R. Wang, Z. Xu, Y. Hua</i>	
INVESTIGATION OF DCT-SPREAD OFDM TRANSMISSION IN INDOOR VISIBLE LIGHT COMMUNICATION	460
<i>C. Yang, Y. Chen, C. Li, W. Liu, Q. Yang, D. Zhang</i>	
LED ACQUISITION METHODS FOR IMAGE-SENSOR-BASED VISIBLE LIGHT COMMUNICATION	463
<i>S. Arai, T. Yamazato, H. Okada, T. Fujii, T. Yendo</i>	
VISIBLE LIGHT COMMUNICATION PERFORMANCE IN WEAK ILLUMINATION ENVIRONMENT	466
<i>S. Li, C. Gong, Z. Xu</i>	
UNDERSAMPLED-PAM WITH SUBCARRIER MODULATION FOR CAMERA COMMUNICATIONS	469
<i>P. Luo, Z. Ghassemlooy, H. Minh, H.-M. Tsai, X. Tang</i>	
A GENERALIZED SPATIAL MODULATION FOR INDOOR OPTICAL WIRELESS COMMUNICATIONS	472
<i>L. Qiu, M. Jiang</i>	
MULTIUSER MULTIDETECTOR INDOOR VISIBLE LIGHT COMMUNICATION SYSTEM.....	475
<i>J. Lian, M. Brandt-Pearce</i>	
GAS PRESSURE SENSORS BASED ON IN-FIBER DEVICES.....	478
<i>Y. Wang, C. Liao, S. Liu, B. Sun, Z. Li, X. Zhong, G. Yin</i>	
A MICROCAVITY FIBER FABRY-PÉROT INTERFEROMETER FOR MEASURING REFRACTIVE INDEX AND MATERIAL DISPERSION OF LIQUIDS.....	482
<i>J.-H. Gu, H.-Y. Ho, C.-L. Lee, Y.-Y. Lin</i>	
LIQUID LEVEL OPTICAL FIBER SENSOR BASED ON ENHANCED MULTIMODE INTERFERENCE	485
<i>Y. Luo, Q. Sun, Z. Wu, Z. Xu, D. Liu</i>	
ULTRAHIGH RESOLUTION DISTRIBUTED TEMPERATURE AND STRAIN SENSING IN OPTICAL FIBRE WITH RAYLEIGH AND BRILLOUIN SCATTERING.....	488
<i>V. Iezzi, S. Loranger, M. Gagne, R. Kashyap</i>	

VEHICLE TRACKING BY Φ-OTDR USED IN SAFETY MONITORED AREAS	491
<i>Z. Wang, Z. Pan, Q. Ye, B. Lu, H. Cai, R. Qu, Z. Fang, H. Zhao</i>	
INFLUENCE OF PHASE NOISE ON MEASUREMENT RANGE IN OPTICAL PULSE COMPRESSION REFLECTOMETRY	494
<i>S. Wang, W. Zou, X. Long, J. Chen</i>	
COHERENT DETECTION BASED Φ-OTDR AND ITS APPLICATION	497
<i>H. Cai, Z. Pan, Z. Wang, Q. Ye, R. Qu, Z. Fang, H. Zhao</i>	
A HYBRID INTEGRATED TIA AND PD FOR 20-GB/S OPTICAL RECEIVERS	500
<i>Q. Yang, N. Qi, J. Wang, Z. Wang, Z. Hong, P. Chiang</i>	
ALL-SILICON NEAR-INFRARED PHOTOTRANSISTORBASED ON SURFACE-STATE ABSORPTION.....	503
<i>H. Zhu, L. Zhou, X. Li, J. Chen</i>	
APPLICATIONS OF HYBRID III-V ON SILICON DEVICES IN OPTICAL FIBER NETWORKS.....	505
<i>G. De Valicourt, A. Accard, P. Kaspar, F. Lelarge, G. Levaufre, N. Girard, A. Le Liepvre, D. Make, S. Olivier, S. Malhouitre, G.-H. Duan</i>	
MODE CONTROL FOR DIRECTIONAL EMISSION SEMICONDUCTOR MICRODISK AND MICRORING LASERS	508
<i>Y.-Z. Huang, L.-X. Zhou, X.-W. Ma, Y.-D. Yang, J.-L. Xiao, Y. Du</i>	
DEPLETION REGION OPTIMIZATION IN UTC PHOTODIODES FOR HIGH SPEED AND HIGH POWER PERFORMANCE	511
<i>J. Li, B. Xiong, C. Sun, Y. Luo, J. Wang, Z. Hao, L. Wang, Y. Han, H. Li</i>	
22.4 GBPS PHOTONIC WIRELESS TRANSMISSION IN SINGLE-CARRIER 16-QAM USING HIGH-SENSITIVITY 34 GHZ ANALOG PHOTORECEIVER	514
<i>T. Umezawa, K. Akahane, N. Yamamoto, A. Kanno, N. Shibagaki, T. Kawanishi</i>	
ENHANCED NONLINEAR PROPERTIES OF PHOTONIC CRYSTAL NANOCAVITIES	517
<i>D. Gerace</i>	
GAAS NANOSTRUCTURES ON SI PLATFORM.....	520
<i>S. Sanguinetti, S. Bietti, D. Scarpellini, A. Ballabio, L. Miglio, G. Isella, L. Esposito, J. Frigerio, A. Fedorov, M. Gurioli, F. Biccari, M. Abbarchi, A. Vinattieri</i>	
SILICON-ORGANIC (SOH) AND PLASMONIC-ORGANIC (POH) HYBRID INTEGRATION: EXTENDING THE CAPABILITIES OF SILICON PHOTONICS AND PLASMONICS.....	523
<i>C. Koos, W. Freude, J. Leuthold, M. Kohl, L. Dalton, W. Bogaerts, M. Lauermann, A. Melikyan, S. Wolf, C. Weimann, S. Muehlbrandt, J. Pfeifle, S. Koeber, R. Palmer, P. Schindler, D. Elder</i>	
LOW-OPERATING-ENERGY MEMBRANE-BURIED HETEROSTRUCTURE LASERS ON SIO₂/SI SUBSTRATE	525
<i>S. Matsuo, T. Fujii, K. Takeda</i>	
MONOLITHICALLY INTEGRATED WAVEGUIDE-COUPLED SILICA MICROTOROIDS.....	528
<i>J. Richter, M. Nezhad, J. Witzens</i>	
RECONFIGURABLE SILICON PHOTONIC NETWORKS-ON-CHIP	531
<i>P. Dong</i>	
APPLICABILITY OF AEFF-ENLARGED PURE-SILICA-CORE FIBER FOR C- AND L-BAND TRANSMISSION	534
<i>T. Haruna, Y. Kawaguchi, Y. Tamura, Y. Yamamoto, M. Hirano</i>	
IMPACT OF FIBER LOSS AND AEFF ON OSNR IMPROVEMENT FOR HYBRID- RAMAN/EDFA AMPLIFIED SYSTEMS.....	537
<i>Y. Yamamoto, M. Hirano, S. Oda, Y. Aoki, K. Sone, J. Rasmussen</i>	
DESIGN AND DEVELOPMENT OF ADAPTIVE-GENERALIZED OPTICAL TRANSCEIVER MODULE WITH MULTI-RATES SUPPORTING SONET, SDH AND GIGABIT-ETHERNET.....	540
<i>A. Liu, B. Wu, Y. Hao, N. Zhao, H. Yin</i>	
PHASE REGENERATION OF QPSK SIGNALS BY HYBRID OPTICAL PHASE SQUEEZER.....	543
<i>T. Jurosu, H. Tan, K. Solis-Trapala, S. Namiki</i>	
NONLINEAR IMPAIRMENT MITIGATION IN HOMOGENEOUS AND HETEROGENEOUS NETWORKS.....	546
<i>B. Spinnler, D. Rafique</i>	
LINEARIZING WDM TRANSMISSION SYSTEMS THROUGH OPTICAL PHASE CONJUGATION	549
<i>K. Solis-Trapala, T. Inoue, M. Pelusi, H. Tan, S. Namiki</i>	
ACCURATE NONLINEAR MODEL BEYOND NONLINEAR NOISE POWER ESTIMATION.....	552
<i>Y. Zhao, L. Dou, Z. Tao, T. Hoshida, J. Rasmussen</i>	
A SWITCHABLE, TUNABLE AND POWER-CONTROLLABLE DUAL-WAVELENGTH FIBER LASER AT 2μM	555
<i>W. Yang, P. Lu, S. Wang, D. Liu, J. Zhang</i>	

RESONANT DISPERSIVE WAVE GENERATION AND FREQUENCY STABILITY	558
<i>T. Cao, L. Huang, J. Peng</i>	
PHASE COHERENCE CHARACTERISTICS OF NOISE-LIKE PULSES IN FIBER RING CAVITY CONFIGURATIONS.....	560
<i>Y. Jeong, L. Vazquez-Zuniga, S. Lee, Y. Kwon</i>	
THEORETICAL STUDY OF THE THRESHOLD OF STIMULATED BRILLOUIN SCATTERING IN MULTIMODE FIBERS.....	563
<i>H. Lu, P. Zhou, X. Wang, Z. Jiang</i>	
PHASE SENSITIVE AMPLIFICATION USING MONOLITHICALLY INTEGRATED PPLN WAVEGUIDE CIRCUIT.....	566
<i>T. Kazama, T. Umeki, K. Enbutsu, H. Takenouchi, M. Asobe</i>	
RECONFIGURABLE SILICON PHOTONIC NETWORKS-ON-CHIP	569
<i>P. Dong</i>	
APPLICABILITY OF AEFF-ENLARGED PURE-SILICA-CORE FIBER FOR C- AND L-BAND TRANSMISSION	572
<i>T. Haruna, Y. Kawaguchi, Y. Tamura, Y. Yamamoto, M. Hirano</i>	
IMPACT OF FIBER LOSS AND AEFF ON OSNR IMPROVEMENT FOR HYBRID-RAMAN/EDFA AMPLIFIED SYSTEMS	575
<i>Y. Yamamoto, M. Hirano, S. Oda, Y. Aoki, K. Sone, J. Rasmussen</i>	
DESIGN AND DEVELOPMENT OF ADAPTIVE-GENERALIZED OPTICAL TRANSCEIVER MODULE WITH MULTI-RATES SUPPORTING SONET, SDH AND GIGABIT-ETHERNET.....	578
<i>A. Liu, B. Wu, Y. Hao, N. Zhao, H. Yin</i>	
PHASE REGENERATION OF QPSK SIGNALS BY HYBRID OPTICAL PHASE SQUEEZER.....	581
<i>T. Kurosu, H. Tan, K. Solis-Trapala, S. Namiki</i>	
NONLINEAR IMPAIRMENT MITIGATION IN HOMOGENEOUS AND HETEROGENEOUS NETWORKS.....	584
<i>B. Spinnler, D. Rafique</i>	
LINEARIZING WDM TRANSMISSION SYSTEMS THROUGH OPTICAL PHASE CONJUGATION	587
<i>K. Solis-Trapala, T. Inoue, M. Pelusi, H. Tan, S. Namiki</i>	
ACCURATE NONLINEAR MODEL BEYOND NONLINEAR NOISE POWER ESTIMATION.....	590
<i>Y. Zhao, L. Dou, Z. Tao, T. Hoshida, J. Rasmussen</i>	
EXTREMELY HIGH-CAPACITY, LOW-ENERGY, AND LOW LATENCY OPTICAL NETWORKING FOR FUTURE INFRASTRUCTURE	593
<i>K. Ishii, J. Kurumida, A. Takefusa, T. Kurosu, T. Kudoh, S. Namiki</i>	
ZONE BASED SPECTRUM ASSIGNMENT IN ELASTIC OPTICAL NETWORKS: A FAIRNESS APPROACH	596
<i>R. Tessinari, B. Puype, D. Colle, A. Garcia</i>	
EVALUATION OF WAVELENGTH DEFRAGMENTATION EFFECTIVENESS IN ELASTIC OPTICAL NETWORKS.....	599
<i>Y. Takita, K. Tajima, T. Hashiguchi, T. Katagiri</i>	
SUBWAVELENGTH-DIAMETER OPTICAL FIBERS FOR BRILLOUIN SCATTERING.....	602
<i>J.-C. Beugnot, T. Sylvestre</i>	
MULTIMODE BRILLOUIN SCATTERING IN A LONG TAPERED BIREFRINGENT PHOTONIC CRYSTAL FIBER	605
<i>J. Tchahame, J.-C. Beugnot, A. Kudlinski, H. Maillotte, T. Sylvestre</i>	
SLOW LIGHT IN OPTICAL FIBERS: STATE-OF-THE-ART AND PERSPECTIVES 10 YEARS AFTER THE FIRST DEMONSTRATION.....	608
<i>L. Thevenaz</i>	
STIMULATED BRILLOUIN SCATTERING IN MAGNETIZED IONOSPHERIC PLASMAS	611
<i>H. Fu, W. Scales, P. Bernhardt</i>	
ENHANCEMENT AND INHIBITION OF STIMULATED BRILLOUIN SCATTERING IN PHOTONIC INTEGRATED CIRCUITS.....	614
<i>B. Eggleton</i>	
ADVANCED APPLICATIONS OF STIMULATED BRILLOUIN SCATTERING IN OPTICAL COMMUNICATIONS	616
<i>T. Schneider, A. Zadok</i>	
HIGH RESOLUTION PROGRAMMABLE OPTICAL FILTER BASED ON STIMULATED BRILLOUIN SCATTERING: DESIGN AND APPLICATIONS	619
<i>W. Wei, L. Yi, Y. Jaouen, M. Morvan, W. Hu</i>	

BRILLOUIN-BASED DISTRIBUTED FIBER-OPTIC SENSING: FROM THE STATIC TO THE DYNAMIC REGIME	622
<i>A. Motil, I. Sovran, R. Hadar, A. Bergman, A. Vokoboinik, A. Willner, M. Tur</i>	
ALL-OPTICAL SIGNAL PROCESSING BASED ON SEMICONDUCTOR LASERS UNDER LASING CONDITION	625
<i>M. Li, J. Yao, J. Azana, N. Zhu</i>	
FAST WAVELENGTH SWITCHING WITH DFB LASERS UTILIZING THERMAL COMPENSATION	627
<i>Y. Ueno, K. Mochizuki, K. Hasegawa, M. Nogami</i>	
CHIRP REDUCTION AND MODULATION BANDWIDTH ENHANCEMENT OF TRANSVERSE COUPLED CAVITY VCSEL	630
<i>S. Hu, F. Koyama</i>	
TWO BEAM INJECTION LOCKING IN AN FABRY-PÉROT LASER DIODE	633
<i>L. Gan, F. Li, P. Wai</i>	
HIGH-PRECISION SPACE LIDARS BASED ON FEMTOSECOND LASERS	636
<i>Y.-J. Kim, B. Chun, J. Lee, K. Lee, S. Han, Y.-S. Jang, H. Jang, S.-W. Kim</i>	
NUMERICAL ANALYSIS FOR OPTICAL FREQUENCY COMB GENERATED BY SEMICONDUCTOR MACH-ZEHNDER MODULATOR	639
<i>N. Yokota, T. Miki, K. Abe, H. Yasaka, E. Yamada</i>	
DUAL-LOOP OPTICAL FEEDBACK FOR MICROWAVE PHASE NOISE REDUCTION IN NONLINEAR DYNAMICS OF SEMICONDUCTOR LASERS	642
<i>J.-P. Zhuang, S.-S. Li, X.-Z. Li, S.-C. Chan</i>	
FABRICATION OF METAL-DNA AND METAL-CNT HYBRID NANOMATERIALS	645
<i>S. Ohara, M. Umetsu, T. Adschiri, Z. Tan, J.-C. Valmalette</i>	
LASER SCRIBED GRAPHENE FOR ENERGY STORAGE APPLICATION	647
<i>L. Jiao, R. Gorby</i>	
ACTIVE MEMS METAMATERIAL WITH UNIAXIALLY ISOTROPIC DUAL BAND SWITCHING CHARACTERISTICS IN TERAHERTZ REGION	650
<i>P. Pitchappa, C. Ho, L. Dhakar, Y. Qian, N. Singh, D.-L. Kwong, C. Lee</i>	
SUB-BANDGAP TRANSVERSE FREQUENCY CONVERSION IN SEMICONDUCTOR NANO-WAVEGUIDES	654
<i>L. Zhang, F. Gu, H. Zeng</i>	
HIGH-SPEED UNI-TRAVELING-CARRIER PHOTODETECTOR WITH THE NEW DESIGN OF ABSORBER AND COLLECTOR	656
<i>Q. Chen, Y. Huang, X. Duan, F. Liu, C. Kang, Q. Wang, J. Wang, X. Zhang, X. Ren</i>	
HYBRID FREE-SPACE OPTICS/MILLIMETER-WAVE ARCHITECTURE FOR 5G CELLULAR BACKHAUL NETWORKS	659
<i>A. Pham, P. Trinh, V. Mai, N. Dant, C.-T. Truong</i>	
1.2 GBPS NON-IMAGING MIMO-OFDM SCHEME BASED VLC OVER INDOOR LIGHTING LED ARRANGEMENTS	662
<i>Z. Zhan, M. Zhang, D. Han, P. Luo, X. Tang, Z. Ghassemlooy, L. Lang</i>	
LED ARRANGEMENT OPTIMIZATION FOR VISIBLE LIGHT COMMUNICATION SYSTEMS	665
<i>H. Zheng, C. Yu, J. Chen, X. You, Z. Ghassemlooy</i>	
MDP-BASED VERTICAL HANDOVER SCHEME FOR INDOOR VLC-WIFI SYSTEMS	668
<i>F. Wang, Z. Wang, C. Qian, L. Dai, Z. Yang</i>	
A ROBUST AND EFFICIENT DETECTION ALGORITHM FOR THE PHOTON-COUNTING FREE-SPACE OPTICAL SYSTEM	671
<i>T. Song, P.-Y. Kam</i>	
METHOD TO SUPPRESS THE TEMPERATURE DEPENDENCY OF SCALE FACTOR IN MEASUREMENT-WHILE-DRILLING SURVEYING UTILIZING FIBER OPTIC GYROSCOPE	674
<i>C. He, C. Yang, Q. Wang, J. Xie, Z. Tan, X. Wang, X. Wang</i>	
INTRINSIC FABRY-PEROT INTERFEROMETER FABRICATED BY FEMTOSECOND LASER MICROMACHINING WITH INDEX MATCHING OIL	677
<i>J. Xiong, X. Zhang, L. Yuan, F. Pang, T. Wang</i>	
MINIATURIZED ENDOSCOPIC PROBE FOR OPTICAL COHERENCE TOMOGRAPHY WITH MAGNET DRIVING DEVICE	680
<i>Z. Pang, J. Wu</i>	
FIBER-OPTIC IMAGING PROBE FOR ENDOSCOPIC OPTICAL COHERENCE TOMOGRAPHY	683
<i>J. Lee, Y. Chae, Y.-C. Ahn, E. Choi, S. Moon</i>	

THE PERFORMANCE IMPROVEMENT OF FOURIER DOMAIN MODE LOCKING SWEEP SOURCE	686
<i>P. Wang, W. Huang</i>	
SOLITON SELF-FREQUENCY SHIFT AND ITS APPLICATION TO MULTIPHOTON MICROSCOPY	689
<i>P. Qiu, K. Wang</i>	
SEQUENTIALLY TIMED ALL-OPTICAL MAPPING PHOTOGRAPHY FOR OBSERVATION OF ULTRAFAST PHENOMENA	692
<i>K. Nakagawa</i>	
SCANNING STEREO MICROSCOPY WITH TWO-PHOTON EXCITATION AND SCANNED BESSEL BEAMS	694
<i>Y. Yang, X. Zhou, R. Li, T. Peng, M. Lei, D. Wu, B. Yao, M. Van Horn, X. Chen, T. Ye</i>	
HIGH Q ONE-DIMENSIONAL PHOTONIC CRYSTAL SLOT NANOBEAM CAVITY FOR HIGH-SENSITIVITY REFRACTIVE INDEX SENSING	697
<i>T. Li, Z. Wang, D. Gao, X. Zhang</i>	
POLYCRYSTALLINE SILICON BASED PHOTONIC CRYSTAL FABRY-PEROT ETALON	700
<i>C. Ho, P. Pitchappa, C. Lee</i>	
LINBO3 PHC WAVEGUIDE	703
<i>S. Lim, J. Deng, C. Png, A. Danner</i>	
INTEGRATED EMITTERS FOR OPTICAL VORTICES WITH A "COBWEB" STRUCTURE	706
<i>Y. Wang, P. Zhao, X. Feng, K. Cui, Y. Huang</i>	
SILICON PHOTONICS OPTICAL DEMULTIPLEXER TECHNOLOGY FOR WDM OPTICAL INTERCONNECTS	709
<i>S.-H. Jeong, Y. Tanaka, K. Morito</i>	
ENABLING SCALABLE SILICON PHOTONIC CIRCUIT DESIGN AND FABRICATION	712
<i>X. Wang, J. Pond, J. Klein, A. Lim, K. Chen, G.-Q. Lo</i>	
DESIGN TECHNIQUE WITH EQUIVALENT CIRCUIT FOR PHOTONICS-ELECTRONICS CONVERGENCE SYSTEM	715
<i>K. Takeda, K. Honda, T. Takeya, K. Okazaki, T. Hiraki, T. Tsuchizawa, H. Nishi, R. Kou, H. Fukuda, M. Usui, H. Nosaka, T. Yamamoto, K. Yamada</i>	
SILICON PHOTONICS TRANSCEIVERS FOR HIGH SPEED OPTICAL INTERCONNECT	718
<i>P. Dobbelaere, G. Armijo, J. Balardeta, S. Barabas, B. Chase, Y. Chi, A. Dahl, Y. De Koninck, S. Denton, M. Eker, S. Fathpour, D. Foltz, F. Gholami, S. Gloeckner, K. Hon, S. Hovey, S. Jackson, W. Li, Y. Liang, M. Mack, G. Masini, G. McGee, A. Mekis, S. Pang, M. Peterson, T. Pinguet, L. Planchon, K. Roberson, S. Sahni, J. Schramm, M. Sharp, C. Sohn, K. Stechschulte, P. Sun, G. Vastola, S. Wang, G. Wong, K. Xu, K. Yokoyama, S. Yu, R. Zhou</i>	
ADVANCES IN SILICON PHOTONICS INTEGRATION WITH ELECTRONICS TO MOVE MORE DATA FASTER	721
<i>O. Castany, C. Kopp, S. Bernabe, J.-M. Fedeli</i>	
A 300MM SI PHOTONICS PLATFORM FOR MULTI-APPLICATIONS	722
<i>T. Mogami, T. Horikawa, K. Kinoshita, H. Sasaki, K. Morito, K. Kurata</i>	
RECORD FIELD DEMONSTRATION OF C-BAND MULTI-TERABIT 16QAM, 32QAM AND 64QAM OVER 762KM OF SSMF	724
<i>T. Rahman, D. Rafique, B. Spinnler, E. Pincemin, C. Le Bouette, J. Jauffrit, S. Calabro, E. Man, S. Bordaïs, U. Feiste, J. Slovak, A. Napoli, G. Ghanna, N. Hanik, C. Andre, C. Okonkwo, M. Kuschnerov, A. Koonen, C. Dourthe, B. Raguenes, B. Sommerkorn-Kromholz, M. Bohn, H. De Waardt</i>	
WHAT IS THE TRUE VALUE OF DYNAMIC OPTICAL PATH SWITCHING?	727
<i>T. Kurosu, S. Suda, H. Kakibayashi, K. Solis-Trapala, J. Kurumida, K. Ishii, K. Tanizawa, S. Namiki</i>	
FIRST DEMONSTRATION OF HOLISTICALLY-ORGANIZED METROEMBEDDED CLOUD PLATFORM WITH ALL-OPTICAL INTERCONNECTIONS FOR VIRTUAL DATACENTER PROVISIONING	730
<i>G. Chen, H. Guo, D. Zhang, Y. Zhu, C. Wang, H. Yu, Y. Wang, J. Wang, J. Wu, X. Cao, N. Yoshikane, T. Tsuritani, I. Morita, M. Suzuki</i>	
4X28 GBAUD PAM4 INTEGRATED ROSA WITH HIGH-SENSITIVITY APD	733
<i>Y. Nakanishi, T. Ohno, T. Yoshimatsu, Y. Doi, F. Nakajima, Y. Muramoto, H. Sanjoh</i>	
PLASTIC OPTICAL FIBER TAPERING WITHOUT USING EXTERNAL HEAT SOURCE	736
<i>H. Ujihara, N. Hayashi, K. Minakawa, M. Tabaru, Y. Mizuno, K. Nakamura</i>	
100-KM TRANSMISSION OF 40 GBIT/S RZ-DPSK SIGNAL USING SELF-CLOCKING CONCEPT AND OPTICAL PHASE CONJUGATION IN A QD-SOA	739
<i>T. Yatsu, R. Seki, M. Matruura</i>	
A NOVEL CHIRP COMPENSATION SCHEME FOR DIRECTLY MODULATED DBR LASERS IN TWDM-PON SYSTEM	742
<i>H. Zhao, Y. Zhu, S. Hu, J. Zhao, Y. Yu, L. Barry</i>	

PERFORMANCE EVALUATION OF SUBSYSTEM MODULAR OXCS WITH DIFFERENT SUBSYSTEM CONNECTION CONFIGURATIONS	745
<i>Y. Tanaka, H. Hasegawa, K.-I. Sato</i>	
A NOVEL ACOUSTIC SENSOR BASED ON A PP/PET DIAPHRAGM.....	748
<i>L. Liu, P. Lu, S. Wang, H. Liao</i>	
MXN WAVELENGTH SELECTIVE SWITCHES USING BEAM SPLITTING BY SPACE LIGHT MODULATORS.....	750
<i>K. Yamaguchi, M. Nakajima, J. Yamaguchi, T. Hashimoto, Y. Ikuma, K. Suzuki</i>	
PHYSICAL-CONTACT CONDITIONS BETWEEN MULTI-CORE FIBER AND FIBER BUNDLE FAN-OUT CONNECTORS.....	753
<i>O. Shimakawa, H. Kohda, T. Sano</i>	
OPTICAL PULSE SHAPING BY DOUBLET BRILLOUIN GAIN LINES IN A SINGLE-MODE TELLURITE FIBER.....	756
<i>D. Deng, K. Nagasaka, T. Cheng, X. Xue, T. Suzuki, Y. Ohishi</i>	
HIGH SPEED AND HIGH RESPONSIVITY DUAL-ABSORPTION INGAAS/INP UTC-PDS.....	759
<i>F. Liu, Y. Huang, C. Kang, Q. Chen, X. Duan, X. Ren</i>	
IMPLEMENTATION AND PERFORMANCE ANALYSIS OF DYNAMIC RECONFIGURABLE DOMAIN SEQUENCE-BASED BRPC STRATEGY FOR INTER-DOMAIN PATH COMPUTATION	762
<i>Y. Jia, W. Liu, N. Hua, Y. Li, X. Zheng</i>	
TIME-BANDWIDTH PRODUCT OF PHOTONICALLY GENERATED WIDEBAND MICROWAVE SIGNALS BASED ON FREQUENCY-TO-TIME MAPPING	765
<i>Y. Mei, Y. Xu, H. Chi, T. Jin, S. Zheng, X. Jin, X. Zhang</i>	
CLUSTERED LR-PON WITH HIERARCHICAL ARCHITECTURE AND WDM-OFDM-COMBINED DBA SCHEME	767
<i>J. Liu, M. Zhang, D. Wang, Y. Yang</i>	
CHANNEL-REUSE BIDIRECTIONAL TRANSMISSION WITH 40 GB/S/ λ DOWNSTREAM AND 10 GB/S/ λ UPSTREAM SIGNALS IN 40 KM-REACH WDM-PON EMPLOYING REMOTELY PUMPED EDFA AND SELF WAVELENGTH MANAGED TUNABLE LASER.....	770
<i>Z. Zhang, X. Jiang, X. Chen, L. Wang</i>	
A WAVELENGTH-INSENSITIVE 2ND-ORDER MODE GENERATOR WITH MULTIMODE INTERFERENCE WAVEGUIDES AND A PHASE SHIFTER	773
<i>D. Zhang, J. Qiu, J. Wu, Y. Tian, Y. Wang, M. Li</i>	
CHANNEL CHARACTERIZATION FOR HIGH-SPEED W-BAND WIRELESS COMMUNICATION LINKS.....	776
<i>S. Rommel, L. Cavalcante, J. Olmos, I. Monroy, A. Quintero</i>	
BLACK SILICON AS ABSORBER FOR NEAR-INFRARED PHOTO-THERMAL CONVERSION	779
<i>S.-Q. Cheng, B. Cai, Y.-M. Zhu</i>	
NONPARAMETER NONLINEARITIES MITIGATION USING NONLINEAR ELECTRICAL EQUALIZER FOR 16QAM COHERENT OPTICAL SYSTEMS	782
<i>L. Zhang, J. Wu, Y. Li, J. Lu, J. Xu, G. Zhang, H. Luo</i>	
MICROWAVE SIGNAL GENERATION USING SIDEBAND INJECTION LOCKING IN AN FABRY-PEROT LASER DIODE	785
<i>L. Gan, F. Li, P. Wai, J. Liu</i>	
STABLE GHZ SINGLE SOURCE IIR MICROWAVE PHOTONIC FILTER WITH MULTI-LONGITUDINAL-MODE FIBER LASER.....	788
<i>F. Li, Y. Jin, X. Feng, J. Yuan, P. Wai</i>	
K-CONTENT CONNECTIVITY IN DATA CENTER NETWORKS.....	791
<i>X. Li, Y. Wang, G. Zhang, X. Gao, Y. Zhao, J. Zhang</i>	
MULTIPLE VECTOR SOLITONS IN AN YTTERBIUM-DOPED FIBER LASER BASED ON EVANESCENT FIELD INTERACTION WITH GRAPHENE SATURABLE ABSORBER	794
<i>N. Zhao, A.-P. Luo, H. Liu, M. Liu, Z.-C. Luo, W.-C. Xu</i>	
STUDY ON ACOUSTIC MODES VIA STIMULATED BRILLOUIN SCATTERING IN PHOTONIC CRYSTAL FIBERS	796
<i>L. Jingli, L. Yanjun, W. Gang, L. Xiaoxiao, X. Lemei, H. Shanglin</i>	
BROADBAND TERAHERTZ ANTIREFLECTIVE COATING BY POLYMER HOT DEFORMATION	799
<i>Y. Li, B. Cai, Y. Zhu</i>	
CONSIDERATIONS OF EFFECTIVE TIDAL TRAFFIC DISPATCHING IN SOFTWARE-DEFINED METRO IP OVER OPTICAL NETWORKS.....	802
<i>Z. Zhong, N. Hua, H. Liu, Y. Li, X. Zheng</i>	

ENABLING SOFTWARE-DEFINED OPTICAL NETWORKS BASED ON OPENFLOW EXTENSION.....	805
<i>M. Chen, G. Shou, Y. Hu, Z. Guo, G. Zhang, H. Ding</i>	
THE PREPARATION OF REFRACTIVE INDEX TUNABLE COMPOSITES AND ITS ANTIREFLECTIVE APPLICATION IN TERAHERTZ FREQUENCY RANGE	808
<i>X.-C. Wang, Y.-Z. Li, B. Cai, Y.-M. Zhu</i>	
CLADDING PUMPED MULTICORE EDFA WITH OUTPUT POWER OVER 20 DBM USING A FIBER BASED PUMP COMBINER	811
<i>K. Maeda, Y. Tsuchida, S. Takasaka, T. Saito, K. Watanabe, T. Sasa, R. Sugizaki, K. Takeshima, T. Tsuritani</i>	
COMPACT FAN-OUT FOR 19-CORE MULTICORE FIBER, WITH HIGH MANUFACTURABILITY AND GOOD OPTICAL PROPERTIES.....	814
<i>K. Watanabe, T. Saito</i>	
TOWARDS SOFTWARE-DEFINED OPTICAL NETWORK: FROM THE PERSPECTIVE OF HETEROGENEOUS OPTICAL NETWORKS	817
<i>Y. Zhou, S. Huang, W. Li, S. Yin, J. Zhang, W. Gu</i>	
ROUTING, WAVELENGTH AND CORE ALLOCATION PLANNING FOR MULTI-CORE FIBER NETWORKS WITH MIMO-BASED CROSSTALK SUPPRESSION	820
<i>Y. Li, N. Hua, X. Zheng</i>	
ALL-FIBER BAND PASS FILTER BASED ON LONG PERIOD FIBER GRATING PAIR AND NULL CORE FIBER FOR APPLICATIONS IN 2 μM BAND	823
<i>W. Song, D. Kim, B.-A. Yu, J. Lee, W. Shin</i>	
RAMAN AMPLIFIER-SOLITON COMPRESSOR AND ITS APPLICATION TO ALL-CHANNEL HYBRID OTDM DEMULTIPLEXING	826
<i>I. Ismail, M. Matsuura, N. Kishi, Q. Nguyen-The</i>	
ACCESSING TO OXYGEN SATURATION IN CUTANEOUS MICROCIRCULATION WITH HIGH RESOLUTION USING HYPERSPECTRAL IMAGING AND SKIN OPTICAL CLEARING	829
<i>X. Zhong, R. Shi, W. Feng, D. Zhu</i>	
DESIGN AND EVALUATION OF HWRE SOFTWARE DEFINED DATA CENTER NETWORK ARCHITECTURE.....	832
<i>Y. Cai, L. Zhou, Y. Yan, S. Luo</i>	
COMPARISON OF GAIN COMPRESSION IN QUANTUM-DOT SOAS FOR MULTICHANNEL AMPLIFICATION	835
<i>N. Ninomiya, M. Matsuura</i>	
INVESTIGATION OF CHANNEL-BASED INDEPENDENT PHASE SHIFTS FOR MAXIMIZING PHASE-SENSITIVE AMPLIFICATION ON WDM CHANNELS	838
<i>J.-Y. Yang, Y. Akasaka, M. Sekiya, A. Mohajerin-Ariaei, Y. Cao, M. Ziyadi, A. Almainan, A. Willner</i>	
TCM-BASED WDM-PON FOR COST-EFFECTIVE DELIVERY OF HIGHLY ASYMMETRIC TRAFFIC	841
<i>D. Lee, W.-B. Kwon, C.-S. Park, C.-J. Chae</i>	
TE-PASS POLARIZER USING METAL VIAS FOR SILICON-ON-INSULATOR PLATFORM	844
<i>H. Zafar, S. Yousuf, A. Khilo</i>	
INVESTIGATION OF OPTICAL FREQUENCY COMB GENERATION WITH SHARP SPECTRAL EDGES USING EXTERNAL MODULATORS	847
<i>J. Oh, H. Kim, Y. Chung</i>	
MODE EXCITATION RATIO MEASUREMENT OF A TWO-MODE FIBER WITH OFFSET FUSION SPLICE.....	850
<i>K. Nakanishi, H. Kubota, Y. Miyoshi, M. Ohashi, T. Sakamoto, T. Matsui, K. Nakajima, F. Yamamoto</i>	
FORMAT FREE WAVELENGTH CONVERSION BY OSSB MODULATOR AND AWG	853
<i>M. Badar, H. Kobayashi, K. Iwashita</i>	
HARDWARE-EFFICIENT MULTI-REDUNDANCY SUPERPOSED TRELLIS CODED MODULATION ON 16QAM CONSTELLATION	856
<i>T. Nakamura, H. Noguchi, E. Gabory, W. Maeda, J. Abe, K. Fukuchi</i>	
INTEROPERABILITY TEST OF NORTHBOUND INTERFACE FOR A TRANSPORT SDN PROTOTYPE	859
<i>R. Gong, G. Shou, Y. Hu, Z. Guo, G. Zhang, H. Ding</i>	
PUMPING METHOD FOR MULTI-CORE ERBIUM-DOPED DOUBLE-CLAD FIBER AMPLIFIER BASED ON HIGH-ORDER MODE COUPLING	862
<i>T. Koike, M. Nakamura, W. Klaus, Y. Awaji, N. Wada</i>	
FIRST DEMONSTRATION OF GAS SENSING USING SILICA HIGH-MESA WAVEGUIDE.....	864
<i>W.-Y. Li, H. Hokazono, S. Enami, H.-S. Jiang, K. Hamamoto</i>	

SIDE-POLISHED FIBERS WITH ROUGH SURFACE SCRATCHES FOR SENSING APPLICATIONS	867
<i>J. Zhao, G. Yin, Y. Wang, C. Liao, S. Liu, B. Sun, J. He, G. Wang, X. Xu</i>	
OPTICAL CONFINEMENT CHARACTERIZATION OF PHOTONIC NANOTUBE AS A NANO-STRUCTURED HOLLOW-CORE OPTICAL FIBER	870
<i>N. Yamamoto, F. Mazlan, H. Takai, T. Kawanishi</i>	
A ROTATING-MIRROR SCANNING CAMERA SYSTEM FOR LIGHT-SHEET MICROSCOPY	873
<i>D. Wu, X. Zhou, R. Li, Y. Yang, B. Yao, T. Ye</i>	
OPTICAL RESONANCE PROPERTIES OF OPALINE PHOTONIC CRYSTALS COATED WITH CHALCOGENIDE PHASE-CHANGE FILMS.....	876
<i>M. Voronov, A. Pevtsov, S. Yakolev, D. Kurdyukov, V. Golubev</i>	
Author Index	