

2015 International Workshop on Electromagnetics: Applications and Student Innovation Competition (iWEM 2015)

**Hsin-Chu, Taiwan
16 – 18 November 2015**



**IEEE Catalog Number: CFP1554N-POD
ISBN: 978-1-4673-6953-4**

**Copyright © 2015 by the Institute of Electrical and Electronic Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1554N-POD
ISBN (Print-On-Demand):	978-1-4673-6953-4

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

AUTOMATED OPTIMIZATION OF MULTIPLEXERS BASED ON AGGRESSIVE SPACE MAPPING AND CAUCHY METHOD	1
<i>X. Wang, Y. Zhang, G. Shen, W. Che, H. Chen, W. Feng</i>	
MINIATURIZED HIGH-PERFORMANCE D-CRLH RESONATOR AND FILTER BASED ON ACCURATE EQUIVALENT CIRCUIT MODEL	5
<i>G. Shen, X. Wang, W. Che, W. Feng, W. Yang, K. Deng</i>	
A NOVEL FAR-FIELD CALIBRATION METHOD	8
<i>C. Hu, H. Chen, T. Hsiao</i>	
MULTI-BAND POLARIZATION DIVERSITY ARRAY ANTENNA BY TRI-PLATE FEEDING LINE FOR CELLULAR BASE STATIONS	10
<i>M. Hasegawa, H. Arai</i>	
A 16-ELEMENT FEED-CIRCUIT-INTEGRATED PATCH ARRAY ANTENNA USING ANISOTROPIC CONDUCTIVE PASTE	12
<i>T. Yanagi, S. Akimoto, T. Fukasawa, H. Ishibashi, Y. Tahara, H. Miyashita</i>	
DESIGN OF A MM-WAVE MICROSTRIP ANTENNA ARRAY	14
<i>C. Hu, K. Peng, C. Yu, T. Hsiao, D. Lin</i>	
A STUDY ON JIG USING SEMI-RIGID CABLE FOR THE S-PARAMETER METHOD	16
<i>R. Tozawa, T. Sasamori, T. Tobana, Y. Isota</i>	
STABLE OPERATION OF AN OSCILLATOR CHIP MOUNTED ON A THICK-RESIN PATCH ANTENNA ON A SILICON CHIP IN THE 60GHZ BAND	18
<i>T. Nemoto, J. Hirokawa, Y. Hirachi, M. Ando</i>	
DESIGN OF A 45-DEGREE LINEARLY-POLARIZED SLOT ARRAY FED BY A COAXIAL LINE IN THE MILLIMETER-WAVE BAND	20
<i>S. Suetsugu, M. Zhang, J. Hirokawa, M. Ando, H. Iwai</i>	
A MILLIMETER-WAVE ON-CHIP ANTENNA USING 0.15UM PHEMT PROCESS	22
<i>J. Lu, C. Jou, L. Wu, S. Liao, P. Tseng, T. Ku</i>	
RECONFIGURABLE LTE/WWAN ANTENNA DESIGN	24
<i>S. Chen, J. Sze, Y. Chu, C. Fu</i>	
UWB TRAPEZOIDAL ANTENNA WITH A BAND-NOTCH CHARACTERISTIC	26
<i>N. Naharuddin, N. Noordin</i>	
THREE-AXIS DECOUPLING STUB-LOADED PARALLEL DIPOLE ARRAY WITH TRI-ORTHOGONAL POLARIZATION DIRECTIVITY	28
<i>K. Omote, H. Sato, K. Li, K. Honda, Y. Koyanagi, K. Ogawa</i>	
PLANAR EIGHT-BAND L-SHAPED MONOPOLE ANTENNA FOR LTE/WWAN MOBILE DEVICE	30
<i>J. Lu, P. Chen, Y. Wang</i>	
GAIN MEASUREMENT OF A PATCH ANTENNA USING S-PARAMETERS WITH DIFFERENT DISTANCES	32
<i>Y. Iida, T. Hirano, J. Hirokawa, M. Ando</i>	
A LOW-PROFILE HELICAL ANTENNA WHICH GENERATES CIRCULAR POLARIZATION IN HORIZONTAL DIRECTION TO THE GROUND	34
<i>T. Natsui, T. Fukusako</i>	
A NOVEL ULTRA-WIDEBAND BANDPASS FILTER WITH FIXED AND RECONFIGURABLE NOTCH BANDS USING TERMINATED CROSS-SHAPED RESONATORS	36
<i>Y. Shang, W. Feng, W. Che</i>	
OPTICAL LEAKY WAVE ANTENNA USING WAFFLE WAVEGUIDE	38
<i>H. Hashiguchi, H. Arai, K. Kondo, T. Baba</i>	
THE MANIPULATION OF SURFACE PLASMON POLARITONS AND DESIGN OF LUNEBURG LENS BASED ON PERIODIC PATCH ARRAYS	40
<i>K. Hsieh, M. Kehn, O. Quevedo-Teruel</i>	
EXPERIMENTAL STUDY ON MW-SAR IMAGING IN OUTDOOR ENVIRONMENT	42
<i>J. Minotani, H. Yamada, Y. Yamaguchi</i>	
MICROWAVE PROPAGATION OVER SAND AND DUST STORMS	44
<i>M. Chiou, J. Kiang</i>	
COMPACT HIGH ISOLATION WLAN MIMO ANTENNA BASED ON CRLH	46
<i>F. Wang, Z. Duan, X. Tang, Y. Wang, Y. Gong</i>	

MODIFIED STOKES PARAMETERS: REPRESENTATION AND SIMULATIONS WITH FDTD	48
<i>Z. Lai, J. Kiang</i>	
ARTIFICIAL MAXWELL FISHEYE LENS DESIGN AND SYNTHESIS WITH USING METASURFACE STRUCTURE	50
<i>Z. Chen, M. Kehn, H. Chu, O. Quevedo-Teruel</i>	
EXAMPLES OF THE ESTIMATION OF THE ANTENNA GAIN IN THE MILLIMETER WAVEBANDS	52
<i>Y. She, M. Ameya, S. Kurokawa, M. Hirose, J. Hirokawa, M. Ando</i>	
MILLIMETER-WAVE MULTI-BEAM ANTENNA BASED ON 2-D SIW BEAM-SCANNING NETWORK.....	54
<i>Y. Yang, W. Che, W. Yang, C. Fan</i>	
ANALYSIS OF THE BODY PROXIMITY CROSS-POLARIZATION POWER RATIO IN A HUMAN WALKING MOTION.....	56
<i>K. Li, K. Honda, K. Ogawa</i>	
EVALUATION OF EAVESDROPPING PERFORMANCE AGAINST SECRET KEY AGREEMENT TECHNIQUE USING A RECEIVED SIGNAL ESTIMATION METHOD	58
<i>J. Ma, M. Tanaka, H. Iwai, H. Sasaoka</i>	
EFFECT OF MAGNETODIELECTRIC MATERIAL STRIP ON RADIATION CHARACTERISTICS OF MONOPOLE ANTENNA	60
<i>W. Lai, K. Chen</i>	
A COMPACT PATCH CROSSOVER FOR MILLIMETER-WAVE APPLICATIONS	62
<i>X. Ye, S. Zheng, J. Deng</i>	
A COMPACT SIZE CPW-FED UWB PLANAR ANTENNA.....	64
<i>C. Chen, Y. Wu, Y. Peng, C. Sim</i>	
INFLUENCE OF INTERCELL COUPLING OF LEFT-HANDED LEAKY WAVE OMNI-DIRECTIONAL ANTENNA	66
<i>A. Sakamoto, K. Cho, N. Michishita, T. Seki, I. Oshima</i>	
MICROWAVE FOCUSING LENSES BY SYNTHESIZED WITH POSITIVE OR NEGATIVE REFRACTIVE INDEX SPLIT-RING RESONATOR METAMATERIALS	68
<i>C. Pan, M. Kehn, O. Quevedo-Teruel</i>	
ELEMENT SHAPE OF FSR BACKED DIPOLE ANTENNA SUITABLE FOR OBTAINING SECTOR RADIATION PATTERN.....	70
<i>Y. Tanizawa, K. Cho, H. So, A. Ando</i>	
A MILLIMETER-WAVE BANDPASS FILTER AND BALUN FILTER BASED ON CIRCULAR SECTOR PATCH.....	72
<i>X. Ye, H. Ke, S. Zheng</i>	
MIMO ANTENNAS WITH A GROUNDED NEUTRAL-LINE FOR WLAN USB DONGLE APPLICATION	74
<i>W. Chen, S. Ke, H. Chen, Y. Liu</i>	
DESIGN OF A FOLDED C-SHAPED MONOPOLE FOR WLAN/WIMAX USB DEVICES.....	76
<i>W. Chen, Y. Lai, H. Su</i>	
REDUCTION OF CROSS POLARIZATION FOR CIRCULARLY POLARIZED BROADBAND WAVEGUIDE ANTENNA	78
<i>R. Yamauchi, T. Fukusako</i>	
A NOVEL RELAY TRANSMISSION SYSTEM COMBINING STBC-MRC AND ROF	80
<i>A. Abdulsatar, H. Zhou, K. Kumamoto</i>	
A 200 MHZ 23 MW HIGH-EFFICIENCY INDUCTIVE LINK POWER SUPPLY CIRCUIT WITH DIFFERENTIAL-DRIVEN CMOS RECTIFIER AND MULTIPLE LDOS IN 0.18 μM CMOS PROCESS.....	82
<i>C. Yang, H. Shih</i>	
160 GHZ PARAMETRIC PASSIVE FREQUENCY DOUBLER IN CMOS 180NM TECHNOLOGY	84
<i>B. Chen, Z. Tsai</i>	
INVESTIGATION OF RECEPTION ZONE IN A 60 GHZ-BAND COMPACT-RANGE WIRELESS ACCESS SYSTEM USING A LARGE ARRAY ANTENNA	86
<i>K. Toyosaki, M. Zhang, J. Hirokawa, K. Araki, M. Ando</i>	
EMBROIDERED WIDEBAND WEARABLE SLOT ANTENNAS USING CONDUCTIVE YARN WITH DIFFERENT YARN-SPACING DENSITIES	88
<i>T. Yoshikawa, T. Maeda</i>	
A LOW-PROFILE ANTENNA WITH BI-DIRECTIONAL BEAM PATTERN USING MICROSTRIP ELEMENT	90
<i>Y. Ogata, T. Fukusako</i>	

IMPROVEMENT OF RADIATION CHARACTERISTICS FOR THE MONOPOLE ANTENNA WITH ASYMMETRIC GROUND PLANE	92
<i>F. Hu, Y. He, C. Wang</i>	
CHIRPED SIGNAL GENERATION USING MICROSTRIP LINES.....	94
<i>M. Hsiao, Y. Chang, C. Hsue</i>	
PERFORMANCE ENHANCEMENT OF CIRCULARLY-POLARIZED PATCH ARRAY USING ANISOTROPIC METASURFACE.....	96
<i>K. Chung, S. Chaimool, C. Zhang</i>	
DESIGN FOR CO-PLANAR MIMO LTE ANTENNA IN HANDSET DEVICE APPLICATION	98
<i>D. Lin, P. Lin, C. Chuang</i>	
DATA TRANSMISSION IN HEALTHCARE DUE TO ASYMMETRY STRUCTURE OF TRANSMISSION LINE.....	100
<i>D. Chang, W. Tien, H. Liang, S. Xu</i>	
DIELECTRIC RESONATOR FOR DOPPLER SENSOR.....	102
<i>D. Chang, T. Chang</i>	
ANALYSIS OF HIGH SPEED TRANSMISSION WITH CASCADED DISCRETE LUMP ELEMENTS	104
<i>D. Chang, H. Liang, J. Wang</i>	
A DESIGN OF LOW-PASS FILTER BY UTILIZING THE DEFECTED-GROUND-STRUCTURE RESONATOR.....	106
<i>K. Li, T. Lin, C. Wang</i>	
SMALL-SIZE MIMO ANTENNAS FOR IEEE 802.11 AC APPLICATIONS.....	108
<i>W. Chen, C. Hsu</i>	
COMPACT BEAM-SCANNING X-BAND FMCW SENSOR FOR PRECISE VEHICLE OCCUPANCY IDENTIFICATION.....	110
<i>W. Chen, C. Chen, P. Wu</i>	
MULTIBAND UWB TRAPEZOIDAL ANTENNA USING U AND PI-SHAPED SLOTS.....	112
<i>N. Naharuddin, N. Noordin</i>	
THE COMPLEX MODE FORMATION IN PROPAGATING MICROSTRIP OF TWO-DIMENSIONAL PERFORATION	114
<i>Q. Weng, X. Li, C. Lu, C. Tzuang, H. Wu</i>	
CALCULATION OF COUPLING FACTOR FOR KHZ-BAND WIRELESS POWER TRANSFER SYSTEM USING NUMERICAL HUMAN MODELS	116
<i>Y. Aoki, T. Arima, T. Uno, J. Chakaroathai, K. Wake, K. Fujii, S. Watanabe</i>	
SCATTERING ANALYSES OF ANOMALOUS MODAL CHARACTERISTIC OF HALF-WIDTH MICROSTRIPS	118
<i>C. Lu, X. Li, Q. Weng, C. Tzuang, H. Wu</i>	
A K BAND HIGH POWER AMPLIFIER IN 180-NM CMOS	120
<i>C. Hsieh, Z. Tsai</i>	
A LINEAR 5.9 GHZ POWER AMPLIFIER FOR IEEE 802.11P APPLICATIONS.....	122
<i>G. Lin, Y. Hsu, S. Wang, W. Li, C. Chen</i>	
SAR EVALUATION USING HUMAN-EQUIVALENT LIQUID PHANTOM IN WIRELESS POWER TRANSFER FREQUENCY BAND	124
<i>J. Chakaroathai, K. Wake, L. Hamada, S. Watanabe</i>	
DESIGN OF A DUAL-POLARIZED BEAM-SWITCHING ANTENNA FOR SMALL BASE STATION APPLICATION	126
<i>Y. Tsai, J. Chen</i>	
EVALUATION ON OUTDOOR TO INDOOR PROPAGATION CHARACTERISTICS FOR 0.8/2.2/4.7 GHZ BANDS.....	128
<i>K. Hayate, K. Nishimori, N. Omaki, K. Kitao, T. Imai</i>	
COMPACT OMNIDIRECTIONAL CIRCULARLY POLARIZED DIELECTRIC RESONATOR ANTENNA	130
<i>L. Guo, W. Li, K. Leung</i>	
DUAL-BAND METAMATERIAL FOR ANTENNA GAIN ENCEMENT APPLICATIONS	132
<i>H. Su, G. Huang, B. Huang, P. Wang, F. Ying, W. Chen</i>	
A PROPOSAL OF SINGLE APERTURE FIELD METHOD, AND ITS EXPERIMENTAL CONFIRMATION.....	134
<i>J. Kondo, T. Taga</i>	
W-BAND T-JUNCTION AND BIFURCATED SUBSTRATE INTEGRATED WAVEGUIDE DIPLEXERS	136
<i>M. Chen, H. Cheng, P. Chou, C. Chang</i>	

MICROWAVE ANTENNA APPLICATIONS OF METASURFACES	138
<i>K. Chung</i>	
A PROPOSAL OF DOUBLE APERTURE FIELD METHOD, AND ITS EXPERIMENTAL CONFIRMATION.....	142
<i>K. Hasegawa, T. Taga</i>	
WIDEBAND RECTANGULAR DIELECTRIC RESONATOR ANTENNA WITH POLARIZATION DIVERSITY	144
<i>Y. Sun, K. Leung</i>	
UNIDIRECTIONAL CIRCULARLY POLARIZED DIELECTRIC RESONATOR ANTENNA FOR MIRROR INTEGRATION	146
<i>N. Yang, K. Leung</i>	
BASED ON TWO DYNAMICALLY BEAM-FORMING CAPABILITIES IN A 2D PHASED ARRAY ANTENNA SYSTEM	148
<i>Y. Tsai, Y. Chen, R. Hwang</i>	
IMPROVED RICE HUSK ASH MICROWAVE ABSORBER WITH CNTS	150
<i>L. Seng, F. Malek, F. Wee, E. Cheng, W. Liu, Z. Liyana, H. Rahim, A. Ezzanuddin</i>	
Author Index	