

SPE Latin American and Caribbean Petroleum Engineering Conference 2015

Quito, Ecuador
18 – 20 November 2015

Volume 1 of 3

ISBN: 978-1-5108-2158-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

INCREASING PRODUCTION AND RESERVES IN A MATURE FIELD WITH HYDRAULIC FRACTURING BY COMBINING FRACTURE PRESSURE ANALYSIS, PRESSURE TRANSIENT ANALYSIS, AND RATE TRANSIENT ANALYSIS	1
<i>E. Murminacho, H. Sanchez, M. Lopez, R. Rachid, J. Maniere, A. Milne</i>	
CONICAL DIAMOND ELEMENT BIT ON HIGH-TORQUE RSS MITIGATES VIBRATION MAXIMIZING ROP IN HARD CARBONATES SAVING 90 HOURS OF RIG TIME, OFFSHORE MEXICO	29
<i>O. Luna, G. Salinas, C. Lozano, A. White</i>	
EXPERIMENT INVESTIGATION OF STEAM FLOODING OF HORIZONTAL WELLS FOR THIN AND HETEROGENEOUS HEAVY OIL RESERVOIR	38
<i>S. Huang, C. Huang, L. Cheng, T. Liu, Z. Chen, W. Mao</i>	
HYDROCARBON RECOVERY MAXIMIZATION IN RESERVOIRS LOCATED CLOSE TO POTENTIAL WATER PRODUCER HORIZONS: NEW PROPOSED METHODOLOGY TO COMBINE WATER CONTROL AND FRACTURE STIMULATION PROCESSES.....	48
<i>L. Sierra, L. Eoff</i>	
RHEOLOGICAL BEHAVIOR OF WATER-BASED DRILLING FLUIDS CONTAMINATED WITH GYPSUM (CASO₄) USING UNMODIFIED DIVIDIVI TANNINS (CAESALPINIA CORIARIA) AS DEFLOCCULANT AGENT	56
<i>M. Perez, R. Colina</i>	
A NEW APPROACH ON ANALYTICAL SOLUTION FOR HEAVY OIL RECOVERY BY HUFF & PUFF CO₂ INJECTION. CASE STUDY BACHAQUERO-01 RESERVOIR	63
<i>C. Colmenares, J. Mendez</i>	
TRANSITION RADIAL FLOW IN SLANTED WELL TEST ANALYSIS	78
<i>B. Sousa, B. Moreno</i>	
SWEET SPOT GEOLOGICAL TECHNIQUES FOR DETECTING OIL FIELD EXPLORATION LOCATIONS	94
<i>J. Carrasco, E. Trillo</i>	
SKIN DAMAGE DETERMINATION FROM PLT TEMPERATURE LOGS IN SIERRA CHATA FIELD, ARGENTINA.....	107
<i>M. Schindler, J. Fernandez, J. Grill</i>	
METHODOLOGY OF FEASIBILITY STUDY ON PILOT TEST FOR DUMP FLOOD COMPLETION SYSTEM	122
<i>A. Villarroel, M. Mino, K. Estrella, J. Perez</i>	
COMMENTS ON BABU AND ODEH'S MODEL FOR PRODUCTIVITY PREDICTION OF PARTIALLY PENETRATED HORIZONTAL WELLS	149
<i>E. Grassi, D. Zhu, R. Hasan</i>	
CHANNELLING DETECTION USING DATA-DRIVEN MODELS.....	156
<i>G. Moreno, A. Garriz</i>	
SUCCESSFUL EXECUTION OF AN EXPLORATORY DRILLING PROGRAM WITHIN EXTREMELY SENSITIVE ENVIRONMENTS IN ECUADOR	168
<i>F. Benalcazar, S. Valdivieso</i>	
QUANTITATIVE CHARACTERIZATION OF POROSITY PARTITIONING FROM NMR LOGS IN SILICICLASTIC RESERVOIRS - ECUADOR.....	178
<i>J. Lafournere, F. Bringer, S. Reeder, M. Leon, J. Bourge, O. Morales, A. Suter, F. Castillo, J. Ochoa, F. Sierra, J. Bravo</i>	
IMPROVED FRACTURE CHARACTERIZATION IN THE LA PAZ FIELD: A CASE STUDY	194
<i>L. Lander, A. Silva, J. Chiquito, A. Cadena</i>	
A COMPREHENSIVE WORKFLOW FOR RESERVOIR CHARACTERIZATION AND HISTORY MATCHING APPLICABLE TO CRETACEOUS NATURALLY FRACTURED RESERVOIRS IN MEXICO	213
<i>R. Mehranfar, C. Larez, J. Paredes, J. Villasana</i>	
WELL TESTING IMPROVEMENT USING NITROGEN LIFTING IN SHUSHUFINDI FIELD: ACCELERATING WELL RESPONSE AND TRANSIENT DATA QUALITY	228
<i>Y. Ruiz, A. Betancourt, G. Villanueva, A. Vargas, M. Tayo, J. Burgos, I. Vela, A. Egas, R. Loyola</i>	

WETTABILITY ALTERATION AND SPONTANEOUS IMBIBITION IN UNCONVENTIONAL LIQUID RESERVOIRS BY SURFACTANT ADDITIVES	241
<i>J. Alvarez, D. Schechter</i>	
FRACTURING-TO-PRODUCTION SIMULATION APPROACH FOR COMPLETION OPTIMIZATION IN THE VACA MUERTA SHALE	257
<i>M. Suarez, S. Pichon, P. Lacentre, M. Badessich</i>	
RESERVOIR COMPARTMENTALIZATION IN A NATURALLY FRACTURED RESERVOIR THROUGH PRODUCTION-PRESSURE PERFORMANCE AND COMPOSITIONAL DATA	277
<i>J. Paredes, M. Arana, C. Larez</i>	
GEOMODELING WORKFLOW ADAPTED TO A MATURE EXTRA HEAVY OILFIELD. CASE STUDY: MODELIZATION OF PETROCEDEÑO DELTAIC RESERVOIR FOR THE EOR POLYMER PROJECT	295
<i>R. Mulder, C. Tinedo</i>	
A NEW STIMULATION METHOD TO SIGNIFICANTLY IMPROVE HYDROCARBON RECOVERY USING TEMPORARY BENEFICIAL CHANGES IN STRESS ANISOTROPY	308
<i>B. Lewis, J. Surjaatmadja</i>	
ECD AND DOWNHOLE PRESSURE MONITORING WHILE DRILLING AT ECUADOR OPERATIONS.....	319
<i>K. Carrillo, F. Avellan, G. Camacho</i>	
IMPACT OF FRATURE ORIENTATION ON IN-SITU COMBUSTION PERFORMANCE	334
<i>D. Aleksandrov, P. Kudryavtsev, B. Hascakir</i>	
EFFECT ON WATER BREAKTHROUGH WHEN A NEAR-CRITICAL FLUID RESERVOIR REACHES SATURATION PRESSURE.....	345
<i>J. Paredes, R. Perez, L. Perera, C. Larez</i>	
ADVANCED RESERVOIR CHARACTERIZATION IN A LOW RESISTIVITY GAS PLAY OFFSHORE ECUADOR	366
<i>O. Morales, F. Bringer, J. Rodas, J. Bravo</i>	
INTEGRATION OF FORMATION EVALUATION DOMAINS FOR AN OPTIMIZED PERFORATING DESIGN.....	375
<i>O. Morales, J. Bravo, J. Lomas, C. Madrunero, R. Vallejo, J. Rabanal, W. Pastrana</i>	
THE INTEGRATED APPROACH TO FORMATION WATER MANAGEMENT 2: FIELD APPLICATIONS AND BEST PRACTICES.....	395
<i>R. Correa, N. Basta, A. Andrade, J. Flores</i>	
NEW TECHNIQUES AIMED AT FACILITATING APPLICATION OF DIRECTIONAL CASING DRILLING IN ECUADOR.....	405
<i>H. Ramirez, M. Breton, A. Lougon, R. Rodriguez, M. Barreto, J. Chancay</i>	
A REAL CASE STUDY: FIELD DEVELOPMENT PLAN EVALUATIONS FOR OSO FIELD.....	419
<i>F. Sierra, A. Monge, S. Leon, F. Vasquez, J. Garcia, G. Llerena, J. Borjas</i>	
OIL RECOVERY IN LOW PERMEABILITY SANDSTONE RESERVOIRS USING SURFACTANT-POLYMER FLOODING.....	428
<i>C. Marliere, N. Wartenberg, M. Fleury, R. Tabary, C. Dalmazzone, E. Delamaide</i>	
SELECTION OF CUSTOMIZED POLYMERS TO ENHANCE OIL RECOVERY FROM HIGH TEMPERATURE RESERVOIRS	444
<i>N. Gaillard, B. Giovannetti, T. Leblanc, A. Thomas, O. Braun, C. Favero</i>	
ELASTIC SEISMIC INVERSION FOR SANDSTONE PREDICTION: LOWER U SANDSTONE RESERVOIR, LIMONCOCHA OILFIELD - ECUADOR CASE STUDY	459
<i>M. Galarraga, J. Pazos, A. Izurieta</i>	
WHAT WE HAVE LEARNED FROM 29 YEARS OF WELL TESTING IN THE LIMONCOCHA FIELD: AN APPROACH TO DATA MANAGEMENT, QA/QC, INTERPRETATION, AND APPLICATIONS	471
<i>A. Izurieta, E. Davila, F. Paz</i>	
TENA SANDSTONE: A NEW PRODUCTIVE RESERVOIR IN THE ORIENTE BASIN	492
<i>R. Ruiz, J. Bustos</i>	
INTEGRATED CHARACTERIZATION WORKFLOW ENABLES ECUADOR NOC TO INCREASE OIL PRODUCTION FROM VERY THIN SAND RESERVOIRS.....	505
<i>A. Izurieta, W. Pastrana, J. Pazos, E. Davila, J. Chavez, R. Vallejo, D. Bastidas, A. Luzuriaga, A. Hernandez</i>	
RESISTIVITY LOGGING IN CONDUCTIVE-MUD ENVIRONMENT AND HIGH RESISTIVITY FORMATIONS. DUAL LATEROLOG OR PROPAGATION LWD TOOL?.....	520
<i>L. Lander, A. Silva, C. Simon</i>	
DURABLE YET AGGRESSIVE CONICAL DIAMOND ELEMENT BIT INCREASES ROP BY 34% DRILLING DIFFICULT LOWER CHERT/CONGLOMERATE SECTION, ECUADOR	536
<i>R. Rodriguez, A. Laguna, M. Caselles, S. Bits, R. Trapuzzano, J. Gomez, C. Oyatamari, P. Ulloa, D. Chamorro</i>	

ROCK TYPING MAPPING METHODOLOGY BASED ON INDEXED AND PROBABILISTIC SELF-ORGANIZED MAP IN SHUSHUFINDI FIELD.....	547
<i>M. Leon, J. Lafournere, J. Bourge, M. Bolanos, F. Bringer, J. Navarrete, J. Hurtado, E. Gozalbo, A. Suter, R. Henson, J. Rodriguez, F. Castillo, J. Ochoa</i>	
ADVANCED DRILLING AND LOGGING TECHNOLOGIES GIVE NEW LIFE TO AGING FIELDS IN ECUADOR BY ENABLING REENTRY DRILLING.....	559
<i>J. Sanchez, H. Carrizo, J. Salgado, M. Ordonez, F. Rey, N. Hazboun, A. Laguna, R. Rodriguez, A. Larez, H. Ramirez, P. Astudillo, F. Sierra, N. Teran, M. Bastidas, G. Camacho, A. Bastidas, A. Chancay, D. Barona, C. Carrion</i>	
INNOVATIVE DUAL COMPLETION APPLICATION TO OVERCOME HIGH OIL VISCOSITY CHALLENGES - CASE STUDY FROM PAÑACOA FIELD, ECUADOR.....	578
<i>R. Almeida, J. Lomas, C. Madrunero, M. Castillo, F. Chicaiza, A. Silva, C. Contreras, A. Korgemagi</i>	
COMPREHENSIVE METHODOLOGY TO IDENTIFY, QUANTIFY AND ELIMINATE THE FORMATION DAMAGE MECHANISMS, SUCCESFULLY APPLIED FOR THE FIRST TIME BY THE OPERATOR IN A COLOMBIAN MATURE FIELD; INCLUDING FORMATION DAMAGE MODELING, WELL CANDIDATE SELECTION, STIMULATION TREATMENT DESIGN AND EXECUTION: A CASE HISTORY	586
<i>W. Garcia, M. Kleber, R. Polo, C. Franco, M. Escobar, A. Sierra, M. Arango</i>	
A COMPREHENSIVE MATHEMATICAL MODEL FOR PREDICTING THERMOPHYSICAL PROPERTIES OF SUPERHEATED STEAM IN HORIZONTAL INJECTION WELLS CONSIDERING PHASE CHANGE	606
<i>R. Cao, H. Gu</i>	
IMPROVING EFFICIENCY IN MINERALOGY AND SATURATION DETERMINATION IN OPEN AND Cased WELLS WITH NEW GENERATION SPECTROSCOPY	628
<i>U. Bustos, J. Grau, J. Horkowitz, D. Rose, I. Nieves, G. Salazar, D. Chaparro, G. Geney, J. Ulloa</i>	
PIPELINE INTEGRITY MANAGEMENT IN HIGH ENVIRONMENTAL CONSEQUENCE AREAS	645
<i>F. Eguiguren</i>	
FEASIBILITY OF LA GRITA MEMBER OF EARLY CRETACEOUS AS A POSSIBLE UNCONVENTIONAL RESERVOIR PLAY. CASE STUDY. WESTERN VENEZUELA	656
<i>J. Mendez, A. Molina, C. Lobo, A. Pautt, F. Luzardo</i>	
CHEMOSTRATIGRAPHICAL CHARACTERIZATION OF STRATIGRAPHIC SEQUENCES: UPPER B SANDSTONES OF EOCENE MISOA FORMATION, MARACAIBO BASIN, WESTERN VENEZUELA	672
<i>A. Laya, L. Camposano</i>	
PRESSURIZED MUD CAP DRILLING: FEASIBILITY STUDY FOR APPLICATION IN BRAZILIAN PRE-SALT CARBONATE RESERVOIRS AND WELL CONTROL ISSUES	693
<i>A. Kuehn</i>	
A DEEPWATER GAS FIELD DEVELOPMENT STRATEGY FOR T&T	701
<i>A. Nickle</i>	
MAINTAINING PRODUCTION AND ENSURING ASSET INTEGRITY THROUGH NOVEL INHIBITOR CHEMISTRY	714
<i>L. Salgaonkar, R. Belakshe</i>	
IDENTIFICATION OF ENHANCED OIL RECOVERY POTENTIAL IN ECUADOR.....	724
<i>J. Tarco, G. Arteaga, S. Merino, J. Estrella</i>	
IMPROVED WATERFLOOD ANALYSIS USING THE CAPACITANCE-RESISTANCE MODEL WITHIN A CONTROL SYSTEMS FRAMEWORK.....	741
<i>R. Holanda, E. Gildin, J. Jensen</i>	
OPTIMIZING WELL EVALUATION: REAL TIME MONITORING USING FIBER OPTIC CONVEYED IN COILED TUBING AND N₂ LIFTING	779
<i>G. Villanueva, J. Burgos, O. Humbert, A. Betancourt, M. Lopez, L. Sandoval, J. Arevalo, J. Hurtado, D. Meza, C. Torres, E. Gozalbo, I. Vela, A. Egas, R. Leon, R. Loyola</i>	
FLUID LOGGING AND ANALYSIS IN REAL TIME, AN APPLICATION FOR SHUSHUFINDI-AGUARICO	791
<i>J. Navarrete, C. Gordon, M. Garcia, M. Bolanos, J. Vega, J. Lafournere, M. Naranjo, A. Paladines, J. Bourge, A. Suter, R. Henson, P. Delgado, I. Fornasier, O. Morales, V. Badillo</i>	
PRODUCTION OPTIMIZATION BASED ON DATA ACQUISITION AND REAL-TIME MONITORING INFRASTRUCTURE	801
<i>R. Mariach, J. Torres, C. Crespo, R. Gabarron</i>	
INCREASED WELL PRODUCTIVITY FROM THE USE OF CARBON DIOXIDE TO FOAM FRACTURING FLUIDS DURING A REFRACTURING TREATMENT IN SAUDI ARABIA	812
<i>M. Al-Dhamen, S. Aramco, E. Soriano</i>	

HEAVY OIL RESERVE DEVELOPMENT BY CYCLE STEAM STIMULATION + GAS PROCESS IN BACH-01 RESERVOIR	824
<i>H. Boscan, G. Chourio</i>	
LEARNING BY IMPACT DRIVING TRAINING: A CASE STUDY FROM ECUADOR	836
<i>K. Aldaz, J. Kohatsu</i>	
A TUNING STRATEGY TO ALIGN STATIC AND DYNAMIC MODELLING	841
<i>J. Bourge, M. Bolanos, J. Lafournere, M. Leon, J. Torres, G. Archard, A. Suter, F. Castillo</i>	
SUCCESSFUL IMPLEMENTATION OF HYDRAULIC FRACTURING TECHNIQUES IN HIGH PERMEABILITY HEAVY OIL WELLS IN THE LLANOS BASIN-COLOMBIA.....	853
<i>J. Bahamon, C. Garcia, J. Ulloa, J. Leal, R. Garay, C. Medina, J. Nieto</i>	
MODELING WAX APPEARANCE TEMPERATURE	866
<i>T. Rocha, G. Costa, M. Embirucu</i>	

VOLUME 2

INTEGRATED GEOLOGICAL, PETROPHYSICAL, AND RESERVOIR PROPERTIES OF THE UPPER AND MIDDLE T SANDSTONES, TARAPOA BLOCK, ORIENTE BASIN, ECUADOR	878
<i>J. Espinosa, D. Good, T. Verdin, R. Steel, C. Olariu</i>	
PCP SYSTEM SHOWS OPTIMAL PERFORMANCE IN A HEAVY OIL WELL IN BLOCK 59 ECUADOR.....	903
<i>F. Mena, R. Ruiz, L. Pozo</i>	
INTEGRATED RESERVOIR ANALYSIS FOR OPTIMIZING PRODUCTION WHEN THERE IS HIGH POTENTIAL FOR SANDING	911
<i>O. Bravo, L. Mora, J. Rabanal, R. Vallejo, W. Pastrana, J. Salas, J. Lomas, D. Tapia, R. Almeida, F. Paz</i>	
FIXED EQUIPMENT INTEGRITY.....	930
<i>L. Velasco</i>	
WELLBORE STABILITY ANALYSIS: A STOCHASTIC APPROACH APPLIED TO A COLOMBIAN CRETACEOUS FORMATION	943
<i>F. Plazas, Z. Calderon, Y. Quintero</i>	
PREDICTABILITY, DISTRIBUTION AND CHARACTERISTICS OF THE UNCONVENTIONAL RESOURCES IN LATIN AMERICA.....	960
<i>M. Gomez, G. Rebay, F. Robles, M. Hurtado</i>	
SIMPLIFIED REACTION KINETICS MODEL FOR IN-SITU COMBUSTION	976
<i>K. Klock, B. Hascakir</i>	
QUANTIFIABLE COSTS SAVINGS BY USING 100% RAW PRODUCED WATER IN HYDRAULIC FRACTURING	989
<i>B. Ruyle, F. Fragachan</i>	
DYNAMIC UNDER/OVERBALANCE: A REVIEW OF THE CURRENT PRACTICES IN BLOCK 15.....	996
<i>A. Izurieta, E. Davila, P. Poveda, L. Garcia, D. Calpovina, J. Cabezas, A. Hernandez, R. Vallejo, A. Luzuriaga, E. Castro</i>	
WELL SPACING INDEX, A NEW APPROACH FOR PLANNING THE OILFIELD DEVELOPMENT	1008
<i>L. Gonzalez</i>	
EVALUATION OF MEXICO'S SHALE OIL AND GAS POTENTIAL	1018
<i>S. Stevens, K. Moodhe</i>	
UNISIM-II-D: BENCHMARK CASE PROPOSAL BASED ON A CARBONATE RESERVOIR	1033
<i>M. Correia, J. Hohendorff, A. Gaspar, D. Schozier</i>	
DYNAMIC DRILL-RATE TEST APPROACH APPPLIED TO A PRE-SALT CASE STUDY	1054
<i>A. Nascimento, A. Elmgerbi, A. Roohi, M. Prohaska, G. Thonhauser, M. Mathias</i>	
UNDERSTANDING WATER INJECTION FROM A CONTROL ENGINEERING APPROACH USING THE ERR-OLS ALGORITHM	1064
<i>J. Alvarez, H. Wei, P. Ibarguengoytia</i>	
PREDICTING AND MANAGING INORGANIC SCALE ASSOCIATED WITH PRODUCED WATER FROM EOR PROJECTS.....	1085
<i>M. Jordan, E. Mackay</i>	
A SUCCESSFUL PERIPHERAL WATER INJECTION IN A WEAK-EDGE AQUIFER OILFIELD, ORIENTE BASIN, ECUADOR.....	1103
<i>Y. Feng, B. Ji, H. Sun, X. Wan, I. Solis, X. Tan, L. Li, S. Zhang</i>	

SIMPLIFIED NEAR WELLBORE RESERVOIR SIMULATION TO PREDICT THE PERFORMANCE OF VISCOUS OIL HORIZONTAL WELL WITH WATER CONING FROM AN ACTIVE AQUIFER	1124
<i>W. Jurus, M. Stanko, A. Parra, M. Golan</i>	
HORIZONTAL WELL LANDING OPTIMIZATION COMBINING ROTARY STEERABLE TECHNOLOGY AND DEEP AZIMUTHAL MEASUREMENTS IN BLOCK 7, ECUADOR	1142
<i>F. Sierra, N. Teran, M. Bastidas, G. Soria, E. Rojas, R. Villalva, J. Sanchez, B. Castro</i>	
STATE OF THE ART IN 3D RESERVOIR CHARACTERIZATION: PALO AZUL FIELD, ECUADOR	1153
<i>J. Sandoval, J. Gaibor, E. Benalcazar, L. Jimenez</i>	
INTERPRETATION OF MICRO RESISTIVITY IMAGE LOGS AND CORE TOMOGRAPHIC IMAGES IN A NATURAL FRACTURE RESERVOIR EVALUATION, UPPER MAGDALENA VALLEY, COLOMBIA	1173
<i>M. Mantilla, D. Davila</i>	
FACIES AND POROSITY DISTRIBUTION BY THE INTEGRATION OF ROCKPHYSICS ANALYSIS AND SEISMIC INVERSION FOR "U" SANDSTONE RESERVOIR IN COCA-PAYAMINO OILFIELD	1182
<i>D. Palacios, Y. Sun, D. Flores, F. Sierra</i>	
A NOVEL METHOD TO CALCULATE ASPHALTENE SOLUBILITY PARAMETER	1203
<i>M. Souza, S. Melo, G. Costa</i>	
A SIMPLE YET EFFECTIVE APPROACH TO ESTIMATE TIME AND COSTS FOR THE DRILLING PROJECT IN THE TAPIR FIELD	1213
<i>R. Rodriguez</i>	
GEOMECHANICS COUPLED TO FLUID FLOW IN HEAVY OIL RESERVOIRS: COMPARISON AND INNOVATION IN THE MODELLING	1227
<i>L. Alvarez, G. Alzate-Espinosa, A. Naranjo</i>	
THERMAL INDUCED FRACTURE EFFECT WITH A LOWER COOL DOWN REDUCTION – CASE STUDIES FOR ECUADOR; VILLANO AND CPF WATER DISPOSAL WELLS	1241
<i>A. Andrade, R. Correa, S. Vaca, M. Chango</i>	
NEW APPROACHING FOR ROCK TYPES AND LITHOFACIES SYNERGY FOR THE HOLLIN FORMATION, PALO AZUL FIELD, ECUADOR	1262
<i>J. Leal, J. Gaibor, S. Garces, E. Benalcazar</i>	
MATURE OIL FIELD RESERVOIR CHARACTERIZATION INTEGRATING WELL LOGS AND WIRELINE PRESSURE TRANSIENT DIAGNOSTICS DATA	1282
<i>C. Gelvez, C. Torres, E. Lozano, R. Avila</i>	
RECOGNITION OF OIL-WATER CONTACT ARCHITECTURE IN WATER DRIVE RESERVOIRS BY ROCK TYPING IMPLEMENTATION, SACHA FIELD OF ECUADOR	1302
<i>L. Rodriguez, J. Leal, H. Sanchez, G. Hinojosa</i>	
MULTIBOWL WELLHEAD	1317
<i>E. Mora</i>	
CHALLENGING HORIZONTAL WELL PLACEMENT IN AN AREA WITH HIGH GEOLOGICAL UNCERTAINTY USING PROACTIVE GEOSTEERING TECHNIQUES	1329
<i>K. Riofrio, H. Sanchez, M. Lopez, I. Velasquez, E. Mejia, C. Armas, G. Reinoso, D. Lopez, C. Bustamante</i>	
COMPETITIVE ANALYSIS OF LATIN AMERICAN OIL AND GAS FISCAL REGIMES	1344
<i>J. Vargas, S. Quintana</i>	
FIRST INTEGRATED PETROPHYSICAL CHARACTERIZATION IN LIMESTONE IN ECUADOR: M1 AND M2 LIMESTONES, PUMA FIELD	1381
<i>J. Leal, R. Hernandez, J. Romero, P. Flores</i>	
THE CATALYTIC EFFECT OF CLAY ON IN-SITU COMBUSTION PERFORMANCE	1403
<i>M. Kozlowski, A. Punase, H. Nasr-El-Din, B. Hascakir</i>	
WORK INCLUSION BREAKING DOWN BARRIERS	1418
<i>F. Bocchicchio, M. Paz</i>	
NEW OPPORTUNITIES IDENTIFICATION WORKFLOW, PAÑACocha FIELD, ORIENTE BASIN, ECUADOR	1423
<i>J. Guerrero, J. Vega, I. Alvarez, J. Lafournere, R. Henson, C. Fonseca, L. Bravo, J. Minchala, O. Morales</i>	
APPLYING HORIZONTAL WELLS TO DEVELOP OILFIELDS WITH COMPLEX LOW RELIEF STRUCTURE IN HIGH WATER CUT STAGE IN TARAPOA	1433
<i>H. Zhang, X. Zhang, X. Zhao, Q. Hu, X. Wan, F. Serrano, K. Zhang, Z. Lei, Y. Wang</i>	
CHANGING A LOW POTENTIAL (VISOCUS OIL) SANDSTONE RESERVOIR TO THE BIGGEST CONVENTIONAL INCREMENTAL PROJECT IN THE NEUQUEN BASIN	1456
<i>A. Thompson, L. Martino, E. Oviedo, F. Sanchez, P. Barros, H. Campos, S. Gandi, E. Morettini</i>	

DOPE-FREE TECHNOLOGY IMPROVES HEALTH, SAFETY AND ENVIRONMENT PERFORMANCE OF CASING AND TUBING FIELD OPERATIONS IN VACA MUERTA PLAY, NEUQUEN ARGENTINA	1481
<i>C. Espinosa, E. Braghieri, E. Actis, D. Codega, G. Zalazar</i>	
CASE STUDY: HYDRAULIC FRACTURE TREATMENT WITH PROPPANT DURING DRILLSTEM TESTS WITH SAME TEMPORARY COMPLETION STRING	1500
<i>D. Engel, V. Azevedo, F. Marcancola</i>	
EXPERIMENTAL INVESTIGATION OF POLYMER ASSISTED WAG FOR MOBILITY CONTROL IN THE HIGHLY HETEROGENEOUS NORTH BURBANK UNIT IN OKLAHOMA, USING ANTHROPOGENIC CO₂	1508
<i>F. Tovar, M. Barrufet, D. Schechter</i>	
MODEL EXPERIMENTS TO SIMULATE COMPRESSIONAL-STRIKE FAULT PATTERN IN ORIENTE BASIN, ECUADOR.....	1528
<i>J. Lin, X. Zhang, Q. Hu, X. Zhao, D. Good, X. Tong, R. Orozco, Z. Zhang, Y. Xie</i>	
CASE HISTORY: SURGE CHAMBERS, WITH OR WITHOUT PERFORATING GUNS, CONVEYED WITH WIRELINE OR TUBING, PROVE TO BE AN EFFECTIVE METHOD FOR PERFORATION CLEANUP, TO INCREASE WELL PRODUCTIVITY IN THE ECUADOR EASTERN BASIN	1545
<i>A. Izurieta, L. Garcia, F. Moreno, F. Rios, M. Scott, K. Harive</i>	
PULL & PUSH. USAGE OF THE MECHANICAL ENERGY OF A CONVENTIONAL SUCKER ROD LIFT IN SHALLOW WELLS	1557
<i>H. Tigrero, C. Lainez, M. Salinas</i>	
RESERVOIR CHARACTERIZATION AND GEOLOGICAL MODEL FOR THE LOWER T SANDSTONE AND LOWER U SANDSTONE, TAPI – TTT OILFIELD, ORIENTE BASIN, ECUADOR: A CORE- AND LOG-BASED STUDY	1575
<i>J. Toro-Alava, K. Luzuriaga, O. Corozo, L. Coral</i>	
CONDENSATE BANKING CHARACTERIZATION USING PRESSURE TRANSIENT ANALYSIS AND NUMERICAL SIMULATION.....	1605
<i>C. Cerna, R. Moreno</i>	
FABLAB CREATING A CULTURE OF INNOVATION IN ECUADOR.....	1626
<i>F. Bocchicchio, M. Paz</i>	
IMPROVING RECOVERY FROM A MATURE RESERVOIR BY UNDERSTANDING THE STRATIGRAPHY, EDEN-YUTURI FIELD, ORIENTE BASIN, ECUADOR	1630
<i>G. Gonzalez, D. Bermeo, I. Alvarez, J. Lafoumère, R. Henson, C. Fonseca, J. Vega, R. Grijalva, A. Valdez, G. Proano</i>	
EXPERIMENTAL EVALUATION OF A GAS LIQUID AXIAL CYCLONE SEPARATOR	1647
<i>J. Valdez, L. Perez, R. Cabello, W. Blanco, G. Lombano, J. Segura</i>	
RECOGNITION AND IMPACT OF CROSSING CONJUGATE NORMAL FAULTS IN AMISTAD FIELD, GULF OF GUAYAQUIL, ECUADOR.....	1666
<i>R. Rodriguez, E. Chuya, L. Melendez, C. Romero, M. Avila</i>	
MARIANN 48 WELL, AN EXTENDED REACH WELL DRILLED IN THE ECUATORIAN JUNGLE.....	1679
<i>D. Maya</i>	
COOLING BEHAVIOR OF UNDERGROUND THERMAL INSULATED PIPELINE SYSTEMS CONSIDERING STAGNANT FLUID	1685
<i>F. Montero, I. Romero, P. Delgado, C. Diaz</i>	
ESTIMATES OF STRESS DEPENDENT PROPERTIES IN TIGHT RESERVOIRS: THEIR USE WITH DRILL CUTTINGS DATA	1698
<i>B. Lopez, J. Piedrahita, R. Aguilera</i>	
TARAPOA WEST EXPLORATION PROJECT – INTEGRATED 3D SEISMIC ACQUISITION, PROCESSING, AND INTERPRETATION SOLUTION.....	1724
<i>Q. Hu, X. Zhang, J. Lin, X. Zhao, Y. Wang</i>	
FIRST RUN OF A LWD MICRO-RESISTIVITY IMAGES TOOL CONTRIBUTES TO UPDATE THE LOCAL GEOMECHANICAL MODEL IN THE TAPI FIELD, ECUADOR.....	1737
<i>O. Corozo, G. Camacho, M. Guerrero, H. Osorio, D. Medina, R. Ruiz, D. Davila, F. Avellan</i>	

VOLUME 3

ENERGY EFFICIENCY AND GREENHOUSE EFFECT GAS REDUCTION	1753
<i>M. Zambrano</i>	

APPLICATION OF MODERN RESERVOIR CHARACTERIZATION IN MATURE FIELDS TO UNRAVEL HIDDEN RESERVES.....	1759
<i>M. Rodriguez, F. Abad, L. Rodriguez, J. Gaibor, M. Moran, A. Verdezoto</i>	
IMPACT OF CONNATE WATER REPLACEMENT ON CHEMICAL EOR PROCESSES	1778
<i>H. Fodisch, J. Wegner, R. Hincapie, L. Ganzer</i>	
OPTIMIZING THE RESERVOIR MANAGEMENT OF A MATURE OIL FIELD: THE CHALLENGE OF SHUSHUFINDI.....	1789
<i>F. Lopez, A. Suter, D. Biedma</i>	
PROPER MANAGEMENT OF RISK, HELPS TO REDUCE DRILLING COST	1812
<i>J. Garcia</i>	
SUSTAINABILITY GOING BEYOND SETTING THE DIRECTION.....	1817
<i>F. Bocchicchio, M. Paz</i>	
AN APPROACH FOR STEAM PROPAGATION AND PRODUCTION PERFORMANCE IN SAGD AND SOLVENT SAGD: LAB EXPERIMENT AND SIMULATION	1821
<i>A. Zare, A. Hamouda</i>	
FORECASTING RESERVOIR MANAGEMENT THROUGH LIFE CYCLE ASSESSMENT: CASE STUDY MARANON BASIN	1838
<i>N. Chun, R. Bravo, V. Quinones</i>	
DEFINING THE OPTIMUM EXPLOITATION STRATEGY COMBINING WATER INJECTION, FIELD DEVELOPMENT AND ARTIFICIAL LIFT ANALYSIS TO A MATURE FIELD THROUGH SURFACE AND SUB-SURFACE COUPLED MODELS	1864
<i>O. Espinola, R. Mehranfar, D. Salama, E. Santafe, F. Nunez, J. Mendoza, H. Ortega, A. Espinosa, H. Alarcon</i>	
APPLICATION OF CUTTINGS REINJECTION TECHNOLOGY ELIMINATED ENVIRONMENTAL LIABILITIES IN A REMOTE AND MATURE FIELD IN PERU.....	1884
<i>V. Arambulo, E. Vera, E. Alban, E. Mikriukova, H. Poclin, V. Perez, R. Ahmed</i>	
SHEAR EFFECTS OF GEAR PUMP ON OIL-WATER FLOW.....	1897
<i>M. Zhang, S. Wang, R. Mohan, O. Shoham</i>	
WELL COMPLETION WITH MONOBORE TECHNOLOGY FOR GAS PRODUCTION IN THE B6 LL 370 RESERVOIR IN THE TIA JUANA FIELD, LAKE MARACAIBO, VENEZUELA.....	1913
<i>K. Mieres, V. Prieto, C. Banzer, F. Molina</i>	
RESERVOIR TRACER APPLICATION TO VALIDATE A NUMERICAL SIMULATION MODEL: AN HISTORICAL CASE	1925
<i>A. Gaibor, R. Rodriguez</i>	
SYNERGISM BETWEEN IONIC AND NONIONIC SURFACTANTS FOR PRODUCING LOW INTERFACIAL TENSION AT OIL-WATER INTERFACE	1935
<i>A. Martiz, S. Samaniego, Y. Aray, R. Paredes</i>	
FAST WASH TANK DESIGN ALGORITHM FOR EARLY PRODUCTION FACILITIES (EPF).....	1952
<i>E. Reina, L. Vargas, N. Romo, H. Venegas, P. Delgado</i>	
EFFECT OF OIL AND GAS PRICES ON UNCONVENTIONAL RESOURCE PLAYS	1961
<i>R. Aguilera</i>	
TECHNICAL, ECONOMIC & LEGAL CONSIDERATIONS FOR SUCCESSFUL PROJECTS IN THE OIL INDUSTRY.....	1978
<i>I. Cedeno, M. Moreno, E. Polit</i>	
WELL PRODUCTION PERFORMANCE IN A DEVIATED ICD COMPLETION: CASE STUDY WITH ANALOGOUS CASED AND PERFORATED WELLS. VILLANO FIELD - ECUADOR	1987
<i>R. Correa, A. Andrade, M. Ippoliti</i>	
UNLOCKING A MATURE FIELD RESERVOIR POTENTIAL THROUGH OPTIMIZED FIT-FOR-PURPOSE HYDRAULIC FRACTURING.....	1999
<i>M. Ramones, L. Gutierrez</i>	
EXPERIMENTAL STUDY OF HEAVY OIL IN-SITU UPGRADING USING HIGH TEMPERATURE GAS-OIL GRAVITY DRAINAGE IN NATURALLY FRACTURED RESERVOIRS	2012
<i>R. Suarez, C. Scott, S. Hejazi, P. Pereira-Almao</i>	
STRATEGY MODEL FOR PETROLEUM CONTRACTS: A HOLISTIC SENSITIVITY ANALYSIS OF OIL ROYALTIES TO HYDROCARBONS COMMERCIALIZATION	2037
<i>R. Bravo, V. Huerta, N. Chun</i>	
INTEGRATED APPLICATIONS OF FIBER-OPTIC DISTRIBUTED ACOUSTIC AND TEMPERATURE SENSING.....	2065
<i>F. Hveding, F. Porturas</i>	
A UNIVERSAL EQUATION TO CALCULATE SHALE VOLUME FOR SHALY-SANDS AND CARBONATE RESERVOIRS	2081
<i>O. David, B. Rodolfo, O. Jonathan, O. Pasquel, D. Arteaga</i>	

COMMINGLED REINJECTION OF CUTTINGS AND PRODUCED WATER PROVIDES A ZERO-DISCHARGE SOLUTION FOR THE DEVELOPMENT PHASE OF THE PIRANA FIELD IN THE PERUVIAN AMAZON REGION	2088
<i>H. Pochlin, J. Watanabe, H. Ortiz</i>	
IMPLEMENTING LONG STROKE RECIPROCATING ROD LIFT IN RE-ENTRY WELLS.....	2106
<i>N. Villacis, A. Sola, S. Weatherford, F. Alvarez</i>	
UNCONVENTIONAL COMPLETION DESIGN FOR DEEP GEOTHERMAL WELLS.....	2114
<i>R. Okech, X. Liu, G. Falcone, C. Teodoriu</i>	
A FINITE HORIZONTAL-WELL-CONDUCTIVITY MODEL FOR PRESSURE TRANSIENT ANALYSIS IN MULTIPLE FRACTURED HORIZONTAL WELLS	2129
<i>Z. Chen, X. Liao, X. Zhao, X. Dou, C. Huang, Y. Chen, L. Li, X. Guo</i>	
ASSESSMENT OF DIFFERENT ARTIFICIAL LIFT METHODS TO OPTIMIZE PRODUCTION WITHIN THE PARAISO OILFIELD IN ECUADOR.....	2143
<i>T. Fructuoso, S. Suarez-Bastidas, D. Cueva</i>	
OGLAN 2 DIR WELL: A SUCCESSFUL EXPLORATORY PROJECT WITH HELI-PORTABLE LOGISTICS – THE ROLE OF INTEGRATION IN REACHING THE GOALS	2151
<i>G. Atahualpa, G. Venturino, E. Zerpa, R. Correa, M. Guleryuzlu, J. Telles, S. Moran</i>	
MODIFYING THE CHIMNEY ARRANGEMENT OF AN INDIRECT WATER BATH HEATER WITHOUT AFFECTING ITS OPERATIONAL EFFICIENCY.....	2163
<i>P. Delgado, X. Moreno, S. Pachacama, P. Rueda, D. Suarez</i>	
A NEW RESERVOIR CLASSIFICATION BASED ON PORE TYPES IMPROVES CHARACTERIZATION - PART B.....	2173
<i>O. Jonathan, O. David, B. Rodolfo</i>	
CHEMICAL TRACERS AS A TOOL FOR THE OPTIMUM DEVELOPMENT OF MATURE RESERVOIRS IN THE PRESENCE OF A STRONG ACTIVE BOTTOM-WATER DRIVE: VILLANO FIELD – ECUADOR	2184
<i>A. Andrade, R. Correa, M. Ippoliti, M. Chango, R. Vilasenor</i>	
KEY PARAMETERS TO REVITALIZE MATURE OIL & GAS FIELDS.....	2199
<i>V. Quinones, R. Bravo, N. Chun</i>	
UNDERSTANDING CONTROLLED SALINITY WATERFLOODING IN CARBONATES USING STREAMING POTENTIAL MEASUREMENTS	2209
<i>D. Mahrouqi, J. Vinogradov, M. Jackson</i>	
RE-GRADING PROVEN RESERVES WITH PRMS	2218
<i>B. Harrison, G. Falcone</i>	
DESIGN AND IMPLEMENTATION OF THE FIRST POLYMER FLOODING PROJECT IN COLOMBIA: YARIGUI-CANTAGALLO FIELD	2226
<i>G. Maya, R. Jimenez, R. Castro, J. Mantilla, J. Vargas, F. Cardenas, F. Fernandez, H. Quintero, A. Zaitoun, E. Manrique, J. Romero, J. Putnam</i>	
GEOSTEERING OPERATIONS USING SPECTRAL AND AZIMUTHAL INFORMATION IN THE EASTERN LLANOS BASIN- COLOMBIA.....	2239
<i>J. Ballesteros, G. Bravo, J. Cerchiaro, M. Perez, C. Rincon</i>	
IMPLEMENTATION AND PERFORMANCE OF A HEAVY OIL PILOT IN ATACAPI FIELD, ECUADOR.....	2246
<i>J. Ramirez, M. Hoffmann, C. Izurieta, M. Podeley, O. Carrera, H. Lasluiza</i>	
USE OF BANANA PEEL BASED FILTERS TO REDUCE HEAVY METALS IN WASTEWATER.....	2255
<i>A. Palacios</i>	
ABRASIVE PERFORATION TECHNIQUE OPTIMIZE PRODUCTION AND AVOID RESERVOIR DAMAGE IN COCA FIELD ECUADOR	2260
<i>L. Carrera, O. Morales, F. Sierra, N. Teran, A. Monge, J. Alvarez</i>	
SHORT-TERM AND LONG-TERM OPTIMIZATIONS FOR RESERVOIR MANAGEMENT WITH INTELLIGENT WELLS.....	2272
<i>M. Pinto, E. Gildin, D. Schiozer</i>	
DESIGNING A DEVELOPMENT PLAN WITH A CONSTRAINED MULTI-LAYERED RESERVOIR MODEL USING PRESSURE TRANSIENTS AND DOWNHOLE FLUID ANALYSIS	2287
<i>F. Dubost, M. Rocha, L. Lavin, R. Fuentes, J. Ramirez, D. Guzman</i>	
COMPUTED TOMOGRAPHY FOR PETROPHYSICAL CHARACTERIZATION OF HIGHLY HETEROGENEOUS RESERVOIR ROCK	2306
<i>J. Skinner, F. Tovar, D. Schechter</i>	
ACOUSTIC AND MICRORESISTIVITY BOREHOLE IMAGE LOGS AND CORE DATA INTEGRATION IN WELL DN-22, DRAGO FIELD, ORIENTE BASIN, ECUADOR	2315
<i>V. Badillo, J. Perez, R. Rengel</i>	

A MATERIAL BALANCE EQUATION FOR STRESS-SENSITIVE SHALE GAS CONDENSATE RESERVOIRS	2326
<i>D. Orozco, R. Aguilera</i>	
DETERMINATION OF PRINCIPAL IN-SITU STRESS MAGNITUDE FROM WELL LOGS IN UNCONVENTIONAL RESERVOIRS: A PRACTICAL APPLICATION IN WILLESSEN GREEN FIELD, CANADA.....	2362
<i>E. Urban, R. Aguilera</i>	
RELIABILITY REDUCTION OF THE GENERAL ELECTRIC TURBINES DUE TO INCOMPATIBILITY ISSUES BETWEEN THE FUEL AND THE BIOCIDES	2384
<i>P. Irujo-Flores, F. Eguiguren-Gutierrez</i>	
EFFICIENT FRACTURED RESERVOIR SIMULATION USING LATTICE BOLTZMANN METHOD	2390
<i>Z. Benamaram, A. Tarakanov, H. Nasrabadi, E. Gildin</i>	
COILED TUBING VELOCITY STRING HANG-OFF SOLVES AND PREVENTS LIQUID-LOADING PROBLEMS IN GAS WELL: CASE STUDY IN THE GULF OF GUAYAQUIL, ECUADOR.....	2407
<i>J. Quintana, E. Duque, J. Diaz, J. Eras, J. Rodas, E. Vergara</i>	
NEW SEISMIC BASE RESERVOIR CHARACTERIZATION (SBRC) GEOMECHANICAL MODEL BASED ON MOGI EMPIRICAL ROCK FAILURE RELATIONSHIP	2414
<i>Q. Li, A. Yousefzadeh, R. Aguilera</i>	
TECHNIQUES AND BENEFITS OF DRILLING INTO 2 SECTIONS IN THE ECUADORIAN BASIN	2429
<i>M. Ramirez, D. Morales, E. Colmenares, E. Tapia</i>	
ANALYSIS OF THE INFLUENCE OF LPG DENSITY ON THE PERFORMANCE OF A CENTRIFUGAL PUMP-IMPELLER THROUGH CFD SIMULATIONS	2437
<i>G. Lara-Rodriguez, O. Begovich, J. Naredo</i>	
CONSIDERATIONS FOR PRODUCTION FORECASTING AND FIELD DEVELOPMENT IN AN UNDER DEVELOPED FIELD IN A GEOLOGICALLY COMPLEX RESERVOIR SYSTEM: CHICONTEPEC BASIN EXAMPLE.....	2449
<i>E. Rangel-German, F. Dordoni, G. Hernandez, D. Clem, M. Nogales, J. Ruhs</i>	
MODEL-BASED ADAPTIVE-PREDICTIVE CONTROL AND OPTIMIZATION OF SAGD UNDER UNCERTAINTY	2464
<i>J. Guevara, A. Ortega, J. Canelon, E. Nava, N. Queipo</i>	
REPLACEMENT OF ESP WITH LONG STROKE PUMPING UNITS IN MARANTA BLOCK	2481
<i>D. Sarmiento, J. Prada, H. Quiros, J. Mora</i>	
WELLS TRAJECTORY OPTIMIZATION IN LOW THICKNESS ZONES BY APPLYING GEOSTEERING AZIMUTH TOOLS	2497
<i>J. Ballesteros, G. Bravo, J. Cerchiaro, M. Perez</i>	
MICROSEISMIC 101: MONITORING AND EVALUATING HYDRAULIC FRACTURING TO IMPROVE THE EFFICIENCY OF OIL AND GAS RECOVERY FROM UNCONVENTIONAL RESERVOIRS	2507
<i>A. Yousefzadeh, Q. Li, R. Aguilera</i>	
IMPROVING RECOVERY OF LIQUIDS FROM SHALES THROUGH GAS RECYCLING AND DRY GAS INJECTION	2570
<i>A. Fragoso, Y. Wang, G. Jing, R. Aguilera</i>	
STRENGTHENING SUSTAINABLE DEVELOPMENT IN FIVE COMMUNITIES IN THE BERMEJO FIELD, ECUADOR	2608
<i>D. Vega, D. Paredes, P. Martellotta</i>	
A MECHANISTIC UNDERSTANDING OF ASPHALTENE PRECIPITATION FROM VARYING SATURATE CONCENTRATION PERSPECTIVE	2616
<i>A. Prakoso, A. Punase, B. Hascakir</i>	
Author Index	