

SPE International Symposium and Exhibition on Formation Damage Control 2016

Lafayette, Louisiana, USA
24 – 26 February 2016

Volume 1 of 2

ISBN: 978-1-5108-2190-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

COMPARATIVE STUDY OF FORMATION DAMAGE DUE TO STRAINING AND SURFACE DEPOSITION IN POROUS MEDIA	1
<i>H. Khan, M. Mirabolghasemi, H. Yang, M. Prodanovic, D. Dicarolo, M. Balhoff, K. Gray</i>	
A DEEPWATER OPENHOLE GRAVEL PACK COMPLETION WITH PROLONGED WELL SUSPENSION WITHOUT INITIAL CLEANUP: AN ANGOLA BLOCK 15/06 CASE HISTORY	19
<i>D. Staltari, J. Urdaneta, O. Barradas, D. Pellicano, G. Ripa, P. Fernandes, C. Cauende, E. Sonangol, M. Nasrallah, A. Aye, L. Djouli, A. Adeolu, B. Magloire, A. Kumar, B. Gadiyar, M. Parlar</i>	
FIELD APPLICATION STUDY OF ZINC BASED, LOW DEBRIS PERFORATING CHARGES	29
<i>S. Zuklic, B. Myers, R. Satti</i>	
NEW INSIGHTS INTO OPTIMIZING PERFORATION CLEAN UP AND ENHANCING PRODUCTIVITY WITH ZINC-CASE SHAPED CHARGES	46
<i>R. Satti, R. White, D. Ochsner, O. Osarumwense, S. Zuklic, T. Sampson</i>	
SELECTIVELY STIMULATING OIL PRODUCTION IN MATURE NATURALLY FRACTURED CARBONATE RESERVOIRS	60
<i>G. Guillot, Y. Antunano, R. Cuadras, A. Milne, E. Miquilena, M. Losada, N. Molero, L. Mujica, J. Vazquez, J. Santini</i>	
DEVELOPING A MARGINAL FIELD COMBINING STIMULATION AND WATER CONTROL TO LIMIT SCALING	77
<i>A. Martinez, O. Melo, T. Resendiz, J. Aguilar, J. Vazquez, N. Molero</i>	
A NEW METHOD TO ACCURATELY ASCERTAIN HYDROGEN FLUORIDE STRENGTH OF ACIDIZING STIMULATION FLUIDS USING AN ION SELECTIVE ELECTRODE METER	88
<i>N. Akaighe, S. Mukhopadhyay, E. Lopez</i>	
OVERCOMING OBM FILTER CAKE DAMAGE USING MICRO-EMULSION REMEDIATION TECHNOLOGY ACROSS A HIGH-TEMPERATURE FORMATION	95
<i>A. Addagalla, B. Kosandar, I. Lawal, P. Jadhav, A. Imran, Q. Saqer, W. Sherbeny, A. Ansari, R. Pino, A. Gad-Alla, T. Olivaresantunez</i>	
STUDY OF CONDENSATE BLOCKAGE AND ITS REMEDY IN EAGLE FORD GAS-CONDENSATE ZONE	106
<i>H. Pu, Y. Li</i>	
EFFECTS OF HIGH PORE PRESSURE ON PERFORATION TUNNELS IN BOTH HIGH AND MODERATE COMPRESSIVE STRENGTH ROCKS	119
<i>D. Haggerty, G. Craddock, J. McGregor</i>	
FIELD APPLICATION OF AN INNOVATIVE, MINIMALLY DAMAGING LOW-ECD INVERT EMULSION FLUID FOR DRILLING AND COMPLETION OF HP/HT WELLS: UPDATE ON FLUID PERFORMANCE	132
<i>M. Strand, O. Lunde, D. McMillan, D. Clinch, T. Wroblewski, N. Fleming, S. Hireche, A. Vatne, M. Karunakaran, Z. Ibragimova</i>	
FIELD IMPLEMENTATION OF AN OIL BASED CARRIER FLUID IMPROVES GRAVEL PACK EFFICIENCY	150
<i>C. Strachan, H. Kaarigstad, E. Arnestad, O. Nesse, B. Gadiyar, A. Phatak, S. Green, G. Sandberg, S. Sedberg</i>	
IMPROVING OIL TRANSPORTABILITY USING CO₂ IN THE BAKKEN SYSTEM – A LABORATORY INVESTIGATION	164
<i>L. Jin, J. Sorensen, S. Hawthorne, S. Smith, N. Bosshart, M. Burton-Kelly, D. Miller, C. Grabanski, J. Harju</i>	
NANOPARTICLE-BASED DRILLING FLUIDS FOR MINIMIZING FORMATION DAMAGE IN HP/HT APPLICATIONS	181
<i>O. Mahmoud, H. Nasr-El-Din, Z. Vryzas, V. Kelessidis</i>	
WELL PLACEMENT OPTIMIZATION IN A GAS CONDENSATE RESERVOIR TO PREVENT CONDENSATE BANKING	207
<i>E. Evans, A. Ghalambor, A. Orangi</i>	
CO₂ INJECTION TO MITIGATE CONDENSATE BANKING IN A LOW-PERMEABILITY RESERVOIR	215
<i>E. Evans, A. Ghalambor, A. Orangi</i>	
HIGH-PRESSURE FILTRATION UNIT FOR COMPLETION AND WORKOVER FLUIDS	225
<i>M. Alrashdan, A. Defrees, L. Carbrey</i>	

ENHANCING A DEPLETED SANDSTONE FORMATION WITH SINGLE-STAGE ACID IN A VIETNAM OFFSHORE CASE STUDY	239
<i>T. Ao, P. Thang, T. Loc</i>	
FACTORS GOVERNING THE PERFORMANCE OF MULTI-LAYERED METAL-MESH SCREENS.....	247
<i>C. Wu, M. Sharma, R. Chanpura, M. Parlar, J. Ayoub</i>	
ASPHALTENE PREVENTION WORKFLOW ENHANCES OIL PRODUCTION IN HT FRACTURED CARBONATE RESERVOIRS	269
<i>R. Ortiz, C. Perez, O. Sanchez, U. Aybar, F. Tellez, L. Mujica, J. Aguilar, E. Andrade, J. Resendiz, J. Camarillo, M. Mosqueda</i>	
NOVEL EVALUATION METHOD OF SURFACTANT AND CLAY INHIBITOR PERFORMANCE ON FRACTURING FLUID RECOVERY FOR EAGLE FORD AND MANCOS OUTCROP SHALE CORES USING NMR TECHNIQUE	294
<i>J. Kim, A. Gomaa, H. Zhang, S. Nelson</i>	
ENGINEERING HYDRAULIC FRACTURING CHEMICAL TREATMENT TO MINIMIZE WATER BLOCKS: A SIMULATED RESERVOIR-ON-A-CHIP APPROACH	304
<i>J. Kim, A. Gomaa, S. Nelson, H. Hudson</i>	
OPTIMIZATION OF ASSET-WIDE CHEMICAL TREATMENT PROGRAMS.....	320
<i>Z. Awny, A. Babaniyazov</i>	
THEORETICAL AND EXPERIMENTAL STUDY ON OPTIMAL INJECTION RATES IN CARBONATE ACIDIZING	339
<i>K. Dong, D. Zhu, A. Hill</i>	
THE EFFECT OF EVOLVED CO₂ ON WORMHOLE PROPAGATION IN CARBONATE ACIDIZING	357
<i>H. Cheng, D. Zhu, A. Hill</i>	
LABORATORY SIMULATION AND DAMAGE IN OPEN HOLE WATER INJECTORS	369
<i>M. Byrne, R. Kandasamy, A. Bruce</i>	
EXPERIMENTAL AND NUMERICAL INVESTIGATION OF A NOVEL TECHNIQUE FOR PERFORATION IN PETROLEUM RESERVOIR	376
<i>L. Zheng, M. Rahman, M. Ahammad, S. Butt, J. Alam</i>	
STOCHASTIC ANALYSIS OF INORGANIC SCALE BUILDUP IN SEAWATER INJECTION OF WATERFLOODING OPERATIONS	386
<i>C. Temizel, A. Tiwari, S. Aktas, T. Tuna</i>	
SAND RETENTION TESTING: RESERVOIR SAND OR SIMULATED SAND - DOES IT MATTER?.....	414
<i>T. Ballard, S. Beare, N. Wigg</i>	
TARGETING ENHANCED PRODUCTION THROUGH DEEP CARBONATE STIMULATION: STABILIZED ACID EMULSIONS	436
<i>A. Cairns, G. Al-Muntasheri, M. Sayed, L. Fu, E. Giannelis</i>	
CHOKE MANAGEMENT STRATEGIES FOR HYDRAULICALLY FRACTURED WELLS AND FRAC-PACK COMPLETIONS IN VERTICAL WELLS	460
<i>E. Karantinos, M. Sharma, J. Ayoub, M. Parlar, R. Chanpura</i>	
FINES MOBILISATION BY LOW-SALINITY WATER INJECTION: 3-POINT-PRESSURE TESTS.....	480
<i>S. Bhattacharya, J. Paitaridis, A. Pedler, A. Badalyan, Y. Yang, T. Carageorgos, P. Bedrikovetsky, D. Warren, N. Lemon</i>	
A SIMULATION STUDY ON MITIGATION OF WATER HARDNESS DAMAGES IN FRACTURING FLUIDS.....	491
<i>C. Bao, J. Han, L. Li, C. Qiao, H. Sun, A. Sookprasong</i>	
SOLUBILITY AND INHIBITION EFFICIENCY OF PHOSPHONATE SCALE INHIBITOR CALCIUM MAGNESIUM COMPLEXES FOR APPLICATION IN PRECIPITATION SQUEEZE TREATMENT	499
<i>A. Valiakhmetova, K. Sorbie, L. Boak, S. Shaw</i>	
STABILITY DETERMINATION OF ACID EMULSIONS BY DROPLET SIZE CHARACTERIZATION WITH STATIC LIGHT SCATTERING	513
<i>M. Weissenberger, P. Khalafpour</i>	
PERFORATING SYSTEM PERFORMANCE AT DOWNHOLE CONDITIONS: RECENT ADVANCES IN MODELING AND PREDICTION	525
<i>B. Grove, J. Harvey, A. Martin</i>	
ENHANCED OIL RECOVERY USING INNOVATIVE ASPHALTENE INHIBITORS IN EAST VENEZUELA	540
<i>Y. Villard, F. Fajardo, A. Milne</i>	

THE IMPACT OF CORROSION INHIBITORS ON RELATIVE PERMEABILITY OF WATER INJECTOR AND PRODUCTION WELL PERFORMANCE	553
<i>C. Johnston, L. Sutherland, M. Jordan</i>	
IMPROVING FRACTURE CONDUCTIVITY BY DEVELOPING AND OPTIMIZING CHANNELS WITHIN THE FRACTURE GEOMETRY: CFD STUDY	568
<i>A. Gomaa, H. Hudson, S. Nelson, H. Brannon</i>	
EXPERIMENTAL INVESTIGATION OF PARTICULATE DIVERTER USED TO ENHANCE FRACTURE COMPLEXITY	593
<i>A. Gomaa, A. Nino-Penalozza, D. Castillo, E. McCartney, J. Mayor</i>	
COMPREHENSIVE FIELD-SCALE INJECTION PERFORMANCE ANALYSIS ASSOCIATED WITH INJECTED WATER QUALITY PARAMETERS	611
<i>B. Sabut, N. Al-Hajri, M. Al-Ajmi, R. Al-Zahrani, H. Nasr-El-Din</i>	

VOLUME 2

CHLOROPHYLL: A NATURALLY OCCURRING GREEN POLYMER BREAKER FOR HYDRAULIC FRACTURING	629
<i>P. Dhilipala, C. Armstrong</i>	
FIRST SUCCESSFUL APPLICATION OF TEMPORARY GEL PLUG REPLACING CALCIUM CARBONATE CHIPS TO ISOLATE DEPLETED RESERVOIR, CASE STUDY FROM SAUDI ARABIA GAS FIELD	639
<i>A. Ziad, D. Gromakovskii, A. Al-Sagr, S. Al-Driveesh</i>	
AN INNOVATIVE APPROACH TO GEL BREAKERS FOR HYDRAULIC FRACTURING	645
<i>M. Fuller</i>	
RESULTS FROM RESPONSE SURFACE METHODOLOGY IN THE STUDY OF NOVEL TEMPORARY AND PERMANENT CLAY STABILIZERS	661
<i>C. Aften, J. Zhang</i>	
OBTAINING COMPARABLE AND RELEVANT FORMATION SWELLING SENSITIVITY DATA FROM CST: IS THIS EVEN POSSIBLE?	672
<i>D. Benoit, G. Montenegro-Galindo, K. Anderson, K. Hoeman</i>	
NOVEL AQUEOUS-BASED CONSOLIDATION RESTORES SAND CONTROL AND WELL PRODUCTIVITY: CASE HISTORY FROM EAST MALAYSIA	683
<i>L. Riyanto, M. Saleh, K. Goh, J. Ambrose, T. Kristano, C. Hong</i>	
A COMPARATIVE STUDY ON OPERATIONAL PERFORMANCE OF ADVANCED LOW FRICTION RESIDUE-FREE FRACTURING FLUID VERSUS CONVENTIONAL FLUID SYSTEMS	695
<i>E. Schnoor, D. Singh, A. Russell, M. Jespersen, C. Lewis</i>	
REMOVING FORMATION DAMAGE FROM FINES MIGRATION IN THE PUTUMAYO BASIN IN COLOMBIA: CHALLENGES, RESULTS, LESSONS LEARNED, AND NEW OPPORTUNITIES AFTER MORE THAN 100 SANDSTONE ACIDIZING TREATMENTS	706
<i>W. Reinoso, F. Torres, M. Aldana, P. Campo, E. Alvarez, E. Tovar</i>	
PRESSURE-DEPENDENT INDUCED FRACTURE COMPLEXITY OR NATURAL FRACTURE CONTRIBUTION EVALUATION IN UNCONVENTIONAL RESERVOIRS: HOW TO ASSURE THEIR LONG-TERM BENEFIT	723
<i>L. Sierra</i>	
EFFECTIVE RESIN CONSOLIDATION TREATMENT METHODS AND COMPOSITIONS FOR CLAY-LADEN FORMATIONS	752
<i>M. Rama, S. Songire, P. Meher, T. Kristanto, R. Latief, Z. Hanif</i>	
DEVELOPMENTS IN SANDSTONE HF ACIDIZING: HF FLUID COMPATIBLE WITH NA OR K BRINES AND CARBONATE-LADEN MINERALOGY FOR HIGH TEMPERATURES (360 F)	766
<i>E. Garcia, A. Lablanc, A. Beuterbaugh, T. Calabrese</i>	
DAMAGE REMEDIATION IN A MATURE FIELD RESERVOIR BY APPLYING A CUSTOMIZED TREATMENT USING SURFACE ACTIVE ADDITIVES AND DIVERSION TECHNOLOGIES: CASE HISTORIES FROM SAN FRANCISCO FIELD	779
<i>G. Lucuara, J. Usuriaga, P. Campo, E. Sepulveda, C. Pacheco</i>	
FIELD RESULTS AND EXPERIMENTAL COMPARATIVE ANALYSIS OF SODIUM AND NONSODIUM CHELANT-BASED HF ACIDIZING FLUIDS FOR SAND CONTROL OPERATIONS	792
<i>A. Smith, G. Woon, F. Smits, K. Govinathan, W. Yong, A. Beuterbaugh, E. Garcia</i>	

PERFORATING LARGE HIGH-PRESSURE WELLS WITH LOW-SHOCK AND LOW-DEBRIS GUN SYSTEMS.....	816
<i>C. Baumann, M. Smart, C. Stulb, M. Brinsden, Z. Gavric, C. Le</i>	
ABILITY OF A FILTER CAKE BREAKER TO DIFFUSE INTO COMPLETION BRINE AND PACKED GRAVEL	832
<i>C. Allogo, R. Ravitz, B. Gadiyar, S. King'Ori</i>	
APPLIED BUILDUP WELL TEST INTERPRETATION: FIELD TESTING OF CONVENTIONAL AND DECONVOLUTION METHODS	844
<i>O. Rosario, M. Martinez, C. Baumann, M. Ardila</i>	
IRON SULFIDE SCALE DEPOSITION IN DEEP SOUR RESERVOIRS	860
<i>J. Ma, T. Fuss, J. Shi</i>	
A NOVEL APPLICATION OF STANDARD SURVEILLANCE TECHNIQUES TO FORMATION DAMAGE CONTROL BY IDENTIFYING THE LOCATION OF THE OBSTRUCTION AND QUANTIFYING SKIN TYPE	871
<i>F. Gonzalez, D. Gonzalez, M. Pietrobon, T. Yilmaz, J. Pecoraro, C. Stewart, D. Giles</i>	
NEAR WELLBORE DAMAGE AND TYPES OF SKIN DEPENDING ON MECHANISM OF DAMAGE.....	895
<i>M. Patel, A. Singh</i>	
GUAR REPLACEMENT WITH SYNTHETIC POLYMERS - UTICA SHALE CASE HISTORIES	906
<i>E. Blamble, J. Pyncheon</i>	
MULTIFUNCTIONAL STIMULATION OF GAS WELLS OPERATING IN GAS CAP OVER A DEPLETED OIL RESERVOIR.....	918
<i>I. Lakatos, G. Lakatos-Szabo, G. Szentes, T. Bodi, T. Vago, Z. Karaffa</i>	
NOVEL PERFORATION AND STIMULATION APPROACH TO MAXIMIZE PRODUCTION FROM HPHT SOUR GAS WELLS: KUWAIT JURASSIC BEST PRACTICES	936
<i>S. Pradhan, Y. Al-Otaibi, A. Al-Mutairi, W. Mahmoud, E. Abdelbagi, H. Slama</i>	
AN INTEGRATED STUDY OF MUD PLASTERING EFFECTS FOR REDUCING FILTRATE'S INVASION	945
<i>C. Ezeakacha, S. Salehi, A. Ghalambor, M. Karimi</i>	
AN IMPROVED WORMHOLE PROPAGATION MODEL WITH A FIELD EXAMPLE	958
<i>X. Tan, X. Weng, C. Cohen</i>	
ANALYSIS OF SAND SCREEN INTEGRITY IN DEPLETING SANDSTONE RESERVOIR.....	976
<i>A. Tallin, Y. Han, G. Wong</i>	
MINIMIZE FORMATION DAMAGE IN WATER-SENSITIVE UNCONVENTIONAL RESERVOIRS BY USING ENERGIZED FRACTURING FLUID.....	987
<i>B. Kong, S. Wang, S. Chen</i>	
SOLUBILITY OF BARIUM SULFATE IN FORMATE BRINES - NEW INSIGHT INTO SOLUBILITY LEVELS AND REACTION MECHANISMS	1002
<i>H. Siv, A. Zhao</i>	
CONSOLIDATING SAND WITH NEW GENERATION ZETA POTENTIAL ALTERING SYSTEMS	1013
<i>D. Treybig, R. Saini, L. Vigderman, K. Smith, B. Gray, J. Strobel</i>	
GRAVEL PACK SIZING CRITERIA - IT'S TIME TO RE-EVALUATE.....	1039
<i>C. Fischer, V. Constien, C. Vining</i>	
WOULD YOU LIKE GOOD LAB RESULTS OR A PRODUCTIVE WELL? GETTING WELLBORE CLEANUP TESTING RIGHT!.....	1052
<i>C. Fischer, C. Vining, V. Constien</i>	
IDENTIFYING THE SOURCE AND MAGNITUDE OF FORMATION DAMAGE FROM PRESSURE AND TEMPERATURE PROFILES	1069
<i>Z. You, P. Bedrikovetsky</i>	
INJECTIVITY IMPAIRMENT DURING PRODUCED WATER DISPOSAL INTO LOW-PERMEABILITY VÖLKERSEN AQUIFER (COMPRESSIBILITY AND RESERVOIR BOUNDARY EFFECTS).....	1079
<i>Z. You, A. Kalantariasl, K. Schulze, J. Storz, C. Burmesters, S. Kunckeler, P. Bedrikovetsky</i>	
A NEW PHENOMENON OF SLOW FINES MIGRATION IN OIL AND GAS FIELDS (LABORATORY AND MATHEMATICAL MODELLING)	1099
<i>Y. Yang, Z. You, F. Siqueira, A. Vaz, P. Bedrikovetsky</i>	
A NEW METHOD FOR WATER SHUT-OFF USING INDUCED FORMATION DAMAGE.....	1114
<i>A. Zeinijahromi, P. Bedrikovetsky</i>	
EVALUATING DAMAGE TO THE PROPPANT PACK FROM FRACTURING FLUIDS PREPARED WITH SALINE WATER.....	1121
<i>R. Prabhu, R. Hutchins, S. Makarychev-Mikhailov</i>	

DELIVERING A MORE CONSISTENT ESTIMATION OF TIGHT ROCK PERMEABILITY	1134
<i>K. Ling, Y. Feng, A. Ghalambor, L. He</i>	
PREDICTION OF FORMATION DAMAGE AT WATER INJECTORS WELLS DUE TO CHANNELIZATION IN UNCONSOLIDATED FORMATIONS	1148
<i>J. Bautista, A. Taleghani</i>	
MUTUAL SOLVENT DRIVEN INORGANIC PRECIPITATION IN THE PRE-FLUSH STAGE OF SQUEEZE TREATMENTS.....	1171
<i>M. Arab, K. Sorbie, M. Singleton</i>	
SAND SCREEN DESIGN AND OPTIMIZATION FOR HORIZONTAL WELLS USING RESERVOIR GRAIN SIZE DISTRIBUTION MAPPING	1183
<i>M. Mahmoudi, M. Roostaei, A. Ghalambor</i>	
AN ASSESSMENT OF AN UNCOMPLICATED DRILL-IN FLUID AND ITS APPLICATION TO A WIDE RANGE OF GLOBAL COMPLETIONS AND THEIR RECENT SUCCESSES	1197
<i>M. Luyster, K. Tresco, J. Dobson, R. Ravitz, M. Allogo, K. Lim</i>	
MOLECULAR DYNAMICS SIMULATIONS OF ASPHALTENE DISPERSION BY LIMONENE AND PVAC POLYMER DURING CO2 FLOODING	1229
<i>M. Sedghi, L. Goual</i>	
Author Index	