

23rd International Federation of Heat Treatment and Surface Engineering Congress 2016

Savannah, Georgia, USA
18 - 21 April 2016

ISBN: 978-1-5108-2370-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by ASM International
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact ASM International
at the address below.

ASM International
9639 Kinsman Road
Materials Park, Ohio 44073

Phone: (440) 338-5151

memberservicecenter@asminternational.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

Keynote

- Very Short and Very Long Heat Treatments1**
H.K.D.H. Bhadeshia, University of Cambridge
- Alloying Element Nitride Development in Ferritic Fe-Based Materials upon Nitriding 11**
T. Steiner and E.J. Mittemeijer
Max Planck Institute for Intelligent Systems

Nitriding

- The Effects of Process Parameters on Nitrogen Infiltration and the Controlling of Nitrogen Concentration in Vacuum Nitriding 19**
M. Okumiya¹, Y. Tsunekawa¹, J.-H. Kong¹, and S.-G. Kim²
(1) Toyota Technological Institute
(2) Korea Institute of Industrial Technology
- Gas Phase Deep Nitriding of 33CrMoV12-9 Steel— Microstructural Characterization of the Precipitates 25**
O. Skiba¹, J. Dulcy¹, G. Marcos¹, T. Czerwiec¹, A. Courleux², and S. Becquerelle²
(1) Université de Lorraine
(2) Hispano-Suiza, groupe Safran
- Effect of Plasma Nitriding on Corrosion Behavior of AISI 4330 Low Alloy Steel 31**
V. Patil, J. Sherkar, A. Supare, and R. Singh
Bharat Forge Ltd.
- Low Temperature Nitriding of Strain Induced Martensite and Laser Quenched Austenite 38**
V. Leskovšek¹, M. Godec¹, and P. Kogej²
(1) Institute of Metals and Technology
(2) RLS Merilna Tehnika d.o.o.
- Influence of Strain Hardening on Gaseous Nitriding of Steels 46**
B. Guillot, S. Jégou, and L. Barrallier
Arts et Métiers ParisTech
- Low Temperature Surface Hardening of Stainless Steel— The Role of Plastic Deformation 51**
F. Bottoli, F.N. Jespersen, J.H. Hattel, G. Winther, T.L. Christiansen, and M.A.J. Somers
Technical University of Denmark

Effects of Different Microstructural and Hardness Gradients Generated by Single and Combined Surface Treatments with a Nitriding Top Layer 55

A. Buchwalder¹, H.-J. Spies¹, N. Klose¹, A. Jung¹, and R. Zenker²

(1) TU Bergakademie Freiberg

(2) Zenker Consult

Optimization of Gaseous Nitriding of Steels by Multiphysics Modelling 63

S. Jégou¹, L. Barrallier¹, and G. Fallot²

(1) Arts et Métiers ParisTech

(2) Airbus Helicopters

Vacuum Processes and Technology

In-Line, High-Volume, Low-Distortion, Precision Case Hardening for Automotive, Transmission, and Bearing Industry 71

M. Korecki¹ and E. Wolowiec-Korecka²

(1) Seco/Warwick S.A.

(2) Lodz University of Technology

Quenching and Quenchants

Press Quench Process Design for a Bevel Gear Using Computer Modeling 78

Z. Li¹, A.M. Freborg¹, B.L. Ferguson¹, P. Ding², and M. Hebbes²

(1) Dante Solutions, Inc.

(2) ANSYS, Inc.

Intensive Quenching of AISI 5160 Spring Steel Using Small Scale Laboratory Equipment—A Progress Report 88

L.M. Albano¹, J.G. Lúcio², F.S. Misina¹, V. Leskovisek³, G.E. Totten⁴, and L.C.F. Canale¹

(1) University of São Paulo

(2) Rassini NHK

(3) University of Ljubljana

(4) Portland State University

Ionic Liquids for Immersion Quenching of Aluminium Alloys 94

M. Beck, M. Reich, O. Keßler, C. Neise, U. Kragl, M. Ahrenberg, and C. Schick

University of Rostock

Beer, Blood and Urine—Mythological Quenchants of Ancient Blacksmiths 101

D.S. MacKenzie and G. Graham

Houghton International, Inc.

Selection of Oil Quenchants for Heat Treating Processes 110

D.S. MacKenzie, Houghton International, Inc.

Why Fine Filtering for Quench Oil Systems is a Must! 118

J. Pfaffenberger, C.C. Jensen Inc.

Innovative Quenching Process for Pipe and Bar	123
<i>P. della Putta¹, M. Fabro², K. Sawamiphakdi³, D. Bader³, and S.J. Nalawadi³</i>	
<i>(1) SMS Meer SpA</i>	
<i>(2) SMS U.S.A. LLC</i>	
<i>(3) Timken Steel</i>	

A New Probe to Measure and Evaluate the Real Quenching Intensity Based on Temperature Gradients	132
<i>B. Liscic¹, B. Matijevic¹, G.E. Totten², and L.C.F. Canale³</i>	
<i>(1) University of Zagreb</i>	
<i>(2) Portland State University</i>	
<i>(3) Universidade de Sao Paulo</i>	

Reliability and Process Control

Pre-Oxidation Treatment to Increase the Service Life of Heat Treatment Furnace Conveyor Belts Made of AISI 330Cb Industrial Application	139
<i>C. Combe¹, P.F. Cardey¹, H. Buscail², C. Issartel², F. Riffard², and R. Rolland²</i>	
<i>(1) Centre Technique des Industries de la Mécanique</i>	
<i>(2) Laboratoire Vellave sur l'Elaboration et l'Etude des Matériaux</i>	

Effect of Microstructure on the Fatigue Crack Growth Behavior in Low Carbon Steel	146
<i>D. Watanuki¹, H. Li², and P. Bowen²</i>	
<i>(1) NSK Ltd.</i>	
<i>(2) The University of Birmingham</i>	

Life Extension of Furnace and Fixture Alloys by Surface Engineering in Carburizing Atmospheres	153
<i>A. Wang and R.D. Sisson, Jr.</i>	
<i>Worcester Polytechnic Institute</i>	

Advanced Thermal Processing

Design of Advanced Tempering Diagrams of Hot Work Tool Steel Using Multifunctional CNPTB Specimen	161
<i>B. Podgornik, G. Puš, V. Leskovšek, and M. Godec</i>	
<i>Institute of Metals and Technology</i>	

Microstructural Evolution in Microalloyed Steels with High-Speed Thermomechanical Bar and Rod Rolling	168
<i>R. Cryderman, B. Whitely, and J. Speer</i>	
<i>Colorado School of Mines</i>	

Hot Hydroforging of Lightweight Bimaterial Gears and Hollow Products	175
<i>B. Chavdar¹, R. Goldstein², and L. Ferguson³</i>	
<i>(1) Eaton</i>	
<i>(2) Fluxtrol Inc.</i>	
<i>(3) Dante Solutions Inc.</i>	
Effect of Processing Route on Microstructure and Impact Toughness of Duplex Stainless Steel	184
<i>A. Powar, A. Gujar, N. Manthani, V. Pawar, and R. Singh</i>	
<i>Bharat Forge Ltd.</i>	
Effect of Electron Beam Welding on Microstructure and Mechanical Properties of Ti-6Al-4V Alloy	190
<i>S. Thakare¹, N. Prabhu², P. Kattire¹, V. Bhavar¹, and R.K.P. Singh¹</i>	
<i>(1) Bharat Forge Limited</i>	
<i>(2) IIT Bombay</i>	
Induction Hardening Shafts of Shafts and Shaft-Like Components	196
<i>V. Rudnev, W. West, A. Goodwin, and S. Fillip</i>	
<i>Inductoheat Inc.</i>	
Effects of the Inductive Hardening Process on the Martensitic Structure of a 50CrMo4 Steel	203
<i>A. Vieweg, G. Ressel, P. Prevedel, S. Marsoner, and R. Ebner</i>	
<i>Materials Center Loeben Forschung GmbH</i>	
Minimizing Case/Core Initiated Failures in Induction Hardened Components	210
<i>M.A. Pershing, G. Raab, and W. Li</i>	
<i>Caterpillar Inc.</i>	
Induction Camshaft Hardening Technology with Practically Undetectable Distortion	217
<i>G. Doyon, V. Rudnev, J. Maher, R. Minnick, and G. Desmier</i>	
<i>Inductoheat Inc.</i>	
Local Hardening of Ductile Cast Iron—The Importance of Temperature	223
<i>D.E. Guisbert, M.H. Guisbert, and D.A. Guisbert</i>	
<i>QA Metallurgical Services, LLC</i>	
Effect of the Surface Morphology and Surface Finish on the Corrosion Resistance of Ti6Al4V via Direct Metal Laser Sintering	229
<i>Y. Xu, Y. Lu, J. Liang, and R.D. Sisson, Jr.</i>	
<i>Worcester Polytechnic Institute</i>	
Future Trends of Low Temperature Surface Hardening of Stainless Steel	235
<i>A. Karl¹, M. Wagner¹, and P. Jacquot²</i>	
<i>(1) Bodycote, Landsberg</i>	
<i>(2) Bodycote, Pusignan</i>	

Computer Simulation of Induction Thermal Processing of Ferrous and Nonferrous Alloys	242
<i>C. Russell and V. Rudnev</i> <i>Inductoheat Inc.</i>	
Modeling of the Heating Sequences of Lightweight Steel/Aluminum Bimaterial Billets for Hot Forging and Hot Hydroforging	248
<i>R. Goldstein¹, B. Chavdar², and L. Ferguson³</i> <i>(1) Fluxtrol Inc.</i> <i>(2) Eaton</i> <i>(3) Dante Solutions, Inc.</i>	
Influence of Synthesis on the Mechanical Properties of Sintered and Nanoporous Copper	256
<i>A. Moore, D. Carroll, R. Behera, C. Deo, and A. Antoniou</i> <i>Georgia Institute of Technology</i>	
Grain Refinement Strategies in High-Strength Cast Steel	262
<i>D.C. Van Aken, T.O. Webb, and J.D. Green</i> <i>Missouri University of Science and Technology</i>	
Modeling the Mechanical Properties of Quenched and Tempered Martensitic Steels	273
<i>X. Cai, Y. Lu, H. Yu, and R.D. Sisson, Jr.</i> <i>Worcester Polytechnic Institute</i>	
Thermodynamic and Kinetic Simulation and Experimental Results Homogenizing Advanced Alloys	279
<i>P.D. Jablonski, J.J. Licavoli, and J.A. Hawk</i> <i>United States Department of Energy</i>	
Improvement in Creep Rupture Ductility of Creep Strength Enhanced Ferritic Steel by New Heat Treatment Process with Intermediate Tempering	289
<i>K. Kimura and K. Sawada</i> <i>National Institute for Materials Science</i>	
Evaluation of Mechanical and Fatigue Properties of Weld Deposit and Its Comparison with that of Die Steel	295
<i>S.S. Patil, S.S. Kirwaj, S. Kumar, A.R. Patil, R.P. Singh, and J.B. Mane</i> <i>Bharat Forge Ltd.</i>	

Cryogenic Processing

Sub-Zero Celsius Treatment—A Promising Option for Future Martensitic Stainless Steels	304
<i>M. Villa, T.L. Christiansen, and M.A.J. Somers</i> <i>Technical University of Denmark</i>	

Residual Stress Symposium

Modeling and Measurement of Residual Stresses and Machining Distortions in Aircraft Engine Disks	313
<i>M.G. Glavicic¹, R. Ress, III¹, S. Srivatsa (retired)², J. Castle³, B.K. Chun⁴, J.Y. Oh⁴, W.-T. Wu⁴, T.M. Holden⁵, B. Clausen⁶, D.W. Brown⁶, T. Sisneros⁶, M. Knezevic⁷, and J. Simmons⁸</i>	
<i>(1) Rolls-Royce Corporation</i>	
<i>(2) GE Aviation, Cincinnati</i>	
<i>(3) Boeing Research and Technology</i>	
<i>(4) Scientific Forming Technologies Corporation</i>	
<i>(5) Northern Stress Technologies</i>	
<i>(6) Los Alamos National Laboratory</i>	
<i>(7) University of New Hampshire</i>	
<i>(8) Air Force Research Laboratories</i>	
Distortion Potential of Cold Forming Prior to Induction Heat Treatment Processes	325
<i>D. Nadolski, A. Schulz, and H.-W. Zoch</i>	
<i>University of Bremen</i>	
Prediction of Quench-Induced Residual Stresses in Al-Cu-Mg Impeller Forgings	332
<i>D. Carron¹, N. Chobaut², J.-M. Drezet², and P. Saelzle³</i>	
<i>(1) Université Bretagne Sud</i>	
<i>(2) Ecole Polytechnique Fédérale de Lausanne</i>	
<i>(3) ABB Turbo Systems Ltd.</i>	
Study of Residual Stresses after Steel Quenching with Vegetable Oils	341
<i>C. Civera¹, B. Rivolta², R.L.S. Otero³, J.G. Lúcio³, L.C.F. Canale³, and G.E. Totten⁴</i>	
<i>(1) Siderval Spa</i>	
<i>(2) Politecnico di Milano</i>	
<i>(3) Universidade de Sao Paulo,</i>	
<i>(4) Portland State University</i>	
Parallel PSO Method for Estimation Heat Transfer Coefficients	348
<i>I. Felde¹, S. Szénási¹, G. Pintér¹, W. Shi², R. Colas³, and O. Zapata-Hernández³</i>	
<i>(1) Óbuda University</i>	
<i>(2) Tsinghua University</i>	
<i>(3) Universidad Autónoma de Nuevo León</i>	
Residual Stress and Bending Fatigue Strength in Carburized and Quench Hardened Pyrowear 53 Steel Gears	354
<i>B.L. Ferguson, A.M. Freborg, and Z. Li</i>	
<i>Dante Solutions, Inc.</i>	
The Development of a Process-Structure-Properties-Performance Map for Aluminum-Zinc-Magnesium-Copper Alloys Used In Aircraft Applications	362
<i>A.N. Goulding, R.W. Neu, and T.H. Sanders, Jr.</i>	
<i>Georgia Institute of Technology</i>	
Metallurgical Aspects of Distortion and Residual Stresses in Heat Treated Parts	372
<i>D.S. MacKenzie, Houghton International, Inc.</i>	

**Surface Structuring as a Method to Influence on
Rewetting during Liquid Quenching 383**
N. Kozlov and O. Kessler
University of Rostock

Mathematical Modeling and Computer Simulation of Nonmonotonic Quenching 391
B. Smoljan, D. Iljkić, and L. Štic
University of Rijeka

**Using Heat Treat Simulation to Characterize Sensitivity of
Quench Hardening Response in Hot Mill Steel Work Rolls 398**
A.M. Freborg, Z. Li, and B.L. Ferguson
Dante Solutions, Inc.

Materials Characterization

Martensite Lattice Parameter Measured by Modern X-Ray Diffraction in Fe-C Alloy 404
Y. Lu, H. Yu, X. Cai, Y. Rong, and R.D. Sisson
Worcester Polytechnic Institute

**In Situ X-Ray Diffraction Investigations of Martensitic Transformation and
Austenite Modifications during Quenching of Low Alloy Steels 410**
J. Epp, University of Bremen

**Hardness-Toughness Relationship of a Boron Alloyed Quench and
Tempering Steel after Different Heat Treatment Cycles 418**
R.S.E. Schneider¹, K. Steineder¹, Y. Toshima², and M. Okumiya²
(1) University of Applied Sciences Upper Austria
(2) Toyota Technological Institute

**Close Relations between Metallic Materials, Heat Treatment and
Thermochemical Treatment on the Microstructure—Contribution of
Metallographic Examinations Performed on Industrial Parts through
Several Case Studies 425**
P. Jacquot, B. Stauder, N. Jacquot, and G. Fürst
Bodycote

**Microstructural Analysis of Carbides in Steel by
Electrochemical Extraction Technique 434**
H. Yu, Y. Lu, X. Cai, R.D. Sisson, Jr.
Worcester Polytechnic Institute

**Study of Phase Transformations during Tempering of AISI L6 Tool Steel by Means of
Dilatometry and High Temperature X-Ray Diffraction 440**
*D.I. Quiñones-Salinas¹, R.D. Mercado-Solís¹, L.A. Leduc-Lezama¹, F. Fernandez-Guzman², and
R. Cerda-Rojas²*
(1) Universidad Autónoma de Nuevo León, México
(2) Frisa Forjados S.A. de C.V.

Hardenability Characterization and Microstructural Evolution in Heavy Gauge Plate Steels	445
<i>I. Vieira and E. De Moor</i>	
<i>Colorado School of Mines</i>	

Influence of Cooling and Heating Rates on the Thermal Properties of Ni-Ti Shape Memory Alloy	451
<i>B.B. Fraj and Z. Tourki</i>	
<i>Université de Sousse</i>	

Thermal Diffusivity in Cast Aluminum Alloys	457
<i>H. Arenas-García¹, A.G. Esmeralda¹, R. Colás¹, A.F. Rodríguez², and J. Talamantes-Silva²</i>	
<i>(1) Universidad Autónoma de Nuevo León</i>	
<i>(2) Nemak México, S.A. de C.V.</i>	

Calorimetry for the Study of Phase Transformations during Tempering of AISI L6 Low Alloy Tool Steel	464
<i>D.I. Quiñones-Salinas¹, R.D. Mercado-Solís¹, L.A. Leduc-Lezama¹, F. Fernandez-Guzman², and R. Cerda-Rojas²</i>	
<i>(1) Universidad Autonoma de Nuevo León</i>	
<i>(2) Frisa Forjados S.A. de C.V.</i>	

Influence of UNSM Treatment Temperature on Microstructure and Mechanical Properties of Inconel 600	471
<i>J.-H. Kim, A. Amanov, Y.-S. Pyun, and H.-D. Kim</i>	
<i>Sun Moon University</i>	

Influence of Heat Treatment on Fatigue and Fracture Toughness Behavior of AISI 4140 Steel	473
<i>P. Jadhav¹, R. Mane¹, M. Ukhande¹, S. Arangi¹, and R.C. Prasad²</i>	
<i>(1) Bharat Forge Ltd.</i>	
<i>(2) Indian Institute of Technology Bombay</i>	

Coating Technology

Manufacture, Examination and Application of Modern Composite Materials with a Nanocarbon Dispersion Phase	481
<i>T. Babul and A. Olbrycht</i>	
<i>Institute of Precision Mechanics</i>	

Carburizing and Nitrocarburizing

Simulation of The Effect of Temperature and Time on the Tempering Behavior of Carburized Steels	487
<i>Y. Kim, X. Cai, L. Zhang, H. Yu, and R.D. Sisson, Jr.</i>	
<i>Worcester Polytechnic Institute</i>	

Fluidized-Bed Carburizing in Chemically Active Powders of C22 Steel 493

A. Ciski¹, T. Babul¹, K. Lankiewicz¹, J. Nižňanská², and P. Šuchmann²

(1) Institute of Precision Mechanics

(2) Comtes FHT a.s.

An Enhancement to the Low Pressure Carburizing Simulation 499

L. Zhang and R.D. Sisson, Jr.

Worcester Polytechnic Institute

Pre-Nit Technology for Accelerated Vacuum Carburizing 504

M. Lister, Seco-Warwick

Tribology and Wear of Engineered Surfaces

Influence of Ultrasonic Nanocrystal Surface Modification Treatment Temperature on Microstructure and Tribological Behavior of Bearing Steel 511

A. Amanov, J.-H. Kim, and Y.-S. Pyun

Sun Moon University

The Erosion Behavior of Die-Steel Salt-Bath-Nitrocarburized with Lithium-Iron Compound Oxide Layer in Molten Al-Si-Cu Alloy 513

H. Ishizuka, Y. Hirai, and Y. Watanabe

Parker Netsushori Kogyo Co., Ltd.

Poster Session

Development of a Laboratory Intensive Quenching System 523

L.M. Albano¹, F.S. Misina¹, G.E. Totten², and L.C.F. Canale¹

(1) University of São Paulo

(2) Portland State University

Effects of Quench and Partitioning Heat Treatment in Mechanical Properties and the Microstructural Characterization of AISI 300M 529

R.G. Gregui¹, L.C.F. Canale², and D.A. Ludewigs³

(1) Instituto Federal de São Paulo

(2) Universidade de São Paulo

(3) Durferrit Company – HEF Group

Effect of Quenching and Tempering in Microalloyed Steels Containing Boron and Titanium 536

A.I. Filho¹, R.V. da Silva¹, W.M. Souza², J.B.R. Martins², L.C. Casteletti³, and G.E. Totten⁴

(1) Instituto Federal de Educação

(2) ArcelorMittal Tubarão

(3) Universidade de São Paulo

(4) Portland State University

Characterization of BN/TiBN/TiN Multilayer Coatings Prepared by Pulsed DC Plasma-Enhanced Chemical Vapor Deposition	541
<i>K. Kawata and T. Kidachi</i>	
<i>Oriental Engineering Co., Ltd.</i>	
Application of Nanostructured Copper-Polymer Catalyst for Activation of Gas Nitriding of Steels	547
<i>L.G. Petrova, I.M. Papisov, I.S. Belashova, V.A. Aleksandrov, G.Y. Ostaeva, A.I. Papisova, and A.E. Perekrestov</i>	
<i>Moscow Automobile and Road Construction State Technical University</i>	
Effect of Deep Cryogenic Treatment on Fracture Toughness of 300M Steel Using Circumferentially Notched KIC Test Specimens	554
<i>D. Schuller¹ and V. Leskovšek²</i>	
<i>(1) Universidade de São Paulo</i>	
<i>(2) Institute of Metals and Technology</i>	
Uphill Quenching of Aluminum Alloys—A Process Review	560
<i>W.S. Mattos¹, G.E. Totten², D.S. Mackenzie³, L.C.F. Canale¹, and T. Croucher⁴</i>	
<i>(1) University of São Paulo</i>	
<i>(2) Portland State University</i>	
<i>(3) Houghton International Inc.</i>	
<i>(4) Metallurgical Service</i>	
Wear Behavior of Layers Produced by Boriding and PVD plus Boriding Treatments on AISI H13 Tool Steel	566
<i>R.G. Pereira¹, G.C. Rêgo¹, L.C. Casteletti¹, A.N. Lombardi², and G.E. Totten³</i>	
<i>(1) Universidade de São Paulo</i>	
<i>(2) Federal Technological University of Parana</i>	
<i>(3) Portland State University</i>	
Author Index	569