

Twentieth SPE Improved Oil Recovery Conference (IOR 2016)

Tulsa, Oklahoma, USA
11 - 13 April 2016

Volume 1 of 3

ISBN: 978-1-5108-2395-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

Adsorption in Chemical Floods with Ammonia as the Alkali	1
<i>H. Sharma, J. Lu, U. Weerasooriya, G. Pope, K. Mohanty</i>	
Adsorption of EOR Chemicals Under Laboratory and Reservoir Conditions, Part III: Chemical Treatment	
Methods	16
<i>D. Levitt, M. Bourrel</i>	
Alkyl Aryl Sulfonates Surfactants For EOR: Scale Up From Lab To Pilot	39
<i>F. Aguilar, I. Lopez, C. Prieto, J. Montes, J. Lazaro, I. Barrio, E. Alvarez, B. Rodriguez</i>	
Altering Wettability in Bakken Shale by Surfactant Additives and Potential of Improving Oil Recovery During Injection of Completion Fluids	48
<i>J. Alvarez, D. Schechter</i>	
Application of Nanofluids for Improving Oil Mobility in Heavy Oil and Extra-Heavy Oil: A Field Test	67
<i>R. Zabala, C. Franco, F. Cortes</i>	
Application of PC-SAFT Equation of State for CO₂ Minimum Miscibility Pressure Prediction in Nanopores	81
<i>S. Wang, M. Ma, S. Chen</i>	
Benefits of A Mixed CO₂/CO/N₂ Gas for EOR	98
<i>P. Trost</i>	
Capillary Desaturation Curve Fundamentals	110
<i>M. Yeganeh, J. Hegner, E. Lewandowski, A. Mohan</i>	
Characterization of Mixed Wettability using Surface Energy Distribution	124
<i>N. Arsalan, Q. Nguyen</i>	
Characterization of Wormhole Growth and Its Applications for CHOPS Wells Using History Matching	142
<i>Z. Fan, D. Yang</i>	
Characterizing Tracer Applicability in Different Mineralogy	158
<i>K. Spilker, V. Dwarakanath, T. Malik, E. Tao, Z. Mirkovic</i>	
A Comparative Study of the Effect of Gas/Oil IFT Variation on Two- and Three-Phase Relative Permeability and the Performance of WAG Injection at Laboratory Scale	181
<i>A. Jahanbakhsh, M. Sohrabi, S. Fatemi, H. Shahverdi</i>	
Comparison of Strong Alkali and Weak Alkali ASP Flooding Pilot Tests in Daqing Oilfield	202
<i>H. Guo, Y. Li, Y. Gu, F. Wang</i>	
Compositional Modeling of Enhanced Hydrocarbons Recovery for Fractured Shale Gas-Condensate Reservoirs with the Effects of Capillary Pressure and Multicomponent Mechanisms	220
<i>J. Jiang, R. Younis</i>	
Compositional Simulation of Discrete Fractures Incorporating the Effect of Capillary Pressure on Phase Behavior	247
<i>N. Siripatrchai, T. Ertekin, R. Johns</i>	
A Comprehensive Approach to Assess Remaining Oil Saturation and Sweep Efficiency in a Large Carbonate Reservoir	269
<i>A. Al-Anazi, T. Al-Zahrani, M. Abdulmohsin</i>	
Comprehensive Guidelines for the Application of In-Situ Polymer Gels for Injection Well Conformance Improvement Based on Field Projects	284
<i>M. Aldhaheeri, M. Wei, B. Bai</i>	
Comprehensive Review of Fracture Control for Conformance Improvement in the Kuparuk River Unit - Alaska	311
<i>A. Mishra, S. Abbas, J. Braden, M. Hazen, G. Li, J. Peirce, D. Smith, M. Lantz</i>	
Conformance Solution Improved Oil Recovery in a Naturally Fractured Carbonate Well	335
<i>L. Hernandez-Solana, J. Tellez-Abaunza, B. Garcia-Montoya</i>	
Co-solvent Partitioning and Retention	344
<i>L. Chang, D. Lansakara, S. Jang, U. Weerasooriya, G. Pope</i>	
CO₂ Foam Pilot in Salt Creek Field, Natrona County, WY: Phase III: Analysis of Pilot Performance	373
<i>J. Mukherjee, J. Scherlin, P. Vanderwal, P. Rozowski</i>	
A Critical Review of Water Chemistry Alteration Technologies to Develop Novel Water Treatment Schemes for SmartWater Flooding in Carbonate Reservoirs	389
<i>S. Ayirala, A. Yousef</i>	
Design of a Robust ASP Formulation for Clay Rich and Moderate Permeability Sandstone Reservoir: From Laboratory to Single Well Chemical Tracer Test in the Field	410
<i>N. Rohilla, R. Ravikiran, C. Carlisle, N. Jones, M. Davis, K. Finch</i>	
Design of an ASP Pilot for Caracara Sur Oilfield: Selection of Chemicals and Laboratory Assessment	433
<i>C. Prieto, R. Rodriguez, P. Romero, N. Blin, A. Panadero, M. Escudero, I. Barrio, E. Alvarez, J. Montes, R. Angulo, H. Cubillos</i>	
Designing and Injecting a Chemical Formulation for a Successful Off-Shore Chemical EOR Pilot in a High-Temperature, High-Salinity, Low-Permeability Carbonate Field	452
<i>D. Levitt, A. Klimenko, S. Jouenne, N. Passade-Boupat, P. Cordelier, D. Morel, M. Bourrel</i>	
Determination of Individual Diffusion Coefficients of C₃H₈-n-C₄H₁₀-CO₂-Heavy Oil Systems at High Pressures and Elevated Temperatures by Dynamic Volume Analysis (DVA)	463
<i>S. Zheng, D. Yang</i>	

Determining Diffusion Coefficients for CO₂ Injection in Oil Saturated Chalk Using a Constant Volume Diffusion Method	496
<i>M. Ghasemi, W. Astutik, S. Alavian, C. Whitson, L. Sigalas, D. Olsen, V. Siucmez</i>	
Displacement Efficiency for Low Salinity Polymer Flooding Including Wettability Alteration	524
<i>S. Khorsandi, C. Qiao, R. Johns</i>	
Disproportionate Permeability Reduction of Water-Soluble Silicate Gelants - Importance of Formation Wettability	548
<i>R. Askarinezhad, D. Hatziagnatiou, A. Stavland</i>	
Effect of Foam on Liquid Phase Mobility in Porous Media	569
<i>A. Eftekhari, R. Farajzadeh</i>	
Effect of Heterogeneity on Propagation, Placement, and Conformance Control of Preformed Particle Gel Treatment in Fractures	580
<i>A. Inqam, Z. Wang, B. Bai, M. Delshad</i>	
Effect of Rock Aging on Oil Recovery during Water-Alternating-CO₂ Injection Process: An Interfacial Tension, Contact Angle, Coreflood, and CT Scan Study	603
<i>R. Ramanathan, A. Shehata, H. Nasr-El-Din</i>	
Effective Extraction of Green River Oil Shale via Combustion	621
<i>T. Kar, B. Hascakir</i>	
Effects of Low-Salinity Waterflooding on Capillary Pressure Hysteresis	635
<i>X. Wang, V. Alvarado</i>	
Efficient Removal of EOR Polymer from Produced Water Using Magnetic Nanoparticles and Regeneration/Re-Use of Spent Particles	651
<i>S. Ko, H. Lee, C. Huh</i>	
EOR Potential for Lean Gas Reinjection in Zipper Fracs in Liquid-Rich Basins	664
<i>O. Akinluyi, R. Hazlett</i>	
Essentials of Upscaling Surfactants for EOR Field Projects	681
<i>J. Barnes, D. Regalado, M. Doll, T. King, L. Pretzer, T. Semple</i>	
Estimation of Foam Flow Parameters for Local-Equilibrium Methods using Steady-State Flow Experiments and Optimization Algorithms	699
<i>J. Filho, M. Delshad, K. Sepehmooi</i>	
Ethane-Based EOR: An Innovative and Profitable EOR Opportunity for a Low Price Environment	715
<i>P. McGuire, T. Gould</i>	
Evaluation of Gas Assisted Gravity Drainage GAGD in Naturally Fractured Reservoirs NFR	740
<i>R. Silva, B. Maini</i>	
Evaluation of Innovative Associative Polymers for Low Concentration Polymer Flooding	757
<i>D. Alexis, D. Varadarajan, D. Kim, G. Winslow, T. Malik</i>	
Experimental and Numerical Studies of CO₂ EOR in Unconventional Liquid Reservoirs with Complex Fracture Networks	785
<i>J. Sun, A. Zou, D. Schechter</i>	
Experimental Evaluation of Shale Oil Recovery from Eagle Ford Core Samples by Nitrogen Gas Flooding	813
<i>Y. Yu, J. Sheng</i>	
Experimental Investigation of the Effect of Polymers on Residual Oil Saturation	821
<i>H. Koh, V. Lee, G. Pope</i>	
Experimental Studies and Modeling of Foam Hysteresis in Porous Media	844
<i>M. Lotfollahi, I. Kim, M. Beygi, A. Worthen, C. Huh, K. Johnston, M. Wheeler, D. Dicarlo</i>	
Experimental Study of Asphaltene Aggregation during CO₂ and CH₄ Injection in Shale Oil Reservoirs	862
<i>Z. Shen, J. Sheng</i>	
Experimental Study of Nanocatalytic In-Situ Upgrading for Heavy Oil Production From Naturally-Fractured-Carbonate Reservoirs	873
<i>R. Suarez, C. Scott, P. Pereira-Almao, S. Hejazi</i>	

VOLUME 2

Experimental Study on Calculating Capillary Pressure from Resistivity	899
<i>B. Hou, H. Liu, C. Wang, R. Xie, K. Li</i>	
Experimental Study on Revaporization Mechanism of Huff-n-Puff Gas Injection to Enhance Condensate Recovery in Shale Gas Condensate Reservoirs	908
<i>K. Meng, J. Sheng</i>	
Farnsworth Field CO₂-EOR Project: Performance Case History	917
<i>W. Ampomah, R. Balch, R. Grigg, Z. Dai, M. White</i>	
Fast-Slim Tube: A Reliable and Rapid Technique for the Laboratory Determination of MMP in CO₂ - Light Crude Oil Systems	935
<i>I. Adel, F. Tovar, D. Schechter</i>	
Field Test Results of a New Silicate Gel System that is Effective in Carbon Dioxide Enhanced Recovery and Waterfloods	948
<i>K. Oglesby, C. Roller, R. Logsdon, L. Burns, B. Felber</i>	
Foam Diversion in Heterogeneous Reservoirs: Effect of Permeability and Injection Method	973
<i>A. Ayeshe, R. Salazar, R. Farajzadeh, S. Vincent-Bonnieu, W. Rossen</i>	

Foams with Wettability Alteration for Oil-Wet Carbonate Rocks	1000
<i>P. Ghosh, K. Mohanty</i>	
Forecasting Incremental Oil Production of a Polymer Pilot Extension in the Matzen Field Including Quantitative Uncertainty Assessment	1015
<i>M.-M. Chiotoroiu, J. Peisker, T. Clemens, M. Thiele</i>	
Heavy Oil Upgrading and Enhanced Recovery in a Continuous Steam Injection Process Assisted by Nanoparticulated Catalysts	1031
<i>C. Franco, L. Cardona, S. Lopera, J. Mejia, F. Cortes</i>	
How Much Polymer Should Be Injected During a Polymer Flood?	1047
<i>R. Seright</i>	
Identifying and Evaluating Surfactant Additives to Reduce Water Blocks after Hydraulic Fracturing for Low Permeability Reservoirs	1079
<i>T. Liang, S. Achour, R. Longoria, D. Dicarolo, Q. Nguyen</i>	
Immiscible Water Alternating Gas (IWAG) EOR: Current State of the Art	1098
<i>M. Holtz</i>	
Improved Bitumen Recovery from Mined Oil Sand Ore Using Colloidal Nanosilica	1117
<i>O. Kuznetsov, O. Mazyar, D. Agrawal, R. Suresh, X. Feng, J. Behles, V. Khabashesku</i>	
Improved Oil Recovery Through Unsteady Waterflooding Conditions- Cyclic Waterflooding Application in Tiguino Field, Ecuador	1133
<i>M. Munoz, M. Rivadeneira</i>	
Improving Oil Recovery in Offshore Heavy Oil Underlain by Large Aquifer	1152
<i>W. Qin, P. Luo, A. Wojtanowicz</i>	
Improving Recovery of a Viscous Oil Using Optimized Emulsion Viscosity	1168
<i>B. Aminzadeh, V. Hoang, A. Inouye, O. Izgec, D. Walker, D. Chung, N. Nizamidin, T. Tang, C. Lolley, V. Dwarakanath</i>	
Injection of Nitrogen Foam for Improved Oil Recovery in Viscous Oil Reservoirs Offshore Bohai Bay China	1182
<i>Y. Liu, L. Zhang, S. Ren, S. Wang, G. Xu</i>	
Integrated Approach to Analyze the Compatibility and Performance of Electrokinetic Low-Concentration Acid IOR in Heterogeneous Abu Dhabi Carbonate Reservoirs	1195
<i>A. Ansari, M. Haroun, M. Rahman, G. Chilingar</i>	
An Integrated German MEOR Project, Update: Risk Management and Huff'n Puff Design	1217
<i>H. Alkan, N. Kleuglein, E. Mahler, F. Kogler, K. Beier, W. Jelinek, A. Herold, S. Hatscher, B. Leonhardt</i>	
Interwell ASP Pilot Design for Kuwait's Sabriyah-Maaddud	1238
<i>R. Fortenberry, M. Delshad, P. Suniga, F. Veedu, P. Wang, H. Al-Kaaoud, B. Singh, S. Tiwari, B. Baroon, G. Pope</i>	
Introducing a Novel Enhanced Oil Recovery Technology	1255
<i>C. Parsons, A. Chernetsky, D. Eikmans, P. Riele, D. Boersma, I. Sersic, R. Broos</i>	
Investigation and Interpretation of a Novel Surfactant-Polymer Approach to Increase Extra-Heavy Oil Recovery: Application to a Thin-Bedded Reservoir, Faja Petrolifera Del Orinoco, Venezuela	1265
<i>F. Rodriguez, D. Rousseau, S. Bekri, S. Hocine, G. Degre, M. Djabourov, C. Bejarano</i>	
Investigation of Surfactant Induced Wettability Alteration in Wolfcamp Shale for Hydraulic Fracturing and EOR Applications	1293
<i>A. Neog, David Schechter</i>	
Is Polymer Retention Different Under Anaerobic vs. Aerobic Conditions?	1321
<i>H. Wan, R. Seright</i>	
Laboratory Study on Using Produced Water in High pH Borate Gels Used in Hydraulic Fracturing	1334
<i>A. Elsarawy, H. Nasr-El-Din, K. Cawiezel</i>	
Learning Curve During Water Flooding A Giant Clastic Reservoir in NK: Start Up, A Pause and Final Ramp Up	1351
<i>A. Al-Qenae, H. Chetri, H. Al-Zaabi</i>	
Linking Low Salinity EOR Effects in Sandstone to pH, Mineral Properties and Water Composition	1363
<i>I. Pinerez, T. Austad, S. Strand, T. Puntervold, S. Wrobel, G. Hamon</i>	
Liquid CO₂ EOR Potential in the Illinois Basin: Results of the Mumford Hills Pilot	1380
<i>R. Okwen, S. Frailey</i>	
Low Salinity Flooding Trial at West Salym Field	1393
<i>S. Erke, Y. Volokitin, I. Edelman, V. Karpan, R. Nasralla, M. Bondar, E. Mikhaylenko, M. Evseeva</i>	
Low Salinity Waterflooding: From Single Well Chemical Tracer Test Interpretation to Sector Model Forecast Scenarios	1404
<i>M. Spagnuolo, C. Callegaro, F. Masserano, M. Nobili, R. Sabatino, M. Blunt</i>	
Low Tension Gas Flooding as a Novel EOR Method: An Experimental and Theoretical Investigation	1425
<i>S. Jong, N. Nguyen, C. Eberle, L. Nghiem, Q. Nguyen</i>	
Mapping CO₂ Floods Using the Depth-to-Surface Resistivity Method: A Technology and Field Example	1450
<i>G. Nieuwenhuis, K. Maclellan, M. Wilt, M. Wilkinson, V. Ramadoss</i>	
Measurement of Microemulsion Viscosity and Its Implications for Chemical EOR	1457
<i>M. Tagavifar, S. Herath, U. Weerasooriya, K. Sephnoori, G. Pope</i>	
Microemulsion Formation and its Effects on in Situ Rheology During ASP Corefloods: Scouting Study	1482
<i>E. Unsal, S. Oedai, J. Wunnik</i>	
A Microfluidic Investigation of the Synergistic Effect of Nanoparticles and Surfactants in Macro-Emulsion Based EOR	1497
<i>K. Xu, P. Zhu, C. Tatiana, C. Huh, M. Balhoff</i>	
Microscopic Scale Study of Individual Water Ion Interactions at Complex Crude Oil-Water Interface: A New SmartWater Flood Recovery Mechanism	1513
<i>S. Ayirala, S. Saleh, A. Yousef</i>	

Modeling and Upscaling Unstable Water and Polymer Floods: Dynamic Characterization of the Effective Finger Zone	1531
<i>H. Luo, K. Mohanty, M. Delshad, G. Pope</i>	
Modeling Dynamic Wettability Alteration Effect Based on Contact Angle	1553
<i>H. Lashgari, Y. Xu, K. Sepehmooori</i>	
Modeling Relative Permeability Variations in Three-Phase Space	1570
<i>A. Kianinejad, X. Chen, D. Dicarolo</i>	
Modelling Viscosity and Mechanical Degradation of Polyacrylamide Solutions in Porous Media	1587
<i>K. Brakstad, C. Rosenkilde</i>	
The Myths of Waterfloods, EOR Floods and How to Optimize Real Injection Schemes	1622
<i>R. Baker, R. Dieva, R. Jobling, C. Lok</i>	
Nanoparticle Stabilized CO₂ Foam: Effect of Different Ions	1638
<i>J. San, S. Wang, J. Yu, R. Lee, N. Liu</i>	
Nanoparticle-Stabilized Emulsions for Improved Mobility Control for Adverse-mobility Waterflooding	1650
<i>I. Kim, A. Worthen, M. Lotfollahi, K. Johnston, D. Dicarolo, C. Huh</i>	
Nanoparticle-Stabilized Natural Gas Liquid-in-Water Emulsions for Residual Oil Recovery	1660
<i>N. Griffith, Y. Ahmad, H. Daigle, C. Huh</i>	
A New Microfluidic Tensiometer for Optimizing EOR Formulations	1682
<i>M. Moire, Y. Peysson, N. Pannacci, B. Herzhaft, A. Colin, C. Dalmazzone</i>	
A New Screening Test for Chemical Improved Oil Recovery in Carbonate Formations	1696
<i>C. Dalmazzone, A. Mouret, J. Behot, F. Norrant, S. Gautier, J.-F. Argillier, M. Chabert</i>	
New Surfactants and Co-Solvents Increase Oil Recovery and Reduce Cost	1708
<i>K. Upamali, P. Liyanage, J. Cai, J. Lu, S. Jang, U. Weerasooriya, G. Pope</i>	
Novel Capillarity Quantification Method in IOR Process in Bakken Shale Oil Reservoirs	1742
<i>H. Pu, Y. Li</i>	
A Novel Fast-Track Methodology to Evaluate CO₂ Foamers Performances	1755
<i>M. Chabert, A. Cuenca, E. Lacombe, E. Chevallier, L. Nabzar, G. Batot</i>	
A Novel Viscosity Reduction Plant-Based Diluent for Heavy and Extra-Heavy Oil	1766
<i>S. Afra, H. Nasr-El-Din, D. Soggi, Z. Cui</i>	
Nuclear Magnetic Resonance Study on Mechanisms of Oil Mobilization in Tight Reservoir Exposed to CO₂ in Pore Scale	1781
<i>H. Wang, Z. Lun, C. Lv, D. Lang, W. Pan, M. Luo, R. Wang, S. Chen</i>	
Observations of Microemulsion Viscosity for Surfactant EOR Processes	1789
<i>P. Suniga, R. Fortenberry</i>	

VOLUME 3

Oil Recovery from Outcrop Cores with Polymeric Nano-Spheres	1804
<i>N. Lenchenkov, M. Slob, E. Dalen, C. Kruijsdijk, G. Glasbergen</i>	
Optimization of Production and CO₂ Utilization Via Parametric Representation and Evaluation of WAG Schedules	1827
<i>R. Klenner, P. Gao, O. Taghizadeh, N. Iyer, S. Azzaro, G. Murrell</i>	
Optimizing Water Chemistry to Improve Oil Recovery from the Middle Bakken Formation	1838
<i>D. Wang, M. Dawson, R. Butler, H. Li, J. Zhang, K. Olatunji</i>	
Overview of CO₂ Injection and WAG Sensitivity in SACROC	1855
<i>R. Ghahfarokhi, S. Pennell, M. Matson, M. Linroth</i>	
Permeability Reduction Due to use of Liquid Polymers and Development of Remediation Options	1877
<i>V. Dwarakanath, R. Dean, W. Slaughter, D. Alexis, D. Espinosa, D. Kim, V. Lee, T. Malik, G. Winslow, A. Jackson, S. Thach</i>	
Polymer Flooding Economics, from Pilot to Field Implementation at the Example of the 8 TH Reservoir, Austria	1895
<i>M. Sieberer, K. Jamek, T. Clemens</i>	
Polymer Flooding; Establishing Specifications for Dissolved Oxygen and Iron in Injection Water	1911
<i>S. Jouenne, A. Klimenko, D. Levitt</i>	
Polymer-Enhanced Foams for Water Profile Control	1924
<i>L. Hernando, H. Bertin, A. Omari, G. Dupuis, A. Zaitoun</i>	
Polymeric and Small Molecule Thickeners for CO₂, Ethane, Propane and Butane for Improved Mobility Control	1937
<i>J. Lee, A. Dhuwe, S. Cummings, E. Beckman, R. Enick, M. Doherty, M. O'Brien, R. Perry, Y. Soong, J. Fazio, T. McClendon</i>	
Pore Scale Displacement Mechanism of Bitumen Extraction with High Molecular Weight Hydrocarbon Solvents	1958
<i>P. Stape, C. Ovalles, B. Hascakir</i>	
Pore-Scale Observation of Solvent Based Foam During Heavy Oil Recovery	1967
<i>A. Telmadarreie, J. Trivedi</i>	
Possibility of Flooding Polymer or Water Reuse via Innovative Selective or Total Flocculation of Enhanced Oil Recovery Produced Water	1980
<i>C. Aften, Y. Zhang</i>	
The Potential of Sulfate as Optimizer of Crude Oil-Water Interfacial Rheology to Increase Oil Recovery During Smart Water Injection in Carbonates	1999
<i>G. Garcia-Olvera, V. Alvarado</i>	
Predicting Microemulsion Phase Behavior for Surfactant Flooding	2015
<i>L. Jin, M. Budhathoki, A. Jamili, Z. Li, H. Luo, M. Delshad, B. Shiau, J. Harwell</i>	

Proper Simulation of Chemical EOR (CEOR) Pilots - A Real Case Study	2033
<i>N. Najafabadi, A. Chawathe</i>	
Radial and Linear Polymer Flow - Influence on Injectivity	2051
<i>T. Skauge, A. Skauge, I. Salmo, P. Ormehaug, N. Al-Azri, L. Wassing, G. Glasbergen, J. Wunnik, S. Masalmeh</i>	
Reduction of Residual Oil Saturation in Sandstone Cores Using Viscoelastic Polymers	2068
<i>P. Qi, D. Ehrenfried, H. Koh, M. Balhoff</i>	
Relative Permeability Estimation in Steam Assisted Gravity Drainage (SAGD) Using a Fractional Flow Model	2083
<i>M. Morte, B. Hascakir</i>	
Research and Application of Micron-Size Polyacrylamide Elastic Microspheres as a Smart Sweep Improvement and Profile Modification Agent	2096
<i>C. Yao, X. Xu, D. Wang, G. Lei, S. Xue, J. Hou, L. Cathles, T. Steenhuis</i>	
A Research Model for Using Sacrificial Agents to Enhance Surfactant Performance in Liquids Rich Shale Reservoirs	2107
<i>K. He, L. Xu</i>	
A Reservoir Management Case Study of a Polymer Flood Pilot in Medicine Hat Glauconitic C Pool	2116
<i>A. Batonyi, L. Thorburn, S. Molnar</i>	
Reservoir Management in Howard-Glasscock Field: Waterflood Redevelopment in a 90 Year Old Field	2136
<i>C. Smith, S. Chapman, J. Lopez</i>	
Reservoir Modeling and Production Performance Analysis to Investigate the Impacts of Reservoir Properties on Steam-Assisted Gravity Drainage in Cold Lake Oil Sands, Alberta	2150
<i>Z. Wang</i>	
Residual Oil Zone: Paleo Oil Characterization and Fundamental Analysis	2171
<i>A. Aleidan, H. Kwak, H. Muller, X. Zhou</i>	
Results of ASP Pilot in Mangala Field: A Success Story	2184
<i>A. Pandey, N. Koduru, M. Stanley, G. Pope, U. Weerasooriya</i>	
Rheology of Supercritical CO₂ Foam Stabilized by Nanoparticles	2207
<i>C. Xiao, S. Balasubramanian, L. Clapp</i>	
Robust and Efficient Isenthalpic Flash Algorithms for Thermal Recovery of Heavy Oil	2227
<i>D. Paterson, W. Yan, M. Michelsen, E. Stenby</i>	
Salinity-Sensitive Polymeric Particles for EOR	2249
<i>K. Panthi, K. Mohanty</i>	
Scaling of Low IFT Imbibition in Oil-Wet Carbonates	2264
<i>Y. Li, J. Lu, L. Churchwell, M. Tagavifar, U. Weerasooriya, G. Pope</i>	
Significance of Geochemistry in Alkaline/Surfactant/Polymer (ASP) Flooding	2293
<i>A. Korrani, K. Sepehmooi, M. Delshad</i>	
Simulation and Optimization of CO₂ Huff-and-Puff Processes in Tight Oil Reservoirs	2319
<i>B. Kong, S. Wang, S. Chen</i>	
Simulation of Surfactant-Polymer Floods with a Novel Microemulsion Equation of State	2333
<i>S. Khorsandi, C. Qiao, R. Johns, V. Torrealba</i>	
Single Well Tracer Test Results in a High Temperature, High Salinity Offshore Carbonate Reservoir for Chemical EOR Pilot Evaluation	2347
<i>R. Bursaux, S. Peltier, M. Nguyen, C. Romero, D. Morel</i>	
Snorre In-Depth Water Diversion - New Operational Concept for Large Scale Chemical Injection from a Shuttle Tanker	2359
<i>K. Skrettingland, E. Ulland, O. Ravndal, M. Tangen, J. Kristoffersen, V. Stenerud, V. Dalen, D. Standnes, O. Fevang, K. Mevik, N. McIntosh, A. Mebratu, I. Melien, A. Stavland</i>	
Streamline-Based Rapid History Matching of Bottomhole Pressure and Three-Phase Production Data	2383
<i>D. Kam, J. Han, A. Datta-Gupta</i>	
Studies on Viscoelastic Surfactants for its Potential EOR Application in the Low Permeability Reservoirs	2415
<i>Y. Zhu, J. Fan, X. Liu, J. Li</i>	
A Study of Factors Influencing Polymer Hydrodynamic Retention in Porous Media	2425
<i>Z. Chen, C. Du, I. Kurnia, J. Lou, G. Zhang, J. Yu, R. Lee</i>	
Success and Lessons Learned from Polymerflooding a Ultra High Temperature and Ultra High Salinity Oil Reservoir - A Case Study from West China	2435
<i>X. Wu, Z. Yang, H. Xu, L. Zhang, C. Xiong, H. Yang, L. Shao, B. Kang, Y. Fu, X. Tian, H. Cao</i>	
Successful Field Application of Microgel Treatment in High Temperature High Salinity Reservoir in China	2445
<i>Y. Qiu, M. Wei, J. Geng, F. Wu</i>	
Surfactant Effect On Foam: From Core Flood Experiments To Implicit-Texture Foam-Model Parameters	2459
<i>S. Jones, G. Laskaris, S. Vincent-Bonnieu, R. Farajzadeh, W. Rossen</i>	
Surfactant Huff-n-Puff Application Potentials for Unconventional Reservoirs	2474
<i>P. Shuler, Z. Lu, Q. Ma, Y. Tang</i>	
Survey and Data Analysis of the Pilot and Field Polymer Flooding Projects in China	2488
<i>Y. Zhang, M. Wei, B. Bai, H. Yang, W. Kang</i>	
A Systematic Method for Reducing Surfactant Retention to Extremely Low Levels	2524
<i>S. Jang, P. Liyanage, M. Tagavifar, L. Chang, K. Upamali, D. Lansakara, U. Weerasooriya, G. Pope</i>	
The Thermal Stability of Polyacrylamides in EOR Applications	2557
<i>F. Swiecinski, P. Reed, W. Andrews</i>	
Three Phase Steady State Flow Experiments to Estimate Microemulsion Viscosity	2574
<i>A. Davidson, N. Nizamidin, D. Alexis, D. Kim, M. Unomah, T. Malik, V. Dwarakanath</i>	

Timing of ASP Injection for Viscous Oil Recovery	2592
<i>A. Aitkulov, K. Mohanty</i>	
Toward 70% Recovery Factor: Knowledge of Reservoir Characteristics and IOR/EOR Methods from Global Analogs	2607
<i>X. Lu, S. Sun, R. Dodds</i>	
Tradeoffs Between Emulsion and Powder Polymers for EOR	2624
<i>S. Jouenne, A. Klimenko, D. Levitt</i>	
Understanding Selective Plugging and Biofilm Formation of a Halophilic Bacterial Community for MEOR Application	2638
<i>N. Klueglein, F. Kogler, I. Adaktylou, M. Wuestner, E. Mahler, J. Scholz, A. Herold, H. Alkan</i>	
Use of Partitioning Tracers to Estimate Oil Saturation Distribution in Heterogeneous Reservoirs	2653
<i>R. Dean, D. Walker, V. Dwarakanath, T. Malik, K. Spilker</i>	
Viscosity and Stability of Dry CO₂ Foams for Improved Oil Recovery	2673
<i>C. Da, Z. Xue, A. Worthen, A. Qajar, C. Huh, M. Prodanovic, K. Johnston</i>	
Waterflood Sweep Improvement at Prudhoe Bay, Alaska	2684
<i>D. Thrasher, B. Stechauner, D. Ohms, G. Stechauner, P. Singh, M. Angarita</i>	
Author Index	