

Corrosion Conference and Expo 2016

Vancouver, Canada
6 - 10 March 2016

Volume 6 of 6

ISBN: 978-1-5108-2135-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by NACE International
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact NACE International
at the address below.

NACE International
15835 Park Ten Place
Houston, TX, USA 77084
USA

Phone: (281) 228-6200
Fax: (281) 228-6300

firstservice@nace.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

Development Of Spray-Applied Pipeline Erosion-Protective Epoxy Linings	1
<i>Osmay Oharriz</i>	
Innovative Polymeric Solutions For Flanged Pipework Protection	12
<i>Osmay Oharriz</i>	
HISCC Resistance and Improvement Methods For Duplex and Super Duplex Stainless Steels	25
<i>Glenn Byrne</i>	
Corrosion Management Of Assets Constructed In Super Duplex Stainless Steels Topside and Subsea - A Suppliers Perspective	38
<i>Glenn Byrne</i>	
Round-Robin Evaluation Of ISO 20340 Annex A Test Method	53
<i>Nathalie Lebozec</i>	
A Finite Element Model Of The External Corrosion Of Buried Pipeline Steel Under The Combined Influence Of Heat Transfer, Cathodic Protection, And Oxygen Diffusion In Surrounding Soil	65
<i>Ibrahim Gadala</i>	
Investigations About a New Heavy Metal Free, Low P-content Corrosion Inhibitor for Evaporative Cooling Systems Based on Phosphorous Modified Organic Acid (PMOA)	80
<i>Wolfgang Hater</i>	
Cathodic Protection System for Hot Sulphur Tank Bottom	95
<i>Salim Debbache</i>	
Methodology For The Evaluation Of Cleaning Pigs On Sludge Deposits From Corrosion Pits	102
<i>Winston Mosher</i>	
High Temperature FBE Coating Disbondment in Multi-Layer PP Insulation Coatings	117
<i>Alex Garner</i>	
The Detection Of Alpha Prime In Duplex Stainless Steels	131
<i>Roger Francis</i>	
Seawater Cooler Tubes: Corrosion And Leaks Due To Microbiologically Induced Corrosion	141
<i>Khalid Alnabulsi</i>	
Abrasion-Corrosion Resistance of Stainless and Wear Resistant Steels for Oil Sands Applications	149
<i>Sandra Le Manchet</i>	
Corrosion of Metals in Treated Wood Examined by Synchrotron Based Xanes and XFM	161
<i>Samuel Zelinka</i>	
Silica Removal By A Novel Electrochemical System	171
<i>David Hasson</i>	
Are You Trained Certified and Qualified to Assess Corrosion and Related Defects?	186
<i>Joseph Pikas</i>	
Remaining Strength Of Corroded Pipe Direct Assessment Process	200
<i>Joseph Pikas</i>	
Galvanic Series in Seawater as a Function of Temperature Oxygen Content and Chlorination	214
<i>Dominique Thierry</i>	
Coating Deterioration - A Mechanistic Overview	225
<i>Ken Tator</i>	
Reliability Assessment Of Offshore Asset Under Pitting Corrosion Using Bayesian Network	237
<i>Jyoti Bhandari</i>	
Internal Corrosion Direct Assessment Using Bayesian Networks Modeling With Limited Data - A Case Study	252
<i>Shan Guan</i>	
The Role Of Local Chemistry Changes In Repassivation Of Localized Corrosion – A Review	265
<i>Narasi Sridhar</i>	
MP-ICDA Analysis On Block 12 And Block 15 Gathering Pipelines On Petroamazonas EP in Ecuador	281
<i>Carlos Melo Gonzalez</i>	
Improvement to Cathodic Protection Performance using DCVG Prioritization	296
<i>Chukwuma Onuoha</i>	
Internal Corrosion Direct Assessment For Offshore Pipelines	311
<i>Eugene Ogosi</i>	
Improving the Controlled Humidity Protection Systems by Addition of Vapor Phase Corrosion Inhibitors	326
<i>Behzad Bavarian</i>	
Preliminary Evaluation of the Applicability of Surface Enhanced Raman Spectroscopy (SERS) to Monitoring SRB Biofilms Under Ambient and High Pressure	335
<i>Todd Mintz</i>	
Compatibility Behavior of Elastomers for PCP Applications	348
<i>Carlos Fernandez</i>	
Considerations on The Selection of Protective and Concrete Weight Coatings for Offshore Pipelines	359
<i>Carlos Fernandez</i>	

Marine Crevice Corrosion Of Stainless Steel Alloys Under Biofilmed And Sterile Conditions	372
<i>James Stott</i>	
Relation Between Localized Corrosion And Stress Corrosion Cracking In Nickel Based Alloys In HPHT Oil And Gas Environments	387
<i>Thodla Ramgopal</i>	
Risk Assessment for Implementation of Chemical Treatment Programs on Production Wells within the Wafra Oilfield Partition Zone (Kingdom of Saudi Arabia and Kuwait)	402
<i>Tariq Kamshad</i>	
Biocide Injection to Eliminate the Risk of Bacterial Growth and Corrosion Failure in Non Internal Coated Pressure Safety Valve from an Eocene Sub Centre at Partitioned Zone (Kingdom of Saudi Arabia and Kuwait). - A Case Study	417
<i>Hamed Al-Shammary</i>	
Sour Service Performance of Early Production Riser - 110ksi (760MPa) Grade Material	428
<i>Thodla Ramgopal</i>	
Projecting Corrosion Induced Bridge Tendon Failures Resulting from Deficient Grout: Part I – Model Development and Example Results	448
<i>William Hartt</i>	
Qualification of Super 13Cr-110 in HPHT Sour Well Service with Concentrated Brines	460
<i>Fengmei Song</i>	
Flow Accelerated Corrosion of Carbon Steel Pipe Carrying Hot Condensate Water in a Chemical Plant	475
<i>Fengmei Song</i>	
Concept of Using Physics-Based Models for Real Time Corrosion Monitoring	489
<i>Fengmei Song</i>	
The Pitting Corrosion of Titanium in Aggressive Environments: A Review	497
<i>Jing Liu</i>	
Metallurgical Methods Used to Assess the Significance of Pipeline Stress Cracking	507
<i>Steve Biagiotti</i>	
Corrosion Mechanism of API X80 Steel Material in Sour Environment at Different Temperatures	516
<i>Adel Mohamed</i>	
Recycled Waters for Cooling Tower Water Systems- Good Idea or Bad- What You Need to Know	526
<i>Paul Puckorius</i>	
Self-healing Pipeline Epoxy Coating	543
<i>Frank Cheng</i>	
Degradation of FBE Coating on Pipelines in the Presence of Alternating Current Interference	555
<i>Frank Cheng</i>	
Effect of Sidegroove Root Configuration on Edge Fracture on DCB Test	567
<i>Jun Nakamura</i>	
The Effect of Medium Density Clear Brine Fluids Upon the Environmental Cracking Behavior of High Strength Alloy UNS S42028	578
<i>Lucrezia Scoppio</i>	
Investigation of Under Deposit Corrosion (UDC) in Halfdan Production Tubulars	588
<i>Asbjorn Andersen</i>	
Corrosion of Nickel Alloys for Steam Generator Tubing of Pressurized Water Reactors	601
<i>Martin Rodriguez</i>	
Effect of Temperature and Chloride Concentration on the Crevice Corrosion Resistance of Austenitic Stainless Steels	616
<i>Martin Rodriguez</i>	
Development of Carbon Steel for Pipe Resistant to Stress Corrosion Cracking in Fuel Grade Ethanol	631
<i>Itaru Samusawa</i>	
Utilizing Nickel Alloy Metal Coating as an Alternative to PWHT	645
<i>Abdullah Alali</i>	
Cathodic Protection of Concrete Caissons and Deck of a Ship Repair Yard	652
<i>Rod Callon</i>	
Remote Measurement of Stress in Carbon Steel Pipelines - Developments in Remote Magnetic Monitoring	663
<i>Paul Jarram</i>	
Bovine Serum Albumin Adsorption on AISI 316L And Ti Alloys in Phosphate Buffered Saline Solutions	672
<i>Shima Karimi</i>	
Sour Service Fatigue and Fracture Behavior of High Strength Steels	682
<i>Ramgopal Thodla</i>	
Corrosivity of Produced and Make-up Water in Oil Sands Thermal Water Treatment Systems	697
<i>Tesfaalem Gebremedhin Haile</i>	
Corrosion Control Of On-Grade Petroleum Products Storage Tank Bottoms Using Impressed Current Cathodic Protection System with Continuous Anode Bed	711
<i>Dare Aloko</i>	
Amine Corrosion in Gas Sweetening Plant: Causes and Minimization on Real Case Study	721
<i>Hajatolah Almasi</i>	
Failure Analysis and Investigation Methods of Boiler Tubes Corrosion/Case Study	735
<i>Hajatolah Almasi</i>	
Application of Low Cr Steels in the Presence of Corrosion Inhibitors	746
<i>Matin Momeni</i>	

Influence of Magnesium on SCC Susceptibility of Duplex Stainless Steels in Boiling Solutions	755
<i>Fiona Ruel</i>	
Monitoring and Risk Assessment of Microbiological Influenced Corrosion in Offshore Pipelines	766
<i>Uffe Thomsen</i>	
Crevice Corrosion Performance of High Grade Stainless Steels and Ni-Based Alloys in Natural And Treated Seawater	779
<i>Dominique Thierry</i>	
Comments on ASTM G48 - Standard Test Methods for Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution	793
<i>Brian Deforce</i>	
Documented Evidence of Significant Metal Loss in Aluminum Crevice Corrosion	803
<i>Brian Deforce</i>	
Single versus Multiple Injection Points for REAC Wash Water Systems	819
<i>Garry Jacobs</i>	

VOLUME 2

The Effect of Notch Configuration on NACE TM0177 DCB Elastic Compliance and Recommendations for Future Testing	833
<i>Karol Szklarz</i>	
Evaluation of Full Size C110 Premium Casing Connections Fit-for-Purpose Performance in Mildly Sour Environment	847
<i>Xin Long</i>	
Impact of Charging Conditions and Membrane Thickness on Hydrogen Permeation: Thick/Thin Membrane Concepts Revisited	858
<i>Jean Kittel</i>	
Formation of Galvanic Cells and Localized Corrosion under Atmospheric Conditions	879
<i>Dominique Thierry</i>	
40 Years of José R. Galvele's Localized Acidification Pitting Model: Past Present and Future	893
<i>Alberto Keitelman</i>	
Corrosion Assessment of Pipeline Steels in Supercritical Carbon Dioxide Stream	908
<i>Yimin Zeng</i>	
A Study of Reactivation Process of Passivated Localized Corrosion of Carbon Steel in Radioactive Waste Simulants	922
<i>Xiaoji Li</i>	
Study of Cathodic Protection in Soils with the Use of Specific Coupons	936
<i>Jean Vittonato</i>	
Design and Supply of a Condition Monitoring System for Corrosion and Stray Current Monitoring on the Cityringen Metro Project in Copenhagen	949
<i>Gareth John</i>	
Effect of Surface Finishes on the Atmospheric Corrosion of Duplex Grade UNS S32205: Results of a Field Exposure Program in Dubai	959
<i>Sukanya Mameng</i>	
A New Practical Method for Prioritizing Equipment in HTHA Service for Inspection and Replacement and the Challenges in Obtaining Process Conditions to be Used in the HTHA Assessment	974
<i>Jeremy Staats</i>	
Detecting Inhibitor Migration Depth in Topically-Treated Concrete Using DART-MS	987
<i>Ming Shen</i>	
Corrosion Assessment of Nickel-based Alloy Candidates for SCWR Fuel Cladding	997
<i>Yimin Zeng</i>	
Eddy Current for Sizing Cracks in Canisters for Dry Storage Casks – Laboratory Measurements	1007
<i>Ryan Meyer</i>	
Corrosion Risk Assessment and Cathodic Protection for Aging Electric Utility Transmission Structures	1022
<i>Mehrooz Zamanzadeh</i>	
Fusion Bonded Epoxy Coatings (FBE) and Disbondment	1037
<i>Mehrooz Zamanzadeh</i>	
Corrosion Risk Assessment and Failure Analysis in Industrial Water Systems	1048
<i>Mehrooz Zamanzadeh</i>	
Sour Localized Pitting Corrosion Model of Carbon Steel: A Status Update	1061
<i>Sankara Papavinasam</i>	
The Role of Corrosion Management in Prevention of Corrosion Failures	1075
<i>Alec Groysman</i>	
The Influence of Microstructure and Composition on the Crevice Corrosion of Ni-Cr-Mo Alloys	1090
<i>David Shoesmith</i>	
Corrosion Management Implementation in Large Oil and Gas Projects	1105
<i>Hendrik Debruyn</i>	
Optimization and Analysis of Anode Array Current Distribution for Reinforced Concrete Cathodic Protection Applications	1114
<i>Calvin Pynn</i>	

Corrosion Kinetics of Carbon Steels in high Density Zn/CaBr₂ Workover or Completion Fluids at High Temperatures	1128
<i>Rudolf Hausler</i>	
Validation of Internal Corrosion Threat Guidelines for Dry Natural Gas Pipelines	1139
<i>Xihua He</i>	
CaCO₃ Scale Risk Assessment - Thermodynamics vs Kinetics	1154
<i>Tao Chen</i>	
New Developments in Iron Sulfide Scale Dissolvers	1168
<i>Tao Chen</i>	
Corrosion Behavior of Cr and Cu Containing Low Alloys Steels in Solution	1181
<i>Qiufa Xu</i>	
Monitoring of Corrosion Rate and Evaluation of Deposited Sea Salt Distribution Inside Steel Pipe for Transmission Tower Located in Coastal Environment	1195
<i>Atsushi Naganuma</i>	
Impact of Microstructure on Hydrogen Solubility and Diffusivity in UNS 07718	1204
<i>Olesya Gosheva</i>	
Electrochemical Corrosion Behavior of Niobium Alloys as Metallic Bio-Implants	1218
<i>Wei Wang</i>	
Electrochemical Study of Nb-10Ta-1Re and Ti-6Al-4V Alloys for Dental Implant Applications	1230
<i>Wei Wang</i>	
Corrosion Control of a Hydrocracking Unit Debutanizer Overhead System	1244
<i>Omar Alabdulgader</i>	
Inhibition Mechanisms for CO₂ Corrosion Mitigation by Amines at the Top-of-the-Line	1256
<i>Zineb Belarbi</i>	
Top of Line Corrosion Testing for a Gas Field with Acetic Acid and Low CO₂	1271
<i>Gaute Svenningsen</i>	
Effective Implementation of Asset Integrity Management Systems with Visualisation Tools	1284
<i>Daniel Sandana</i>	
Molecular Microbiological Methods to Investigate Microbial Influenced Corrosion in Fully Integrated Kraft Pulp and Paper Mills	1293
<i>Dora Ogles</i>	
Enhancement of Alkyldimethylbenzylammonium Chloride and Tributyl Tetradecyl Phosphonium Chloride Biocides Using D-amino Acids Against a Field Biofilm Consortium	1304
<i>Tingyue Gu</i>	
Improved Packaging Film Incorporating Vapor Phase Corrosion Inhibitors and High Recycle Content	1315
<i>Robert Kean</i>	
Management of Integrity Operating Window (IOW) for an Aging Gas Processing Plant as Part of Corrosion Management Strategy for an Aging Asset	1323
<i>Janardhan Saithala</i>	
Surface Behaviour of Carbon Steel in Presence of Sulphate-reducing Bacteria	1332
<i>Marko Stipanicev</i>	
Phenomenal Pitting Corrosion on Coating Damaged Surface of Automobile Suspension Coil Springs	1347
<i>Yugo Ashida</i>	
Assessment of Formation Damage Potential of Corrosion Inhibitor Squeeze Applications	1359
<i>Myles Jordan</i>	
Insights on the impact of Fluid Cooling on High Temperature Conditions (175°C) for Carbonate and Sulphate Scale Dissolver Performance	1373
<i>Myles Jordan</i>	
Further Characterization of UNS N06055 Nuclear Welding Product	1388
<i>Samuel Kiser</i>	
Application of Non-Metallic Materials in Oil Sands Operations	1396
<i>John Wolodko</i>	
Mechanism of High Temperature Corrosion by Model Naphthenic Acids	1410
<i>Peng Jin</i>	
Optimization Cathodic Protection Design for Offshore Platform: Solution for the Contradiction of Big Initial and Small Mean Current Density by Wing Section Sacrificial Anode	1429
<i>Min Du</i>	
Evaluation of Protective Coating Performance in a Cyclic-Temperature Environment	1437
<i>Junki Miyashita</i>	
Estimation of Corrosion Products and Inhibitor Films Contributions to Total Protective Effect	1448
<i>Roman Kashkovskiy</i>	
Impact of Biocomponents in the Fuel and Heating Oil on the Compatibility of Sealing Materials	1462
<i>Margit Weltschev</i>	
Effect of Tungsten on Pitting and Crevice Corrosion of Type 25Cr Super Duplex Stainless Steel	1474
<i>Roy Johnsen</i>	
Development of Self-Healing Coatings using Encapsulated Linseed Oil and Tung Oil as Healing Agents	1489
<i>Karan Thanawala</i>	
Trends in Tank Lining Test Methodology for Oil and Gas Service	1498
<i>Michael Harrison</i>	

Effect of Iron Sulfide Deposits on Sour Corrosion of Carbon Steel	1513
<i>Jon Kvarekval</i>	
Effect of W and Mo on the Corrosion Behavior of Low Alloy Steels in O₂-H₂S-CO₂ Humidity Corrosion Environment	1527
<i>Wei Liu</i>	
Methodology for the Comparative Evaluation of Batch Biocide Performance Against Microbial Corrosion	1542
<i>Dennis Enning</i>	
Study of Protection Mechanism of Multifunctional Coating Systems Against Internal Corrosion in Pipelines in Oil and Gas Industry	1557
<i>Nasser Aljasseem</i>	
Investigation of the Stress Corrosion Cracking Behavior of Duplex and Lean Duplex Stainless Steel Parent and Weldment Materials in Sour Service	1572
<i>Chong Li</i>	
Estimation of Critical Localized Corrosion Potentials of Duplex SS with Galvele's Model	1584
<i>Mariano Kappes</i>	
Comparing Environmental Resistance of UNS R55400 Tubulars to Other Oilfield Titanium Alloys	1598
<i>Ronald Schutz</i>	
Corrosion Resistance of Cast, Nickel Base Superalloys in Environments Relevant to Gas-Turbines Operating on Sulfur Rich Fuels	1612
<i>Dmitry Naumenko</i>	
Bioinspired "Green" Scale Inhibitors For Mitigation of Silica Scales	1627
<i>Konstantinos Demadis</i>	
Comparison of Corrosion Behavior in HIC Test Solutions for FFP Evaluation	1637
<i>Daisuke Mizuno</i>	
Insight in Sidestream Corrosion Field-testing from the North Sea: Experiences Benefits and Pitfalls	1648
<i>Oeystein Birketveit</i>	

VOLUME 3

The Impact of Microbial Activity on Infrastructure Pipeline Coatings	1661
<i>Angela Reese</i>	
Investigation of Cathodic Reaction Mechanisms of H₂S Corrosion Using a Passive SS304 Rotating Cylinder Electrode	1676
<i>Yougui Zheng</i>	
Development of a New High Charge Polymer for Cooling Water Treatment	1688
<i>Daniel Meier</i>	
Effect of Cycle Frequency on the Oxidation Resistance of Ni- and Fe-based Alloys at 982°C	1703
<i>Joseph Meyer</i>	
New Advances in Epoxy Protective Coatings	1717
<i>James McCarthy</i>	
Development of an Enzyme-Based Approach to Control the Formation of Microbiologically Influenced Corrosion (MIC)-Associated Biofilms	1734
<i>Amanda Harmon</i>	
Evaluation of Propidium Monoazide as a Tool to Differentiate Live from Dead MIC Microorganisms	1749
<i>Sarah Eisenlord</i>	
UNS N09955 Corrosion Cracking Resistance	1764
<i>Carlo Malara</i>	
The Microbiologically Influenced Corrosion (MIC) Resistance Behavior of 2205 Cu-bearing Duplex Stainless Steel in the Presence of Aerobic Marine Pseudomonas Aeruginosa Biofilm	1779
<i>Dake Xu</i>	
Corrosion Behavior of Duplex Stainless Steel S31803 in Artificial Geothermal Waters	1794
<i>Ralph Baessler</i>	
Effects of Chromium and H₂S on Corrosion Performance of 3Cr Steel Under CO₂-H₂S Environment	1802
<i>Wei Liu</i>	
Suitability of High Alloyed Materials in Molten Salts at 600°C	1812
<i>Ralph Baessler</i>	
Characteristic Corrosion Morphological Features Associated with Different Stains of Bacteria Species in Oilfield Waters	1821
<i>Abdul Razzaq Al-Shamari</i>	
Detailed Metal Loss Assessment of In-line Inspection (UT) Raw Data for Offshore Pipelines	1835
<i>Dian Adisty</i>	
Premature Failure of Access Fittings Installed on High Pressure Effluent Water Lines Due to Microbiologically Induced Corrosion	1850
<i>Abdul Razzaq Al-Shamari</i>	
Towards the Development of Fitness for Service Tool for the Inspection of Corrosion Under Insulation	1865
<i>Yves Gunaltun</i>	
Permanently Installed Monitoring System for Accurate Wall Thickness and Corrosion Rate Measurement	1880
<i>James Barshinger</i>	

Effect of Incorporation of Calcium into Iron Carbonate Protective Layers in CO₂ Corrosion of Mild Steel	1892
<i>Saba Navabzadeh Esmaeely</i>	
The Effect Of Alloy UNS S32550 Microstructure On Its Cavitation Erosion Behavior In Seawater	1906
<i>Abdul Hameed Al-Hashem</i>	
Corrosion Fatigue of X2CrNiMoN22-5-3 exposed to the Geothermal Environment of the North German Basin	1916
<i>Marcus Wolf</i>	
Coating Systems with Long Lifetime - Painting Thermally Sprayed Zinc	1924
<i>Ole Knudsen</i>	
An Amperometric Sensor for Sulfide Detection Based on Carbon Nanotubes	1934
<i>Xin Pang</i>	
Corrosion Behavior of Candidate Heat Exchanger Materials in Oxidizing and Reducing Gases, Relevant to Oxyfuel Combustion	1941
<i>Pawel Huczowski</i>	
Corrosivity Study of Sulphur Compounds and Naphthenic Acids under Refinery Conditions	1956
<i>Qin Xin</i>	
AC Interference Risk Ranking: Case Study	1971
<i>Wolfgang Fieltsch</i>	
Localized Corrosion and Stress Corrosion Cracking of UNS S32750 in H₂S Containing Environment	1986
<i>Feng Gui</i>	
A Parametric Study of Corrosion Inhibitor Partitioning in Oil and Water Phases	2004
<i>Yao Xiong</i>	
The Chemistry and Performance Characteristics of Boiler Water Treatment Polymers	2014
<i>John Richardson</i>	
The Chemistry and Crystallographic Characteristics of Passive Magnetite Film Formation	2029
<i>Luis Carvalho</i>	
Troubleshooting Techniques to Identify the Source of Phantom Chlorides Found in Refineries	2044
<i>Kathleen Armistead Wills</i>	
Modeling of Corrosion Mechanisms in the Presence of Quaternary Ammonium Chloride and Imidazoline Corrosion Inhibitors	2060
<i>Juan Dominguez Olivo</i>	
Hydrodynamic and Phase Wetting Criteria to Assess Corrosion Risk in Two-Phase Oil-Water Pipe Flows	2074
<i>Luciano Paolinelli</i>	
Predicting Erosion in Sudden Contraction and Expansion Geometries with Improved Near Wall Treatment	2093
<i>Jun Zhang</i>	
Effects of Crevice on the Corrosion Behavior of Welding Joint in Simulated Groundwater	2108
<i>Liu Chao</i>	
Expected Service Life and Cost Considerations for Maintenance and New Construction Protective Coating Work	2118
<i>Jayson Helsel</i>	
Development of Corrosion Resistant Steel for Coal Carrier Cargo Hold	2133
<i>Hiroshi Ikeda</i>	
Erosion-Corrosion of Low Carbon Steel Inhibition in Oil-Brine-Sand Flow	2143
<i>Anass Nassef</i>	
External Corrosion Control of Submarine Pipelines	2158
<i>Anette Pedersen</i>	
Corrosion Abatement in Acid Pickling Industries by Effective N-Heterocyclic Compounds: Dry and Wet Lab Studies	2174
<i>Dhanadapani Nalini</i>	
Development of the NORSOK M-001 and ISO 21457 Standards – Basis for Defining Material Application Limits	2189
<i>Jan Skar</i>	
Understanding the Workability of 6Mo Stainless Steel in Recent Cracking Cases	2205
<i>Toshiya Tanimoto</i>	
Monitoring Corrosion in Continuous Bio-degradation of Sulphur-containing Volatile Organic Compounds	2214
<i>Slawomir Kus</i>	
Influence Of Baking Time At Different Temperature On The Hydrogen Embrittlement Of Quenched And Tempered Martensitic (QTM) Steel	2229
<i>Juan Creus</i>	
Controlling of Calcium Oxalate Crystallization by Using Crosslinked Polymers	2241
<i>Mualla Öner</i>	
Corrosion Behavior in Saline Solution of Pulsed Electrodeposited Nanocomposite Zn-Ni/CeO₂ Coatings	2256
<i>Juan Creus</i>	
Removal Of Cu(II) From Aqueous Solution With Precipitated Calcium Carbonate	2267
<i>Mualla Öner</i>	
Influence of Deposition Parameters on Corrosion Protection Properties of Electrophoretic Acrylic Paints	2279
<i>Stefano Rossi</i>	
Pitting Characteristics of Nickel Alloys – A Review	2290
<i>Raul Rebak</i>	
Galvanic Corrosion of Nickel Aluminium Bronze Exposed to Seawater in a Magnetic Field	2306
<i>Hedda Krogstad</i>	
Passivation Characteristics of Ferritic Stainless Materials in Simulated Reactor Environments	2320
<i>Raul Rebak</i>	

How Interference Can Impact The Life Of CP Systems. An FPSO Case Study	2334
<i>Robert Adey</i>	
Calcium Carbonate Scale Formation and Prevention in Aqueous Solutions and Mixed Solvents	2348
<i>Petros Koutsoukos</i>	
Development of an Improved Version of UNS N08825 with Higher Corrosion Resistance	2362
<i>Julia Rosenberg</i>	
Mixed Calcium Carbonate and Calcium Sulfate Scale	2376
<i>Petros Koutsoukos</i>	
Anoxic Corrosion of Carbon Steel in Bentonite in Relation to the Swiss Deep Geological Repository Concept	2389
<i>Nikitas Diomidis</i>	
Hydrogen-Assisted Failure in Ni-Based Superalloy 718	2401
<i>Zahra Tarzimoghadam</i>	
Barium Sulfate Crystal Growth and Inhibition: Implications of Molecular Structure on Scale Inhibition	2411
<i>Petros Koutsoukos</i>	
A Consistent Interpretation of Corrosion Test Results Using the Marcus Film Growth Model	2424
<i>James Orr</i>	
Upgrading Methods of Cathodic Protection System for Aboveground Storage Tanks	2438
<i>Mohammed Al-Otaibi</i>	
New and Old Challenges in Analyzing ECDA Indirect Inspections Data	2446
<i>Sorin Segall</i>	
Strategies to Control Corrosion Under Insulation	2458
<i>Khalid Al-Tamimi</i>	
A CO₂ Injection Well: Upsets to Regular Injection Service and Their Effect Upon the Corrosion to the Materials of Construction	2470
<i>Sten Axelsen</i>	

VOLUME 4

In-situ Fatigue Crack Growth Rates of Carbon Steel in Air and Seawater Using Image Correlation	2483
<i>Peter Barnes</i>	
Electrochemical Analyses of 15%Cr and 17%Cr Martensite-Based Stainless Steel OCTG Materials with a Possible Range of Austenite Ratio	2498
<i>Yasuhide Ishiguro</i>	
A New Cast Ni-Base Alloy Suitable for Severe Sour Service	2508
<i>Shankar Venkataraman</i>	
Corrosion of Low Alloyed Steel in Mono Ethanol Amine Solution	2521
<i>Shawn Wilson</i>	
Electrochemistry of Iron Sulfide and its Galvanic Coupling to Carbon Steel in Sour Aqueous Solution	2531
<i>Morten Tjelta</i>	
An Introduction to Rusticles, Accumulated Iron Oxides/Hydroxides on Shipwrecks	2545
<i>Jason Lee</i>	
Case Study of an ICCP Design and Installation for Well Casings Using Boundary Elements Software, Evaluating Different Deep Anode Architectures and Interference to Nearby Casings	2551
<i>Norberto Pesce</i>	
Effect of Thermally Sprayed Aluminum (TSA) Coating Damage on the Mechanism of Calcareous Deposit Formation in Boiling Seawater	2566
<i>Shiladitya Paul</i>	
Gap Analysis of Pipeline Coatings: A Review Study	2577
<i>Tamer Crosby</i>	
Evaluation of Various Phosphate Esters on High Temperature Corrosion control and Fouling Potential in Refining Systems	2589
<i>James Ondyak</i>	
Materials in Municipal Waste and Biomass-Fired Power Generation - a Review of Recent Experience	2600
<i>Tracey Holmes</i>	
Effect of Chloride Content on The Corrosion Behavior of Ferritic and Austenitic Steels in Molten Solar Salts	2615
<i>Ali Soleimani Dorcheh</i>	
Embedded Monitoring System for Determination of Aluminum Alloy Sensitization	2623
<i>Kevin Farinholt</i>	
Hydrogen Induced Cracking of A516 Plate Steels and the Apparent Effect of Microscopic Banding	2637
<i>Bryan Kulesza</i>	
The Role of Iron Sulfide Polymorphism in Localized Corrosion of Mild Steel	2648
<i>Jing Ning</i>	
Effect of Long-Term Heat Treatments on The Corrosion of High-Strength Al-Mg-Si-Cu Alloys	2663
<i>Daniela Zander</i>	
Vapor Phase Corrosion Inhibitors in Functional Fluids	2667
<i>Robert Kean</i>	
Evaluation of the Real-Time Active Pipeline Integrity Detection System for Corrosion Quantification	2674
<i>Amrita Kumar</i>	

The Influence of Microstructure on the Aqueous Corrosion of Fe-26Al-X	2686
<i>Tatiana Kutz</i>	
Looking Behind the Curtain of API 941 High Temperature Hydrogen Attack (HTHA) Data	2691
<i>Trace Silfies</i>	
Experimental and Density Function Theory Calculations to Investigate the Adsorption of an Anti-inflammatory Drug on Aluminum Surface in Acid Solution	2703
<i>Dhanadapani Nalini</i>	
The Effect of Surface Profile on Coating Adhesion and Corrosion Resistance	2718
<i>Catalina Hagen</i>	
A Study of the Flow Effect on Naphthenic Acid Corrosion of Mild Steel	2733
<i>Nicolas Jauseau</i>	
Evaluation of the Steel API X70 Embrittlement in Different Ethanol Environments	2748
<i>Joseane Ortiz Canterle</i>	
Stressed Cooling Water System Deposit Control Management	2762
<i>Libardo Perez</i>	
Test Protocol to Evaluate the Effectiveness of Embedded Sacrificial Anodes in Reinforced Concrete	2774
<i>Neal Berke</i>	
Corrosion of UNS G10180 Steel in Supercritical CO₂ with O₂ as a Contaminant	2784
<i>Nor Roslina Rosli</i>	
Iron Oxide Colloidal Suspension Stabilization by Polymeric Dispersants	2799
<i>Petros Koutsoukos</i>	
An Alternative View of the Cathodic Protection Mechanism on Buried Pipelines	2808
<i>Robert Gummow</i>	
Enhanced THPS for Challenging Environments	2819
<i>Stephanie Edmunds</i>	
Understanding Thermal Stability and Inhibition Effectiveness of Corrosion Inhibitors at High Temperatures	2834
<i>Zhengwei Liu</i>	
Effect of Residual Stresses on Casing Sour Burst Pressure	2845
<i>Shashank Nawathe</i>	
Residual Soluble Salts and Coating Performance – Separating Myth from Reality	2859
<i>Mario Moreno</i>	
Characterization of Concrete and Corrosion of Steel Fibers Embedded in Dry-Cast Concrete Pipe	2874
<i>Francisco Presuel-Moreno</i>	
Field Evaluation of H₂S Scavenger Efficiency Injected in Subsea and Topside Systems	2887
<i>Jose Vera</i>	
Developing the Next Generation of Pipeline Integrity Engineering Expertise	2902
<i>Stephanie Biagiotti</i>	
A Study on Intragranular Chromium Nitrides Precipitation in Cast Superduplex Alloys	2913
<i>Shankar Venkataraman</i>	
Heavy Metal Galvanic Corrosion of Carbon Steel in Geothermal Brines	2928
<i>Keith Lichti</i>	
Influence of Iron Oxide (rust) on the Performance of Phosphonates as Calcium Carbonate Inhibitors	2941
<i>Zahid Amjad</i>	
Resistance of UNS R56404 Titanium to Mercury Liquid Metal Embrittlement	2955
<i>Ronald Schutz</i>	
Effects of Dissolved Oxygen and Temperature on the Corrosion Properties of B206 and A356 Aluminum Alloys Exposed to Seawater	2969
<i>Shabnam Pournazari</i>	
Factors which Affect the Performance of Composite Repair Systems	2978
<i>Davie Peguero</i>	
UNS N08031 and UNS N08031 Plus Multipurpose Alloys for Chemical Industry and Related Applications	2996
<i>Helena Alves</i>	
Corrosion Testing in Gas-Separation Station at Hellisheidi Geothermal Power Plant in Iceland	3009
<i>Sigrun Karlsdottir</i>	
Prevalence and Distribution of Sulfide Generating Microbes in the Oil and Gas Industry	3023
<i>Brett Geissler</i>	
Planktonic Cell Density is Independent of Biofilm Initiation and Cell Density	3035
<i>Damon Brown</i>	
Methodology for Threat Assessment and Mitigation Planning for Pipeline Integrity	3049
<i>Graham Adams</i>	
CP Effectiveness at Horizontal Directionally Drilled Crossings	3063
<i>Len Krissa</i>	
Reinforcement Assessment of Natural Gas Road Crossings Using Composite Repair	3076
<i>Davie Peguero</i>	
FRP Composites Used to Strengthen and Protect Damaged Reinforced Concrete Structures	3083
<i>Eri Vokshi</i>	
Linking Sulfur Cycling and MIC in Offshore Water Transporting Pipelines	3094
<i>Jaspreet Mand</i>	

NACE TM0177 Method A High Pressure High Temperature Testing Using Spring-Loaded Sustained Load Window-Box Fixtures	3106
<i>Sridhar Srinivasan</i>	
Novel Experimental Technique for In-situ Real-time Corrosion Monitoring	3118
<i>Igor Kosacki</i>	
Corrosion Risks in Tail Gas Lines Going To Sulfur Recovery Unit Incinerators	3130
<i>Cathleen Shargay</i>	
Repair Prioritization Analysis for Cased Pipeline Crossings	3143
<i>Alfonso Garcia</i>	
Formation and Control of Iron-Based Deposits in Industrial Water Systems	3153
<i>Zahid Amjad</i>	
Effect of ppb Levels of Chloride on the Stress Corrosion Cracking of Pressure Vessel Steel	3166
<i>Xiaoyuan Lou</i>	
Effect of Chemistry and Heat Treatment on the Pitting Corrosion Resistance of Three Cast Duplex Stainless	3177
<i>Myrissa Maxfield</i>	
Naphthenic Acid and Sulfur Containing Crude Oil Corrosion: A Comparative Review	3189
<i>Yuhchae Yoon</i>	
Influence of Localized Corrosion on the Fatigue Behaviour of an Austenitic Stainless Steel	3201
<i>Anna Visser</i>	
Evaluation of Impressed Current Cathodically Protected API¹ 650 Tank Bottoms in the Presence of Vapor Phase Corrosion Inhibitor	3211
<i>Khalil Abed</i>	
Corrosion Inhibition of Pipeline Steels in CO₂-Saturated System by an Imidazoline Based Inhibitor	3222
<i>Peter Okafor</i>	
Management of an Open Recirculating Cooling Water System Using EN Method in Chemical Plants	3232
<i>Takao Ohtsu</i>	
Behavior of Steels and Alloys in Concentrated Sulphuric Acid under Different Flow Regimes – New Perspectives	3240
<i>Slawomir Kus</i>	
Effect of Stress Level on the SCC Behavior of Martensitic Stainless Steel During HT Exposure to Formate Brines	3255
<i>Siv Howard</i>	
Platform Cathodic Protection with Anodes Racks and Subsea Current Measurement	3264
<i>Jean Vittonato</i>	
Limitations of Common Oilfield Scale Inhibitor Chemistries	3276
<i>James Davidson</i>	
Pitting and H₂S Corrosion Resistance of the New Formable Duplex Grades	3291
<i>Mikael Schöningg</i>	

VOLUME 5

Scaling Investigation of API 5L X65 Steel in a ‘Sweet’ Followed by ‘Sour’ Environment	3306
<i>Shiladitya Paul</i>	
Corrosion Performance of API 5L X65 Steel in a Low Temperature Saline Environment Containing CO₂	3320
<i>Shiladitya Paul</i>	
Controlling the Kinetic Versus Thermodynamic Growth of Calcium Carbonate Scale on Surface	3334
<i>Thibaut Charpentier</i>	
Effect of Iron Content on Corrosion Resistance of Ni-Cr-Mo Alloy Weld Overlays in Corrosive Environments	3344
<i>Qing Lu</i>	
Effect of Iron Content on Localized Corrosion Resistance of Ni-Cr-Mo Alloy Weld Overlays in Chloride Ion-containing Environments	3358
<i>Qing Lu</i>	
Unexpected Sour Cracking Resistance of Duplex and Superduplex Steels	3371
<i>Gerit Siegmund</i>	
Scale Deposition in the Oil and Gas Industry: From a Systematic Experimental Scale Study to Real-Time Field Data	3385
<i>Mohammadmohsen Vazirian</i>	
A Kinetic Study of Barium Sulphate Formation with the Presence of Scale Inhibitor in a Flow System	3398
<i>Ogbemi Bukuaghangin</i>	
Assessment of Underdeposit Corrosion and Mitigation Using Chemicals	3412
<i>Muazu Mohammed</i>	
Exploring the Effect of Particles Impact Angle on Erosion-Corrosion Using Acoustic Emission	3425
<i>Musab Elsamani</i>	
CaCO₃ Scale Surface Nucleation and Growth Kinetics in a Once-Through in Situ Flow Rig as a Function of Saturation Ratio (SR)	3439
<i>Ohujide Sanni</i>	
An Investigation of the Overall Corrosion Behaviour of X65 (UNS K03014) Carbon Steel in Different H₂S-CO₂-Containing Environments	3454
<i>Frederick Pessu</i>	

Scaling and Corrosion Behavior of Metallic Materials after Long-term Exposure to the Geothermal Fluid of the North German Basin	3470
<i>Helmuth Sarmiento Klapper</i>	
Corrosion Management Challenges Related to CO₂ Enhanced Oil Recovery on Existing Production Infrastructure	3479
<i>Gareth John</i>	
Understanding the Risk of CISCC of Interim Storage Containers for the Dry Storage of Spent Nuclear Fuel: Residual Stresses in Typical Welded Containers	3491
<i>David Enos</i>	
Understanding the Risk of CISCC of Interim Storage Containers for the Dry Storage of Spent Nuclear Fuel: Evolution of Brine Chemistry on the Container Surface	3502
<i>David Enos</i>	
Corrosion Behavior of Ultra-high Strength Drilling Steel in Alkaline Brines Containing Hydrogen Sulfide at High Temperature	3517
<i>Serguei Lvov</i>	
Effects of CO₂ and H₂S on Corrosion of Martensitic Steels in NaCl at Low Temperature	3532
<i>Serguei Lvov</i>	
Managing Uncertainty when Assessing External Corrosion of a Buried Oil Pipeline Segment	3545
<i>Andrea Sanchez</i>	
Study of the Localized Nature of Top of the Line Corrosion in Sweet Environment	3560
<i>Marc Singer</i>	
Corrosion Study of Welds and Heat-Affected Zones of Wrought Nickel-Based Alloys	3574
<i>Ajit Mishra</i>	
Tank Linings Cure Response During Cold Winter Months; Ready for Immersion Service?	3589
<i>Nicole Mackey</i>	
Performance of Thermally Sprayed CRA Coatings on Carbon Steel in Supercritical CO₂ Environments	3600
<i>Shiladitya Paul</i>	
Assessment of Aging Mechanisms for Stainless Steel-and Al-Based Neutron Absorbing Materials Used in Spent Nuclear Fuel Dry Cask Storage Systems	3611
<i>Xihua He</i>	
Comparative Hydrothermal Stability of Biocides Used in the Oil and Gas Industry	3626
<i>Christy Wentworth</i>	
Application of 3D Metrology Technology in Inspection Corrosion Mapping and Failure Analysis	3637
<i>T. J. Prewitt</i>	
Flow Assurance Risk Evaluation and Chemical Management in a Shale Gas Field	3645
<i>Hua Guan</i>	
Prospective Techniques for Monitoring Degradation in Passive Systems, Structures, and Components for Nuclear Power Plant Long-Term Operation	3659
<i>Iouri Prokofiev</i>	
Materials Selection for Use in Hydrochloric Acid	3669
<i>Ajit Mishra</i>	
Comparison of Corrosion Behavior of X65, 1Cr, 5Cr, and 13Cr Steels in Water-Containing Supercritical CO₂ Environments with SO₂/O₂	3684
<i>Yong Hua</i>	
Effect of Brine Ionic Strength on Sulfide Stress Cracking Resistance of High Strength Low Alloy Steel	3699
<i>Ray Case</i>	
The Use of ASTM G192 (TsujiKawa-Hisamatsu Electrochemical) to Evaluate the Susceptibility of Hanford Tank Steels to Pitting Corrosion	3714
<i>Kenneth Evans</i>	
Atomic Hydrogen from Electroplating of High Strength Steels – How Much is Trapped in the Coating?	3734
<i>Tim Gommlich</i>	
Development of a Corrosion Model for Downhole Applications	3744
<i>Kyle Addis</i>	
Localized Top of the Line Corrosion In Marginally Sour Environments	3753
<i>Najmiddin Yaakob</i>	
Molecular Techniques for Onsite Monitoring of Microbial Populations in Oilfields – Overview Perspectives and Evaluation	3767
<i>Renato De Paula</i>	
Monitoring and Inspection Options for Evaluating Corrosion in Offshore Wind Foundations	3777
<i>Troels Mathiesen</i>	
Cathodic Protection System Upgrade Project at Catawba Nuclear Station	3788
<i>Steven Daily</i>	
Crevice Corrosion Damage Evolution in Nickel Alloy 625: Experimental and Modeling Perspectives	3800
<i>Scott Lillard</i>	
Localized Corrosion of Corrosion-Resistant Alloys in Oil and Gas Production Environments: II. Corrosion Potential	3816
<i>Andrzej Anderko</i>	
Case Study on Corrosion Under Sleeves After Strain Gauges Installed on Pipelines	3831
<i>Michael Crutchley</i>	
Understanding the Corrosion of Low-Voltage Al-Ga Anodes	3842
<i>Devon Baker</i>	

Liquid Film Thickness and Erosion of Elbows in Gas-Liquid Annular Flow	3856
<i>Peyman Zahedi</i>	
Anodic Behavior of Steel in Enhanced Sulfate Solutions	3871
<i>Kingsley Lau</i>	
Pipeline Integrity Assessment In-Line Inspection and Direct Assessment Anomaly Density	3884
<i>Shamus McDonnell</i>	
HVDC Interference to Buried Pipeline: Numerical Modeling and Continuous P/S Potential Monitoring	3896
<i>Wuxi Bi</i>	
Dead Leg Internal Corrosion Management	3904
<i>Lynsay Bensman</i>	
NDT of Delamination In or Under Thick Organic Coatings	3914
<i>Guenter Schmitt</i>	
Corrosiveness of External Environments on Buried Onshore Pipelines: A Bayesian Network Approach	3927
<i>Angel Kowalski</i>	
Relative Performance of Two Cast Irons and Two Stainless Steels Under Erosion-corrosion Conditions	3938
<i>George Karafyllias</i>	
Development of a Novel Biocide for Enhanced Biofilm Control	3948
<i>Renato De Paula</i>	
The Selection and Performance of Oil and Gas Biocides for Extended Microbial Control	3960
<i>Terry M. Williams</i>	
New Tuning Fork Corrosion Sensor with High Sensitivity	3973
<i>Nicholas Smeets</i>	
Development of New Green CO₂ Corrosion Inhibitor for Subsea Injection	3985
<i>Carlos Menendez</i>	
Corrosion of Carbon Steel in Water Equilibrated with Liquid and Supercritical CO₂	3995
<i>Bjørn Morland</i>	
High Temperature Anticorrosion Coating and Its Life Time Performance	4008
<i>Marcia Navarro</i>	
A Review of the ASME PCC-2 Standard Requirements for Training on Engineered Composite Repair Systems	4023
<i>Matt Green</i>	
Supercritical CO₂ Compatibility of Structural Alloys at 400 -750°C	4034
<i>Bruce Pint</i>	
Corrosion Inhibitors for Non-Ferrous Metals	4043
<i>Amelia Hadler</i>	
Advances in Ashless Rust Preventive Technology	4057
<i>Jennifer Clark</i>	
Summary of 10 Years of Field Testing Experience with Weld Overlay Materials for Water-wall Applications in Supercritical Boilers	4066
<i>Larry Paul</i>	
Embrittlement Susceptibility of Stressed High Strength UngROUTED Post-Tensioning Strands	4075
<i>Joseph Fernandez</i>	
Analysis of SCC Response of Alloy X-750	4091
<i>Peter Andresen</i>	
Considerations of Using Sodium Nitrite and Ammonium Bisulfite Solutions in Seawater Injection Facilities	4116
<i>Wellington Wamburi</i>	

VOLUME 6

Value of Next Generation Sequencing as Monitoring Tool for Microbial Corrosion A Practical Case from Bioprocessing to Tailor Made MMM Analysis	4131
<i>Sabine Doddema</i>	
Modeling and Control of Localized Corrosion of Steel in Submerged Reinforced Concrete Structures	4145
<i>Michael T. Walsh</i>	
Monitoring and Predicting Stress Corrosion Cracking of Long Term Spent Nuclear Fuel Storage	4159
<i>Vikram Patel</i>	
MIC Assessment Model for Upstream Production and Transport Facilities	4172
<i>Luke Jain</i>	
A Comprehensive Approach to Diagnosing a Solution for a South Texas Production System with Severe MIC	4184
<i>Timothy Tidwell</i>	
Iron Effects on Scale Inhibitor Performances for Laboratory and Field Operations	4199
<i>Haiping Lu</i>	
Use of Carbon Steel Beads to Determine Microbially-Influenced Corrosion Under Flow Conditions	4214
<i>Tijan Pinnock</i>	
Properties of Chemically-Aged High Density Polyethylene Piping Material Used in Nuclear Plants	4226
<i>Pavan Shukla</i>	
How to Maintain a Stable Solution Chemistry When Simulating CO₂ Corrosion in a Small Volume Laboratory System	4240
<i>Xiankang Zhong</i>	

The Development of Sulfur Solvent/Corrosion Inhibitor Product for Extremely Aggressive Sour Environments	4251
<i>Haitao Fang</i>	
Investigation of Corrosion Performance of Zinc-Rich Epoxy Primer Modified by Polyaniline on Steel	4266
<i>Ximing Li</i>	
Managing Corrosion with Polymers ASME PCC2 Compliant Composite Repairs	4284
<i>Tammy Bomia</i>	
Use of Mixtures Of Acid And Natural Substances With Low Environmental Impact In The Production Of Anodized Aluminum (UNS A93003)	4285
<i>Oladis De Rincón</i>	
H₂S Solubility in Dense Phase CO₂ at Elevated Pressure: Impact on Materials Selection	4300
<i>Avidipto Biswas</i>	
Integration of Electron Impedance Spectroscopy and Microfluidics for Investigating MIC Using Co-Culture Biofilms	4312
<i>Susmitha Purnima Kotu</i>	
Study of Sour Corrosion Mechanism Under Controlled pH	4326
<i>Omar Yezpez</i>	
Interference Between Sacrificial CP Systems in the Marine Environment	4338
<i>Tim Froome</i>	
Using Predicted Corrosion Damage to Determine Stress Concentration, Fracture and Crack Growth	4353
<i>Tim Froome</i>	
Experimental Studies to Determine Effects of Vapor Corrosion Inhibitors for Mitigating Corrosion in Casing	4368
<i>Len Krissa</i>	
Development of Novel Inhibitor Chemistries to Protect Metal Surfaces from Saturated Completion Fluid	4381
<i>Thenuka Ariyaratna</i>	
Materials Selection and Corrosion Mitigation for Offshore Pipeline System	4397
<i>Shuangqi Song</i>	
Evaluation of Protective Coatings to Mitigate Corrosion under Insulation	4412
<i>Yang Yang</i>	
Development of Phosphate Based Inhibitors Effective for Oxygen Corrosion: A Study of Localized Corrosion Inhibition Mechanism	4427
<i>Omar Yezpez</i>	
Feasibility of Cathodic Protection in Grouted Post Tensioned Tendons - Exploratory Model Calculations	4442
<i>Alberto Sagues</i>	
Numerical Simulation of Cathodic Protection Systems for Transmission Towers with Grillage-Type Foundations	4455
<i>Peyman Taheri</i>	
Understanding the Role of Microbes in Frequent Coiled Tubing Failures	4470
<i>Mohita Sharma</i>	
Electrochemical Characterization of Ni- and Fe-Based Alloys in Simulated Biomass Environments at 700°C	4485
<i>Vilupanur Ravi</i>	
Hot Corrosion of Nickel-Chromium Alloys in a Molten Eutectic Salt Environment	4494
<i>Vilupanur Ravi</i>	
Effects of CaCO₃ Precipitation on Erosion-Corrosion on Non-lead Brass Fittings in Potable Water Systems	4509
<i>Siddhartha Roy</i>	
Development and Application of a Downhole Corrosion Prediction Model	4522
<i>Sonja Richter</i>	
Development of a Test Methodology to Evaluation High Strength Nickel Based Alloys Under Cathodic Protection	4537
<i>Brandon Rollins</i>	
Lessons From Development of a Coating for CUI Protection	4553
<i>James McDonald</i>	
Evaluation of Insulation Coating System for Offshore Applications	4568
<i>Roong Tanupabrungrun</i>	
Effect of CO₂ Partial Pressure on Cold Wall Failures	4581
<i>James McDonald</i>	
Making Mud-Cracking in IOZ's a Thing of the Past	4590
<i>James McDonald</i>	
In-situ Pitting of UNS S32550 Duplex Stainless Steel in Artificial Seawater Below and Above the Critical Pitting Temperature	4597
<i>Luis Garfias-Mesias</i>	
The Effect of the Chromium Content on the Pack Aluminizing of Binary Nickel-Chromium Alloys	4606
<i>Vilupanur Ravi</i>	
Diffusion Modeling of Aluminide Coatings	4617
<i>Vilupanur Ravi</i>	
Corrosion Rate Measurement Using Electrochemical Technique	4627
<i>Jane Hall</i>	
Electrochemical Evaluation of Advanced Titanium Alloys for Potential Biomedical Applications	4639
<i>Vilupanur Ravi</i>	
Metal-Microbe Synergy in Pitting Corrosion of Stainless Steels	4651
<i>U. Kamachi Mudali</i>	
Adequate CP Design Can Prevent Costly Premature Failure of Seachest Waster-Sleeves of Marine Vessels	4666
<i>Moavin Islam</i>	

Evaluation of Susceptibility to Hydrogen Embrittlement of High Strength Corrosion Resistant	4673
<i>Masayuki Sagara</i>	
Calcium Sulfate Scale Formation and Inhibitor Selection for a Steamflood Project	4688
<i>Fangfu Zhang</i>	
MIC Studies of Buried Potable Water Pipelines Using Semi-Solid Agar as an Analogue for Soil	4703
<i>Amy Spark</i>	
Limits of the ON-OFF Technique for the Assessment of Cathodic Protection of Buried Pipeline	4712
<i>Marco Ormellese</i>	
Increase of Corrosion Resistance of Titanium by Anodic Oxidation	4724
<i>Marco Ormellese</i>	
Achieving Success During Welding of Lean Duplex Stainless Steel Tubes to Carbon Steel Tubesheets	4731
<i>Ivan Morales</i>	
Slow Strain Rate and Rising Step Load Hydrogen Embrittlement Testing of UNS N07718 - STG 32	4740
<i>Brian Kagay</i>	
Materials Issues in Thermochemical Production Processing and Utilization of Bio-Oil	4755
<i>James Keiser</i>	
Next Generation Discrete Galvanic Anodes	4771
<i>Fred Goodwin</i>	
Improving Operations: Boosting Component Performance and Longevity with Nanolaminated Alloy Coatings	4783
<i>Christina Lomasney</i>	
A Comparison of Mono- to Di- Phosphate Ester Ratio in Inhibitor Formulations in the Mitigation of Under Deposit Corrosion	4795
<i>Bruce Brown</i>	
Flowing Fluid Cell Loop (FFCL) System Design and FFCL-Based Corrosion Testing Under Acid Conditions	4810
<i>Dongrui Yang</i>	
An Initial Evaluation of the Effect of Alloy Composition and Oxide Layer on High Temperature Coking Resistance of Heat Resistant Alloys	4820
<i>James Myers</i>	
Qualification of Integral Finned UNS-S32205 Heat Exchanger Tubing for Refinery Wet H₂S Service	4831
<i>Ivan Morales</i>	
Prediction of Corrosion Occurrence by Simulating Multi-phased Fluid Flow in Downhole Tubulars in SAGD Production. I. Vertical and Horizontal Segments	4843
<i>Frank Cheng</i>	
Significant Reduction of Corrosion Induced Pipe Failure in Oilsands/SAGD Facilities Using PE-Xa Materials	4858
<i>Al Comeau</i>	
Effect of Monoethylene Glycol on Sweet Top-of-Line Corrosion	4865
<i>Fernando Farelas</i>	
Establishing Operating Envelops for Material Susceptibility to Environmentally Assisted Cracking in Thermal Oil Sands Operation	4882
<i>Tesfaalem Gebremedhin Haile</i>	
Fatigue Behavior under Multiaxial Loading and Simulated Geothermal Environment of Cr-Mn Stainless Steel and UNS N07718	4896
<i>Helmuth Sarmiento Klapper</i>	
Arsenic Enrichment on Cast Iron and Mild Steel Surfaces: Trigger or Result of Electrochemical Corrosion	4905
<i>Julia Scheiber</i>	
Tenfold Life Extension of Hydrotransport and Tailings Lines by Internal Coatings	4919
<i>Michael Magerstaedt</i>	
Effect of Electrode Spacing of a Coupled Multielectrode Array Sensor on Corrosion Rate Monitoring	4934
<i>Lietai Yang</i>	
Improve Amine Unit Reliability and Optimize Treating	4947
<i>Scott Waite</i>	
Author Index	

