

AFPM Q&A and Technology Forum 2015

FCC Q&A Session

New Orleans, Louisiana, USA
5 October 2015

ISBN: 978-1-5108-2557-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2015) by American Fuel & Petrochemical Manufacturers (AFPM)
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact American Fuel & Petrochemical Manufacturers (AFPM)
at the address below.

American Fuel & Petrochemical Manufacturers (AFPM)
1667 K Street, NW, Suite 700
Washington DC 20006
USA

Phone: (202) 457-0480
Fax: (202) 457-1486

info@afpm.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

FCC	6
Introduction to Session	6
Introduction to Panelists	6
Reliability	8
Question 67: The industry continues to experience process safety incidents associated with FCC electrostatic precipitators. What are you doing to prevent these incidents?	8
Question 67: Answer Book Responses	14
Question 68: How does your organization share operational and process safety information to foster an environment of continuous improvement?	17
Question 68: Answer Book Response	20
Question 69: What criteria do you follow to decide installation of remote-operated isolation valves to arrest loss of containment from vessels, column bottoms, etc.? Do you recommend any safeguards to avoid spurious activation of these remote-operated valves? 21	
Question 69: Answer Book Responses	23
Environmental	27
Question 70: With environmental regulations becoming more stringent on FCC stack emissions, what are your available options to achieve the required level of SO _x (sulfur oxide) and NO _x (nitrogen oxide) emissions?	27
Question 70: Answer Book Responses	32
Question 71: Describe your practices for minimizing flaring and flue gas emissions during startup, shutdown, and malfunction operations?	45
Question 71: Answer Book Responses	48
Process	51
Question 72: The FCC is LPG-constrained, and the refinery is octane short. What are your suggested options to increase FCC gasoline octane while minimizing any associated increase in LPG yield?	51
Question 72: Answer Book Responses	55
Question 73: Octane may become an issue as refiners increase severity on the FCC gasoline post-treatment units. What are your options available to address octane debits?	56
Question 73: Answer Book Responses	60
Question 74: For a unit targeting low vapor pressure gasoline, which variables have the greatest impact on isopentane production?	66
Question 74: Answer Book Responses	71
Question 75: What do you recommend to either prevent the formation of carbonyl sulfide or remove it from the propylene stream? At what level does this become a concern?	73

Question 75: Answer Book Responses	78
Question 76: What has been your experience with respect to FCC flue gas analyzers using tunable diode lasers or alternatives? Any specific advantages of tunable diode laser (TDL) analyzers with respect to installation, operational service requirements, and/or reliability? 82	
Question 76: Answer Book Responses	83
Question 77: When relying primarily on FCC feed pretreating to meet FCC gasoline sulfur specifications (current or future Tier 3), how do you manage feed pretreater outages?	84
Question 77: Answer Book Responses	86
Catalyst	89
Question 78: Under what conditions do gasoline sulfur reduction additives and catalysts reduce sulfur in gasoline, and by how much? What is the lowest gasoline sulfur level for which the gasoline sulfur reduction products are effective? At this gasoline sulfur level, please quantify the gasoline sulfur reduction and the amount of additive/catalyst required. 89	
Question 78: Answer Book Responses	95
Question 79: For units that have experienced elevated losses leading to coarse inventory, what options exist to improve catalyst properties during turnaround? Describe your experience with purchasing external or classifying spent catalyst.	103
Question 79: Answer Book Response.....	110
Question 80: What are your Best Practices to address increased levels of conventional and “new” metals (V, Ni, Fe, Ca, Cu etc.) in the FCC that come from tight oil processing in the refinery?	111
Question 80: Answer Book Responses	115
Question 81: Under what conditions is iron on FCC catalyst mobile, and how does this affect catalyst performance?	119
Question 81: Answer Book Responses	125
Reliability.....	134
Question 82: What are typical and maximum targets for FCC unit main fractionator bottoms and wet gas scrubber water for weight percent solids? Also, what are typical for pounds per barrel (ppb) of catalyst losses to each and particle size distributions?	134
Question 82: Answer Book Responses	136
Question 83: Can a slurry pump run at or below 1000 rpm (revolutions per minute)? If not, what is the lowest speed to minimize pump erosion?.....	139
Question 83: Answer Book Responses	141
Question 84: What operating conditions and equipment monitoring have you been practicing to avoid sulfidation corrosion problems in main fractionator bottoms circuits? What guidelines have you established? How does sulfur type contribute to these guidelines?	143
Question 84: Answer Book Response.....	145

Question 85: What operating practices or technology upgrades are you using to manage coking in the reactor overhead line at the main fractionator inlet?.....	147
Question 85: Answer Book Responses	150
Question 86: With more refiners upgrading to packing in the reactor stripper, what has been your experience with reliability? When do you consider removing packing for inspection during turnaround? How much of the packing does one spare?	153
Question 86: Answer Book Responses	158
Question 87: What has been your experience with gas and/or catalyst bypassing behind monolithic refractory linings? What are the possible approaches to prevent or correct this issue?.....	160
Question 87: Answer Book Responses	161
Question 88: Describe your approach to repair and improvement (i.e., materials, design, installation, and anchors) to areas that have seen repeated refractory failures.	162
Question 88: Answer Book Responses	166
Question 89: For an equipment revamp/replacement, what are the factors you consider when choosing between hot-wall and cold-wall refractory design, including advantages and disadvantages of each?.....	166
Question 89: Answer Book Responses	169
Question 90: We are planning to purchase a new flue gas steam generator. What is your preferred configuration? What are the critical operating parameters you employ to ensure reliable operation? What is your sparing philosophy?.....	169
Question 90: Answer Book Responses	171
Question 91: What are your top three causes of unit slowdowns, and what is the loss in onstream factor for each? Please provide the same information for your top three causes of unit shutdowns.	176
Question 91: Answer Book Responses	182
Closing Remarks	185