

8th IET International Conference on Power Electronics, Machines and Drives (PEMD 2016)

IET Conference Publications 684

Glasgow, United Kingdom
19 – 21 April 2016

Volume 1 of 2

ISBN: 978-1-5108-2566-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by the Institution of Engineering and Technology
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact the Institution of Engineering and Technology
at the address below.

Institution of Engineering and Technology
P. O. Box 96
Stevenage, Hertfordshire
U.K. SG1 2SD

Phone: 01-441-438-767-328-328
Fax: 01-441-438-767-328-375

www.theiet.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

WIDE RANGE SENSORLESS SPEED ESTIMATION IN WOUND ROTOR INDUCTION MACHINES BY SLIDING WINDOW SEARCH OF THE STATOR CURRENT SIGNAL	1
<i>K. Tshiloz, S. Djurovic</i>	
ELECTROMAGNETIC MODELLING OF HIGH SPEED INDUCTION MOTORS	7
<i>R. Velazquez, A. C. Smith</i>	
AN IMPROVED INDUCTION MACHINE DESIGN PROCEDURE FOR ELECTRIC VEHICLE TRACTION	13
<i>N. Zhao, N. Schofield</i>	
DEGRADATION AND FATIGUE OF EPOXY IMPREGNATED TRACTION MOTORS DUE TO THERMAL AND THERMAL INDUCED MECHANICAL STRESS - PART I: THERMAL MECHANICAL SIMULATION OF SINGLE WIRE DUE TO EVENLY DISTRIBUTED TEMPERATURE	19
<i>Zhe Huang, A. Reinap, M. Alakula</i>	
MULTI-PHYSICS EXPERIMENTAL INVESTIGATION INTO STATOR-HOUSING CONTACT INTERFACE	25
<i>N. Simpson, R. Wrobel, J. D. Booker, P. H. Mellor</i>	
ANALYTICAL FIELD CALCULATION OF DOUBLY FED INDUCTION GENERATOR WITH CORE SATURATION CONSIDERED	31
<i>Z. Zhang, C. L. Xia, Y. Yan, H. M. Wang</i>	
DESIGN OPTIMISATION OF HIGH PERFORMANCE FRACTIONAL-SLOT DISTRIBUTED WINDING PM SYNCHRONOUS MACHINES FOR IN-WHEEL APPLICATION IN ELECTRIC VEHICLES	37
<i>S. Bandyopadhyay, M. Van Der Geest, H. Polinder</i>	
MODELLING THE MECHANICAL AND THERMAL PROPERTIES OF COMPRESSED STATOR WINDINGS	44
<i>M. C. Kulan, N. J. Baker, J. D. Widmer, S. M. Lambert</i>	
A UNIFIED FRAMEWORK FOR COMPUTATIONALLY EFFICIENT POWER CONVERTER DESIGN OPTIMISATION	50
<i>I. D. Laird, J. Scoltock, A. J. Forsyth, X. Yuan</i>	
DESIGN CONSIDERATIONS FOR 600 V GAN CASCODE BASED HALF-BRIDGE CONVERTER SYSTEMS FOR UTILITY BASED APPLICATIONS	56
<i>N. Hari, T. Logan, R. McMahon</i>	
NEW OPTIMUM MODULATION OF THREE-PHASE ZVS TRIANGULAR CURRENT MODE GAN INVERTER ENSURING LIMITED SWITCHING FREQUENCY VARIATION	62
<i>M. Kaufmann, A. Tuysuz, J. W. Kolar</i>	
EXTENDED SOFT-SWITCHING OPERATION OF THE DUAL INTERLEAVED BOOST CONVERTER	68
<i>M. R. Ahmed, R. Todd, A. J. Forsyth</i>	
INVESTIGATING ENHANCEMENT MODE GALLIUM NITRIDE POWER FETS IN HIGH VOLTAGE, HIGH FREQUENCY SOFT SWITCHING CONVERTERS	74
<i>Y. Nour, A. Knott, I. H. H. Jrgensen</i>	
A THRESHOLD LOGIC CONTROL STRATEGY FOR PARALLEL LIGHT HYBRID ELECTRIC VEHICLE IMPLEMENTATION	79
<i>D. Da Ru, M. Morandin, S. Bolognani, M. Castiello</i>	
SINGLE-STAGE BATTERY CHARGER BASED ON A LLC RESONANT CONVERTER: A CONCEPT STUDY	85
<i>L. Keuck, B. Strothmann, R. Hermelingmeier, N. Frohleke, J. Bocker</i>	
A CASCADED TRANSFORMER-BASED EQUALISATION CONVERTER FOR SERIES CONNECTED BATTERY CELLS	91
<i>Huaxia Zhan, Xin Xiang, S. M. Lambert, V. Pickert, Haimeng Wu, Xiang Lu</i>	
OPTIMIZATION OF A 12V DUAL-BATTERY SYSTEM FOR MICRO-HYBRID VEHICLES	97
<i>D. Renner, F. Achhammer, P. Jansen, D. Vergossen, W. John, S. Frei</i>	
ELECTRIC VEHICLE BATTERY PARAMETER IDENTIFICATION AND SOC OBSERVABILITY ANALYSIS: NIMH AND LI-S CASE STUDIES	103
<i>A. Fotouhi, D. J. Auger, K. Propp, S. Longo</i>	

THE STAR-SWITCHED MMC (SSMMC) - A HYBRID VSC FOR HVDC APPLICATIONS	109
<i>D. L. Woldegiorgis, J. Outram, E. Amankwah, D. Trainer, J. Clare</i>	
DESIGN AND IMPLEMENTATION OF 30KW 200/900V LCL MODULAR MULTILEVEL BASED DC/DC CONVERTER FOR HIGH POWER APPLICATIONS	117
<i>S. M. Fazeli, A. Aboushady, K. H. Ahmed, D. Jovic</i>	
GRID FAULT RIDE-THROUGH OF AN LCC-VSC TANDEM CONVERTER, USED AS A GRID INTERFACE FOR A MULTI-MW WIND TURBINE.	123
<i>M. A. Parker, S. J. Finney</i>	
A CURRENT-BALANCING MODULAR DRIVER FOR MULTI-CHANNEL LEDS	129
<i>Hyun-Su Gu, Sang-Kyoo Han</i>	
MULTI-FREQUENCY CLASS-D INVERTER FOR RECTIFIER CHARACTERISATION IN HIGH FREQUENCY INDUCTIVE POWER TRANSFER SYSTEMS	135
<i>G. Kkelis, D. C. Yates, P. D. Mitcheson</i>	
A 25 W 27.12 MHZ WIRELESS POWER TRANSFER SYSTEM	141
<i>S. Aldhafer, D. C. Yates, P. D. Mitcheson</i>	
BATTERY CHARGER WITH A CAPACITOR-DIODE CLAMPED LLC RESONANT CONVERTER	145
<i>C.-W. Tsang, C. Bingham, M. P. Foster, D. A. Stone, J. M. Leach</i>	
FAST EXTRACTION OF POSITIVE AND NEGATIVE SEQUENCE VOLTAGE COMPONENTS FOR INVERTER CONTROL	151
<i>Tianqu Hao, Li Ran, Zheng Zeng, Wei Lai</i>	
AN ACTIVE DAMPING APPROACH FOR PR-BASED CURRENT CONTROL OF GRID-TIED VSI WITH LCL FILTER	157
<i>H. Azani, A. Massoud, L. Benbrahim, B. W. Williams, D. Holiday</i>	
A CLLC RESONANT CONVERTER BASED BIDIRECTIONAL EV CHARGER WITH MAXIMUM EFFICIENCY TRACKING	162
<i>Chaohui Liu, Jiabin Wang, K. Colombage, C. Gould, B. Sen</i>	
PERFORMANCE ANALYSIS OF REINJECTION CIRCUIT IN MULTI-PULSE VOLTAGE SOURCE CONVERTER FOR STATCOM APPLICATIONS	168
<i>K. R. Patel, S. M. Hosseini</i>	
HIGH FREQUENCY (MHZ) SOFT SWITCHED FLYBACK DC-DC CONVERTER USING GAN SWITCHES AND SIX-LAYERED PCB TRANSFORMER	174
<i>M. Abu Bakar, K. Bertilsson, R. Ambatipudi</i>	
MINIMUM CHARGE-RECOVERY TIME CONTROL WITH PARALLEL CONNECTED BUCK CONVERTERS	180
<i>C.-W. Tsang, C. Bingham, M. P. Foster, D. A. Stone, J. N. Davidson, J. M. Leach</i>	
DESIGN AND IMPLEMENTATION OF AN UNREGULATED DC-DC TRANSFORMER (DCX) MODULE USING LLC RESONANT CONVERTER	186
<i>O. S. Alemdar, O. Keysan</i>	
INVESTIGATION OF THE FUTURE MEA POWER SYSTEM ARCHITECTURE-FROM THE PERSPECTIVE OF SYSTEM STABILITY	192
<i>Qianwen Xu, Jiawei Chen, Peng Wang, Changyun Wen, Lee Meng Yeong, R. Simanjorang</i>	
EXPERIMENTAL VALIDATION OF PROTECTION BLINDING ON DC AIRCRAFT ELECTRICAL POWER SYSTEMS WITH POWER-DENSE ENERGY STORAGE	198
<i>P. Rakhra, P. J. Norman, S. J. Galloway, G. M. Burt</i>	
INVESTIGATION OF 3-LEVEL-TOPOLOGY MNPC FOR AEROSPACE APPLICATIONS WITH SIC-MOSFET-BASED POWER MODULES	204
<i>C. Schoner, A. Hensel, J. C. Z. Cambero</i>	
FLUX WEAKENING CONTROL OF PERMANENT MAGNET MACHINE BASED AIRCRAFT ELECTRIC STARTER-GENERATOR	210
<i>S. Bozhko, M. Rashed, S. S. Yeoh, T. Yang, C. Hill</i>	
MAXIMUM POWER POINT TRACKING OF RENEWABLE ENERGY GENERATORS BASED ON SUM OF DYNAMIC AND STATIC CONDUCTANCES	216
<i>M. Sitbon, S. Kolesnik, S. Lineykin, A. Kuperman</i>	
A MULTI-STRING PHOTOVOLTAIC INVERTER FOR THIN-FILM OR BACK-SIDE CONTACTED SOLAR MODULES	221
<i>M. Gommeringer, A. Schmitt, M. Braun</i>	
OBTAINING DYNAMIC NORTON PARAMETERS OF A SOLAR PANEL FROM MANUFACTURER DATA	227
<i>A. Kuperman, S. Lineykin, V. L. Brano, G. Ciulla, T. Suntio</i>	

AN ENHANCED PHOTOVOLTAIC ARRAYS MODELLING UNDER PARTIAL SHADING CONDITION: GENERIC GRAPHICAL USER INTERFACE BASED APPROACH	231
<i>F. A. Emara, A. K. Abdelsalam, I. G. Morsi, M. A. Sharkas</i>	
IMPROVING DIRECT INSTANTANEOUS TORQUE CONTROL OF SWITCHED RELUCTANCE MACHINES WITH PREDICTIVE FLUX CONSTRAINTS	236
<i>D. Winterborne, V. Pickert</i>	
IMPROVING DYNAMICS OF REPETITIVE CONTROL BASED CURRENT HARMONIC MITIGATION IN INVERTER-FED PERMANENT MAGNET SYNCHRONOUS MACHINES WITH NONLINEAR MAGNETICS	242
<i>J. Richter, M. Doppelbauer</i>	
MODEL-BASED SYNCHRONOUS MACHINE CONTROL WITH COMPENSATION OF MODEL INACCURACIES AND INSTANTANEOUS FLUX WEAKENING CAPABILITIES	248
<i>G. Zanuso, L. Peretti, P. Sandulescu</i>	
A SENSORLESS METHOD FOR SWITCHED RELUCTANCE MOTORS	254
<i>M. I. Henderson</i>	
STATOR FLUX ORIENTED CONTROL FOR HIGH PERFORMANCE INTERIOR PERMANENT MAGNET SYNCHRONOUS MACHINE DRIVES	260
<i>M. Koc, Jiabin Wang, Tianfu Sun</i>	
VARIABLE STRUCTURE CONTROL FOR ACTIVE POWER DECOUPLING TOPOLOGIES	266
<i>G. Kafanas, M. R. Jeffrey, X. Yuan</i>	
ANALYSIS OF FEED FORWARD PHASE LOCKED LOOP AND ITS TUNING USING PSO	272
<i>R. Hari Kumar, D. Gopinath, S. Ushakumari</i>	
ON-LINE PARAMETER ESTIMATION OF NON-MINIMUM PHASE SWITCH MODE POWER DC-DC BOOST CONVERTERS	278
<i>Ruisheng Li, M. Armstrong, S. Gadoue, Chen Wang</i>	
DUAL FEEDBACK ADAPTIVE CONTROL FOR VOLTAGE REGULATION OF CASCADE DC- DC CONVERTER SYSTEMS	284
<i>Chen Wang, M. Armstrong, S. Gadoue</i>	
AN IMPROVED SINGLE-PHASE AC-DC BUCK-BOOST CONVERTER OPERATING IN A DISCONTINUOUS CONDUCTION MODE	290
<i>I. Abdelsalam, G. P. Adam, D. Holliday, B. W. Williams</i>	
COMPARISON OF CARRIER-BASED PULSE-WIDTH MODULATION TECHNIQUES FOR THREE-PHASE FOUR-LEG INVERTERS	296
<i>I. Musulin</i>	
COMPARISON OF TWO PWM SCHEMES FOR SIC-DEVICE-BASED SPLIT OUTPUT CONVERTERS IN HIGH-SWITCHING-FREQUENCY APPLICATIONS	302
<i>Qingzeng Yan, Xibo Yuan, Xiaojie Wu</i>	
DESIGN OPTIMISATION METHODOLOGY OF A HIGH-SPEED SWITCHED RELUCTANCE MOTOR FOR AUTOMOTIVE TRACTION APPLICATIONS	308
<i>J. H. J. Potgieter, F. M. Marquez-Fernandez, A. G. Fraser, M. D. McCulloch</i>	
SOLUTION SPACE BASED PRE-DESIGN APPROACH TO COMPARE AND SELECT CONFIGURATIONS OF SWITCHED RELUCTANCE MACHINES	314
<i>B. Burkhart, A. Mittelstedt, R. W. De Doncker</i>	
DEGRADATION AND FATIGUE OF EPOXY IMPREGNATED TRACTION MOTORS DUE TO THERMAL AND THERMAL INDUCED MECHANICAL STRESS - PART II: THERMAL MECHANICAL SIMULATION OF MULTIPLE WIRES DUE TO EVENLY AND UNEVENLY DISTRIBUTED TEMPERATURE	320
<i>Zhe Huang, A. Reinap, M. Alakula</i>	
AN EXTENDED DQ MODEL FOR CONCENTRATED-WOUND INTERIOR PERMANENT MAGNET MACHINES CONSIDERING NON-IDEAL MACHINE PARAMETERS	325
<i>M. Farshadnia, M. A. M. Cheema, R. Dutta, J. E. Fletcher, H. C. Lovatt, M. F. Rahman</i>	
THERMAL MANAGEMENT IN A HIGH SPEED SWITCHED RELUCTANCE MACHINE FOR TRACTION APPLICATIONS	331
<i>F. J. Marquez-Fernandez, J. H. J. Potgieter, A. G. Fraser, M. D. McCulloch</i>	
ONLINE MAXIMUM TORQUE PER AMPERE CONTROL OF INTERIOR PERMANENT MAGNET SYNCHRONOUS MACHINES (IPMSM) FOR AUTOMOTIVE APPLICATIONS	337
<i>J. Bonifacio, R. Kennel</i>	
MULTIAXIAL MAGNETO-MECHANICAL MODELLING OF ELECTRICAL MACHINES WITH HYSTERESIS	342
<i>P. Rasilo, U. Aydin, D. Singh, F. Martin, R. Kouhia, A. Belahcen, A. Arkkio</i>	

COMPARISON OF DIRECT DRIVE AND HIGH SPEED DRIVE CONCEPTS FOR THE USE IN WHEEL-HUB-DRIVES	348
<i>K. Reis, A. Binder</i>	
DOUBLE WYE MODULAR MULTILEVEL CONVERTER - DIRECT DC-DC TOPOLOGY	354
<i>P. Klimczak, P. Blaszczyk, R. Jez, K. Koska</i>	
HALF-BRIDGE MODULAR MULTILEVEL-BASED HVDC CONVERTERS WITH EXTERNAL PRE-CHARGED CAPACITORS FOR DC FAULT CURRENT SUPPRESSION CAPABILITY	360
<i>A. Elserougi, S. Ahmed, A. Massoud</i>	
EFFICIENT 81-LEVEL SINUSOIDAL AND MODIFIED SINUSOIDAL MULTI-STEPPED INVERTER	364
<i>R. Francis, D. Meganathan</i>	
AN FPGA-BASED, SINGLE TRANSDUCER, ACTIVE BALANCING SCHEME FOR A 5-LEVEL FLYING CAPACITOR CONVERTER WITH 1 MHZ EFFECTIVE SWITCHING FREQUENCY	370
<i>M. A. H. Broadmeadow, G. R. Walker, S. M. Bulmer</i>	
AN OPTIMIZED SVPWM SCHEME FOR A THIRTEEN-LEVEL INVERTER	376
<i>O. Flores-Acoltzi, I. Araujo-Vargas, N. Mondragon-Escamilla, M. Ponce-Flores, F. Valencia-Figueroa</i>	
CONTROL OF A VERTICAL AXIS WIND TURBINE IN GUSTY CONDITIONS	382
<i>D. J. Breslan, J. M. Apsley, A. C. Smith, S. G. Kirkham, K. J. Towell</i>	
HIGH VOLTAGE GENERATOR FOR WIND TURBINES	388
<i>O. Beik, N. Schofield</i>	
ANALYTICAL MODEL FOR SUPERCONDUCTING GENERATORS FOR WAVE ENERGY SYSTEMS	394
<i>J. J. Bernholz, O. Keysan, M. A. Mueller</i>	
COMPARATIVE PERFORMANCE STUDY OF ALTERNATE FAULT-TOLERANT INVERTER CONFIGURATIONS FOR DIRECT TORQUE CONTROL-BASED THREE-PHASE PM BLAC DRIVES UNDER SINGLE-PHASE OPEN-CIRCUIT FAULT	400
<i>K. D. Hoang, Z. Q. Zhu</i>	
IMPROVEMENTS ON AVAILABILITY AND COMFORT OF ELECTRIC DRIVES FOR ELECTRIC POWER STEERING APPLICATION	406
<i>N. Truemmel, T. Poetzl, I.-C. Reuss</i>	
EXPERIMENT ON A PERMANENT MAGNET-BIASED MAGNETIC BEARING WITH A CASCADE DIGITAL CONTROL	412
<i>M. S. Kandil, M. R. Dubois, L. S. Bakay, J. P. Trovao</i>	
A PRELIMINARY LOSS COMPARISON OF SOLID-STATE TRANSFORMERS IN A RAIL APPLICATION EMPLOYING SILICON CARBIDE (SIC) MOSFET SWITCHES	418
<i>N. M. Evans, T. Lagier, A. Pereira</i>	
UNDERSTANDING AUTOMOTIVE ELECTRICAL NETWORK VOLTAGE TRANSIENTS	424
<i>Bo Wen, D. Sarafianos, R. A. McMahon, S. Pickering</i>	
A NEW CONTROL TECHNIQUE ENABLING DUAL-FEEDING OF 50 HZ AC RAILWAYS WITH STATIC CONVERTER FEEDER STATIONS	430
<i>D. Sharifi, P. Tricoli, S. Hillmansen</i>	
A HIGH POWER DENSITY 50KW BI-DIRECTIONAL CONVERTER FOR HYBRID ELECTRONIC VEHICLE HDC	437
<i>Jung-Woo Yang, Moon-Hwan Keum, Yoon Choi, Sang-Kyoo Han</i>	
TORQUE RIPPLE REDUCTION IN FRACTIONAL-SLOT CONCENTRATED-WINDING MACHINES WITH SALIENCY	443
<i>S. Yang, B. C. Mecrow, N. J. Baker, C. Hilton, D. K. Perovic, I. Kakavas</i>	
DOUBLE-SIDED THOMSON COIL BASED ACTUATOR: FINITE ELEMENT DESIGN AND PERFORMANCE ANALYSIS	448
<i>D. S. Vilchis-Rodriguez, R. Shuttleworth, M. Barnes</i>	
FINITE ELEMENT ANALYSIS AND EFFICIENCY IMPROVEMENT OF THE THOMSON COIL ACTUATOR	454
<i>D. S. Vilchis-Rodriguez, R. Shuttleworth, M. Barnes</i>	
DAMPER CAGE LOSS REDUCTION AND NO-LOAD VOLTAGE THD IMPROVEMENTS IN SALIENT-POLE SYNCHRONOUS GENERATORS	460
<i>S. Nuzzo, M. Galea, C. Gerada, D. Gerada, A. Mebarki, N. L. Brown</i>	
OPTIMIZATION OF ELECTRICALLY EXCITED SYNCHRONOUS MACHINE FOR ELECTRICAL VEHICLE APPLICATIONS	467
<i>L. R. Huang, Z. Q. Zhu, W. Q. Chu</i>	
GRID IMPEDANCE ESTIMATION FOR ISLANDING DETECTION AND ADAPTIVE CONTROL OF CONVERTERS	473
<i>A. Ghanem, M. Rashed, M. Sumner, M. A. El-Sayes, I. I. I. Mansy</i>	

EFFECTS OF THE SWITCHING FREQUENCY OF A GRID CONVERTER ON THE LCL FILTER DESIGN	479
<i>J. Koppinen, F. M. Mahafugur Rahman, M. Hinkkanen</i>	
DC COMPONENT DETECTION IN GRID CONNECTED INVERTER SYSTEMS, USING A MID-GROUND LOW PASS FILTER APPROACH	485
<i>W. Zhang, M. Armstrong, M. Elgendy</i>	
MULTI-MODULAR MATRIX CONVERTER TOPOLOGY APPLIED TO DISTRIBUTED GENERATION SYSTEMS	491
<i>S. Toledo, R. Gregor, M. Rivera, J. Rodas, D. Gregor, D. Caballero, F. Gavilan, E. Maqueda</i>	
INTERLEAVED LLC RESONANT CONVERTER WITH INTEGRATED DUAL TRANSFORMER FOR PV POWER SYSTEMS	497
<i>S. Iqbal</i>	
NEW SWITCHED RELUCTANCE MOTOR DRIVE WITH SWITCH CAPACITOR	503
<i>Zhongyi Chang, Mingyao Ma, Fei Li, Qingqing Yang, Le Gao, Zhemin Lin</i>	
NON-ISOLATED, HIGH GAIN, BOOST CONVERTER FOR POWER ELECTRONIC APPLICATIONS	509
<i>M. Muhammad, M. Armstrong, M. A. Elgendy</i>	
FREQUENCY ADAPTIVE REPETITIVE CONTROL OF GRID-TIED THREE-PHASE PV INVERTERS	515
<i>Keliang Zhou, Yongheng Yang, F. Blaabjerg</i>	
ON THE STABILITY ANALYSIS OF MULTIPLE PARALLEL INVERTERS USING THE IMPEDANCE MULTIPLICATION EFFECT	520
<i>F. Cavazzana, P. Mattavelli, M. Corradin, I. Toigo</i>	
SVM STRATEGIES FOR MULTIPHASE VOLTAGE SOURCE INVERTERS	526
<i>Zipan Nie, M. Preindl, N. Schofield</i>	
AN ACTIVE-DAMPED LLCL FILTER FOR GRID-TIED THREE-PHASE VOLTAGE SOURCE INVERTER WITH PR CURRENT CONTROL	532
<i>H. Azani, A. Massoud, L. Benbrahim, B. W. Williams, D. Holliday</i>	
COMPARISON OF TWO CONTROL STRATEGIES REGARDING VIBRATION CRITERION FOR SWITCHED RELUCTANCE MACHINE	538
<i>I. Bahri, H. Maamri, E. Berthelot, E. Godoy, C. Marchand</i>	
MODELLING AND CONTROL OF AN ULTRA-HIGH-SPEED SWITCHED RELUCTANCE MACHINE	544
<i>S. J. Watkins, E. Winward</i>	
NOISE-VIBRATION-HARSHNESS SIMULATION OF ULTRALIGHT VEHICLE TRACTION DRIVES BASED ON A UNIVERSAL MODELLING APPROACH	550
<i>P. Kotter, B. Callan-Bartkiw, M. Boesing, K. Wegener, J. Berkemer, O. Zirn</i>	
IRON LOSS REDISTRIBUTION IN SWITCHED RELUCTANCE MACHINES USING BIDIRECTIONAL PHASE CURRENTS	556
<i>A. Klein-Hessling, B. Burkhart, R. W. De Doncker</i>	
OPTIMAL CHOICE OF STACK LENGTH AND CONDUCTORS OF LINE START SYNCHRONOUS MOTORS	562
<i>D. Mingardi, N. Bianchi, L. Alberti</i>	
HYBRID EXCITATION SWITCHED FLUX PERMANENT MAGNET MACHINES WITH HYBRID MAGNETS	568
<i>G. J. Li, Z. Q. Zhu</i>	
AN ELECTRICAL MACHINE WITH INTEGRATED DRIVE LCL FILTER COMPONENTS	574
<i>M. A. Mohamed, S. M. Lambert, B. C. Mecrow, D. J. Atkinson, A. C. Smith</i>	
DESIGNING A CONTINUOUSLY VARIABLE MAGNETIC GEAR	580
<i>J. Pritchard, P. Padmanathan, J. Z. Bird</i>	
A HIGH EFFICIENCY VOLTAGE-FED QUASI Z-SOURCE INVERTER WITH DISCONTINUOUS INPUT CURRENT USING SUPER-JUNCTION MOSFETS	586
<i>J. Kitson, N. McNeill</i>	
HARDWARE DESIGN AND KEY SUBMODULE TESTING OF THE WORLD'S FIRST SINGLE-LEVEL PRESS-PACK IGBT BASED MODULAR MULTILEVEL CONVERTER FOR VSC HVDC	592
<i>H. Chen, W. Cao, Z. Tan, P. Bordignon, R. Yi, H. Zhang</i>	
INFLUENCE OF CASSETTE DESIGN UPON BREAKDOWN PERFORMANCE OF A 4.5KV PRESS-PACK IGBT MODULE	598
<i>M. Sweet, E. M. Sankara Narayanan, S. Steinhoff</i>	
OPERATION METHOD FOR AC GRID POWERED PMSM WITH OPEN-END WINDING IN DUAL-INVERTER TOPOLOGY FOR POWER FACTOR MAXIMIZATION	604
<i>F. Ludwig, A. Mockel</i>	

CONTROL STRATEGY OF POST-FAULT OPERATION IN DUAL INVERTER-FED, PMSM CONSIDERING ZERO SEQUENCE AND BACK-EMF HARMONIC	609
<i>N. A. Mohd Said, D. Xiao, R. Dutta, J. E. Fletcher</i>	
ANALYSIS AND COMPARISON OF POWER ELECTRONIC CONVERTERS FOR CONVENTIONAL AND TOROIDAL SWITCHED RELUCTANCE MACHINES	615
<i>Zipan Nie, N. Schofield</i>	
EFFECTS OF INSULATION AGEING ON THE CONDUCTIVE HEAT TRANSFER FROM THE WINDING BODY INTO MACHINE PERIPHERY/STATOR CORE PACK	621
<i>S. J. Williamson, R. Wrobel, J. D. Booker, J. Yon, P. H. Mellor</i>	
LIFETIME CONSUMPTION AND DEGRADATION ANALYSIS OF THE WINDING INSULATION OF ELECTRICAL MACHINES	627
<i>C. Sciascera, M. Galea, P. Giangrande, C. Gerada</i>	
NEW COMPUTATIONAL APPROACH FOR INTER-TURN SHORT CIRCUIT RECOGNITION IN INDUCTION MACHINES USING CURRENTS ANALYSIS AND MULTI-CLASS SUPPORT VECTOR MACHINE	632
<i>J. Maitre, S. Gaboury, B. Bouchard, A. Bouzouane</i>	
CONDITION MONITORING OF A PERMANENT MAGNET SYNCHRONOUS GENERATOR FOR A WIND TURBINE APPLICATION	638
<i>Z. Nie, N. Schofield</i>	
A NOVEL APPROACH TO ACTIVE DC-LINK CAPACITANCE REDUCTION FOR SINGLE PHASE POWER FACTOR CORRECTION CIRCUITS	644
<i>M. Mellincovsky, V. Yuhimenko, M. M. Peretz, A. Kuperman</i>	
ELECTRIC SPRING ENHANCED DECOUPLED DUAL FUNCTION OPERATION: BUS VOLTAGE CONTROLLER AND RENEWABLE ENERGY GRID INTEGRATION	650
<i>A. K. Hassan, N. E. Zakzouk, A. K. Abdelsalam, A. A. Lotfy</i>	
AIR-COOLED, HIGH TORQUE MACHINES FOR AEROSPACE APPLICATIONS	658
<i>S. Jordan, N. J. Baker</i>	
PSEUDO DIRECT DRIVE ELECTRICAL MACHINES FOR FLIGHT CONTROL SURFACE ACTUATION	664
<i>E. K. Hussain, K. Atallah, M. Odavic, R. S. Dragan, R. E. Clark</i>	
BLACK-BOX MODELLING OF A PERMANENT MAGNET GENERATOR FOR AEROSPACE SYSTEMS	670
<i>S. K. Ki, R. Todd</i>	
A MODULAR CONTROL AND POWER ISOLATION PLATFORM FOR POWER ELECTRONICS RESEARCH AND DEVELOPMENT	676
<i>W. L. Malan, M. A. H. Broadmeadow, G. R. Walker</i>	
PROPORTIONAL REGENERATIVE BASE DRIVER CIRCUIT WITH NEGATIVE OFFSTATE VOLTAGE FOR SIC BIPOLAR JUNCTION TRANSISTORS	680
<i>N. McNeill, B. Jin, X. Yuan</i>	
POWER CONVERTER WITH LOW-VOLTAGE STRESS ON THE SWITCHING DEVICES FOR RENEWABLE ENERGY APPLICATIONS	686
<i>L. H. Diaz-Saldierna, J. Leyva-Ramos, D. Langarica-Cordoba</i>	
SVM STRATEGY WITH DUTY-OFFSET COMPONENT INJECTION FOR A THREE-PHASE/LEVEL PFC RECTIFIER BASED ON CURRENT SECTOR CONTROL	692
<i>Y. Kumsuwan</i>	
COMPARISON OF DIGITAL PWM CONTROL STRATEGIES FOR HIGH POWER INTERLEAVED DC-DC CONVERTERS	696
<i>G. Calderon-Lopez, A. Villarruel-Parra, P. Kakosimos, S. K. K. R. Todd, A. J. Forsyth</i>	
LUMPED-PARAMETER-BASED THERMAL ANALYSIS FOR VIRTUAL PROTOTYPING OF POWER ELECTRONICS SYSTEMS	702
<i>W. Wang, X. Yuan</i>	
HOLISTIC APPROACH TO THREE-PHASE EMI FILTER IMPROVEMENT	708
<i>I. N. Manushyn, L. M. Koleff, G. J. Griepentrog</i>	
DELIBERATELY DISPATCHED SCR FIRING ANGLES FOR HARMONIC MITIGATION IN THREE-PHASE MULTI-DRIVE SYSTEMS WITHOUT COMMUNICATION	714
<i>Yongheng Yang, P. Davari, F. Zare, F. Blaabjerg</i>	
ANALYSIS OF AN IPM MACHINE WITH GRAIN BOUNDARY DIFFUSION PROCESSED MAGNETS	720
<i>Rong Yang, Yinye Yang, B. Bilgin, N. Schofield, A. Sathyan, H. Dadkhah, S. C. Veldhuis, A. Emadi</i>	
OPTIMISATION AND ADAPTATION OF AN EXISTING AERONAUTIC MOTOR TO AN HVDC NETWORK	726
<i>A. Bernot, G. Tremouille</i>	

ANALYSIS OF AN AIR-CORED AXIAL FLUX PERMANENT MAGNET MACHINE WITH HALBACH ARRAY	732
<i>O. G. Ubani, M. A. Mueller, J. Chick, A. McDonald</i>	
DESIGN AND PERFORMANCE OF A SEGMENTED STATOR PERMANENT MAGNET ALTERNATOR FOR AEROSPACE	738
<i>N. J. Baker, D. J. Smith, M. C. Kulan, S. Turvey</i>	
VOLT-AMPERE CONSTRAINTS AND ITS INFLUENCE ON INDUCTANCE LIMITS IN HIGH SPEED PM MACHINE DESIGN	744
<i>W. U. Nuwantha Fernando, P. Arumugam, C. Gerada</i>	
DESIGN CONSIDERATIONS OF A SHUNT CALORIMETER FOR HIGH-EFFICIENCY ELECTRICAL MACHINES AND DRIVES	750
<i>W. Cao, H. Chen, L. Aarniovuori, N. Yang, V. Pickert</i>	
GLOBAL DESIGN OPTIMIZATION STRATEGY OF A SYNCHRONOUS RELUCTANCE MACHINE FOR LIGHT ELECTRIC VEHICLES	757
<i>M. Degano, M. Di Nardo, M. Galea, C. Gerada, D. Gerada</i>	

VOLUME 2

AN 8 MW, 3-LEVEL INVERTER DRIVE BASED ON PRESS-PACK IGBT'S: DESIGN, CONSTRUCTION AND OPERATIONAL PROPULSION SYSTEM	762
<i>Q. Al'Akayshee, H. Neal, A. Sartain, S. Reynolds, Xibo Yuan, M. Al'Akayshee</i>	
ELECTROMAGNETIC COMPATIBILITY FOR LARGE SCALE ELECTRICAL ENERGY STORAGE	768
<i>S. P. McDonald, N. Wade, I. Cooper, N. Heyward, I. Morgan, M. Madera</i>	
ROTOR RADIAL VENT PUMPING IN LARGE SYNCHRONOUS ELECTRICAL MACHINES	774
<i>D. Camilleri, R. Rolston</i>	
BATTERY ENERGY STORAGE SYSTEMS FOR THE ELECTRICITY GRID: UK RESEARCH FACILITIES	780
<i>T. Feehally, A. J. Forsyth, R. Todd, M. P. Foster, D. Gladwin, D. A. Stone, D. Strickland</i>	
IMPACT OF WIND CONDITIONS ON THERMAL LOADING OF PMSG WIND TURBINE POWER CONVERTERS	786
<i>C. J. Smith, C. J. Crabtree, P. C. Matthews</i>	
ELECTROCHEMICAL CELL BALANCING USING A FULL-BRIDGE MULTILEVEL CONVERTER AND PSEUDO-OPEN CIRCUIT VOLTAGE MEASUREMENTS	792
<i>E. Chatziniolaou, D. J. Rogers</i>	
EFFECT OF POWER CONVERTER ON CONDITION MONITORING AND FAULT DETECTION FOR WIND TURBINE	798
<i>R. K. Ibrahim, S. Watson</i>	
HVDC GRID CONTROL SYSTEM BASED ON AUTONOMOUS CONVERTER CONTROL	804
<i>A. Beddard, A. Adamczyk, M. Barnes, C. Barker</i>	
DC CIRCUIT BREAKER REQUIREMENTS IN MULTI-TERMINAL HVDC SYSTEMS	810
<i>R. Li, Z. X. Wang, D. Holliday, L. Z. Yao, B. W. Williams</i>	
IMPACT OF VSC CONVERTER TOPOLOGY ON FAULT CHARACTERISTICS IN HVDC TRANSMISSION SYSTEMS	816
<i>D. Tzelepis, S. Ademi, D. Vozikis, A. Dysko, S. Subramanian, Hengxu Ha</i>	
DC TRANSFORMER BASED ON HYBRID CASCADED MMC IN MULTI-TERMINAL HVDC TRANSMISSION SYSTEM	822
<i>R. Li, Z. X. Wang, D. Holliday, L. Z. Yao, B. W. Williams</i>	
MULTILAYER NEURAL NETWORK WITH MULTIVALUED NEURONS MLMVN BASED CLASS E RESONANT INVERTER FAULT DETECTION	828
<i>A. Reatti, S. Manetti, M. C. Piccirilli, A. Luchetta, M. K. Kazmierczuk</i>	
OUTPUT HARMONIC ANALYSIS AS A POTENTIAL METHOD OF CONDITION MONITORING	834
<i>Z. Davletzhanova, O. Alatise, J.-A. O. Gonzalez, R. Bonyadi, L. Ran, P. Mawby</i>	
TEMPERATURE SENSITIVE ELECTRICAL PARAMETERS FOR CONDITION MONITORING IN SIC POWER MOSFETS	840
<i>J. O. Gonzalez, O. Alatise, J. Hu, L. Ran, P. Mawby</i>	
SOLE - AN ALTERNATIVE APPROACH FOR IMPEDANCE MEASUREMENT OF LITHIUM-ION BATTERY CELLS	846
<i>M. P. Felder, S. Banerjee, P. Jansen, J. Gotze</i>	

EFFECT OF STATOR WINDING CONNECTION ON PERFORMANCE OF FIVE-PHASE LINEAR INDUCTION MACHINES	852
<i>A. S. Abdel-Khalik, M. Hamad, S. Ahmed, A. Massoud</i>	
ROBUST PREDICTIVE CURRENT CONTROL FOR INDUCTION MOTOR IN SYNCHRONOUS ROTATING FRAME	857
<i>Bo Wang, Xianle Chen, Yong Yu, Chunying Wang, Binbin Li, Dianguo Xu</i>	
COMPARISON OF 3-PHASE AND 5-PHASE HIGH SPEED SYNCHRONOUS MOTOR FOR EV/HEV APPLICATIONS	862
<i>J. Ojeda, H. Bouker, L. Vido, H. Ben Ahmed</i>	
MATHEMATICAL MODELING AND DESIGNING THE FLUX REVERSAL MOTOR MADE OF SOFT MAGNETIC MATERIAL	870
<i>V. Dmitrievskii, V. Prakht, A. Mikhalitsyn, S. Sarapulov</i>	
DESIGN OF TUBULAR MOVING MAGNET LINEAR ALTERNATOR FOR USE WITH AN EXTERNAL COMBUSTION - FREE PISTON ENGINE	876
<i>A. S. Jalal, N. J. Baker, D. Wu</i>	
SATURATION IN BRUSHLESS DOUBLY-FED INDUCTION MACHINES	882
<i>T. D. Strous, Xuezhou Wang, H. Polinder, J. A. Ferreira</i>	
DESIGN OPTIMIZATION OF A HIGH-POWER TRANSFORMER FOR THREE-PHASE DUAL ACTIVE BRIDGE DC-DC CONVERTER FOR MVDC GRIDS	889
<i>Youngsil Lee, G. Vakil, R. Feldman, A. Goodman, P. Wheeler</i>	
ANALYSIS AND COMPARISON OF AIR AND WATER COOLED INDUCTORS FOR MEDIUM-VOLTAGE POWER-ELECTRONIC APPLICATIONS	895
<i>T. B. Gradinger, U. Drogenik</i>	
DRAIN CURRENT INJECTION CIRCUITRY FOR ENABLING THE USE OF SUPER-JUNCTION MOSFETS IN A 5KW BIDIRECTIONAL DC-DC CONVERTER	901
<i>A. Hopkins, N. McNeill, P. H. Mellor</i>	
HIGH-VOLTAGE PULSE GENERATOR BASED ON CAPACITOR-DIODE VOLTAGE MULTIPLIER CENTRALLY FED FROM DC-DC BOOST CONVERTER	907
<i>A. Elserougi, S. Ahmed, A. Massoud</i>	
MAXIMUM EFFICIENCY POINT TRACKING FOR RESONANT WIRELESS POWER TRANSFER	911
<i>R. Zhao, D. T. Gladwin, D. A. Stone</i>	
A NOVEL 100 KW POWER HARDWARE-IN-THE-LOOP EMULATION TEST BENCH FOR PERMANENT MAGNET SYNCHRONOUS MACHINES WITH NONLINEAR MAGNETICS	916
<i>A. Schmitt, J. Richter, M. Gommeringer, T. Wersal, M. Braun</i>	
THERMAL ASPECTS OF A LOW COST POWER ELECTRONIC CONVERTER FOR HIGH CAPACITY, SMART RESIDENTIAL DISTRIBUTION NETWORKS	922
<i>A. Amiri, A. M. Cross, N. Ignadossian, S. Safari, B. Godfrey, P. Ward, M. Owen</i>	
WIRELESS ENERGY HARVESTING FOR ROTOR INSTRUMENTATION IN ELECTRICAL MACHINES	928
<i>M. R. Tatlow, R. A. McMahon, S. Abdi</i>	
CHARACTERISTICS OF A PERMANENT MAGNET MOTOR WITH REVERSIBLE SALIENT POLES AND VARIABLE MAGNETIC FLUX	934
<i>K. Sakai, K. Matsuda</i>	
ANALYSIS OF THE ELECTROMAGNETIC ACOUSTIC NOISE AND VIBRATIONS OF A HIGH-SPEED BRUSHLESS DC MOTOR	940
<i>J. Le Besnerais, Q. Souron, E. Devillers</i>	
A DEEP FIELD WEAKENING CONTROL FOR THE PMSM APPLYING A MODIFIED OVERMODULATION STRATEGY	950
<i>Qian Liu, K. Hameyer</i>	
ENGINEERING CONSIDERATIONS ON SKEWING OF AN INTERIOR PERMANENT MAGNET SYNCHRONOUS MACHINE FOR PARALLEL HYBRID ELECTRIC HEAVY VEHICLES	956
<i>R. Andersson, A. Reinap, M. Alakula</i>	
DESIGN OF HIGH PERFORMANCE TRACTION MOTORS USING CHEAPER GRADE OF MATERIALS	962
<i>M. Kimiabeigi, J. D. Widmer, R. S. Sheridan, A. Walton, R. Harris</i>	
DESIGN ASPECTS OF AN ELECTROSTATIC SHIELD IN AN ELECTRIC MACHINE FOR HYBRID ELECTRIC VEHICLES	969
<i>B. Heidler, K. Brune, M. Doppelbauer</i>	

THE ASSEMBLY OF A V SHAPE IN-WHEEL MOTOR WITH REDUCED MECHANICAL SUPPORT	975
<i>S. Yang, I. Kakavas, N. J. Baker, B. C. Mecrow, C. Hilton, D. K. Perovic</i>	
AN INDUCTIVE POWER TRANSFER SYSTEM FOR ELECTRIC VEHICLES WITH A SAFE AND MODULAR PRIMARY SIDE INVERTER	981
<i>S. G. Cimen, A. Popp, B. Schmuelling</i>	
DESIGN OF THE WIRELESS POWER TRANSFER SYSTEM WITH UNCOMPENSATED SECONDARY TO INCREASE POWER TRANSFER CAPABILITY	986
<i>S. Nutwong, A. Sangswang, S. Naetiladdanon</i>	
CURRENT SHARING CONTROL OF A DC-DC TOPOLOGY FOR OFFSHORE WIND HVDC SYSTEMS	991
<i>Yihua Hu, S. Finney, Wenping Cao, Hui Feng Chen</i>	
MODELLING AND CONTROL OF MICRO-WIND TURBINES FOR DEPLOYMENT IN ANTARCTICA	997
<i>D. Llano, R. McMahon</i>	
CROWBARLESS LVRT CONTROL STRATEGY BASED ON FLUX LINKAGE TRACKING FOR BRUSHLESS DOUBLY FED INDUCTION GENERATOR	1003
<i>Zhizhong Ma, Ailing Zhang, Shuhong Wang, Rongli Zhao, Jun Yan, Ruozhong Gao</i>	
LOW-VOLTAGE RIDE THROUGH (LVRT) TESTING OF FULL POWER CONVERTER FOR WIND TURBINES USING ALL-ELECTRONIC EQUIPMENT	1009
<i>A. Petuccio, P. Mattavelli, A. Zuccato, A. Abdelhakim</i>	
DISTRIBUTION NETWORK TRANSFORMER THERMAL MODELLING PARAMETER DETERMINATION FOR DYNAMIC RATING APPLICATIONS	1015
<i>L. Chittock, J. Yang, D. Strickland, C. Harrap, J. Mourik</i>	
DECENTRALIZED CONTROL APPROACH FOR AN INVERTER-BASED MICROGRID IN ISLANDED MODE	1021
<i>Kuangye Gong, B. Hammer, U. Konigorski</i>	
OPTIMAL CHARGING STRATEGY OF ELECTRIC VEHICLES CUSTOMERS IN A SMART ELECTRICAL CAR PARK	1027
<i>Tingting He, Yingjie Bai, Jianguo Zhu</i>	
AN IMPROVED TOPOLOGY OF UNIFIED POWER FLOW CONTROLLER BASED ON MMC WITH FAULT CURRENT LIMITING	1033
<i>Y. Zhou, D. Z. Jiang, R. Yin, Y. Q. Liang</i>	
OPTIMISATION AND COMPARISON OF GENERATORS WITH DIFFERENT MAGNET MATERIALS FOR A 6MW OFFSHORE DIRECT DRIVE WIND TURBINE	1039
<i>N. A. Bhuiyan, A. McDonald</i>	
HIGH-FREQUENCY CONTROL OF A DC-DC CONVERTER AND MOTORS IN A SINGLE FPGA	1045
<i>B. P. Jeppesen, A. Crosland</i>	
3D ANALYTICAL SLOTTING-EFFECT MODEL FOR MAGNET LOSS PREDICTION IN SPM MACHINES	1051
<i>S. S. Nair, L. Chen, J. Wang, R. Chin, I. Manolas, D. Svehkarenko</i>	
ENERGY SAVINGS IN MARINE APPLICATIONS USING THERMOELECTRIC MODULES AND HIGH STEP-UP DC/DC CONVERTER	1057
<i>C. G. Zogogianni, N. A. Zarkadis, E. C. Tatakis</i>	
PHASE-LOCKED LOOPS FOR GRID-TIED INVERTERS: COMPARISON AND TESTING	1062
<i>Siyu Gao, M. Barnes</i>	
SERIAL COMMUNICATION BASED DISTRIBUTED CONTROL OF THE STACKED POLYPHASE BRIDGES CONVERTER	1068
<i>Lebing Jin, S. Norrga, O. Wallmark</i>	
BATTERIES INVESTIGATIONS OF SMALL UNMANNED AIRCRAFT VEHICLES	1073
<i>J. Leuchter, A. F. Zobaa</i>	
MODELLING AND DYNAMIC ANALYSIS OF A POWER SYSTEM WITH VSCHVDC RADIAL PLUS STRATEGY	1079
<i>R. Shah, M. Barnes, R. Preece</i>	
HIGH-FIDELITY MODELLING OF PERMANENT MAGNET SYNCHRONOUS MOTORS FOR REAL-TIME HARDWARE-IN-THE-LOOP SIMULATION	1085
<i>F. Alvarez-Gonzalez, A. Griffio</i>	
SYNCHRONOUS GENERATOR STAR-DELTA DUAL WINDING AND 12-PULSE RECTIFICATION	1091
<i>W. U. N. Fernando, S. Jordan</i>	

SWITCHED FLUX PERMANENT MAGNET MACHINE WITH SEGMENTED MAGNETS	1097
<i>M. M. J. Al-Ani, M. L. Jupp</i>	
GENERALIZED CURRENT CONTROL SCHEME FOR UNITY POWER FACTOR TWO-LEVEL AND THREE-LEVEL BI-DIRECTIONAL FRONT-END POWER CONVERTERS: AN APPROACH FOR MULTI-LEVEL FRONT-END CONVERTERS	1102
<i>M. T. Shah, P. N. Tekwani</i>	
AN APPROACH TO DETERMINE THE STATE OF CHARGE OF A LITHIUM IRON PHOSPHATE CELL USING CLASSIFICATION METHODS BASED ON FREQUENCY DOMAIN DATA	1109
<i>P. Jansen, T. Gebel, D. Renner, D. Vergossen, W. John, J. Gotze</i>	
ESTIMATION OF EQUIVALENT THERMAL CONDUCTIVITY FOR IMPREGNATED ELECTRICAL WINDINGS FORMED FROM PROFILED RECTANGULAR CONDUCTORS	1115
<i>S. Ayat, R. Wrobel, J. Goss, D. Drury</i>	
A COMPARATIVE STUDY OF METHODS FOR MODELLING THE STRUCTURAL STIFFNESS OF GENERATOR COMPONENTS	1121
<i>P. J. Sola, A. S. McDonald</i>	
COMPARATIVE ANALYSIS OF SURFACE MOUNTED AND FLUX FOCUSING TYPE AXIAL FLUX PERMANENT MAGNET MOTOR	1128
<i>S. Q. A. Shah, I. Hahn</i>	
SALIENT PM ROTOR TOPOLOGY SELECTION FOR A ZERO-SPEED INJECTION BASED SENSORLESS CONTROLLED MACHINE	1132
<i>J. Godbehere, R. Wrobel, D. Drury, P. H. Mellor</i>	
SPACE VECTOR PWM TECHNIQUE FOR A THREE-LEVEL SIX-PHASE DRIVE	1138
<i>E. A. R. Engku Ariff, O. Dordevic, M. Jones</i>	
INVESTIGATION OF PARAMETRIZED CURVES FOR THE POLE SHAPING IN AN E-CORE FLUX-SWITCHING MACHINE WITH LARGE AIR-GAP	1144
<i>A. Lindner, H. Kurtovic, I. Hahn</i>	
PERFORMANCE EVALUATION INTO THE FAULT-TOLERANT OPERATION OF SRM WITH PROPORTIONAL-INTEGRAL AND INTEGRAL-PROPORTIONAL SPEED CONTROLLERS	1149
<i>R. Toudji, H. Zeroug, H. Sahraoui, M. O. Mahmoudi</i>	
ANALYSIS OF EDDY CURRENT LOSSES IN THE STATOR WINDINGS OF IPM MACHINES IN ELECTRIC AND HYBRID ELECTRIC VEHICLE APPLICATIONS	1156
<i>M. Paradkar, J. Bocker</i>	
EFFECT OF ROTOR/STATOR MISALIGNMENT ON THE PERFORMANCE OF A PERMANENT MAGNET AXIAL-FLUX MOTOR	1161
<i>A. Mlot, A. C. Malloy, M. U. Lamperth</i>	
SINGLE-PHASE FLUX REVERSAL MOTOR FOR ANGULAR GRINDER	1167
<i>V. Dmitrievskii, V. Prakht, A. Pozdeev, V. Klimarev, A. Mikhailitsyn</i>	
NOVEL OPTIMISATION ALGORITHM OF ELECTRICAL MACHINES	1173
<i>Zheng Tan, N. J. Baker, Wenping Cao</i>	
COMPARATIVE STUDY OF DIFFERENT DOUBLY SALIENT PM TUBULAR MACHINE TOPOLOGIES	1179
<i>A. L. Shurajji, Z. Q. Zhu, Q. F. Lu</i>	
A VARIABLE FREQUENCY ANGLE-BASED REPETITIVE CONTROL FOR TORQUE RIPPLE REDUCTION IN PMSMS	1185
<i>M. Tang, A. Gaeta, A. Formentini, P. Zanchetta</i>	
OPERATION ALONG THE MAXIMUM TORQUE PER VOLTAGE TRAJECTORY IN A DIRECT TORQUE AND FLUX CONTROLLED INTERIOR PERMANENT MAGNET SYNCHRONOUS MOTOR	1191
<i>S. Ekanayake, R. Dutta, M. F. Rahman, D. Xiao, J. Fletcher</i>	
IRON LOSSES CALCULATION OF A NOVEL AXIAL FLUX MACHINE WITH DIFFERENT SLOT-POLE COMBINATIONS BASED ON THE FEA RESULTS CORRESPONDING TO ONE-SIXTH ELECTRICAL PERIOD	1197
<i>Bo Zhang, T. Talmon, M. Doppelbauer</i>	
A COMPARISON OF ALTERNATIVE LINEAR MACHINES FOR USE WITH A DIRECT DRIVE FREE PISTON ENGINE	1203
<i>J. Wang, N. J. Baker</i>	
ASYMMETRICAL ROTOR DESIGN FOR A SYNCHRONOUS MACHINE BASED ON SURROGATE OPTIMISATION ALGORITHM	1209
<i>Nan Yang, Wenping Cao, Zheng Tan, Xueguan Song, T. Littler, J. Morrow</i>	

REDUCING UNBALANCED MAGNETIC PULL OF AN INDUCTION MACHINE THROUGH ACTIVE CONTROL.....	1215
<i>H. Chuan, J. K. H. Shek</i>	
COMPARISON OF OPTIMIZED PULSE PATTERNS WITH DIRECT MODEL PREDICTIVE CONTROL USING CO-SIMULATION	1221
<i>C. Schulte, K. Peter, M. Leuer, J. Bocker</i>	
DIRECT INSTANTANEOUS TORQUE CONTROL OF SWITCHED RELUCTANCE MOTOR WITH THREE-BRIDGE FIVE-LEVEL CONVERTER.....	1227
<i>Qingqing Yang, Mingyao Ma, Zhongyi Chang, Xing Zhang, Zhemin Lin</i>	
LARGE AIR GAP SQUIRREL CAGE INDUCTION GENERATOR FOR A TIDAL TURBINE	1233
<i>L. A. Naugher, N. J. Baker, G. Atkinson</i>	
A SELF-TUNED FUZZY-NEURAL-NETWORK-BASED BLDCM SPEED CONTROL STRATEGY	1239
<i>T. N. Shi, X. Z. Niu, Z. X. Xiao, X. M. Li, C. L. Xia</i>	
ANALYSIS OF A WOUND ROTOR INDUCTION MACHINE LOW FREQUENCY VIBROACOUSTIC EMISSIONS UNDER STATOR WINDING FAULT CONDITIONS	1245
<i>N. Sarma, Q. Li, S. Djurovic, A. C. Smith, S. M. Rowland</i>	
INTERVAL MODELLING OF A VOLTAGE SOURCE INVERTER.....	1251
<i>S. Krebs, L. Kohrer, S. Hohmann</i>	
A LINEAR COMBINATION OF CURRENT AND VOLTAGE BASED FLUX OBSERVERS FOR DIRECT TORQUE CONTROLLED IPM DRIVES.....	1257
<i>M. Roc, Tianfu Sun, Jiabin Wang</i>	
CALCULATION OF THE DAMPER WINDING INDUCTANCES OF A SYNCHRONOUS MACHINE	1263
<i>O. Misir, A. Potonic, B. Ponick</i>	
VOLTAGE SAG MITIGATION EMPLOYING DYNAMIC VOLTAGE RESTORER WITH MINIMUM ENERGY REQUIREMENTS: ANALYSIS AND IMPLEMENTATION	1269
<i>M. A. Messiha, C. F. Baraket, A. M. Massoud, A. Iqbal, R. Soliman</i>	
NOVEL VOLTAGE TARGET RATIOS AND MINIMAL NORM PRINCIPLE FOR RECONFIGURABLE MULTIPHASE SINGLE- AND DUAL-OUTPUT SWITCHED CAPACITOR CONVERTERS	1275
<i>A. Zhaikhan, A. Daulbayeva, A. Berdygozhin, A. Ruderman</i>	
RATE-LIMITER CONTROL COMPARISON FOR ENERGY STORAGE SYSTEMS IN AEROSPACE APPLICATIONS.....	1283
<i>A. Buonanno, E. Sparaco, A. Cavallo, B. Guida, D. Wu, R. Todd, A. J. Forsyth</i>	
MITIGATION OF COMMON MODE NOISE FOR PFC BOOST CONVERTER BY BALANCING TECHNIQUE.....	1289
<i>Nasir, J. Cobb</i>	
AN EXPERIMENTAL STUDY OF WINDING FAULT INDUCED SLOT HARMONIC EFFECTS IN THE CAGE ROTOR INDUCTION MACHINE STATOR CURRENT	1294
<i>N. Sarma, A. Mohammed, J. I. Melecio, K. Tshiloz, S. Djurovic</i>	
HIGH BANDWIDTH, HIGHLY INTEGRATED CURRENT SENSORS FOR HIGH POWER DENSITY ELECTROMOBILITY APPLICATIONS.....	1300
<i>R. Slatter, M. Kramb</i>	
APPLICATION OF NON-IDEAL RESONANT CONTROLLERS FOR DC LINK VOLTAGE RIPPLE REDUCTION IN LARGE WIND TURBINE CONVERTERS	1306
<i>M. Al-Akayshee, Xibo Yuan</i>	
LIFETIME ESTIMATION OF THE BIGT IN ANPC CONVERTER AND T-TYPE CONVERTER FOR WIND ENERGY APPLICATION.....	1312
<i>S. Gierschner, H.-G. Eckel</i>	
SUPPRESSION OF HARMONIC DISTORTIONS IN SECOND ORDER GENERALISED INTEGRATOR BASED PLLS FOR GRID CONNECTED CONVERTERS.....	1318
<i>K. Colombage, J. Wang, T. Edo, B. Sen</i>	
POWER MANAGEMENT OF AC ISLANDED MICROGRIDS USING FUZZY LOGIC	1324
<i>R. Al Badwawi, W. Issa, T. Mallick, M. Abusara</i>	
SUPERCONDUCTING INTERFACE FOR A DC CIRCUIT BREAKER.....	1330
<i>X. Pei, A. C. Smith, M. Barnes</i>	
MMC WITH PARALLEL-CONNECTED MOSFETS FOR LVDC DISTRIBUTION NETWORKS.....	1336
<i>Y. Zhong, N. M. Roscoe, D. Holliday, S. J. Finney</i>	
POWER FLOW ALGORITHM BASED ON CURRENT INJECTIONS FOR ANALYSIS OF MULTI-INFEED VSC-HVDC SYSTEM	1342
<i>X. Deng, K. H. Ahmed, D. Jovcic</i>	

LOCKED ROTOR CHARACTERIZATION TESTS OF IPM/REL SYNCHRONOUS MACHINE FOR SENSORLESS DRIVES	1348
<i>M. Morandini, S. Bolognani</i>	
3D NODAL METHOD ARCHITECTURES FOR TRANSIENT THERMAL MODELLING OF AN INDUCTION MOTOR TAKING INTO ACCOUNT THE VARIATION OF STATOR AND ROTOR POLE NUMBERS	1354
<i>Sh. Utegenova, R. Glises, P. Desevaux, D. Mariotto, B. Truffart</i>	
A STUDY OF MULTISTEP MODEL PREDICTIVE DIRECT CURRENT CONTROL FOR DYNAMIC DRIVE APPLICATIONS WITH HIGH SWITCHING FREQUENCY	1360
<i>Zheng Hu, Qian Liu, K. Hameyer</i>	
REPURPOSING ATX POWER SUPPLY FOR BATTERY CHARGING APPLICATIONS	1366
<i>S. A. Abuzed, C.-W. Tsang, M. P. Foster, D. A. Stone</i>	
ENERGY EFFICIENCY ASSESSMENT FOR INVERTER-FED INDUCTION MOTORS	1371
<i>F. Tinazzi, M. Zigliotto, A. Boglietti, A. Cavagnino, M. Cossale</i>	
MINIMUM-LOSS OPERATION OF A VARIABLE-SPEED WOUND-FIELD SYNCHRONOUS GENERATOR	1377
<i>M. F. Iacchetti, G. D. Marques, J. Apsley, S. Djurovic</i>	
COMPARISON OF QUARTER-WAVE WITH HALF-WAVE SYMMETRICAL PULSE PATTERNS APPLIED IN ELECTRICAL HIGH-SPEED DRIVES	1383
<i>K. Peter, J. Bocker, F. Mink, S. Beineke</i>	
AVALANCHE RUGGEDNESS OF PARALLEL CONNECTED DIODES: SIC SCHOTTKY DIODES VS SILICON PIN DIODES	1389
<i>Ji Hu, O. Alatise, J.-A. O. Gonzalez, L. Ran, P. Mawby</i>	
PERFORMANCE EVALUATION OF SIC MOSFET IN 5-LEVEL SINGLE PHASE CONVERTER	1395
<i>J. D. Gomez-Palomino, M. P. Foster, D. A. Stone</i>	
PROPORTIONAL-INTEGRAL PROFILE TEMPERATURE CONTROLLER COMBINED TO A PLL SCHEME FOR METAL SURFACE INDUCTION TREATING	1400
<i>B. Meziane, H. Zeroug, A. Attab, N. Tadrast</i>	
ANALYSIS AND COMPARISON OF CONVENTIONAL TWO-STAGE CONVERTER AND SINGLE STAGE BRIDGELESS AC-DC CONVERTER FOR OFF-ROAD BATTERY CHARGER APPLICATION	1408
<i>M. Salehifar, G. Putrus, P. Barras</i>	
COMPARISON OF ELECTROMAGNETIC PERFORMANCE AND POWER LOSSES OF A HIGH-SPEED MACHINE FED BY PWM AND PAM INVERTER STRATEGIES	1415
<i>M. M. J. Al-Ani, J. Carter, M. L. Jupp</i>	
NEW THREE-PHASE AC-DC RECTIFIERS WITH REDUCED NUMBERS OF SWITCHES	1421
<i>A. Darwish, D. Holliday, S. Finney</i>	
AC VOLTAGE SAG-SWELL COMPENSATOR BASED ON UNIFIED NONINVERTING AND INVERTING OUTPUT VOLTAGE AC CHOPPER	1427
<i>Peng Li, D. Holliday, B. W. Williams</i>	
EXPERIMENT OF FIVE-LEVEL BTB-SYSTEM WITH COMMON FLYING CAPACITORS	1432
<i>I. Hasegawa, T. Rondo, T. Rodama</i>	
DUAL-ACTIVE BRIDGE CONVERTER WITH INPUT-SERIES-INPUT-PARALLEL OUTPUT-SERIES CONNECTION	1438
<i>Yiqing Lian, D. Holliday, S. J. Finney</i>	
ON WOUND ROTOR INDUCTION MACHINE ROTOR ELECTRICAL UNBALANCE RECOGNITION USING STATOR FRAME VIBRATION SPECTRAL ANALYSIS	1444
<i>D. S. Vilchis-Rodriguez, S. Djurovic, N. Sarma, K. Tshiloz, A. C. Smith, Y. Wei</i>	
A NEW SCHEME FOR MONITORING SUBMODULE CAPACITANCE IN MODULAR MULTILEVEL CONVERTER	1451
<i>O. Abushafa, S. Gadoue, M. Dahidah, D. Atkinson</i>	
A MATLAB/SIMULINK MODEL FOR CAPACITOR VOLTAGES BALANCING IN MODULAR MULTILEVEL CONVERTERS	1457
<i>N. Ahmed, A. Massoud</i>	
HIGH VOLTAGE HIGH POWER DC/DC MODULAR MULTILEVEL CONVERTER FOR OFFSHORE WINDFARM DC COLLECTION POINT	1463
<i>He Liu, M. Dahidah, M. Armstrong, R. T. Naayagi</i>	
CONTROL PARAMETERS OPTIMIZATION OF A THREE-PHASE GRID-CONNECTED INVERTER USING PARTICLE SWARM OPTIMISATION	1469
<i>A. Althobaiti, M. Armstrong, M. A. Elgendy</i>	
SHORT CIRCUIT FAULT TOLERANT SYSTEM FOR MATRIX CONVERTER	1475
<i>V. Tran</i>	

APPLICATIONS OF THE DIRECT SPACE VECTOR MODULATION CONTROLLED MATRIX CONVERTER AS THE UNIFIED POWER FLOW CONTROLLER.....	1481
<i>J. W. Zhang, D. G. Dorrell, L. Li</i>	
CONTROL OF A SINGLE-STAR FLYING CAPACITOR CONVERTER MODULAR MULTI-LEVEL CASCADED CONVERTER (SSFCC-MMCC) STATCOM FOR UNBALANCED LOAD COMPENSATION	1487
<i>O. J. K. Oghorada, C. J. Nwobu, L. Zhang</i>	
PERFORMANCE EVALUATION OF PULSE WIDTH MODULATION TECHNIQUES FOR LOSSES REDUCTION IN MODULAR MULTILEVEL FLYING CAPACITOR CONVERTER	1493
<i>O. J. K. Oghorada, L. Zhang</i>	
DESIGN AND SIMULATION OF A FINITE CONTROL SET MODEL PREDICTIVE CONTROL SYSTEM FOR A REGENERATIVE GRID SIMULATOR.....	1499
<i>D. F. F. Ferreira, S. M. A. Cruz, M. S. Mendes</i>	
POWER ENHANCEMENT OF PIEZOELECTRIC TRANSFORMERS FOR POWER SUPPLIES.....	1505
<i>M. Ekhtiari, A. R. Steenstrup, Zhe Zhang, M. A. E. Andersen</i>	
TWELVE-PULSE LINE COMMUTATED CONVERTER DRIVE SYSTEM WITH VSI FOR STARTING UP AND ACTIVE POWER FILTERING	1509
<i>F. I. Khan, A. M. Massoud</i>	
ACTIVE SMART SOCKET DESIGN TO PERFORM LOCAL CONTROL OF POWER DEMAND IN RESIDENTIAL UNITS	1515
<i>P. Santoro, V. Calderaro, V. Galdi, A. Piccolo</i>	
Author Index	