

2015 International Conference on Energy, Power and Environment: Towards Sustainable Growth (ICEPE 2015)

**Shillong, India
12-13 June 2015**



**IEEE Catalog Number: CFP15IEG-POD
ISBN: 978-1-4673-6504-8**

**Copyright © 2015 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP15IEG-POD |
| ISBN (Print-On-Demand): | 978-1-4673-6504-8 |
| ISBN (Online): | 978-1-4673-6503-1 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2015 International Conference on Energy, Power and Environment: Towards Sustainable Growth (ICEPE 2015)

TABLE OF CONTENTS

| Pg.No. | Title of Paper | Authors |
|--------|---|---|
| 1 | Theoretical Study on Performance Constraints of a DC-DC Buck-Boost Converter | Barnam Jyoti Saharia, Bani Kanta Talukdar |
| 5 | Single phase power for remote area using Savonius rotor based hydropower generation | Rajen Pudur, Sarsing Gao |
| 11 | Short-Term Hydrothermal Scheduling Using Time Varying Acceleration Coefficient Based Particle Swarm Optimization with Constriction Factor and Inertia Weight Approach | Koustav Dasgupta, Sumit Banerjee, Chandan Kumar Chanda |
| 17 | Modeling and Simulation of Integrated Renewable Energy Sources Feeding Three-Phase Load | Rinchin W. Mosobi, Sarsing Gao |
| 23 | Fault detection of Self excited induction generator | Jyotirmayee Dalei, Kanungo Barada Mohanty |
| 28 | Sliding Mode Control Algorithm and its Implementation with Coupled Tank System | Abhishek Dhar, Anindita Sengupta |
| 34 | Sustainable Development Contribution Assessment of Renewable Energy Projects using AHP and Compromise Programming Techniques | Rajat Kanti Samal, Mitthan Lal Kansal |
| 40 | PI controller design for pitch control of large wind turbine generator | Md Nishat Anwar, Somnath Pan, Sreya Ghosh |
| 46 | Transmission Line Fault Classification Using Discrete Wavelet Transform | Mousam Choudhury, Amrita Ganguly |
| 51 | A Novel Approach for Load Margin Improvement with Optimal Location and Size of Static Capacitor using BFO Algorithm | Santi Behera, Manish Tripathy |
| 57 | Solving Economic Load Dispatch Problem using Hybrid Krill Herd Algorithm | Bratati Ghosh, Bishwajit Dey, Aniruddha Bhattacharya |
| 63 | Estimation of Tire Slip-Angles for Vehicle Stability Control Using Kalman Filtering Approach | Sachidananda Sen, Shouvik Chakraborty, Ashoke Sutradhar |
| 69 | Unified Power Flow Controller based Damping Controller Design:- A Hybrid PSO-GSA Approach | Rajendra Ku. Khadanga, Jitendriya Ku. Satapathy |
| 75 | Active and Reactive Power Control of a Grid Connected Speed Sensor Less DFIG based Wind Energy Conversion System | Subir Datta, J. P. Mishra, A. K. Roy |
| 81 | Voltage Profile Improvement of a Two Generator Based Micro grid System Using STATCOM | Swagat Pati, S.K.Kar, K.B.Mohanty, Smruti Soumya Dash |
| 87 | Implementation of Fractional Order PID Controller for an AVR System | G.Suri babu, K.Dinesh |
| 93 | Netability Analysis of Critical Lines of Power Grid Based on Betweenness Approach | T. Chowdhury, G. K. Rout, C. K. Chanda |

| | | |
|-----|--|---|
| 99 | Optimal Sizing and Location Determination of Distributed Generation in Distribution Networks | S K Saha,S Banerjee,D Maity,C K Chanda |
| 104 | Modelling and Stability Analysis of a Repulsive type Magnetic Bearing | Anirban Chakraborty, Tapan Santray, Debabrata Royz and Sotoshi Yamada |
| 110 | Implementation of STATCOM to overcome disturbances in grid connected Wind farm | Chitrangada Roy, Anirban Sengupta |
| 114 | Load Frequency Control of Multi Area System Incorporating SMES Technology | Satish Kumar Meena, Saurabh Chanana |
| 120 | Real Power Rescheduling for Congestion Management with Integration of Wind Farm using Firefly Algorithm | Subhasish Deb, Sadhan Gope, Arup Kumar Goswami |
| 126 | Performance Analysis of a 380V Three-Phase Saturated Iron-Core Superconducting Fault Current Limiter using Jiles-Atherton Hysteresis Model | A. Upadhyaya, D. Sarkar, A. B. Choudhury, D. Roy |
| 132 | Multiagent based Adaptive Relaying for Distribution Network with Distributed Generation | Sujo P George, Ashok S |
| 138 | A Comparative Study of Multivariate Approach with Neural Networks and Support Vector Machines for Arrhythmia Classification | Sandeep Raj and Kailash Chandra Ray |
| 144 | Ageing Analysis of Mineral Insulating Oils Using CCTO Nanofluids | R.T.Arun Ram Prasath, P.Thomas, Ann Pamla Cruze, S.N.Mahato, Dr.N.K.Roy |
| 151 | Localization of Partial Discharge source in High Voltage apparatus using multiple UHF sensors | D. K. Mishra, B. Sarkar, C. Koley and N. K. Roy |
| 156 | Wireless Power Network Design Through Smart Grid Transmission System Model | Shouvik Kumar Samanta, Chandan Kumar Chanda |
| 161 | Power Factor Improvement of the Flyback Converters Using the Leakage Energy Recovery Technique | T. Halder |
| 167 | An Improved Performance Analysis of The Microgrid Integration for The Un-Interrupted Power | T. Halder |
| 173 | Design and Finite Element Analysis of Varying Width Piezoelectric Cantilever Beam to Harvest Energy | Tarun Kumar, Rajeev Kumar, Vishal Singh Chauhan |
| 179 | Oil-level measurement in power transformer using optical sensor | Deba Kumar Mahanta, Shakuntala Laskar |
| 183 | Magnetic Ball Levitation System Control Using Sliding Mode Control and Fuzzy PD+I Control: A Comparative Study | Anirudh Nath, Jagannath Samantaray, S Chaudhury, B K Roy |
| 188 | Assessment of Impact of Hydrogen Cooled Generator on Power System Loadability Enhancement | Rajendar Kumar, Ashwani Kumar |
| 194 | Performance Enhancement of Automatic Generation Control using SMES and ANN Controller | Samta Meena, Anil Kumar Dahiya |
| 199 | Modelling and Simulation of Grid Power Management with Modified Fuzzy Logic Based MPPT Tracking with Hybrid Power Energy System | Priyanka Ray, A. K. Sinha |
| 205 | Design a Compact Tri-Band Band Pass Filter using Asymmetric SIRs and DGS | Tasher Ali Sheikh, Janmoni Borah, Sahadev Roy |
| 209 | Performance Improvement of Multilevel Inverter through Trapezoidal Triangular Carrier based PWM | Kishor Thakre, Kanungo Barada Mohanty |

| | | |
|-----|--|--|
| 215 | Chaotic PWM Spread Spectrum Scheme for Conducted Noise Mitigation in DC-DC Converters | Shantanu Chatterjee, Ankit Kumar Garg, Krishanu Chatterjee, Himesh Kumar |
| 221 | A Simple Multi Parameter Measurement System using Multi Transducer | Karunamoy Chatterjee, Sankar Narayan Mahato, Subrato Chattopadhyay, Dhananjoy De |
| 225 | An Improved Fault Area Detection & Fault Location Methodology Using Wavelet Transform | Mousam Choudhury, Amrita Ganguly |
| 231 | Fuzzy Logic Based SSSC as Sub-Synchronous Resonance Damping Controller | Chinnari Eswar Prasad, Shelly Vadhera |
| 235 | Design and Analysis of open loop model of a Permanent Magnet Synchronous Motor (PMSM) Drive | Chiranjit Sain, Pabitra Kumar Biswas, Atanu Banerjee |
| 241 | Impact of Distribution STATCOM Allocation on Radial Distribution Networks | Joseph Sanam, Sanjib Ganguly |
| 247 | Optimized Level in 1-Phase and 3-Phase Cascaded Multilevel Inverter using Simplified Technique | Brijesh Kumar, Bibhu Prasad Panigrahi, Anup Kumar Panda |
| 252 | MRAS SPEED ESTIMATOR FOR SPEED SENSORLESS IFOC OF AN INDUCTION MOTOR DRIVE USING FUZZY LOGIC CONTROLLER | Amit Kumar, Tejavathu Ramesh |
| 258 | Switching frequency optimization in Hyperthermia treatment using BSD 2000 | Agamani Chakraborty, Kaushik Neogi, Atanu Banerjee, Pradip Kr. Sadhu |
| 266 | Dynamic Modeling and Simulation of SVM-DTC of Five Phase Induction Motor | U. Mahanta, D. Patnaik, B. P. Panigrahi, A. K. Panda |
| 272 | Designing of Optimal Photovoltaic System for Commercial Load | Kanhaiya Lal |
| 277 | Hardware Implementation of Solar Tracking System Using a Stepper Motor | Sumant Malav, Shelly Vadhera |
| 281 | Filter Design for Harmonics Minimization of CSI Based Contact Less Induction Heater | Palash Pal, Pradip Kumar Sadhu |
| 286 | Influence of Viscosity and Conductivity of Water Droplets on Partial Discharge Inception Voltages of Polymeric Insulating Surfaces | S. Chatterjee, M.H. Nazemi |
| 290 | An Interfacing Circuit for Differential Capacitive Sensor and its Performance Analysis | Karunamoy Chatterjee, Sourav Bhattacharyya, Sankar Narayan Mahato, Dhananjoy De |
| 293 | Short Circuit Analysis and Adaptive Zonal Protection of Distribution System with Distributed Generators | Vijitha, M.P. Selvan, P. Raja |
| 299 | GSM Enabled Smart Energy Meter and Automation of Home Appliances | Himshekhar Das, L.C.Saikia |
| 304 | Differential Search Algorithm for different Economic Dispatch Problem | Dwivedi Sandeepdhar, G Srikant Rout, Hemanta Badhai, Milan Swain, Aniruddha Bhattacharya |
| 310 | Design and Development of an Automatic Solar Water Heater Controller | Washima Tasnin, Pradyumna Kumar Choudhury |
| 316 | Fuzzy Vs. Neuro-fuzzy: Implementation on the Reconfigurable FPGA System | Saikat Mondal, Paramita Chattapadhyay |
| 321 | A Comparison Between PI & SMC used for Decoupled Control of PMSG in a Variable Speed Wind Energy System | Narendra Kumar Jena, K.B.Mohanty, S.K.Sanyal |
| 327 | Effect of Recombination of charge carriers on Modeling of PV Array | Jagdish Chander, Aeidapu Mahesh |

| | | |
|-----|---|--|
| 332 | An Approach to Reduce the Fluctuation of HVDC link Current in Series Connected Wind Turbines | Shivam, Ratna Dahiya |
| 337 | Speed Control of Variable Speed Wind Turbine System | Dinesh Kumar Arya, Lillie Dewan |
| 341 | Low Cost Shadow Function based Articulated Robotic Arm | Pronadeep Bora, Vishwajit Nandi |
| 345 | Comparison between 2-level and 3- level grid connected inverters implemented using SRF PLL technique | K. Vamsi Krishna, H. M. Suryawanshi, Senior member IEEE, A. B. Shitole, Ajmal.T |
| 351 | Frequency Control of a Microgrid by Using PI Controller | Maneesh |
| 356 | Voltage Sag Assessment of Distribution System Using Monte Carlo Simulation | Jagannath Patra, Galiveeti Hemakumar Reddy, Arup Kumar Goswami |
| 362 | Hybrid State Estimation Of Power System Using Conventional And Phasor Measurements | Papu Rabha, Chaw Chuaong Shyam, Ashoke Kumar Sinha |
| 368 | State Estimation of Observable and Unobservable Power Systems | Soumya, N. K, M.P. Selvan |
| 373 | Modified Smith Predictor Design for Networked Control System with Time Delay | Sunil Kumar |
| 378 | Comparative Analysis of Resonant Power Converters for Renewable Energy Generation Applications | Rahul sah, Shivam |
| 384 | Multistage Optimal Placement of Phasor Measurement Unit | Chaw Chuaong Shyam, Papu Rabha, Ashoke Kumar Sinha |
| 390 | ANFIS Based Modified Voltage Model RFMRAS Speed Observer For Induction Motor Drive | Giribabu.D, Kiran Kumar, Sateesh Chandra |
| 397 | AUTOMATIC GENERATION CONTROL FOR A TWO AREA POWER SYSTEM USING BACKTRACKING SEARCH ALGORITHM | Ragini,Sudhanshu kumar,Akash,Apurv Nath,Shivanshu kumar singh,Awanish, Pallav Das, Aniruddha Bhattachary |
| 403 | Estimation and Mitigation of Current Harmonics using Improved control schemes | Santanu Kumar Dash, Pravat Kumar Raya |
| 409 | A Comparative study on UPFC and SVC towards Voltage Profile improvement of a Grid Connected Distributed Generation System | Promod Kumar Pandey, Baidyanath Bag |
| 414 | Sliding Mode Controller Based Decoupled Control of STATCOM For Voltage Profile Improvement in a Micro Grid System | Swagat Pati, K.B.Mohanty, Smruti Soumya dash, S.K.Kar |
| 420 | A New Robust Stability Analysis Approach For Discrete-time System With Time-varying Delay | Mukesh Kumar, Dushmanta Kumar Das, Sudish Kumar Singh, Sandip Ghosh |
| 425 | Analysis of distribution network by reliability indices | Jeenia Bhadra, Tapan Kumar Chattopadhyay |
| 430 | Control of Rotational Base Single Link Flexible Manipulator using Different SMC Techniques for Variable payloads | Surajit Suklabaidya, Kshetrimayum Lochan, B. K. Roy |
| 436 | Synchronization and Harmonic Reduction of A Grid-Connected Photovoltaic Generation System | Soumya Das, Pradip Kumar Sadhu |
| 441 | A Decoupled control Strategy For A Grid Connected Direct-Drive PMSG Based Variable Speed Wind Turbine System | Narendra Kumar Jena, K.B.Mohanty, Haimabati Pradhan, S.K.Sanyal |
| 447 | AGC of a Multi-Area Thermal-CCGT System Using Cuckoo Search Optimized Classical Controllers | Asadur Rahman, Shashi Kant Sahu, Lalit Chandra Saikia, Puja Dash |

| | | |
|-----|---|---|
| 453 | Constant Observation Matrix based Power Systems State Estimation | Sourav Mallick, B. Mishra, Siddhartha Sankar Thakur, N. Thakur |
| 459 | 2-DOF Robot Manipulator Control Using Fuzzy PD Control With SimMechanics and Sliding Mode Control: A Comparative Study | Prabhas Ranjan Naik, Jagannath Samantaray, B K Roy, S K Pattanayak |
| 465 | Impact of Rooftop Solar PV based DG on Reliability of Distribution Systems | Rohit K. Mathew, Ashok S, Kumaravel S |
| 471 | Detection and Time Localization of Power Quality Events using Orthogonal Polynomial | U. D. Dwivedi, Chandrakant Tiwari |
| 477 | Low Cost Highly Secure Image Scrambler and Descrambler | Rijita Poddar, Vishwajit Nandi |
| 483 | Comparison of Chattering in Single Link Flexible Manipulator with Sliding Mode Controllers | Kshetrimayum Lochan, Surajit Suklabaidya, B. K. Roy |
| 489 | Terminal Reliability Assessment and Comparison of New SEN- MIN: Critical Component in Power Systems Generation | S. Gupta, G.L. Pahuja |
| 495 | Impact of Unified Power Flow Controller Control Parameters on Available Transfer Capability | Ravinder Kumar, Ashwani Kumar |
| 501 | A New Switching Scheme for Fuel Cell Supported Reduced Switch Three-Phase Multilevel Inverter Topology | G K Naveen Kumar, Yash Pal |
| 505 | Interleaved DC to DC Buck Converter for Low Power Application | Nirmal, Piyush Kumar Jain, Amit Kumar |
| 510 | Simulation of Pressure Wave Propagation Method for Space Charge Measurement in Dielectrics | Nasirul Haque, Biswendu Chatterjee, Sivaji Chakravorti |
| 515 | Cuckoo search algorithm based two degree of freedom controller for multi-area thermal system | Sanjoy Debbarma, Anubhav Nath, Upasana Sarma, Lalit Chandra Saikia |
| 521 | Voltage Control of the Grid Connected Wind Plant using Energy Storage and FACTS devices | Gaurav Sharma, Shelly Vadhera |
| 526 | Fuzzy-PID Controller optimized TLBO Approach ON Automatic Voltage Regulator | Snigdha Priyambada, Pradeep Kumar Mohanty, Binod Kumar Sahu |
| 532 | Load Frequency Control of a Two-Area Non-Reheat Thermal System using Type-2 Fuzzy system Optimized DEPSO Algorithm | Jyoti Ranjan Nayak, Tridipta Kumar Pati, Binod Kumar sahu |
| 537 | Experimental analysis for online estimation of power system parameters | Rosy Pradhan, Pravat Kumar Ray |
| 543 | Analysis of Single phase Asymmetric Z-source Inverter | Chandra Shekar Thelukuntla, Mummadi Veerachary |
| 549 | Performance Enhancement of VSC-HVDC System Using Energy Storage Device | Hoshiyar Singh, Shelly Vadhera |
| 555 | Optimal D-STATCOM Placement in Radial Distribution System Based on Power Loss Index Approach | Atma Ram Gupta, Abhinav Jain, Ashwani Kumar |
| 560 | Fault Location for Double-Circuit Transmission Lines using Travelling-Wave Theory with Unsynchronized Measurements | B.K.Chaitanya, Kumarraja Andanapalli, Bh.R.K.Varma |
| 566 | Experiences with Axial-Flux Induction Motor | Durgesh Kumar Banchhor, Ashish Kumar Kalo, Ankita Dwivedi, R K Srivastava |
| 572 | MPPT of Solar Photovoltaic Cell Using Perturb & Observe and Fuzzy Logic controller Algorithm for Buck-Boost DC-DC Converter | Radak Blange, Chitralekha Mahanta, Anup Kumar Gogoi |

| | | |
|-----|---|---|
| 577 | Image Processing Based Product Label Quality Control on FMCG Products | Abahan Sarkar, Sourav Chakraborty, B K Roy |
| 582 | Power Loss and Voltage Regulation Calculation in a Radial System with Distributed Generations and Voltage Regulators | James Ranjith Kumar. R, Amit Jain |
| 587 | DIELECTRIC RESPONSE ANALYSIS AND DIAGNOSIS OF OIL-FILLED POWER TRANSFORMERS | Shrikant Singh, Ambuj Kumar, Sunil Kumar Singh, R.K. Jarial |
| 591 | A Generalised Wavelet Modulation Scheme for Single-Phase Inverters | U. D. Dwivedi, Chandrakant Tiwari |
| 597 | Optimal Speed Control of DC Motor using Linear Quadratic Regulator and Model Predictive Control | Satyabrata Sahoo, Bidyadhar Subudhi, Gayadhar Panda |
| 602 | Power System Harmonic Parameters Estimation Using ADALINE-VLLMS Algorithm | Priyabrat Garanayak, Gayadhar Panda, Pravat Kumar Ray |
| 608 | Temperature Estimation of Induction Motor fed with Unbalanced Supply | Suresh Makkena, K. S. Sandhu |
| 613 | A Comparative Study of Electricity Price Variations with Wind Energy Penetration | Avinash D, Shelly Vadhera |
| 618 | A Wide-Area Prospective On Power System Protection: A State-of-Art | N V Phanendra Babu, P Suresh Babu, D V S S SivaSarma |
| 624 | A Novel Approach for Transmission Line Fault Location using Synchro Phasor Measurement | M Lohith, P Suresh Babu, Saptarshi Roy, K V Ramana Reddy |
| 630 | Load Frequency Control of an Interconnected Three-Area Thermal Power System Using Conventional PID & Fuzzy-Logic Controller | Tridipta Kumar Pati, JyotiRanjanNayak, Binod Kumar Sahu, Bibek Gantayat |
| 636 | Modelling and Study of Steady State Analysis and Fault Parameters in 400 kV and 220kV Buses of Indian North Eastern Regional Grid | Kamaljyoti Gogoi, Diganta Mishra, Nrilanjali Debnath, Saibal Chatterjee, Brajagopal Datta |
| 641 | Study on sheet resistance variation in ZnO nanorod arrays upon exposure to LPG at room temperature | Ranjita Das, Shubhankar Goswami, Rashi Borgohain, Sunandan Baruah |
| 647 | Performance Evaluation of DEPSO Algorithm on Automatic Voltage Regulator Using Conventional PID & Fuzzy-PID Controller | Snigdha Priyambada, Pradeep Kumar Mohanty |
| 651 | A Voltage and State of Charge Control Technique for Battery-Supercapacitor Hybrid Energy Storage System for Standalone Photovoltaic Application | Akanksha Thakur, L. M. Saini |