

2016 International Symposium on Power Electronics, Electrical Drives, Automation and Motion (SPEEDAM 2016)

**Capri, Italy
22-24 June 2016**

Pages 1-733



**IEEE Catalog Number: CFP1648A-POD
ISBN: 978-1-5090-2068-3**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1648A-POD
ISBN (Print-On-Demand):	978-1-5090-2068-3
ISBN (Online):	978-1-5090-2067-6

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

WA1 - Electrical Machines & Drives for Aerospace Applications

- 1 *Donea M. S., Gerling D.* - (Germany)
Design and calculation of 300 kW high-speed PM motor for aircraft application
- 7 *Alnajjar M., Gerling D.* - (Germany)
Six-phase electrically excited synchronous generator for more electric aircraft
- 14 *Trabelsi M., Semail E., Ngac-Ky Nguyen, Meinguet F.* - (France, Belgium)
Open switch fault effects analysis in five-phase PMSM designed for aerospace application
- 22 *Villani M., Parasiliti F., Tursini M., Fabri G., Castellini L.* - (Italy)
PM brushless motors comparison for a Fenestron® type helicopter tail rotor
- 28 *Kaufmann M., Tuysuz A., Zwyssig C., Kolar J. W.* - (Switzerland)
High-speed magnetically levitated reaction wheels for small satellites

WB1 - Monitoring and Parameter Identification

- 34 *Kukkola J., Hinkkanen M.* - (Finland)
Method for DC-link capacitance identification in voltage-source converters
- 41 *Ingalalli A., Satheesh H., Kande M.* - (India)
Platform for hardware in loop simulation
- 47 *Bilyi D., Gerling D.* - (Germany)
Standstill frequency response test for obtaining parameters of six phase double delta salient-pole synchronous machine on example of claw-pole alternator
- 55 *Zoeller C., Vogelsberger M., Fahrner W., Wolbank T.* - (Austria)
Influence of current transducer transfer properties on stator insulation condition monitoring of inverter-fed drives

WC1 - Contactless Power Transfer

- 61 *Jurado F., García-Vázquez C. A., Llorens-Iborra F., Fernández-Ramírez L. M., Sánchez-Sainz H.* - (Spain)
Evaluating dynamic wireless charging of electric vehicles moving along a stretch of highway
- 67 *Maier M., Zimmer M., Maier D., Parspour N.* - (Germany)
A novel self oscillating power electronics for contactless energy transfer and frequency shift keying modulation
- 73 *Jorge L. R., Valtchev S., Melicio R.* - (Portugal)
Three-phase magnetic field system for wireless energy transfer
- 79 *Morag Y., Tal N., Levron Y.* - (Israel)
Power transfer limits and optimal operation frequency in induction power transfer systems incorporating high-frequency effects

WA2 - Brushless PM Drives

- 85 *Tursini M., Di Leonardo L., Di Tullio A., Della Loggia E.* - (Italy)
Transient analysis of multiphase PM motor-drives by non-linear modeling
- 91 *Zahr H., Scuiller F., Semail E., Aslan B.* - (France)
Maximum torque per ampere strategy for a bi-harmonic five-phase synchronous machine
- 98 *Comanescu M.* - (United States)
Speed, rotor position and load torque estimation of the PMSM using an extended dynamic model and cascaded sliding mode observers

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 104 *Zhao W., Byung-Il Kwon, Lipo T. A.* - (South Korea, United States)
Development and test of a dual-stator, spoke-type ferrite permanent magnet motor with high torque performance for direct-drive applications
- 110 *Kiselev A., Kuznetsov A., Leidhold R.* - (Germany)
Position control of a permanent magnet synchronous motor using generalized predictive control algorithm
- WB2 - Smart Grids Analysis and Features**
- 116 *Baimel D., Baimel N., Tapuchi S.* - (Israel)
Smart grid communication technologies-overview, research challenges and opportunities
- 121 *De Falco P., Bracale A., Carpinelli G.* - (Italy)
A bayesian-based approach for the short-term forecasting of electrical loads in smart grids. Part I: Theoretical aspects
- 129 *De Falco P., Bracale A., Carpinelli G.* - (Italy)
A bayesian-based approach for the short-term forecasting of electrical loads in smart grids. Part II: Numerical applications
- 137 *Brunelli D., Rossi M.* - (Italy)
Smart grid configuration tool for HEES systems in smart city districts
- 143 *Corti M., Tironi E., Ubezio G.* - (Italy)
Multi-port converters in smart grids: protection selectivity
- 150 *Weaver W. W., Robinett R. D., Parker G., Wilson D. G.* - (United States)
Hamiltonian modeling and control of AC microgrids with spinning machines and inverters
- WC2 - High Performance Power Converters**
- 156 *Mohamed Sathik M. H., Tseng K. J., Kandasamy K., Chandana G., Prasanth S., et al.* - (Singapore)
Online junction temperature estimation of IGBT modules for space vector modulation based inverter systems
- 163 *Ladoux P., Fabre J.* - (France)
Design of a high-power multilevel chopper with 1700 V/300 A SiC MOSFET half-bridge modules
- 170 *Voss J., Farnell C., Liu Y., Mantooth A., Balda J., De Doncker R. W.* - (Germany, United States)
Design of a 2 MW DC-DC power supply using a medium frequency transformer
- 178 *Darwish A., Wang Y., Holliday D., Finney S.* - (United Kingdom)
Operation and control design of new three-phase DC/AC inverters with reduced number of switches
- 184 *Rizzoli G., Mengoni M., Zarri L., Tani A., Serra G., Casadei D.* - (Italy)
Experimental comparison of hard-switching, ZVT and SiC inverters
- 192 *Baimel D., Peretz G., Levin E., Baimel N., Tapuchi S.* - (Israel)
Novel DC-AC inverter based on buck converter
- WA3 - Design and Materials of PM Machines**
- 197 *Caballero D., Elosegui I., Martinez-Iturralde M.* - (Spain)
Analysis and comparison of algebraic approaches for highly saturated surface PMSM
- 205 *Akiki P., Hage-Hassan M., Vannier J. C., Daguse B., McClelland M., Bensetti M.* - (France)
Performance comparison of a doubly-salient motor with multi-V-shape ferrite magnets
- 213 *Lindner A., Litvinova K., Popov G., Hahn I.* - (Germany)
Measurement of rare earth magnets at high temperatures
- 221 *Risticevic M., Iles D., Moeckel A.* - (Germany)
Design of an interior permanent magnet synchronous motor supported by the topology optimization algorithm

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 226 *Zhao W., Byung-Il Kwon* - (South Korea)
Dual-stator, spoke-type ferrite permanent magnet motor with phase-group concentrated-coil windings using auxiliary inner stator
- 232 *Masuko T., Miyamoto S., Miki I.* - (Japan)
Development of a novel rotor structure for reducing rare earth use in permanent magnet synchronous motor
- 237 *Jara W., Lindh P., Tapia J., Pyrhonen J.* - (Finland, Chile) **Remote presentation**
A novel rotor structure for an axial flux PM machine: Performance analysis
- WB3 - Energy Storage Systems**
- 242 *Spertino F., Ciocia A., Cocina V., Di Leo P.* - (Italy)
Renewable sources with storage for cost-effective solutions to supply commercial loads
- 248 *Magno M., Singh J., Spadaro L., Benini L.* - (Switzerland)
Kinetic energy harvesting: Toward autonomous wearable sensing for internet of things
- 255 *Li X., Erd N., Binder A.* - (Germany)
Evaluation of flywheel energy storage systems for residential photovoltaic installations
- 261 *Lalande B., Ronsmans J.* - (Belgium)
Combining energy with power: Lithium-ion capacitors
- 265 *Ren Z., Junyong L., Guangsen W., Xinlin L., Xiao Z., Chao L.* - (China)
The charging and discharging balance control strategy of power batteries for hybrid energy storage
- 270 *Sokolov M. A., Jastrzebski R. P., Saarakkala S. E., Hinkkanen M., Mystkowski A., et al.* - (Finland, Poland)
Analytical method for design and thermal evaluation of a long-term flywheel energy storage system
- WP1 - Micro-Grids & Smart-Grids: Analysis & Control**
- 276 *Andreotti A., Carpinelli G., Lauria D., Calderaro V., Galdi V., Piccolo A.* - (Italy)
A tool for smart grid representation in presence of RES: an application to state estimation problem
- 282 *Schael M., Sourkounis C., Rogat A., Neumann C.* - (Germany)
Industrial electric grid evaluation regarding harmonics based on measurement data
- 288 *Villa A., Belloni F., Gandolfi C., Chiumeo R.* - (Italy)
Conventional and reverse droop control in islanded microgrid: Simulation and experimental test
- 295 *Graditi G., Ciavarella R., Valenti M., Ferruzzi G., Zizzo G.* - (Italy)
Frequency stability in microgrid: control strategies and analysis of bess aging effects
- 300 *Carpinelli G., Proto D., Caramia P., Alfieri L.* - (Italy)
On the comparison between ensemble Kalman filter and Kalman filter for the dynamic harmonic state estimation in a hybrid microgrid
- 308 *Langella R., Liccardo F., Marino P., Rubino L., Testa A., Rubino G.* - (Italy)
Supervision of ancillary services for distributed active front end in a small industrial grid
- 315 *Longo M., Zaninelli D., Siano P., Piccolo A.* - (Italy)
Evaluating innovative FCN networks for energy prices forecasting
- 321 *Mauri M., Carmeli M. S., Merlo M., Mbuya B., Brivio C.* - (Italy, Tanzania)
Neural network based load forecasting and fuzzy logic EMS for Ngarenanyuki school microgrid
- WP2 - Analysis, Control and Protection of Power Systems**
- 327 *Di Napoli A.* - (Italy)
Use of active front end to increase power quality

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 332 *Larruskain Dm., Iturregi A., Abarrategui O., Etxegarai A., Zamora I.* - (Spain)
Fault current limiting in VSC-HVDC systems with MMC converters
- 338 *Carlini E. M., Giannuzzi G., Pisani C., Vaccaro A., Villacci D.* - (Italy)
Physical and statistical downscaling for wind power forecasting
- 343 *Shekhar A., Mackay L., Elizondo L. R., Bauer P.* - (Netherlands)
Experimental design of a series arc load side detection algorithm for DC microgrid protection
- 348 *Chiodo E., De Falco P.* - (Italy)
Bayes estimation of inverse burr stress-strength model for power system components reliability assessment
- 354 *Cauzillo B. A., Lauria D., Pompili M., Quaia S.* - (Italy)
Technical-economic comparison between three and four-conductor bundled 380 kV OHL
- 359 *Ye J., Zhixiong Z., Anwen S., Jinbang X., Fang W.* - (China)
Kalman filter based grid impedance estimating for harmonic order scheduling method of active power filter with output LCL filter
- WP3 - Design and Modeling of Brushless Motors**
- 365 *Coppola M., Guerriero P., Spina I.* - (Italy)
Fault detection via on-line parameter estimation for a strong variable parameters PM brushless machine
- 371 *Brando G., Dannier A., Di Noia L. P., Hamasaki S. I., Rizzo R.* - (Italy, Japan)
Design of a PMSM for the electric steering of the nose landing gear
- 376 *Dück P., Lesniewski P., Ponick B.* - (Germany)
Design and analysis of axial-flux permanent magnet synchronous machines as traction drives for electric vehicles
- 382 *Siadatan A., Mirimani S. H., Shamei M., Khalili T.* - (Iran)
Thermal stability analysis of 6/4 switch reluctance motor using finite element method
- 388 *Darmani M. A., Mirimani S. M., Marignetti F.* - (Iran)
Effects of dynamic eccentricity in flux switching permanent magnet machines
- 394 *Mahmoud H., Bianchi N.* - (Italy)
Comparison between synchronous machines with eccentricity: Reluctance and permanent magnets
- 401 *Shirazi P., Khalilabad A. K., Ghasemi S., Habashi L.* - (Iran)
Transient and permanent thermal modeling in SR motors
- 407 *Dmitrievskii V., Prakht V., Kazakbaev V., Oshurbekov S., Sokolov I.* - (Russia)
Development and experimental study of the high efficient synchronous reluctance motor
- 413 *Pop C. V., Fodorean D.* - (Romania)
In-wheel motor with integrated magnetic gear for extended speed applications
- 419 *Andersson R., Hall S.* - (Sweden)
Evaluation of a temperature model for an interior permanent magnet synchronous machine for parallel hybrid electric heavy vehicles
- 425 *Takayama K., Miki I.* - (Japan)
Design of switched reluctance motor to reduce acoustic noise
- WP4 - Design and Modeling of Electrical Machines**
- 430 *Nezamabadi M. M., Afjei E., Naemi M. R., Afjei A. A.* - (Iran)
Design and 3D-FEM analysis of a rotary-linear switched reluctance motor

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 435 *Crispino M., Di Noia L. P., Lauria D., Mottola F., Siano B.* - (Italy)
An optimization technique for transformer magnetic and thermal design
- 442 *Vitkova E.* - (Czech Republic)
Impact of technical changes in the production of small electric machinery on costs
- 447 *Braslavsky I. Ya., Metelkov V. P., Esaulkova D. V., Kostylev A. V., Kondakov K. A.* - (Russia)
Toward the evaluation of the influence of temperature fluctuations on the durability of the stator winding insulation of asynchronous motors in random mode loading
- 452 *Bacher J., Muetze A.* - (Austria)
Impacts of voltage dips on the behavior of single phase induction machines
- 458 *Dmitrievskii V., Goman V., Sarapulov F., Prakht V., Sarapulov S.* - (Russia)
Choice of a numerical differentiation formula in detailed equivalent circuits models of linear induction motors
- 464 *Bruzzese C., Ruggeri E., Teodori S., Zito D., Santini E.* - (Italy)
Electromagnetic design and thermal analysis of PSAT
- 470 *Misir O., Goersdorf J., Ponick B.* - (Germany)
Determination of the inductances of a salient pole synchronous machine based on the voltage equation of a single damper loop
- 476 *Guo J., Xie W., Tang T., Moreau L.* - (China, France)
Modeling and analysis of double stator synchronous machine for wind turbines
- WP5 - Controlled Electrical Drives**
- 482 *Kawamura N., Hasegawa M.* - (Japan)
Adaptive positioning system based on DyCe principle using position sensorless controlled IPMSMs with high performance position estimation
- 488 *Verrelli C. M., Pirozzi S., Tomei P., Natale C.* - (Italy)
Synchronization control of DC motors through adaptive disturbance cancellation techniques
- 494 *Siadatan A., Yasoubi E., Ghasemi S., Hojjat M.* - (Iran)
Design and simulation of new method of a sensorless control of BLDC motor by using of speed and rotor position method
- 500 *Martis R.* - (Romania)
Common and normal mode currents in PMSM PWM drives
- 505 *Afjei E., Asgar M., Kamrani A., Afjei M. S.* - (Iran)
Rotor position estimation of switched reluctance motors based on digital amplitude technique
- 510 *Manzolini V., Darba A., De Belie F.* - (Italy, Belgium)
Improving the torque generation in self-sensing BLDC drives by shaping the current waveform
- 516 *Mauri M., Rossi M., Bruha M.* - (Italy, Switzerland)
Generation of torsional excitations in a variable-speed-drive system
- 522 *Tsuji M., Iwamoto K., Hamasaki S. I., Del Pizzo A.* - (Japan, Italy)
A simplified speed-sensorless vector control for induction motor
- 528 *Saleh K.* - (Palestine)
Sensorless control of fault tolerant PMSM drives in case of single-phase open circuit fault
- 535 *Park J. S.* - (South Korea)
Implementation of VVVF drive for a three phase induction machine

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

WP6 - Applications

- 541 *Haerinia M., Afjei E.* - (Iran)
Investigation of receiving pot core effect on magnetic flux density in inductive coupling-based wireless power transfer
- 546 *Braghin F., Ghiringhelli S., Mauri M., Carmeli M. S., Castelli Dezza F.* - (Italy)
New large airgap active magnetic bearings: modelling and experimental validation
- 552 *Lima M., Pereira B., Sousa D. M., Roque A., Margato E.* - (Portugal)
Comparing two power supplies for fast-field cycling nuclear magnetic resonance relaxometers power losses and performance
- 558 *Montori F., Cinotti T. S., Brunelli D.* - (Italy)
Smart energy services integrated within the arrowhead communication framework
- 564 *Golchin P., Tosato P., Brunelli D.* - (Italy)
Design optimization of zero power wake-up receiver in power line communication
- 570 *Souad K.* - (Morocco)
Mechanical study of a vertical axis wind turbine
- 575 *Finocchiaro L., Nobile G., Cacciato M., Scarcella G., Scelba G.* - (Italy)
Assessment of energy management strategies for battery assisted solar pumping systems
- 582 *Baikova E., Valtchev S., Melicio R., Pires V. F.* - (Portugal)
Wireless power transfer impact on data channel
- 588 *Zaraneh N., Descamps A. S., Batard C., Ginot N.* - (France)
Modeling of a communication channel on a PWM electrical network

TA1 - Fault Detection and Analysis in Electrical Drives

- 594 *Gritli Y., Rossi C., Casadei D., Filippetti F.* - (Italy)
Mixed stator-rotor fault characterization of doubly fed induction machines
- 599 *Miceli R., Di Tommaso A. O., Genduso F., Ricco Galluzzo A. G.* - (Italy)
Current fault signatures of voltage source inverters in different reference frames
- 605 *Darmani M. A., Mirimani S. M., Marignetti F., Pour A. G.* - (Iran)
Static eccentricity fault detection in flux switching permanent magnet machines
- 611 *Ishkova I., Vitek O.* - (Czech Republic)
Analysis of induction motor faults by means of monitoring the current and magnetic flux density spectrums
- 617 *Wu F., Zhao J., Liu Y., Cao W.* - (China)
A real-time sensor fault detection, isolation and reconfiguration method for vector controlled induction motors based on extended Kalman filter
- 625 *Dubravka P., Rafajdus P., Makys P., Szabo L.* - (Slovakia, Romania)
Control techniques for torque ripple minimization in switched reluctance drives under faults
- 633 *Fireteanu V., Leconte V., Zidat F.* - (Romania, France)
Monitoring of the evolution of a squirrel-cage bar breakage by harmonics of the magnetic field outside the motor

TB1 - Railway Systems and Traction Drives

- 639 *Ghaviha N., Bohlin M., Dahlquist E.* - (Sweden)
Speed profile optimization of an electric train with on-board energy storage and continuous tractive effort

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 645 *Sung-An Kim, Gab-Jin Han, Sung-Woo Han, Yun-Hyun Cho* - (South Korea)
Initial firing angle control of 12-pulse parallel connected thyristor dual converter for urban railway power substations
- 651 *Suru C. V., Popescu M., Bitoleanu A.* - (Romania)
Control algorithm implementation for a filtering and regeneration system used in urban traction DC substations
- 657 *Farnesi S., Marchesoni M., Vaccaro L.* - (Italy)
Advances in locomotive power electronic systems directly fed through AC lines
- 665 *Capasso A., Lamedica R., Gatta F. M., Geri A., Maccioni M., et al.* - (Italy)
Individual driving style impact on traction energy consumption in railway lines: a simulation model
- 671 *Bitoleanu A., Popescu M., Linca M.* - (Romania)
Limitations of LCL filter for three-phase shunt active power filters in active traction substations
- TC1 - Analysis and Control of MicroGrids**
- 677 *Ancillotti E., Bruno R., Capasso C., Palumbo S., Veneri O.* - (Italy)
Experimental set-up of DC PEV charging station supported by open and interoperable communication technologies
- 683 *Bracco S., Delfino F., Robba M., Rossi M.* - (Italy)
A multi-objective optimization tool for the daily management of sustainable smart microgrids. Case study: the Savona campus SPM and SEB facilities
- 689 *Ullah M. H., Chalise S., Tonkoski R.* - (United States)
Feasibility study of energy storage technologies for remote microgrid's energy management systems
- 695 *Micallef A., Apap M., Spiteri-Staines C., Guerrero J.* - (Malta, Denmark)
Performance comparison for virtual impedance techniques used in droop controlled islanded microgrids
- 701 *Wilson D. G., Robinett R. D., Weaver W. W., Byrne R. H., Young J.* - (United States)
Nonlinear power flow control design of high penetration renewable sources for AC inverter based microgrids
- 709 *Salimbeni A., Boi M., Marongiu I., Porru M., Damiano A.* - (Italy)
Integration of active filter and energy storage system for power quality improvement in microgrids
- TA2 - Induction Motor Drives**
- 715 *Mirzaeva G., Goodwin G. C.* - (Australia)
Current control with improved tracking and harmonic performance for a voltage source inverter driving a saturated induction motor
- 721 *Combes P., Malrait F., Martin P., Rouchon P.* - (France)
An analysis of the benefits of signal injection for low-speed sensorless control of induction motors
- 728 *Tripathi A., Narayanan G.* - (India)
Torque ripple minimization in neutral-point-clamped three-level inverter fed induction motor drives operated at low-switching-frequency
- 734 *Zhou D., Zhao J., Liu Y.* - (China)
Online tuning of weighting factors based on Sugeno fuzzy method in predictive torque control of four-switch three-phase inverter-fed IM
- 740 *Comanescu M.* - (United States)
Design of a MRAS-based estimator for the speed and rotor time constant of the induction motor using sliding mode

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 746 *Mossa M. A., Bolognani S. - (Italy)*
Effective model predictive direct torque control for an induction motor drive
- 755 *Laowanitwattana J., Uatrongjit S. - (Thailand)*
Estimation of induction motor states and parameters based on extended Kalman filter considering parameter constraints
- 761 *Gregor R., Rodas J., Muñoz J., Ayala M., Gonzalez O., Gregor D. - (Paraguay, Chile)*
Predictive-fixed switching frequency technique for 5-phase induction motor drives
- TB2 - Converter Control and Modulation**
- 768 *Chhor J., Einwachter F., Schael M., Sourkounis C. - (Germany)*
Control strategy for a modular shunt-connected power conditioning system
- 774 *Bouabana A., Sourkounis C. - (Germany)*
The consideration of current sensors and the sampling frequency
- 779 *Kumar Bhajana V. V. S., Thummala R., Drabek P. - (India, Czech Republic)*
Novel ZCS bidirectional buck-boost DC-DC converter for energy storage applications
- 785 *Mrcela I., Sunde V., Sumina D. - (Croatia)*
A generalized time domain pulse width modulation spectrum calculation method
- 791 *Bouarfa A., Fadel M., Bodson M. - (France, United States)*
A new PWM method for a 3-phase 4-leg inverter based on the injection of the opposite median reference voltage
- 797 *Corcau J. I., Dinca L. - (Romania)*
A new mathematical model for the continuous conduction mode of the boost converter
- 803 *Dinca L., Corcau J. I. - (Romania)*
P. I. Versus fuzzy control for a DC to DC boost converter
- TC2 - Power Quality and Filtering**
- 809 *Durna E., Yilmaz I. - (Turkey)*
Design and implementation of a hierarchical control system architecture for a modular HAPF system to suppress time varying interharmonics
- 817 *Durna E. - (Turkey)*
Effect of sampling frequency and execution time on hysteresis current controlled three-phase three-wire HAPF converters
- 825 *Popescu M., Bitoleanu A., Suru C. V. - (Romania)*
On the design of LCL filter with passive damping in three-phase shunt active power filters
- 831 *Lahlou T., Abdelrahem M., Valdes S., Herzog H. G. - (Germany)*
Filter design for grid-connected multilevel CHB inverter for battery energy storage systems
- 837 *Voss J., Wubbels F., De Doncker R. W. - (Germany)*
Comparative study on active filtering using resonant controllers and multiple rotating reference frames
- TA3 - Advanced and Special Machines**
- 843 *Gentile G., Ometto A., Rotondale A., N. Rotondale. - (Italy)*
Analysis and optimization of coaxial magnetic gear
- 849 *Keller M., Müller S., Parspour N. - (Germany)*
Design of a transverse flux machine as joint drive for an articulated six-axis robot arm
- 855 *Schuck M., Schäfer J., Steinert D., Kolar J. W. - (Switzerland)*
Improved stator design for an ultra-high speed spinning ball motor

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 861 *Gofuku A., Yamamoto Y., Yano T., Kasashima N.* - (Japan)
Driving technique of electromagnets to rotate spherical motors based on torque map
- 866 *Jun C., Byung-Il Kwon* - (South Korea)
Design process of spoke-type PM motor using six sigma process with tolerance design
- TB3 - Power Electronics in PhotoVoltaic Applications**
- 872 *Lo Sciuto G., Bonanno F., Capizzi G., Gotleyb D., Linde S., Shikler R.* - (Italy, Israel)
Extraction parameters and optimization in organic solar cell by solving transcendental equations in circuital models combined with a neuroprocessing-based procedure
- 878 *Bier A.* - (France)
Three-phase grid-tied current-source inverter sizing and control for photovoltaic application
- 884 *Palma L.* - (Chile)
Push-pull based single stage PV microinverter for grid-tied modules
- 889 *Baimel D., Skoury R., Elbaz L., Baimel N., Tapuchi S.* - (Israel)
Novel optimized method for maximum power point tracking in PV systems using fractional open circuit voltage technique
- 895 *Dede A., Della Giustina D., Massa G., Pasetti M., Rinaldi S.* - (Italy)
A smart PV module with integrated electrical storage for smart grid applications
- 901 *Al-Masri H. M. K., Abu-Errub A., Ayyad W. R., Ehsani M.* - (United States) **Remote presentation**
On the PV module characteristics
- TP1 - Power Converters Control and Applications**
- 906 *Gatto G., Lai A., Marongiu I., Serpi A.* - (Italy)
Circuitual and mathematical modelling of flyback converters
- 912 *Fedyczak Z., Tadra G., Szczesniak P., Klytta M.* - (Germany)
Study of the current source matrix converter using model predictive control in AC drive system
- 918 *Khomich V. Yu., Moshkunov S. I., Rebrov I. E.* - (Russia)
Multiphase high-voltage high-frequency sawtooth wave generator
- 923 *Coppola M., Guerriero P., Di Napoli F., Dannier A., Iannuzzi D., et al.* - (Italy)
Modulation technique for grid-tied PV multilevel inverter
- 929 *Wang W., Yan L., Fan B., Zeng X.* - (China, Denmark)
Control method of an arc suppression device based on single-phase inverter
- 935 *Plotnikov I., Braslavsky I. Ya., Ishmatov Z.* - (Russia)
The mathematical simulation of DC-DC converter in the frequency-controlled electric drive with ultracapacitors
- 940 *Rubino L., Rubino G.* - (Italy)
Electrical power center with energy management capability for aeronautical applications
- 946 *Marjani J., Imani A., Hekmati A., Afjei E.* - (Iran)
A new dual output DC-DC converter based on SEPIC and Cuk converters
- 951 *Spagnuolo G., Petrone G., Bianconi E., Catona G., Coppola G., Maceratini R.* - (Italy)
Experimental characterization of a novel semi-resonant DC/DC converter
- 956 *Esmaeili S., Karimi S., Tarassodi P., Siadatan A.* - (Iran)
Two-stage asymmetrical Gamma-Z-source inverter with high voltage gain and reduced shoot-through duty ratio

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 962 *Testa A., De Caro S., Scimone T., Giordano O., Cacciato M.* - (Italy)
A dual boost-NPC inverter working in time sharing mode
- 968 *Khomich V. Yu., Malashin M., Moshkunov S. I.* - (Russia)
Static and transient voltage sharing in high voltage stacked IGBT switch
- 973 *Ngoua Teu Magambo J. S., Bakri R., Margueron X., Moigne P. L., Mahe A., Bensalah T.* - (France)
Impact of PCB track shape on HF copper losses of planar magnetic components
- 979 *Kumar Bhajana V. V. S., Aylapogu P., Drabek P.* - (India, Czech Republic)
A novel ZVT/ZCT bidirectional DC-DC converter for energy storage applications
- 984 *Hamasaki S. I., Hadano K., Tsuji M., Rizzo R.* - (Japan, Italy)
Control of modular multilevel converter for AC/AC conversion
- 990 *Rubino L., Rubino G., Marino P.* - (Italy)
High step down multilevel resonant buck converter with high voltage ratio
- TP2 - Renewable Energy Sources and Storage Systems**
- 996 *Lo Sciuto G., Susi G., Cammarata G., Capizzi G.* - (Italy)
A spiking neural network-based model for anaerobic digestion process
- 1004 *Rigatos G., Siano P.* - (Italy, Greece)
A PEM fuel cells control approach based on differential flatness theory
- 1010 *Rigatos G., Siano P.* - (Italy, Greece)
A control approach for PDE dynamics in Li-ion batteries using differential flatness theory
- 1016 *Lo Sciuto G., Cammarata G., Capizzi G., Coco S., Petrone G.* - (Italy)
Design optimization of solar chimney power plant by finite elements based numerical model and cascade neural networks
- 1023 *Adinolfi G., Graditi G., Palladino V.* - (Italy)
Auxiliary services provided by smart maximum power point tracking converters: State of art and implementations
- 1028 *Castronuovo E. D., Hermida G.* - (Spain)
On the operational optimization of large hydrological basins
- 1034 *Barcellona S., Piegari L., Longo M., Foiadelli F., Brenna M.* - (Italy)
Lithium-ion battery: A simplified modeling procedure and system simulation
- 1041 *Bahari M. I., Tarassodi P., Naeini Y. M., Khalilabad A. K., Shirazi P.* - (Iran)
Modeling and simulation of hill climb MPPT algorithm for photovoltaic application
- 1045 *Zhang Z., Hackl C., Kennel R.* - (Germany)
Computationally-efficient predictive control for 3L-NPC back-to-back converter PMSG wind turbine system
- 1051 *Deblecker O., Stevanoni C., Vallée F.* - (Belgium)
Cooperative control of multi-functional inverters for renewable energy integration and power quality compensation in micro-grids
- 1059 *Wasterlain S., Parisod H., Roggo D., Carpita M.* - (Switzerland)
EMC studies on grid integration of distributed energy resources. A 10kW, IEC-61850 compliant inverter design and preliminary test results
- 1067 *Guerriero P., Di Napoli F., Coppola M., Daliento S.* - (Italy)
A new bypass circuit for hot spot mitigation

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 1073 *Andrenacci N., Chiodo E., Lauria D., Pede G.* - (Italy)
Accelerated life tests of complete Lithium-ion battery systems for battery life statistic assessment
- 1079 *Sanal E., Gola T., Dost P., Sourkounis C.* - (Germany)
Structural development of a battery test bed's management software for long-term measurements
- 1085 *Lopes da Costa S. C., Araujo A. S., Carvalho A. S.* - (Portugal)
Battery state of charge estimation using extended Kalman filter
- TP3 - Electrical Vehicles: Propulsion, Mobility & Recharging**
- 1093 *Rotondale N., D'Ovidio G., Ciancetta F., Ometto A., Rotondale A., Masciovecchio C.* - (Italy)
Analysis of flywheel-fuel cell system for mini electrical bus during an urban route
- 1099 *Jurado F., García-Triviño P., Fernández-Ramírez L. M., Torreglosa J. P.* - (Spain)
Fuzzy logic control for an electric vehicles fast charging station
- 1104 *Jin-Hong Kim* - (South Korea)
Development of motor control unit for induction machine of electric micro mobility
- 1109 *Snoussi J., Elghali S. B., Outbib R., Mimouni M. F.* - (Tunisia, France)
Sliding mode control for frequency-based energy management strategy of hybrid storage system in vehicular application
- 1115 *D'Ovidio G., Ciancetta F., Ometto A., Rotondale A., Dannier A., Masciovecchio C.* - (Italy)
Energy storage system comparison for mini electrical bus
- 1120 *Lazaroiu G. C., Mingrone L., Pignataro G., Roscia M.* - (Italy)
Innovative approach of the sharing e-mobility
- 1127 *Lazaroiu G. C., Pagano M., Roscia M.* - (Italy)
Smart urban e-mobility for historic centre
- 1133 *Caneponi G., Cazzato F., Di Clerico M., Cochi S., Falvo M. C., Manganelli M.* - (Italy)
Evs charging stations in active distribution grids: A real case-study of smart integration
- 1138 *Ruba M., Jurca F. N., Martis C.* - (Romania)
Analysis of synchronous reluctance machine for light electric vehicle applications
- 1144 *Jurca F. N., Ruba M., Martis C.* - (Romania)
Design and control of synchronous reluctances motors for electric traction vehicle
- TP4 - Railways Traction Drives and Systems**
- 1149 *Petropol Serb G. D., Serb I. P.* - (Romania)
Study of the harmonics of current and voltage for a synchronous generator in the context of railway constraints
- 1155 *Jandura P., Richter A., Ferková Ž.* - (Czech Republic)
Flywheel energy storage system for city railway
- 1160 *Perna D., Dannier A., Brando G., Del Pizzo A.* - (Italy)
Energetical comparative analysis of IM and PM-brushless drives in light railway transportation systems
- 1166 *Bolvashenkov I., Kammermann J., Herzog H. G.* - (Germany)
Research on reliability and fault tolerance of multi-phase traction electric motors based on markov models for multi-state systems
- 1172 *Bednar B., Drabek P., Pittermann M.* - (Czech Republic)
The comparison of different variants of new traction drives with medium frequency transformer

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 1178 *Popescu M., Bitoleanu A., Preda A.* - (Romania)
Design and performances of the separating circuit in regeneration and filtering system for active DC-traction substations
- 1184 *Fodorean D., Husar C., Irimia C.* - (Romania)
Noise and vibration behavior evaluation of DC motor and PMSM in electric traction application
- FA1 - Electric Propulsion of Road Vehicles**
- 1190 *Amditis A., Brusaglino G., Di Noia L. P., Rizzo R., Theodoropoulos T.* - (Italy)
Functional integration electric vehicle within energy supply network
- 1197 *Druant J., De Belie F., Sergeant P., Melkebeek J.* - (Belgium)
Power flow in an induction machine based electrical variable transmission
- 1203 *De Belie F., De Brabandere E., Druant J., Sergeant P., Melkebeek J.* - (Belgium)
Model based predictive torque control of an electric variable transmission for hybrid electric vehicles
- 1208 *Djokic S., Xiao X., Collin A., Moeller F., Meyer J., et al.* - (United Kingdom, Germany, Finland)
Survey of harmonic emission of electrical vehicle chargers in the european market
- 1214 *Bolvashenkov I., Kammermann J., Herzog H. G.* - (Germany)
Methodology for selecting electric traction motors and its application to vehicle propulsion systems
- 1220 *Dost P., Spichartz P., Sourkounis C.* - (Germany)
Cost efficiency of electric vehicles and extended range electric vehicles for various user groups
- 1226 *Spichartz P., Sourkounis C.* - (Germany)
Assessment of recuperation strategies for electric vehicles by simulations and measurements
- 1232 *Damiano A., Floris A., Marongiu I., Porru M., Serpi A.* - (Italy)
Efficiency assessment of electric propulsion systems for electric vehicles
- FB1 - Control Solutions for Electrical Drives**
- 1238 *Zine W., Idkhajine L., Monmasson E., Chauvenet P. A., Bruyere A., Condamin B.* - (France)
Investigation of saturation impact on an IPMSM saliency-based sensorless control for automotive applications
- 1244 *Hussain H., Toliyat Dr. H.* - (United States)
Field oriented control of tubular PM linear motor using linear hall effect sensors
- 1249 *Guha A., Narayanan G.* - (India)
Impact of dead-time on inverter input current, DC-link dynamics and light-load instability in rectifier-inverter-fed induction motor drives
- 1255 *Cerdeira-Corujo M., Costas A., Delgado E., Barreiro A., Banos A.* - (Spain)
Gain-scheduled wheel slip reset control in automotive brake systems
- 1261 *Precup R. E., David R. C., Petriu E. M., Radac M. B., Voisan E. I.* - (Romania, Canada)
Experiment-based comparison of nature-inspired algorithms for optimal tuning of PI-fuzzy controlled nonlinear DC servo systems
- 1267 *Matsuo K., Kondo K.* - (Japan)
Method to design controller gains for the voltage phase angle torque feed-back control system
- 1272 *Wittmann J., Hagl R., Kennel R.* - (Germany)
Influence of position measuring errors on speed ripple in servo drives
- FC1 - Analysis and Control of Power Systems**
- 1279 *Grebchenko N. V., Osipov D. Y., Teslya A. G., Bozok J. B., Koval I. I.* - (Ukraine)
Adaptive current short-circuit protection in electric systems with distributed generation

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 1284 *Byrne R. H., Trudnowski D. J., Neely J. C., Schoenwald D. A., Wilson D. G., Rashkin L. J.* - (United States)
Small signal stability analysis and distributed control with communications uncertainty
- 1292 *Beck Y., Berkovich Y., Braunstein A.* - (Israel)
A Matlab-Simulink model of AC grid with a FC-TCR and invariant control system for reactive power compensation
- 1298 *Ortjohann E., Wirasanti P., Leksawat S., Schmelter A., Holtschulte D., Kortenbruck J.* - (Germany, Thailand)
Web-based power flow analysis tool for automated distribution network control
- 1304 *Santos N., Pires V. F., Silva J. F.* - (Portugal)
Study of the HVDC dual transmission system under faults in the power converters
- FA2 - Electrical Machines Design and Modelling**
- 1310 *Van Vuure T. L., Kuiper M.* - (Netherlands)
Accurate cogging and linear ripple models for parametrized feed forward
- 1316 *Reinlein M., Regnet M., Hubert T., Boenig J., Kremser A., Werner U.* - (Germany)
Influence of Villari effect on the magnetizing current of induction machines by shrink fitting of rotor cores
- 1324 *An J., Binder A.* - (Germany)
Analysis of sudden short circuit current of interior permanent magnet synchronous machines
- 1330 *Tessarolo A., Olivo M.* - (Italy)
A new method for the analytical determination of the complex relative permeance function in linear electric machines with slotted air gap
- 1336 *Hosseini S. M.* - (Germany)
Performance improvement of capacitor-run single-phase induction motors by non-orthogonal armature windings
- FB2 - Renewable Energy Sources for Smart Grids**
- 1342 *Baghzouz Y.* - (United States)
Experimental test on the islanding of an advanced PV inverter
- 1348 *Zoghalmi M., Bacha F., Kharoui R., Fnaiech N.* - (Tunisia)
Direct power control strategy for variable speed wind energy conversion system based on PMSM generator
- 1354 *Barcellona S., Huo Y., Niu R., Piegari L., Ragaini E.* - (Italy, China)
Control strategy of virtual synchronous generator based on virtual impedance and band-pass damping
- 1363 *Yamashita K., Nishikata S.* - (Japan)
A simulation model of a self-excited three-phase synchronous generator for wind turbine generators
- 1369 *Bozzi S., Giassi M., Bizzozero F., Gruosso G., Passoni G.* - (Italy)
Analysis of interaction of point absorbers'arrays for seawave electrical energy generation in Italian seas
- FC2 - Applications of Electrical Drives**
- 1375 *Quraan M., Tricoli P., D'Arco S., Piegari L.* - (United Kingdom, Palestine, Italy)
Low frequency operation of modular multilevel converters with embedded battery cells for traction drives
- 1383 *Phadungthin R., Haema J.* - (Thailand)
High frequency induction heating of full bridge resonant inverter application
- 1388 *Bucci V., Mauro F., Marino A., Bosich D., Sulligoi G.* - (Italy)
An innovative hybrid-electric small passenger craft for the sustainable mobility in the Venice lagoon

SPEEDAM 2016 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
CAPRI (Italy), 22nd – 24th June, 2016

Proceedings Index

- 1396 *Cabrini A., Zurla R., Torelli G. - (Italy)*
A charge pump with enhanced charge transfer for energy harvesting applications
- 1401 *Marino A., Cirillo P., Natale C., Chiacchio P., Pirozzi S. - (Italy)*
A general low-cost and flexible architecture for robotized drilling in aircraft assembly lines
- FA3 - Synchronous and Switched Reluctance Machines**
- 1409 *Melka B., Smolka J., Bulinski Z., Ryfa A., Hetmanczyk J., Makiela D. - (Poland)*
A validated numerical model of heat and mass transfer in a PM BLDC electric motor
- 1414 *Salomaki J., Repo A. K., Uusiniitty T., Arkkio A. - (Finland)*
Permanent magnet assisted synchronous reluctance motor in hoist application
- 1421 *Werner F., Ziegler M. - (Germany)*
Hybrid excited synchronous machine with reluctance torque and double axis excitation
- 1427 *Heidarian M., Ganji B. - (Iran)*
A dynamic simulation model based on finite element method for switched reluctance generator
- FB3 - Electromagnetic Theory and Applications**
- 1433 *Boecker J. - (Germany)*
Some reflections on electromagnetic force in matter
- 1441 *Tourgoli M., Sedghisigarchi K. - (United States)*
Dynamic modeling and simulation of continuous positive airway pressure device
- 1448 *Li K., Bird J. - (United States)*
A 3-D analytical model of a Halbach axial magnetic coupling
- 1455 *Xu F., Xu X., Wang X. - (China, Canada)*
Ironless voice coil actuator used for active magnetic gravity compensator