

2016 IEEE MTT-S International Wireless Symposium (IWS 2016)

**Shanghai, China
14-16 March 2016**



**IEEE Catalog Number: CFP16IWW-POD
ISBN: 978-1-5090-0697-7**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16IWW-POD
ISBN (Print-On-Demand):	978-1-5090-0697-7
ISBN (Online):	978-1-5090-0696-0

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

A NOVEL TUNABLE MICROSTRIP POWER DIVIDER USING HIGH-PERFORMANCE BAND-PASS FILTER BASED ON LIQUID CRYSTAL	1
<i>D. Jiang, Y. Liu, L. Xia, R. Xu</i>	
MULTI-BAND SIGNAL-INTERFERENCE PLANAR BANDPASS FILTERS BASED ON SUB-LOADED TRANSVERSAL FILTERING SECTIONS	4
<i>R. Gomez-Garcia, D. Psychogiou, J.-M. Munoz-Ferreras, D. Peroulis</i>	
DESIGN OF TUNABLE TEMPORAL FILTER FOR SPECTRUM SNIFFER	8
<i>T. Guo, Q. Zhang, Y. Chen, R. Wang</i>	
PERFORMANCE OF SPIRAL-SHAPED DISPERSIVE DELAY STRUCTURES FOR REALTIME ANALOG SIGNAL PROCESSING	11
<i>Y. Horii, T. Kitamura</i>	
A NEW L-SHAPED PHASE INVERTER DESIGN UTILIZING A LOADED TRANSMISSION LINE	15
<i>R. Gupta, S. Kumar, S. Kaushik, M. Maktoomi, M. Hashmi</i>	
BROADBAND MICROSTRIP IMPEDANCE TRANSFORMER.....	19
<i>J.-T. Kuo, Y.-H. Chang, S.-J. Chung</i>	
24-GHZ BIOMEDICAL RADAR ON FLEXIBLE SUBSTRATE FOR ISAR IMAGING.....	22
<i>Z. Peng, J.-M. Munoz-Ferreras, R. Gomez-Garcia, L. Ran, C. Li</i>	
EFFECTS AND MITIGATION OF INTERFERENCE TONES ON COHERENT FMCW SHORT-RANGE RADARS	26
<i>J.-M. Munoz-Ferreras, Z. Peng, C. Li, R. Gomez-Garcia</i>	
EVALUATION OF TRANSFORMER AND CAPACITOR COUPLING IN W-BAND BROADBAND CMOS POWER AMPLIFIERS	30
<i>T. Tran, S. Vehring, Y. Ding, A. Hamidian, G. Boeck</i>	
A 20.6 DBM K-BAND POWER AMPLIFIER WITH 34.6% PAE IN 65NM CMOS	34
<i>A. Parthasarathy</i>	
DESIGN AND MEASUREMENT OF A 2.5GHZ SWITCHED-MODE CMOS POWER AMPLIFIER WITH RELIABILITY ENHANCEMENT	36
<i>H. Madureira, A. Gros, N. Deltimele, M. Dematos, S. Haddad, D. Belot, E. Kerherve</i>	
SOME IMPROVEMENTS IN THE DESIGN OF LDMOSFET POWER AMPLIFIER FOR EFFECTIVELY SUPPRESSING METALLIC SHIELDING COVER (MSC) EFFECTS	40
<i>L. Lin, L. Zhou, B. Zhang, G. Wu, W.-Y. Yin, J. Mao</i>	
ANTENNA ARRAY BEAM PATTERN OPTIMIZATION INCLUDING ELECTRIC FIELD R-DECAY FACTOR	43
<i>D. Inserra, G. Wen</i>	
A LARGE-APERTURE BROADBAND WIDE-ANGLE SCANNING SYSTEM BASED ON OVERLAPPED SUBARRAYS.....	47
<i>Y. Liang, C. Zhang</i>	
DEVIATION OF THE APPROXIMATE ANGLE-INDEPENDENT PATTERN WITH FREQUENCY DIVERSE ARRAY ANTENNA.....	51
<i>T. Yuan, Y. Cheng, Y. Qin, H. Wang</i>	
EXPERIMENTAL DEMONSTRATION OF TRANSPARENT MICROWAVE ABSORBER BASED ON GRAPHENE.....	55
<i>D. Yi, X. Wei, Y. Xu</i>	
LOW-DISPERSION METAMATERIAL-BASED PHASE SHIFTERS WITH REDUCED SIZE AND NUMBER OF MEMS SWITCHES.....	59
<i>V. Gholizadeh, M. Asadi, Y. Ning, C. Palego, J. Hwang, D. Scarbrough, C. Goldsmith</i>	
IMPROVED APPROACH USING MULTIPLE PLANAR COMPLEMENTARY SPLIT-RING RESONATORS FOR ACCURATE MEASUREMENT OF PERMITTIVITY	63
<i>C.-M. Hsu, K.-Z. Chen, C.-S. Lee, C.-L. Yang</i>	
GAME THEORY-BASED ENERGY EFFICIENCY OPTIMIZATION IN MULTI-USER COGNITIVE MIMO INTERFERENCE CHANNEL.....	67
<i>S. Han, Y. Lu, S. Yang, X. Mu</i>	
SPECTRUM OPPORTUNITY EXPLORATION BASED ON JOINT SPECTRUM SENSING AND THE SPECTRUM PREDICTION ENABLED SPECTRUM DATABASE	71
<i>J. Zhang, Y. Liu, C. Yong, L. Cao</i>	

A CSGC ALGORITHM BASED PARTIAL SPECTRUM SHARING SCHEME IN COGNITIVE LTE-A TWO-TIER HETEROGENEOUS NETWORKS.....	76
<i>W.-J. Liu, B.-J. Hu, Z.-H. Wei, J.-M. Lv, T. Tan, X. Liu</i>	
PERFORMANCE ANALYSIS OF SOFT DECISION SPECTRUM SENSING BASED ON MULTI-BIG QUANTIZATION	80
<i>H. Wu, H. Zhao, Y. Chen, Y.-X. Liu, J.-Z. Zhang</i>	
A FULL-WAVE EM APPROACH OF SUB-HARMONIC MIXER DESIGN USING 3D DIODE MODEL AND EXTRACTED PARAMETERS.....	85
<i>X. Feng, Y. Zhang, G. Li, S. Jia, Q. Li, Y. Fan</i>	
S-PARAMETER BASED DEVICE-LEVEL C-V MEASUREMENT OF P-I-N SINGLE-DRIFT IMPATT DIODE FOR MILLIMETER-WAVE APPLICATIONS	89
<i>W. Zhang, M. Oehme, K. Kosteki, K. Matthies, V. Stefani, A. Raju, D. Noll, V. Srinivasan, R. Korner, E. Kasper, J. Schulze</i>	
A 25-30 GHZ 6-BIT DIGITAL ATTENUATOR WITH HIGH ACCURACY AND LOW INSERTION LOSS.....	93
<i>J. Zhao, B. Zhang, X. Yang</i>	
MMIC GAN POWER AMPLIFIER WITH BIDIRECTIONAL OPERATION FOR RF-TO-DC CONVERSION	96
<i>T. Moura, W. Jang, P. Cruz, D. Belo, N. Carvalho, S. Chevtchenko, B. Janke, J. Wurfl</i>	
DESIGN OF GRAPHENE PATCH ANTENNAS OPERATING AT 600GHZ WITH RECONFIGURABLE CAPABILITY	100
<i>H.-Q. Xia, J. Hu, W.-Y. Yin</i>	
A NOVEL THZ ANTENNA FORMING THREE BEAMS USING A PIN SPDT SWITCH	104
<i>S.-L. Liu, X.-Q. Lin, P. Mei, P. Pang, Y.-H. Su</i>	
AN ACTIVE ANTENNA ARRAY BASED ON FREQUENCY SHIFTABLE VECTOR MODULATOR MODULE.....	107
<i>W. Yang, J. Zhou, K. Zhou, Z. Yu, W. Qin, J.-X. Chen</i>	
A PLANAR BROADBAND BEAM STEERING ARRAY WITH LOW COST	111
<i>L. Di, X. Yang, Y. Yu</i>	
A MULTIFUNCTION BROAD-BEAM ANTENNA WITH DUAL BANDS AND DUAL CIRCULAR-POLARIZATIONS.....	114
<i>X.-Y. He, L. Chang, L.-L. Chen</i>	
BROADBAND STACKED ANTENNA BASED ON E-SHAPED PATCH FOR DIGITAL TERRESTRIAL TV BROADCASTING TRANSMISSION SYSTEM	118
<i>D.-J. Li, S.-J. Fang, H.-M. Liu</i>	
A TUNABLE MATCHING NETWORK FOR TD-SCDMA POWER AMPLIFIER IN 0.18-μM SOI CMOS TECHNOLOGY	122
<i>P. Li, T. Mo</i>	
A 0.45V 687PW LOW NOISE AMPLIFIER FRONT-END WITH 1.73 NEF FOR ENERGY-SCAVENGING IOT SENSORS.....	126
<i>S. Li, X. Zhou, S. Zhang, H. Yao, Q. Li, V. Behravan, A. Natarajan, Z. Hong, P. Chiang</i>	
2.4-GHZ-BAND LOW-VOLTAGE LC-VCO IC WITH SIMPLIFIED NOISE FILTERING IN 180-NM CMOS	130
<i>X. Wang, X. Yang, X. Xu, T. Yoshimasu</i>	
A 255NW 138KHZ RC OSCILLATOR FOR ULTRA-LOW POWER APPLICATIONS.....	133
<i>Y. Wang, L. Rong, L. Xie, J. Liu, G. Wen</i>	
A 11-BIT 1.2V 40.3μW SAR ADC WITH SELF-DITHERING TECHNIQUE	137
<i>S. Zhang, T. Li, L. Jin, J. Yang, L. He, F. Lin</i>	
LOW LOSS PACKAGING METHOD FOR SI-BASED CHIPS OCCUPYING WAVEGUIDE PROBE COUPLING STRUCTURE.....	141
<i>R. Wang, H. Tang, H. Liu, Y. Li, X.-D. Deng, Y.-Z. Xiong</i>	
FABRICATION AND MEASUREMENT OF MILLIMETER-WAVE ON-CHIP MIMO ANTENNA FOR CMOS RFIC'S.....	145
<i>L. Jing, C. Rowell, S. Raju, M. Chan, C. Yue, R. Murch</i>	
A TERAHERTZ FABRY-PÉROT MODULATOR USING CHARGE INJECTION-INDUCED INSULATOR-METAL TRANSITION IN VANADIUM DIOXIDE	149
<i>O. Fawole, M. Tabib-Azar</i>	
MULTIMODE RECTANGULAR CAVITY TERAHERTZ RESONATORS.....	153
<i>O. Fawole, M. Tabib-Azar</i>	
BANDWIDTH ENHANCEMENT OF A MICROSTRIP-LINE-FED PRINTED ROTATED WIDE SLOT ANTENNA WITH TUNING STUBS	157
<i>O. Kwame, W. Guangjun, X. Lin, M. Basit</i>	

DIFFERENTIAL UWB-DIPOLE ANTENNA WITH COMMON-MODE SUPPRESSION AND SHARP-SELECTIVITY NOTCHED BAND	161
<i>W.-A. Li, Z.-H. Tu, Q.-X. Chu</i>	
A SIMPLE COPLANAR STRUCTURE ANTENNA FOR 4G MOBILE HANDSET	165
<i>M.-Y. He, J.-S. Li</i>	
MINIATURIZED PRINTED ANTENNA WITH DUAL INDUCTOR-LOADED MONOPOLES FOR MOBILE TERMINALS.....	169
<i>Y. Yu, Y. Wang, R. Wang</i>	
A WIDEBAND MICROSTRIP BALANCED-TO-SINGLE-ENDED OUT-OF-PHASE POWER DIVIDER.....	172
<i>J. Lu, J. Shi, Q. Cao</i>	
A BROADBAND MICROSTRIP-TO-FOLDED SUBSTRATE INTEGRATED WAVEGUIDE TRANSITION AND IN-PHASE POWER DIVIDER	176
<i>J. Xu, F. Xu, D. Li</i>	
WIDEBAND BALANCED NETWORK WITH WIDEBAND COMMON MODE SUPPRESSION AND HIGH ISOLATION	179
<i>C. Zhao, M. Hong, W. Feng, W. Che</i>	
PLANAR MAGNETICALLY-COUPLED RESONANCE WIRELESS POWER TRANSFER SYSTEMS USING ARRAY OF COIL RESONATORS	183
<i>Z. Liu, Y. Guo, F. Jolani, Y. Yu, Z. Chen</i>	
A LOW-COST, SYSTEM-ON-CHIP FOR OPTICAL TIME DOMAIN REFLECTOMETRY (OTDR).....	186
<i>J. Shi, N. Qi, Q. Yang, H. Guo, G. Yang, J. Du, Q. Liu, Z. He, R. Bai, P. Chiang, Z. Hong</i>	
A 0.5MW 1MB/S MULTI-CHANNEL CHIRP-UWB TRANSMITTER WITH BURST-MODE TRANSMISSION AND OPTIMIZED DIGITAL GRADIENT	190
<i>X. Ni, Y. Zhang, W. Rhee, W. Jia, Z. Wang</i>	
A 288-μW 6-GHZ HYBRID DYNAMIC COMPARATOR WITH 54-PS DELAY IN 40-NM CMOS	194
<i>S. Huang, L. He, Y.-K. Chou, F. Lin</i>	
WIDE-BAND DIVIDE-BY-4 INJECTION-LOCKED FREQUENCY DIVIDER USING RLC RESONATOR AND CAPACITIVE CROSS-COUPLED OSCILLATOR	198
<i>S.-L. Jang, W. Lai, M.-H. Juang</i>	
GENERATION OF MULTIPLE ORBITAL ANGULAR MOMENTUM (OAM) MODES WITH A CIRCULARLY POLARIZED MULTIMODE PATCH ANTENNA.....	202
<i>Z. Zhang, S. Xiao</i>	
DESIGN OF A NOVEL ULTRA-WIDEBAND ANTENNA APPLIED FOR LIFE DETECTING	206
<i>X. Chen, L. Fang, X. Wu, C. He</i>	
A G-BAND VIVALDI ANTENNA ARRAY WITH 19 DBI GAIN, 54.9 % EFFICIENCY FOR IOT APPLICATIONS	210
<i>A. Parthasarathy</i>	
PLANAR ANTENNA ARRAY DESIGN CONSIDERATIONS FOR RFID ELECTRONIC TOLL COLLECTION SYSTEM	214
<i>D. Inserra, W. Hu, G. Wen</i>	
MINIATURE FILTERING POWER DIVIDER USING FOLDED STUB-LOADED RESONATOR.....	218
<i>Q. Li, Y. Zhang, X. Feng</i>	
BALANCED FILTER WITH WIDEBAND COMMON SUPPRESSION USING RING RESONATORS.....	222
<i>Y. Zhang, W. Feng, W. Che</i>	
LOSSY SUBSTRATE INTEGRATED WAVEGUIDE FILTER WITH FLAT PASSBAND.....	226
<i>B. Gao, L.-S. Wu, J.-F. Mao</i>	
DESIGN OF A MILLIMETER-WAVE DUAL-BAND BANDPASS FILTER USING SIW DUAL-MODE CAVITIES	230
<i>K. Dong, J. Mo, Y. He, Z. Ma, X. Yang</i>	
EVALUATION OF OVERSAMPLING RATE LIMITED DUAL-CHANNEL DIGITAL PREDISTORTION WITH 3-BOX NONLINEAR MODEL OF POWER AMPLIFIER.....	233
<i>Y. Chang, G. Tran, K. Sakaguchi, K. Araki</i>	
A LOW POWER DELTA-SIGMA ADCS WITH ELIMINATING ACTIVE ADDER AT THE QUANTIZER INPUT.....	237
<i>J. Zeng, D. Shen, W. Ren, X. Zhang, J. He</i>	
ADAPTIVE WAVEFORM OPTIMIZATION ALGORITHM BASED ON UWB MIMO RADAR	241
<i>C. Ji, Y. Song, Q. Du</i>	
ADAPTIVE OFDM FOR VLC SYSTEMS WITH MULTIPLE TRANSMITTERS	245
<i>N. Kalikulov, R. Kizilirmak</i>	

DESIGN AND REALIZATION OF A C-BAND 2KW GAN POWER AMPLIFIER MODULE.....	249
<i>H. Zhang, X. Xu, X. Kuang, W. Zhu</i>	
A SINGLE FEEDBACK ARCHITECTURE FOR DUAL-BAND DIGITAL PREDISTORTION WITH UNDER-SAMPLING TECHNIQUE	253
<i>Q. Zhang, W. Chen, Z. Wang, G. Su</i>	
REAL-TIME DIGITAL PREDISTORTION FOR RADIO FREQUENCY POWER AMPLIFIER LINEARIZATION	257
<i>S. Ferguson, A. Chopra</i>	
DESIGN OF A BROADBAND HIGH EFFICIENCY GAN POWER AMPLIFIER FOR GNSS APPLICATIONS	261
<i>Y. Zhuang, J. Zhou, Y. Huang, A. Chen</i>	
A PERSONALIZED ROUTE SEARCH METHOD BASED ON JOINT DRIVING AND VEHICULAR BEHAVIOR RECOGNITION	265
<i>Y. Bao, W. Chen</i>	
COMPRESSIVE SENSING FOR THROUGH-WALL IMAGING WITH SPREAD SPECTRUM RADAR.....	271
<i>X. Zhang, X. Xi, Y. Pu, C. Zheng, D. Wu</i>	
NOVEL MULTILAYERED SUBSTRATE INTEGRATED WAVEGUIDE NARROWBAND FILTERS FOR MILLIMETER-WAVE 3D-MCM APPLICATIONS	275
<i>M. Shen, Z. Shao, X. Li, Z. He</i>	
VISIBLE LIGHT COMMUNICATION USING THE FLASH LIGHT LED OF THE SMART PHONE AS A LIGHT SOURCE AND ITS APPLICATION IN THE ACCESS CONTROL SYSTEM.....	278
<i>L. Fan, Q. Liu, C. Jiang, H. Xu, J. Hu, D. Luo, Z. He, Q. Huang</i>	
A COMPACT SLOT ANTENNA FOR UWB APPLICATIONS	282
<i>W.-H. Zong, S.-S. Fu, Z. Li, C.-J. Du, S.-D. Li, X.-M. Yang, X.-Y. Wei, X. Xiao</i>	
IMPROVED POSITION ESTIMATION BY FUSING MULTIPLE INACCURATE INERTIAL MEASUREMENT UNIT SENSORS	286
<i>Y. Zhang, C. Lyu, H. Xu, Y. Xia, F. Feng, G. Singh, P. Chiang, X. Wang</i>	
A 10 WATT CLASS-AB PULSE POWER AMPLIFIER	290
<i>S. Mohadeskasaei, X. Zhou, S. Demneh, S. Abdullahi</i>	
KA-BAND GAAS MMIC LNA USING A 0.15UM METAMORPHIC INGAAS	293
<i>M. Khan, U. Khan, Z. Peng, A. Buzdar, L. Li, F. Lin</i>	
NOVEL LOW COST 1-TO-4 MICROSTRIP WILKINSON POWER DIVIDER.....	297
<i>H. Tila, A. Buzdar, A. Buzdar, L. Sun, M. Khan, U. Khan, W. Ahmed</i>	
LOW COST VIVALDI ARRAY ANTENNA FOR MOBILE THROUGH WALL SENSING PLATFORMS	301
<i>A. Buzdar, H. Tila, L. Sun, M. Khan, U. Khan, W. Feroz</i>	
RESEARCH ON SPHERICAL ANTENNA ARRAY IMAGING BY SIMULATION	305
<i>L. Liu, J. Wang, Z. Chen, X. Wu</i>	
COMPARISON OF CONVENTIONAL AND SUBSTRATE INTEGRATED WAVEGUIDE FILTERS FOR SATELLITE COMMUNICATION.....	309
<i>F. Rautschke, D. Maassen, O. Konc, G. Boeck</i>	
A W-BAND DIRECT-CONVERSION I-Q MIXER IN 0.13μM SIGE BICMOS TECHNOLOGY	313
<i>W. Liu, H. Liu, R. Wang, Y. Li, X. Cheng, Y.-Z. Xiong</i>	
DESIGN OF K-BAND RADAR FRONT-END FOR WATER LEVEL MEASUREMENT	317
<i>X. Chen, L. Fang, F. Xu, C. He</i>	
AN ULTRA-WIDE BAND FREQUENCY TUNING FILTERING ANTENNA FOR P- AND L-BAND APPLICATIONS	321
<i>J. Zhang, X. Lin, J. Yu, L. Nie, Y. Fan</i>	
A UWB BANDPASS FILTER USING INTERDIGITAL AND PERIODIC UC-PBG STRUCTURES	324
<i>C. Fang, F. Xu, L. Yang</i>	
ANTENNA BEAMFORMING FOR ENERGY HARVESTING IN COGNITIVE RADIO NETWORKS.....	327
<i>H. Liu, J. Chen, G. Ding, T. Tsiftsis, C. Rowell</i>	
A PRACTICABLE DE-EMBEDDING NETWORK AT HIGHER FREQUENCY OF A PACKAGED GAN DEVICE.....	331
<i>S.-W. Dong, P. Tasker, G. Wang, J. Lees</i>	
MULTI-STANDARD SEMI-DIGITAL FIR DAC: A DESIGN PROCEDURE	335
<i>F. Gebreyohannes, A. Frappe, A. Kaiser</i>	
MULTI-BASIS WEIGHTED MEMORY POLYNOMIAL FOR RF POWER AMPLIFIERS BEHAIORAL MODELING	339
<i>O. Hammi, A. Abdelrahman, A. Zerguine</i>	

A MINIATURIZED COPLANAR WAVEGUIDE BAND PASS FILTER USING NOVEL SINGLE SPLIT-RING RESONATORS.....	343
<i>J. Pu, F. Xu, S. Qiu</i>	
METHOD FOR ESTIMATING THE DISTANCE BETWEEN MULTIPLE IMU-BASED WEARABLE DEVICES	346
<i>H. Xu, C. Lyu, Y. Zhang, Y. Xia, X. Wang, P. Chiang</i>	
UNCERTAINTY ANALYSIS IN WAVEFORM METROLOGY: FROM VERTICAL MEASUREMENT TO HORIZONTAL QUANTITIES.....	350
<i>Y. Zhang, Z. He, X. Guo, A. Yang, L. Wang, M. Nie</i>	
VERY LOW PROFILE MULTIBRANCH ANTENNA WITH HIGH-PASS MATCHING CIRCUIT FOR LTE/WWAN TABLET COMPUTER DEVICE.....	354
<i>L. Liu, J.-S. Li</i>	
DESIGN OF RECONFIGURABLE CONCURRENT DUAL-BAND POWER AMPLIFIERS USING RECONFIGURABLE CONCURRENT DUAL-BAND MATCHING NETWORK.....	358
<i>R. Kalyan, K. Rawat, S. Koul</i>	
Author Index	