

2016 12th Conference on Ph.D. Research in Microelectronics and Electronics (PRIME 2016)

**Lisbon, Portugal
27-30 June 2016**



**IEEE Catalog Number: CFP16622-POD
ISBN: 978-1-5090-0494-2**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16622-POD
ISBN (Print-On-Demand):	978-1-5090-0494-2
ISBN (Online):	978-1-5090-0493-5

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

MINIMAL PRE-CHARGE TECHNIQUE IMPLEMENTED FOR SWITCHED-CAPACITOR PIPELINE ADC.....	1
<i>Jia Sun ; Timo Rahkonen</i>	
NONLINEAR MODELLING OF AUTOMATIC GAIN CONTROL LOOPS CONSIDERING LOOP DYNAMICS AND STABILITY	5
<i>Mohammed El-Shennawy ; Niko Joram ; Frank Ellinger</i>	
A FLOATING HIGH-VOLTAGE LEVEL-SHIFTER WITH HIGH AREA EFFICIENCY FOR BIOMEDICAL IMPLANTS.....	9
<i>Michael Haas ; Maurits Ortmanns</i>	
A STUDY ON OP-AMP NONLINEARITY IN A SINGLE-BIT CT $\Delta\Sigma$ S MODULATOR EMPLOYING GBW COMPENSATION.....	13
<i>Chao Chu ; Johannes Wagner ; Ahmad Al Marashli ; Jiazuo Chi ; Maurits Ortmanns</i>	
A NOVEL ANALYTICAL MODEL FOR THE STATIC BEHAVIOR OF A MONOTONIC-SWITCHING CHARGE-SCALING ADC	17
<i>Florin Burcea ; Husni Habal ; Helmut Graeb</i>	
A SELF-ORGANIZATION APPROACH FOR LAYOUT FLOORPLANNING PROBLEMS IN ANALOG IC DESIGN	21
<i>Daniel Marolt ; Jürgen Scheible ; Göran Jerke ; Vinko Marolt</i>	
A 55 DB RANGE GAIN INTERPOLATING VARIABLE GAIN AMPLIFIER WITH IMPROVED OFFSET CANCELLATION	25
<i>Mohammed El-Shennawy ; Niko Joram ; Frank Ellinger</i>	
LOW POWER RSSI OUTDOOR LOCALIZATION SYSTEM.....	29
<i>Naglaa El Agroudy ; Niko Joram ; Frank Ellinger</i>	
A TONE MAPPING ALGORITHM SUITED FOR ANALOG-SIGNAL REAL-TIME IMAGE PROCESSING	33
<i>Lan Shi ; David Hadlich ; Christopher Soell ; Thomas Ussmueller ; Robert Weigel</i>	
LARGE AREA SILICON PHOTOMULTIPLIERS ALLOW EXTREME DEPTH PENETRATION IN TIME-DOMAIN DIFFUSE OPTICS	37
<i>E. Martinenghi ; A. Dalla Mora ; L. Di Sieno ; S. Konugolu Venkata Sekar ; D. Contini ; A. Pifferi</i>	
A HIGH RESOLUTION MULTI-BIT INCREMENTAL CONVERTER INSENSITIVE TO DAC MISMATCH ERROR	41
<i>Biao Wang ; Sai-Weng Sin ; Seng-Pan U ; R. P. Martins</i>	
STF ENGINEERING IN CT SIGMA-DELTA MODULATORS USING WWW.SIGMA-DELTA.DE	45
<i>Johannes Wagner ; Rudolf Ritter ; Maurits Ortmanns</i>	
37.8 GHZ TO 54.6 GHZ AMPLIFIER AND DC TO 29 GHZ VARIABLE GAIN AMPLIFIER IN 0.13 μM SIGE BICMOS TECHNOLOGY.....	49
<i>Hebat-Allah Yehia Abdeen ; Hermann Schumacher ; Volker Ziegler ; Askold Meusling</i>	
HYBRID THRESHOLD-BOOLEAN LOGIC MAPPED ON MEMRISTOR CROSSBAR	53
<i>Lei Xie</i>	
TOWARDS ROBUST IMPLEMENTATION OF MEMRISTOR CROSSBAR LOGIC CIRCUITS.....	57
<i>Lei Xie</i>	
IMPROVED STABILITY OF ORGANIC SOLAR CELLS BY CROSS-LINKING OF THE ELECTRON-DONOR POLYMER.....	61
<i>Joana Farinhas ; Ricardo Oliveira ; Jorge Morgado ; Ana Charas ; Jorge Morgado</i>	
TEMPERATURE SENSITIVITY ANALYSIS OF POLARITY CONTROLLED ELECTRICALLY DOPED HETERO-TFET.....	65
<i>Kaushal Nigam ; Sunil Pandey ; P N Kondekar ; Dheeraj Sharma</i>	
SPAD-BASED 3D SENSORS FOR HIGH AMBIENT ILLUMINATION.....	69
<i>Maik Beer ; Bedrich J. Hosticka ; Rainer Kokozinski</i>	
USING I_{ON}/I_{OFF} TO PREDICT SWITCH-BASED CIRCUIT ACCURACY IN AN EXTENDED TEMPERATURE RANGE UP TO 300°C.....	73
<i>Jonas Tallhage ; Holger Kappert ; Rainer Kokozinski</i>	
BOOST CONVERTER WITH LOAD DEPENDENT ADAPTIVE CONTROLLER FOR IMPROVED TRANSIENT RESPONSE	77
<i>Samuel Quenzer-Hohmuth ; Steffen Ritzmann ; Thoralf Rosahl ; Bernhard Wicht</i>	

MULTILEVEL OUTPHASING POWER AMPLIFIER SYSTEM WITH A TRANSMISSION-LINE POWER COMBINER.....	81
<i>Mikko Martelius ; Kari Stadius ; Jerry Lemberg ; Tero Nieminen ; Enrico Roverato ; Marko Kosunen ; Jussi Ryyänen ; Lauri Anttila ; Mikko Valkama</i>	
A LOW-POWER 64-84GHZ FREQUENCY QUADRUPLER BASED ON TRANSFORMER-COUPLED RESONATORS FOR E-BAND BACKHAUL APPLICATIONS	85
<i>Lorenzo Iotti ; Andrea Mazzanti ; Francesco Svelto</i>	
ARCHITECTURAL MODELING OF A SINGLE-SIDEBAND WIRELINE SERIAL DATA TRANSCEIVER FOR MULTI-DROP I/O	89
<i>Gain Kim ; Yusuf Leblebici</i>	
ADVANCED CIRCUIT INTERFACE FOR SYSTEMS WITH MULTIPLE VOLTAGE DOMAINS	93
<i>Harry Kalargaris ; John Goodacre ; Vasilis F. Pavlidis</i>	
IMPLEMENTATION OF A DESIGN CONCEPT OF A MOULDED, SOFT BATTERY CELL	97
<i>Victoria Oguntosin ; Slawomir J. Nasuto ; Yoshikatsu Hayashi</i>	
A 4-NW VOLTAGE SENSOR WITH CONFIGURABLE HYSTERESIS FOR RF HARVESTERS.....	101
<i>Hugo Gonçalves ; Fábio Rabuske ; Diogo Santos ; Jorge Fernandes</i>	
STATISTICAL TESTS TO DETERMINE SPATIAL CORRELATIONS IN THE RESPONSE BEHAVIOR OF PUF	105
<i>Benjamin Willsch ; Julia Hauser ; Stefan Dreiner ; Andreas Goehlich ; Holger Vogt</i>	
A RECONFIGURABLE CALIBRATION METHOD FOR CURRENT-STEERING DACS.....	109
<i>Gonçalo Nogueira ; Jorge Fernandes ; Gonçalo Tavares</i>	
CAPACITIVE COUPLING ANALYSIS USING DOUBLE-SURFACE ICS FOR LOW COST PASSIVE RFID TAGS.....	113
<i>Lorenzo Pirrami ; Danilo Demarchi ; Marco Mazza</i>	
PRECODER AND DECODER FOR DUOBINARY MODULATION OVER EQUALIZED 50-M SI-POF.....	117
<i>J. Aguirre ; C. Sánchez-Azqueta ; E. Guerrero ; C. Gimeno ; S. Celma</i>	
WIDEBAND CHIRP GENERATION TECHNIQUES IN DIGITAL PHASE-LOCKED LOOPS	121
<i>Dmytro Cherniak ; Salvatore Levantino ; Carlo Samori ; Roberto Nonis</i>	
ALD-BASED 3D-CAPACITORS FOR HARSH ENVIRONMENTS.....	125
<i>Dorothee Dietz ; Yusuf Celik ; Andreas Goehlich ; Holger Vogt</i>	
THERMAL ISSUES IN DEEP SUB-MICRON FDSOI CIRCUITS.....	129
<i>Can Baltaci ; Yusuf Leblebici</i>	
FORMAL VERIFICATION OF MIXED-SIGNAL DESIGNS USING EXTENDED AFFINE ARITHMETIC.....	133
<i>Carna Radojicic ; Christoph Grimm</i>	
A BIO-INSPIRED RECONFIGURABLE ARCHITECTURE FOR LOCAL BINARY DESCRIPTORS.....	137
<i>Selman Ergünay ; Yusuf Leblebici</i>	
A NUMERICAL DESIGN OF VERSATILE MICROCHAMBERS FOR NSPEFS EXPERIMENTS	141
<i>Maura Casciola ; Micaela Liberti ; Francesca Apollonio ; Agnese Denzi</i>	
SYSTEMATIC STUDY OF TRAPS IN ALN/GAN/ALGAN HEMTS ON SIC SUBSTRATE BY NUMERICAL TCAD SIMULATION	145
<i>N. K. Subramani ; A. K. Sahoo ; J-C. Nallatamby ; R. Sommet ; R. Quéré</i>	
EFFICIENT MODELING OF COMPLEX ANALOG INTEGRATED CIRCUITS USING NEURAL NETWORKS.....	149
<i>Ramin M. Hasani ; Dieter Haerle ; Radu Grosu</i>	
DELTA COMPRESSION IN TIME-MULTIPLEXED MULTICHANNEL NEURAL RECORDERS.....	153
<i>Matteo Pagin ; Michael Haas ; Joachim Becker ; Maurits Ortmanns</i>	
A CHOPPER STABILIZED, LOW POWER CAPACITANCE TO PWM CONVERTER FOR SENSOR INTERFACING	157
<i>S. Del Cesta ; L. Intaschi ; P. Bruschi ; M. Piotta</i>	
A CMOS COMPACT DIFFERENTIAL BAND-GAP VOLTAGE REFERENCE WITH PROGRAMMABLE OUTPUT	161
<i>S. Del Cesta ; P. Bruschi ; A. N. Longhitano ; R. Simmarano ; M. Piotta</i>	
SIMULATION AND DEVELOPMENT OF HIGH PRECISION VOLTAGE DIVIDERS AND BUFFER FOR AC VOLTAGE METROLOGY UP TO 1 MHZ	165
<i>Bjørnar Karlsen ; Kåre Lind ; Helge Malmbeek ; Per Ohlckers</i>	
A CHIP-LEVEL POST-CMOS VIA-LAST CU TSV PROCESS FOR MULTI-LAYER HOMOGENEOUS 3D INTEGRATION	169
<i>Seniz E. Kucuk Eroglu ; Woo Yeong Cho ; Yusuf Leblebici</i>	

DIAMOND / SIC HETEROJUNCTIONS.....	173
<i>Debarati Mukherjee ; Joana C. Mendes ; Luis N. Alves ; Miguel Neto ; Filipe J. Oliveira</i>	
LAYOUT CAPACITIVE COUPLING AND STRUCTURE IMPACTS ON INTEGRATED HIGH VOLTAGE POWER MOSFETS	177
<i>Lin Fan ; Arnold Knott ; Ivan Harald Holger Jørgensen</i>	
NON-LINEAR MODEL FOR MULTIPLE PHASE RING OSCILLATORS	181
<i>Paula C. Pereira ; Luis B. Oliveira ; Jorge Fernandes</i>	
CALIBRATION-FREE 1052 μM² POWER SUPPLY MONITOR.....	185
<i>Hernán Aparicio ; Pablo Ituero ; Marisa López-Vallejo</i>	
ANALYSIS OF LIGHT EMITTERS SRO-BASED TO BE INTEGRATED ON ALL-SILICON OPTOELECTRONIC CIRCUITS.....	189
<i>J. Alarcón-Salazar ; M. A. Vázquez-A. ; E. Quiroga-González ; I. E. Zaldívar-Huerta ; M. Aceves-Mijares</i>	
CHIP-LEVEL CMOS CO-INTEGRATION OF RERAM-BASED NON-VOLATILE MEMORIES.....	193
<i>Elmira Shahabi ; Jury Sandrini ; Behnoush Attarimashalkoubek ; Tugba Demirci ; Mahmoud Hadad ; Yusuf Leblebici</i>	
4-PHASE RESETTABLE QUASI-ADIABATIC FLIP-FLOPS AND SEQUENTIAL CIRCUIT DESIGN.....	197
<i>Sachin Maheshwari ; V. A. Bartlett ; Izzet Kale</i>	
INVESTIGATION OF STEPWISE CHARGING CIRCUITS FOR POWER-CLOCK GENERATION IN ADIABATIC LOGIC.....	201
<i>Himadri Singh Raghav ; Vivian A. Bartlett ; Izzet Kale</i>	
MULTI-GB/S OOK MM-WAVE MODULATOR ICS ON 28 NM LOW-POWER DIGITAL CMOS.....	205
<i>Jan Dirk Leufker ; David Fritsche ; Guido Belfiore ; Corrado Carta ; Frank Ellinger</i>	
IMPACT OF THE AER-INDUCED TIMING DISTORTION ON SPIKING NEURAL NETWORKS IMPLEMENTING DSP	209
<i>Thomas Mesquida ; Alexandre Valentian ; David Bol ; Edith Beigne</i>	
DESIGN OF A VARIABLE RESOLUTION CMOS IMAGE SENSOR FOR A SMART SECURITY SYSTEM.....	213
<i>Yongjun Cho ; Hyundong Kim ; Youngcheol Sohn ; Jihwan Oh ; Minkyu Song</i>	
AN AVLSI DRIVING CIRCUIT FOR MEMRISTOR-BASED STDP	217
<i>Simone Acciarito ; Alessandro Cristini ; Luca Di Nunzio ; Gaurav Mani Khanal ; Gianluca Susi</i>	
DESIGN OF A LOW PHASE ERROR MULTIPHASE CLOCK GENERATOR FOR MODERN WIDEBAND RECEIVERS.....	221
<i>Miguel D. Fernandes ; Luis B. Oliveira ; João Goes ; João P. Oliveira</i>	
A 10 BIT A-TO-D CONVERTER DEVELOPMENT WITHIN POWER OPTIMIZED BCD TECHNOLOGY	225
<i>Antonio D'Amico ; Florian Brugger ; Dieter Härle ; Luca Petruzzi ; Andrea Baschiroto</i>	
EMULATING THE PHYSICAL PROPERTIES OF HP MEMRISTOR USING AN ARDUINO AND A DIGITAL POTENTIOMETER.....	229
<i>Olufemi A. Olumodeji ; Massimo Gottardi</i>	
A MULTI-CELL SC DC-DC CONVERTER CONTROLLER WITH POWER AWARE OUTPUT RIPPLE REDUCTION	233
<i>Ricardo Madeira ; João P. Oliveira ; Nuno Paulino</i>	
A COMPACT ELECTRO-OPTICAL VCSEL MODEL FOR HIGH-SPEED IC DESIGN	237
<i>Guido Belfiore ; Mahdi Khafaji ; Ronny Henker ; Frank Ellinger</i>	
OPTIMIZATION OF THE THERMAL DRIFT CAUSED BY JOULE HEATING IN PIEZORESISTIVE PRESSURE SENSOR	241
<i>Abdelaziz Beddiaf ; Fouad Kerrour ; Sami Bedra ; Lazher Merouani ; Salah Kemouche</i>	
COMPARING COMPOSITE VS. WAVE-CORES IN A NOVEL DARK-SILICON METHODOLOGY	245
<i>Antonio Arnone ; Chris Bailey</i>	
DESIGN OF AN ELECTROPHORETIC MODULE FOR PROTEIN SEPARATION	249
<i>Andrea Capuano ; Andrea Adami ; Viviana Mulloni ; Leandro Lorenzelli</i>	
A 1-2 GHZ LOW PHASE-NOISE WIDE-BAND LC-VCO WITH ACTIVE INDUCTOR BASED NOISE FILTER.....	253
<i>Zaira Zahir ; Gaurab Banerjee</i>	
CMOS TRANSIMPEDANCE AMPLIFIER WITH CONTROLLABLE GAIN FOR RF OVERLAY.....	257
<i>G. Royo ; C. Sánchez-Azqueta ; C. Aldea ; S. Celma ; C. Gimeno</i>	
A MODE-OF-OPERATION BASED SWITCHING TECHNIQUE FOR SIDO BUCK-BOOST CONVERTER.....	261
<i>Arunkumar Salimath ; Edoardo Bonizzoni ; Franco Maloberti</i>	

EFFECT OF HF METAL LAYER ON THE SWITCHING CHARACTERISTIC OF HFOX-BASED RESISTIVE RANDOM ACCESS MEMORY	265
<i>Behnoush Attarimashalkoubeh ; Jury Sandrini ; Elmira Shahrabi ; Marios Barlas ; Yusuf Leblebici</i>	
NON-RECURSIVE METHOD FOR MOTION DETECTION FROM A COMPRESSIVE-SAMPLED VIDEO STREAM	269
<i>Marco Trevisi ; Ricardo Carmona-Galán ; Ángel Rodríguez-Vázquez</i>	
A FULLY SYNTHESIZED KEY ESTABLISHMENT CORE BASED ON TREE PARITY MACHINES IN 65NM CMOS	273
<i>Héctor Gómez ; Óscar Reyes ; Elkim Roa</i>	
DETERMINING THE OPTIMUM POWER OF AN ELECTROSTATIC KINETIC ENERGY HARVESTER WITH PARASITIC CAPACITANCES	277
<i>Sean Judge ; Eoghan O' Riordan ; Dimitri Galayko ; Philippe Basset ; Elena Blokhina</i>	
LIGHTWEIGHT CIPHERS BASED ON CHAOTIC MAP - LFSR ARCHITECTURES	281
<i>M. García-Bosque ; C. Sánchez-Azqueta ; G. Royo ; S. Celma</i>	
INTEGER-BASED DIGITAL PROCESSOR FOR THE ESTIMATION OF PHASE SYNCHRONIZATION BETWEEN NEURAL SIGNALS	285
<i>James Brian Romaine ; Manuel Delgado-Restituto ; Juan Antonio Leñero-Bardallo ; Ángel Rodríguez-Vázquez</i>	
DESIGN OF DIFFERENTIAL DELAY LINES IN LOW TEMPERATURE COFIRE CERAMICS	289
<i>Pablo Benet Colom ; Francisco Ramos ; Javier Sieiro Córdoba</i>	
A COMPREHENSIVE VERILOG-A BEHAVIORAL MODEL OF SPIN-TRANSFER TORQUE MEMORY CELL	293
<i>Yilkal A. Belay ; A. Cabrini ; G. Torelli</i>	
MULTI-RATE CLOCK AND DATA RECOVERY CIRCUIT FOR SHORT-REACH OPTICAL LINKS.....	297
<i>E. Guerrero ; C. Gimeno ; C. Sánchez-Azqueta ; J. Aguirre ; S. Celma</i>	
REMOTE SENSOR NETWORKS WITH EFFICIENT ENERGY HARVESTING ARCHITECTURE.....	301
<i>P. Di Marco ; A. Leoni ; L. Pantoli ; V. Stornelli ; G. Ferri</i>	
ANALYSIS OF POWER EFFICIENCY IN HIGH-PERFORMANCE CLASS-B OSCILLATORS	305
<i>Luca Bertulesi ; Salvatore Levantino ; Carlo Samori</i>	
A 2.3MW QUADRATURE BANDPASS CONTINUOUS-TIME $\Delta\Sigma$ S MODULATOR WITH RECONFIGURABLE QUANTIZER	309
<i>Tobias Saalfeld ; Aytac Atac ; Lei Liao ; Ralf Wunderlich ; Stefan Heinen</i>	
ANALYSIS OF ADAPTIVE PRE-DISTORTION IN DTC-BASED DIGITAL FRACTIONAL-N PLLS	313
<i>Salvatore Levantino ; Luigi Grimaldi ; Carlo Samori</i>	
ESD PROTECTION CHARACTERIZATION BY AN EXTENDED WUNSCH-BELL PLOT	317
<i>Patrick Schrey</i>	
DESIGN OF A 64 CHANNELS CURRENT-TO-FREQUENCY CONVERTER ASIC, FRONT-END ELECTRONICS FOR HIGH INTENSITY PARTICLE BEAM DETECTORS.....	321
<i>F. Fausti ; G. Mazza ; F. Marchetto ; R. Sacchi ; R. Cirio</i>	
POWER ANALYSIS OF LOCAL TRANSMISSION TECHNOLOGIES.....	325
<i>Darshana Thomas ; Ross McPherson ; James Irvine</i>	
A DC-COUPLED 27 MHZ LNA AND AUTOMATIC GAIN CONTROL AMPLIFIER ON AN ULTRA-THIN 0.5 μM CMOS GATE ARRAY FOR A WIRELESS SENSOR SYSTEM-IN-FOIL	329
<i>Jochen Briem ; Markus Grözing ; Manfred Berroth</i>	
MULTICHANNEL TIME INTERLEAVED ADC FOR SENSOR INTERFACES	333
<i>Mohammadreza Baghbanmanesh ; Franco Maloberti</i>	
AN EFFICIENT MODEL FOR EVALUATING CURRENT IN SILICON NANOCRYSTALS	337
<i>M. A. Mehdy ; A. Antidormi ; M. Graziano ; G. Piccinini</i>	
DESIGN OF AN INTEGRATED CMOS HIGHLY SENSITIVE TRUE RMS RF POWER DETECTOR FOR COGNITIVE RADIO APPLICATIONS	341
<i>Gabor Varga ; Benedikt Wolf ; Tobias Van Rey ; Arun Ashok ; Stefan Heinen</i>	
EFFECT OF INTEGRATED POLYSILICON RESISTORS ON THE LINEARITY OF COMPOSITE CIRCUITS	345
<i>Gabor Varga ; Lotte Geck ; Iyappan Subbiah ; Moritz Schrey ; Stefan Heinen</i>	
A 4-MODE RECONFIGURABLE LOW NOISE AMPLIFIER FOR IMPLANTABLE NEURAL RECORDING CHANNELS	349
<i>José Luis Valtierra ; Ángel Rodríguez-Vázquez ; Manuel Delgado-Restituto</i>	
WIDE RANGE RESISTANCE TO CURRENT CONVERSION CIRCUIT FOR RESISTIVE GAS SENSORS APPLICATIONS	353
<i>Zeinab Hijazi ; Daniele Caviglia ; Maurizio Valle ; Hussein Chible</i>	

FAST SETTLING VGA FOR EDDY CURRENTS NON-DESTRUCTIVE TESTING WITH AN ARRAY OF MAGNETO RESISTORS	357
<i>Diogo Caetano ; Fábio Rabuske ; David Oliveira ; Taimur Rabuske ; Jorge Fernandes ; Moisés Piedade</i>	
GPCDS: AN INTERACTIVE TOOL FOR CREATING SCHEMATIC MODULE GENERATORS IN ANALOG IC DESIGN.....	361
<i>Matthias Greif ; Daniel Marolt ; Juergen Scheible</i>	
CIRCUIT CONSIDERATIONS AND DESIGN FOR MEMS CAPACITANCE MEASUREMENTS.....	365
<i>D. Andrade-Miceli ; P. Giounalis ; S. Gorreta ; J. Pons-Nin ; M. Dominguez-Pumar ; E. Blokhina</i>	
DESIGN OF ULTRA LOW POWER CASCADED INDUCTORLESS LNA FOR WIRELESS SENSOR NETWORK APPLICATION	369
<i>S. Vahid M. Bonehi ; Arthur Ruder ; Soheil Aghaie ; Iyappan Subbiah ; Ralf Wunderlich ; Stefan Heinen</i>	
CALCULATION OF VERY NEAR FIELD RADIATED EMISSION OF A STRAIGHT CABLE HARNESS.....	373
<i>Herbert Hackl ; Bernhard Auinger</i>	
V₂O₅/4H-SIC SCHOTTKY DIODE AS A HIGH PERFORMANCE PTAT SENSOR.....	377
<i>G. Pangallo ; S. Rao ; F. G. Della Corte ; L. Di Benedetto ; A. Rubino</i>	
PIEZOELECTRIC ENERGY HARVESTING SYSTEM FOR HOSTILE ENVIRONMENTS.....	381
<i>G. Pangallo ; S. Rao ; R. Carotenuto ; F. G. Della Corte</i>	
ANALYSIS OF FRACTIONAL-N BANG-BANG DIGITAL PLLS USING PHASE SWITCHING TECHNIQUE.....	384
<i>Tuan Minh Vo ; Salvatore Levantino ; Carlo Samori</i>	
TOWARDS THE INTEGRATION OF E-SKIN INTO PROSTHETIC DEVICES	388
<i>Marta Franceschi ; Lucia Seminara ; Luigi Pinna ; Maurizio Valle ; Ali Ibrahim ; Strahinja Dosen</i>	
APODIZATION SCHEME FOR HARDWARE-EFFICIENT BEAMFORMER	392
<i>A. Ibrahim ; F. Angiolini ; M. Arditi ; J. -P. Thiran ; G. De Micheli</i>	
AN 8BIT LOGARITHMIC AD CONVERTER USING CROSS-COUPLED INVERTERS AND A TIME-TO-DIGITAL CONVERTER.....	396
<i>Mauro Santos ; Nuno Horta ; Jorge Guilherme</i>	
AN OFFSET REDUCTION TECHNIQUE FOR DYNAMIC VOLTAGE COMPARATORS.....	400
<i>Andres Amaya ; Rodolfo Villamizar ; Elkim Roa</i>	
HIGH FREQUENCY SELF-OSCILLATING CURRENT SWITCHING FOR A FULLY INTEGRATED FAIL-SAFE STIMULATOR OUTPUT STAGE.....	404
<i>Reza Ranjandish ; Alexandre Schmid</i>	
A MULTIBIAS DAC FOR A CORTICAL MICROELECTRODE STIMULATOR.....	408
<i>Diogo Caetano ; Jorge Fernandes ; Moisés Piedade</i>	
CMOS HIGH-PERFORMANCE UWB ACTIVE INDUCTOR CIRCUIT	412
<i>H. G. Momen ; M. Yazgi ; R. Kopru ; A. N. Saatlo</i>	
CLASS-O POWER AMPLIFIER WITH ENHANCED LINEARITY USING FLOATING BODY TECHNIQUE IN 130 NM STANDARD CMOS TECHNOLOGY	416
<i>Muhammad Abdullah Khan ; Renato Negra</i>	
AN OPTIMIZATION-BASED DESIGN METHODOLOGY WITH PVT ANALYSIS FOR ULTRA-LOW VOLTAGE ANALOG ICS.....	420
<i>Lucas C. Severe ; Wilhelmus A. M. V. Noijs</i>	
DESIGN OF A RADIATION-HARDENED CURVATURE COMPENSATED BANDGAP REFERENCE CIRCUIT	424
<i>António Fitas ; Nuno Horta ; Jorge Guilherme</i>	
Author Index	