

Western Society of Weed Science Research Progress Report 2016

Proceedings of the Western Society
of Weed Science Volume 69

Albuquerque, New Mexico, USA
7-10 March 2016

Editor:

Traci Rauch

ISBN: 978-1-5108-2792-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by the Western Society of Weed Science
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact the Western Society of Weed Science
at the address below.

Western Society of Weed Science
205 W. Boutz
Building 4, Suite 5
Las Cruces, New Mexico 88005

Phone: 575-527-1888
Fax: 575-527-8853

wsws@marathonag.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Project 1: WEEDS OF RANGE AND NATURAL AREAS	<u>Page</u>
The influence of herbicide application gallonage on medusahead control.....	6
Evaluating the effect of herbicide application timing on rush skeletonweed control in Northern Utah	8
Control of leafy spurge in environmentally sensitive areas.....	9
Evaluation of quinclorac applied in the spring or fall for optimum leafy spurge control	13
Control of yellow toadflax with herbicide mixtures	16
Aminocyclopyrachlor mixtures applied in the spring or fall for absinth wormwood control	19
 Project 2: WEEDS OF HORTICULTURAL CROPS	
Performance of mesotrione tankmixes in orchards.....	22
Poa annua control during ryegrass removal and early spring transition of bermudagrass turf.....	23
 Project 3: WEEDS OF AGRONOMIC CROPS	
Detecting herbicide resistant kochia (<i>Kochia scoparia</i>) in Utah	5
Indaziflam, metribuzin, and saflufenacil for preemergence kochia control in an abandoned alfalfa field	25
Time of day application effects on weed control with bentazon in dry bean	27
Sprayer nozzle and volume effects on weed control in dry bean with bentazon	30
Sequential herbicide applications for weed control in furrow irrigated dry bean.....	33
Comparison of adjuvants used with bentazon for postemergence weed control in dry bean	36
Weed control with pre and postemergence herbicides in sugar beet	39
Broadleaf weed control in Kentucky bluegrass with bicyclopyrone and saflufenacil.....	42
Pulse crop tolerance to fluthiacet.....	43
Broadleaf weed control in ‘Frontier’ chickpeas.....	45
Evaluation of asulam and 2,4-DB in red clover grown for seed for crop safety and dock control	47
Evaluation of carfentrazone, flumioxazin and saflufenacil for crop safety and weed control in clovers grown for seed.....	48
Evaluation of flumetsulam for crop safety and weed control in clover grown for seed.....	50
Efficacy of preemergence or early postemergence herbicides in irrigated corn.....	52
Efficacy of preemergence and sequential herbicides in irrigated corn	54
Weed control with nicosulfuron, mesotrione, isoxadifen, and atrazine in irrigated corn	57
Broadleaf and green foxtail control in field corn.....	60
Efficacy of pyroxasulfone, fluthiacet, and mesotrione timings in irrigated corn	62
Weed control with postemergence applications of diflufenzopyr, dicamba, topramezone, atrazine, and glyphosate in irrigated corn	66
Fallow weed control with postemergence applications of AGH15004, AG14039, glyphosate, and atrazine.....	69
Fallow weed control with preemergence applications of dicamba, atrazine, sulfentrazone, saflufenacil, pyroxasulfone, and isoxaflutole	71

Fallow weed control with preemergence applications of isoxaflutole, thiencarbazone, iodosulfuron, dicamba, atrazine, sulfentrazone, and metribuzin	74
Grass weed control in established tall fescue grown for seed	77
Preemergence herbicides for grass weed control in carbon-seeded tall fescue grown for seed	79
Pyroxasulfone use in dormant peppermint	81
Preemergence herbicides for grass weed control in carbon-seeded perennial ryegrass grown for seed.....	82
Evaluation of pyroxasulfone efficacy and crop safety in safflower	84
Weed control and crop injury with single or sequential herbicide applications in grain sorghum.....	87
Weed control with single or sequential herbicide applications in acetolactate-tolerant grain sorghum	90
Preemergence weed control with acetochlor, S-metolachlor, atrazine, and mesotrione in grain sorghum	92
Control of sharpshoot fluvellin in spearmint.....	94
Enhanced wild oat control with triallate added to pinoxaden.....	95
Broadleaf and wild oat control with various tank mixtures in spring wheat	97
Enhancement of broadleaf weed control with triallate in spring wheat.....	99
Italian ryegrass control with pyroxasulfone in wheat.....	101
Broadleaf weed control in winter wheat with bicyclopyrone/bromoxynil	105
Downy brome control in winter wheat	107
Mayweed chamomile control in winter wheat with A19278A.....	109
Rattail fescue control in winter wheat	110
Italian ryegrass control in winter wheat using pyroxasulfone/carfentrazone	112
Effect of planting date and application timing of flufenacet-metribuzin and pyroxasulfone on 'Bobtail' winter wheat yield and Italian ryegrass control.....	114
Italian ryegrass control with pyroxasulfone combinations in winter wheat	116
Evaluation of herbicides and mowing to control smooth scouringrush in winter wheat.....	118
Winter wheat response to pyroxasulfone with and without irrigation.....	120
A suggestion for planning cover crop mixtures: zones of occupancy	122

Project 4: TEACHING AND TECHNOLOGY TRANSFER

Newly reported exotic species in Idaho for 2015	124
Author Index	127
Keyword Index	128