

2016 International Conference on Manipulation, Automation and Robotics at Small Scales (MARSS 2016)

**Paris, France
18 – 22 July 2016**



**IEEE Catalog Number: CFP16D58-POD
ISBN: 978-1-5090-1511-5**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP16D58-POD |
| ISBN (Print-On-Demand): | 978-1-5090-1511-5 |
| ISBN (Online): | 978-1-5090-1510-8 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Table of Contents

| | |
|---|----|
| Strain-Based Output/Input Sensing Cell Integrated Within a Compliant Bridge-Type Mechanism..... | 1 |
| <i>Chen, Chao, Jiang, Zhang</i> | |
| Design and Stiffness Analysis of a XYZ Scanner for Atomic Force Microscopy | 7 |
| <i>Cai, Tian, Cui, Yang, Zhang</i> | |
| A Novel Mobile Piezoelectric Micro Robot Driven by Traveling Wave | 13 |
| <i>Pan</i> | |
| A Novel Compliant Orthogonal Displacement Amplification Mechanism and its Application in Micro-Grasping | 19 |
| <i>Chen, Zhang, Fatikow</i> | |
| An Experimental Comparison of Path Planning Techniques Applied to Micro-sized Magnetic Agents | 27 |
| <i>Scheggi, Misra</i> | |
| Towards on-chip single cell manipulation of trap and rotation | 33 |
| <i>Huang, Tu, Zeng, Mi, Li, Wang</i> | |
| Development of a Dexterous Haptic Micro/Nanomanipulator Utilizing a Hybrid Parallel-Serial Flexure Mechanism..... | 38 |
| <i>Pinskier, Shirinzadeh, Qin, Clark</i> | |
| Performance improvement of optical mouse sensors: Application in a precision planar stage..... | 44 |
| <i>Alvarez Aguirre, Mok, Hosseinnia, Spronck</i> | |
| Nanocar & Nanotruck Motion on Gold Surface | 50 |
| <i>Nemati, Nejat Pishkenari, Meghdari, Sohrabpour</i> | |
| Development of an electrothermal micro positioning platform for laser targets with two degrees of freedom | 56 |
| <i>Nakic, Bieker, Lmmle, Winterstein, Schlaak, Schaumann, Abel</i> | |
| A Gripper Based on a Compliant Bitable Mechanism for Gripping and Active Release of Objects..... | 61 |
| <i>Nguyen, Wang</i> | |
| A Closer Look at the Motion of P-carborane on Gold Surface..... | 65 |
| <i>Hosseini Lavasani, Nejat Pishkenari, Meghdari</i> | |
| Automated Detection of Live Cells and Microspheres in Low Contrast Bright Field Microscopy..... | 71 |
| <i>Bollavaram, Sane, Chowdhury, Gupta, Banerjee</i> | |
| The Effect of Spring Elasticity Coefficient on the Characteristics of Electrochemical Seismometers Based on the MEMS Technology | 77 |
| <i>Li, Wang, Chen, Xing, Chen, Sun</i> | |

| | |
|---|-----|
| Modeling and 1D control of a non contact magnetic actuation platform at the air/liquid interface for micrometer scale applications..... | 81 |
| <i>Dkhil, Bolopion, Rgnier, Gauthier</i> | |
| Investigation of extraordinary optical transmission properties for double-layered nano-hole perforated gold films..... | 87 |
| <i>Li, Xu, Tu, Wang</i> | |
| A fractional-order active damping control approach for piezo-actuated nanopositioning stages | 93 |
| <i>Li, Gu, Zhu</i> | |
| Path planning in AFM nano-manipulation of multiple spherical nano particles using a co-evolutionary Genetic Algorithm | 99 |
| <i>Kafash Hoshiar, Kianpour, Nazarahari, Habibnejad Korayem</i> | |
| Flexible Polymer/Multi-walled Carbon Nanotube Composite Sensor Array Equipped with Microheater for Gas Sensing | 105 |
| <i>Wu, Chiou, Wang, Wang</i> | |
| Parallel Penalization Method for Topology Design of Multi-material Compliant Mechanism..... | 109 |
| <i>Wang, Zhang</i> | |
| A Robust Controller For Microsized Agents: The Prescribed Performance Approach | 115 |
| <i>Denasi, Misra</i> | |
| An Automatic Optical System for Micro-defects Inspection on 5 Surfaces of a Chip | 121 |
| <i>Chen, Chen, Chen, Hwang, Chou</i> | |
| A New High-speed Single-axis Mirror Scanner | N/A |
| <i>Yong, Wadikhaye, Fleming</i> | |
| A simple and efficient intracellular delivery using a magnetic rod manipulation..... | 126 |
| <i>Wang, Chow, Sun</i> | |
| High Sensitivity Interferometer for on-Axis Detection of AFM Cantilever Deflection..... | 130 |
| <i>Routley, Fleming</i> | |
| Virtual-work-based Optimization Design on Compliant Transmission Mechanism for Flapping-wing aerial Vehicles..... | 135 |
| <i>Zhang, Rossi, He, Colorado</i> | |
| Modularized SPM-Controller based on an FPGA for combined AFM and SMM measurements..... | 141 |
| <i>Wieghaus, Tiemerding, Haenssler, Fatikow</i> | |
| Wireless Actuator Based on Ultrasonic Bubble Streaming..... | 147 |
| <i>Qiu, Palagi, Mark, Melde, Fischer</i> | |
| Optical Tweezers with 3D High Speed Force Feedback | 152 |
| <i>Yin, Gerena, Regnier, Pacoret</i> | |
| Planning Trajectories for Dexterous in-Hand Micro-Manipulation using Adhesion Forces . | 159 |
| <i>Seon, Dahmouche, Gauthier</i> | |

| | |
|---|-----|
| A temperature-dependent control technique for a highly sensitive piezoelectric actuator .. | 165 |
| <i>Habineza, Zouari, Rakotondrabe, Le Gorrec</i> | |
| Rapid 3D printing of complex polymeric tubular catalytic micromotors | 171 |
| <i>Medina-Snchez, Guix, Harazim, Schwarz, Schmidt</i> | |
| Soft Continuous Microrobots with Multiple Intrinsic Degrees of Freedom..... | 177 |
| <i>Palagi, Mark, Melde, Zeng, Parmeggiani, Martella, Wiersma, Fischer</i> | |
| Integration of Different Hardware Interfacing Protocols into a Robotic Software Framework..... | 182 |
| <i>Elfert, Tiemerding, Fatikow</i> | |
| 3D-Printing: a promising technology to design three-dimensional microsystems | 188 |
| <i>Mohand Ousaid, Gendreau, Rougeot, Rakotondrabe</i> | |
| Optimal Control of Diamagnetically Levitated Milli Robots Using Automated Search Patterns | 193 |
| <i>Pelrine, Hsu, Wong-Foy, McCoy, Cowan</i> | |
| Two-Agent Formation Control of Magnetic Microrobots | 199 |
| <i>Salehizadeh, Diller</i> | |
| Easily scalable high speed magnetic micropropellers | 205 |
| <i>Schwarz, Medina-Snchez, Schmidt</i> | |
| Self-Assembly of Milli Scale Robotic Manipulators: A Path to Highly Adaptive, Robust Automation Systems | 209 |
| <i>Pelrine, Wong-Foy, Hsu, McCoy</i> | |
| Application of Micro Robots for Building Carbon Fiber Trusses..... | 215 |
| <i>Hsu, Wong-Foy, McCoy, Cowan, Marlow, Chavez, Kobayashi, Shockey, Pelrine</i> | |
| Single Particle Manipulation/Sorting through the Transient Response of Thermocapillary Convection Flows | 221 |
| <i>Quispe, Inga, Muoz, Rgnier, Vela</i> | |
| Design of a Compliant Constant Force Gripper Mechanism Based on Buckled Fixed-Guided Beam..... | 227 |
| <i>Liu, Xu</i> | |
| Contact Mode Imaging Using AFM Probes with Exchangeable Tips | 233 |
| <i>Sri Muthu Mrinalini, Jayanth</i> | |
| Object tracking in robotic micromanipulation by supervised ensemble learning classifier . | 239 |
| <i>Cenev, Venlinen, Sariola, Zhou</i> | |
| Measurement of Surface Potential and Adhesion with Kelvin Probe Force Microscopy | 244 |
| <i>Zhang, Hussain, Meng, Song, Xie</i> | |
| Development of Cylindrical Elastic Crawler for 25A Pipe Inspection | N/A |
| <i>Nagase, Fukunaga</i> | |
| Mechanism Design of Underactuated Robotic Hand..... | 250 |
| <i>Huang, Zhang, Zhang, Huang</i> | |

| | |
|--|-----|
| Design and Evaluation of Flexural Harmonic Probes for Multifrequency Atomic Force Microscopy..... | 256 |
| <i>Sriramshankar, Jayanth</i> | |
| Strain Gauges based Force Sensor for Precision Assembly of Helix Slow-Wave Structure.. | 262 |
| <i>Liang, Gong</i> | |
| Improved three-dimensional remote aggregations of magnetotactic bacteria for tumor targeting..... | 268 |
| <i>Loghin, Tremblay, Martel</i> | |
| Estimation of Interaction Forces between Two Magnetic Bolus-like Microrobots..... | 274 |
| <i>Mellal, Folio, Belharet, Ferreira</i> | |
| Independent actuation of multiple microrobots using localized magnetic fields..... | 280 |
| <i>Chowdhury, Jing, Cappelleri</i> | |
| An experimental study on the displacement amplification mechanism driven by piezoelectric actuators for jet dispenser..... | 286 |
| <i>An, Ham, Lee, Trimzi, Park, Yun</i> | |
| Wide bandwidth sensing of micro angular motion..... | 291 |
| <i>Fan, Li, Yang, Tan</i> | |
| Challenges and Capabilities of Conductive Polymeric Materials for Electromechanical Stimulation of Stem Cells: A Case Study..... | 297 |
| <i>Viehrig, Tuukkanen, Kallio</i> | |
| Optomechanical Force Estimation Using Passive Micromanipulator End-Effectors..... | 302 |
| <i>Power, Yang</i> | |
| Polar body detection for ICSI cell manipulation | 307 |
| <i>Saadat, Singh Bedi, Hajiyavand</i> | |
| Directed Micro Assembly of Passive Particles at Fluid Interfaces Using Magnetic Robots. | 313 |
| <i>Wong, Liu, Steager, Stebe, Kumar</i> | |
| Design and Calibration of 3D-Printed Micro Force Sensors..... | 319 |
| <i>Qu, Wu, Clancy, Liu</i> | |
| Parallel Microrobotic Assembly: Many Hands Make Light Work, and Management Challenges | N/A |
| <i>Christensen, Martirosyan, Hahm, Hsu, Pelrine, Wong-Foy, Cutkosky</i> | |
| Durability of Silicon Pin-Joints for Microrobotics | 323 |
| <i>Contreras</i> | |
| Open-source Automated System for Assembling a High-Density Microwire Neural Recording Array | 329 |
| <i>Massey, Lee, Ray, Sathe, Liu, Pister, Maharbiz</i> | |
| Compliant Continuous-Locking Micro Mechanism..... | 336 |
| <i>van Bracht, Semon, Herder, Toulou</i> | |

Additional Paper:

| | |
|---|-----|
| Rapid Injection of Single Magnetic Nanobead into a Specific Living Cell Using Laser-Assisted Injection..... | 343 |
| <i>Zhong, Liu, Maruyama, Masuda, Arai</i> | |