

# **2016 Argentine Conference of Micro-Nanoelectronics, Technology and Applications (CAMTA 2016)**

**Neuquen, Argentina  
4-5 August 2016**



**IEEE Catalog Number: CFP16H30-POD  
ISBN: 978-1-5090-3778-0**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\*This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16H30-POD
ISBN (Print-On-Demand):	978-1-5090-3778-0
ISBN (Online):	978-1-5090-3777-3

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

## Table of Contents

High-Level Simulation of an FSK Modulator Based on Memconductor . . . . .	1
<i>Carlos Sánchez-López, Luis Enrique Aguila-Cuapio, Iliani Carro-Pérez and Hugo Gustavo González-Hernández</i>	
Development of a sCMOS Interoperable Process Design Kit and an open set of standard digital cells . . . . .	6
<i>Gabriel Andrés Sanca, Octavio Alpago and Mariano Garcia-Inza</i>	
Measurement of the Read-Out Noise of Fully Depleted Thick CCDs . . . . .	11
<i>Miguel Sofo Haro, Gustavo Cancelo, Guillermo Fernandez Moroni, Xavier Bertou, Eduardo Paolini, Javier Tiffenberg and Juan Estrada</i>	
Modelling Approach for Low-Frequency Strongly Coupled Magnetic Resonance Wireless Power Transfer System. . . . .	17
<i>Agustín Rodríguez-Esteva, Pablo Pérez-Nicoli, Fernando Silveira, Bruno Serra and Sofia Perez</i>	
COTS CMOS Active Pixel Sensors Damage After Alpha, Thermal Neutron, and Gamma Irradiation . . . . .	22
<i>Fabricio Alcalde Bessia, Jose Lipovetzky, Martín Perez, Ivan Sidelnik, Miguel Sofo Haro, Jerónimo Blostein, Mariano Gómez Berisso and Julio Marín</i>	
Simplified model for radiation effects in MOS devices . . . . .	27
<i>Lucas Sambuco Salomone and Adrian Faigon</i>	
Steady state characterization of current ripple in DCM interleaved power converters . . . . .	33
<i>Maria Paula Cervellini, Pablo Daniel Antoszczuk, Rogelio Garcia Retegui, Marcos Funes and Daniel Carrica</i>	
Study of Excitonic Carrier Dynamics in Quantum Dot Solar Cells by Numerical Simulations . . . . .	39
<i>Ariel Cedola, Marcelo Cappelletti and Eitel Peltzer Y Blancá</i>	
An Statistical Filtering Models Comparison for GNSS LEO Satellite Navigation . . . . .	44
<i>Jorge Cogo, Javier Garcia, Pedro Agustín Roncagliolo and Carlos Muravchik</i>	
A Floating Voltage Regulator with Output Level Sensor for Applications with Variable High Voltage Supply in the Range of 8.5V to 35V . . . . .	50
<i>Javier Osinaga, Julio Saldaña and Wilhelmus Van Noije</i>	
Design and Characterization of Hall Plates in a 0.5 $\mu\text{m}$ CMOS Process . . . . .	56
<i>Nicolás Ronis and Mariano Garcia-Inza</i>	