# **Geo-Chicago 2016**

## Sustainable Geoenvironmental Systems

Selected Papers from Geo-Chicago 2016

**Geotechnical Special Publication Number 271** 

Chicago, Illinois, USA 14-18 August 2016

Volume 1 of 2

**Editors:** 

Anirban De Nazli Yesiller Arvin Farid Krishna R. Reddy Dimitrios Zekkos

ISBN: 978-1-5108-2981-7

#### Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by American Society of Civil Engineers All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact American Society of Civil Engineers at the address below.

American Society of Civil Engineers 1801 Alexander Bell Drive Reston, VA 20191 USA

Phone: (800) 548-2723 Fax: (703) 295-6333

www.asce.org

#### Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA

Phone: 845-758-0400 Fax: 845-758-2633

Email: curran@proceedings.com Web: www.proceedings.com

### **Contents**

Advances in the Design, Testing, and Evaluation of Geosynthetics Used for Geoenvironmental Systems

The Allowable Design Strength of a Geomembrane Liner for the Anchor Trenches of MSW Landfills: A Reliability-Based Approach	1
Critical Evaluation of the Long-Term Shear Strength of Geosynthetic Clay Liners	11
Shahin Ghazizadeh and Christopher A. Bareither	11
Damage Analysis of Geomembranes through a 3D Optical Profilometer Prashanth Vangla, Ishan Boro, and Madhavi Latha Gali	. <b>2</b> 4
Expanded Polystyrene (EPS) Geofoam Unit Cells with Fly Ash	.35
Sustainable Geomembrane Recycling and Down-Cycling  Timothy D. Stark, David LaFiura, and Scott Fought	. <b>4</b> 4
Hydrogen Sulfide (H <sub>2</sub> S) Transport through Simulated Interim Covers with Conventional and Co-Extruded Ethylene-Vinyl Alcohol (EVOH)	<b>5</b> 1
Geomembranes	.51
Quantification of Diffusive Transfers in Multicomponent Geosynthetic Clay	
Liners	.59
Results of Geosynthetic Interface Shear Round Robin Tests	.69
The Hydration of Low-Quality GCL Overlying a Sandy Soil Tuğçe Özdamar Kul and Ali Hakan Ören	.81
Advances in Landfill Engineering	
Analysis of Gas Pressure at Layered Landfills with Horizontal Wells	.91

Composition Effects on the Shear Strength Behavior of Synthetic  Municipal Solid Wastes101
Hasan Firat Pulat and Yeliz Yukselen-Aksoy
The Design and Installation of a Prototype Heat Extraction System at a  Municipal Solid Waste Landfill
Dynamic Properties of Municipal Solid Waste from a Dump Site in Delhi, India
Estimation of Landfill Methane Emissions Using Stochastic Search
The Geotechnical Challenges of Designing Structures at a Closed MSW Landfill
Ryan White and Arlan H. Rippe
Ground-Penetrating Radar (GPR) Surveys and Geophysical Well Logs at a Leachate-Recirculation Landfill, Northern Illinois
Measuring Temperatures in an Elevated Temperature Landfill
Methane Oxidation as Measured with Gas Push Pull Testing
Mimicking a Bioreactor Landfill and Monitoring MSW Decomposition under Aerobic Conditions
Numerical Modelling of the Densification of Municipal Solid Waste  Landfills Using Dynamic Compaction
Performance of Compacted Soil Barriers under the Advective Gas Flow Condition
S. Rajesh, Anees A. Naik, and Vishwajeet Khan
Phytocaps for Landfill Emission Reduction in Australia
Progression of Elevated Temperatures in MSW Landfills

Proposed Methodology for the Evaluation of Alternatives for the Remediation/Closure of Waste Dumps in Indian Cities244  Amit Kumar, Manoj Datta, Arvind K. Nema, and Gunjan Rateria
Quality Control of Non-Woven Geotextiles Used in a Drainage System in an Old Remedial Landfill
Shear Strength of Municipal Solid Waste (MSW): Beyond the Raw Values of "Cohesion" and Friction Angles
Slope and Settlement Movements of an MSW Landfill during Elevated Temperatures
Spatial Classification of Elevated Temperatures in MSW Landfills285 Navid H. Jafari and Timothy D. Stark
The Influence of Waste Composition on the Physico-Biochemical-Hydraulic Characteristics of the Degradation Process of Municipal Solid Waste297 X. Fei and D. Zekkos
The Use of Geosynthetic Reinforcement for Enhancing the Stability of the Geomembrane–Soil Interface along the Slopes of Cover Systems of MSW Landfills
Riya Bhowmik, Reshma Sukumar, Manoj Datta, and J. T. Shahu
Advances in Sustainable Barrier Materials and Systems
A Permeable Reactive Barrier Installed in Acid Sulfate Soil Terrain319 Udeshini Pathirage and Buddhima Indraratna
Advances in the Membrane Behavior of Bentonite-Based Barriers329 Gretchen L. Bohnhoff, Kristin M. Sample-Lord, and Charles D. Shackelford
An Improved Method for the Quality Control of Compacted Clay Liners in
Ohio
Characteristics of Retaining COD from Leachate by Using Crushed Shales and Clay Mixes as Landfill Liners

Comparison of the Hydraulic Conductivity of GCLs with That of Bentonitic Mixtures358
A. Hakan Ören, Tuğçe Özdamar Kul, Merve E. Koç, and Havva Demirkıran
<b>Desiccation Cracking Behavior of Geofiber-Reinforced Expansive Clay368</b> Uma Chaduvula, B. V. S. Viswanadham, and Jayantha Kodikara
Evaluation of Limiting Nutrients in a Deep Geological Repository378 Scott Briggs, Brent Sleep, Jennifer McKelvie, and Magdalena Krol
Evaluation of Na-Bentonite-Polyacrylte Mixtures to Enhance the Chemical Resistance of Geosynthetic Clay Liners
Evaluation of Prototype Geosynthetic Clay Liners in Landfill Cover Applications
Experimental Studies on Coal Gangue as a Landfill Liner Material408 Min-Chan Xu, Qing-Bo Wen, Ya-Ting Yang, Meng Gong, Yan-Xia Nie, and Liming Hu
Geotechnical Characterization of a Soil-Water Treatment Sludge Mixture
Hydraulic Conductivity of Polymer Modified Bentonite Filter Cakes in Calcium Chloride Solutions
Hydraulic Conductivity of Bentonite-Polymer Geosynthetic Clay Liners in Coal Combustion Product Leachates
Influence of Alkaline Alteration on the Shear Characteristics of a  Bentonite-Sand Mixture
Laboratory Characterization of the Saturated Conductivities of Compacted Clay-Organobentonite Mixtures
Pore-Scale Imaging of Polymer-Modified Bentonite in Saline Solutions468 Kuo Tian, William J. Likos, and Craig H. Benson

Sawdust Stabilization of Lateritic Clay as a Landfill Liner to  Retain Heavy Metals
Isaac I. Akinwumi, Oluwapelumi O. Ojuri, Daniel Edem, and Adebanji S. Ogbiye
Soil-Water Characteristic Curves for Compacted Lateritic Soil-Bentonite Mixtures Developed for Landfill Liner Applications
Viscosity of Polymer-Modified Bentonite as a Hydraulic Performance Index498
Weijuan Geng, William J. Likos, and Craig H. Benson
Water Vapor Sorption of Polymer-Modified Bentonites
Wet and Dry Effects on the Hydraulic Conductivity of a Polymer Treated GCL Prototype518
Michela De Camillis, Gemmina Di Emidio, Adam Bezuijen, and Daniel Verastegui Flores
Vertical Barriers for Geoenvironmental Applications
Compressive Modulus of Soil-Bentonite Mixtures for Cutoff Walls from CPTU Data
Xue P. Li, Guo J. Cai, Song Y. Liu, Jun Lin, and Anand J. Puppala
<b>Hydraulic Conductivity of Phosphate-Amended Soil-Bentonite Backfills537</b> Yu-Ling Yang, Yan-Jun Du, Krishna R. Reddy, and Ri-Dong Fan
Hydraulic Conductivity of Soil-Bentonite Slurry Walls
Microbially-Induced Calcite Precipitation for Sealing Rock Fractures558 Nicholas A. Bucci, Ehsan Ghazanfari, and Huijie Lu
Modified Fluid Loss Test to Measure the Hydraulic Conductivity of Heavy Metal-Contaminated Bentonite Filter Cakes
A Soil-Bentonite Slurry Wall for the Containment of CCR-Impacted Groundwater
Yu-Ling Yang, Krishna R. Reddy, and Yan-Jun Du
The Use of Filter Press Tests in Soil-Bentonite Slurry Trench Construction
Daniel G. Ruffing, Jeffrey C. Evans, Vincent A. Spillane, and Michael A. Malusis

#### Slopes, Dikes, and Embankments

A New Discretization Model to Include the Effect of Spatial Variability in the Reliability Analysis of Earth Slopes
Calculation of the Earth Pressures Acting on Vertical Retaining Walls from Layered and Finite Filling
Centrifuge Modeling of the Progressive Failure of a Soil Slope under Cyclic Loading Conditions
Computation of the Probabilistic Critical Centers and Reliability Indices of MSW Landfill Slopes Using the Spencer Method of Slices
Effect of Building Loads on the Stability of Hill Slopes
An Embankment Design over Dynamically Compacted Fill and Soft Lake Plain Clay
Multiscale Modelling of the Slope Stability of Block-in-Matrix Materials658 Clairet I. Guerra, Jeisson J. Pinzón, Luis F. Prada, and Alfonso M. Ramos
Prediction of the Slope Stability of Municipal Solid Waste Landfills Using the Reliability Analysis
Steel Grid Reinforced Fly Ash Slopes
The Unsaturated Shear Strength of Dual Porosity Soil
Ground Improvement
The Behavior of Sand Columns in Soft Expansive Clay: Experimental
Study
Costly Oversights in Geotechnical Practice

Exhibition and Convention Center, Shanghai, in Soft Soil718
Weidong Wang, Jiangbin Wu, Yun Hu, and Yunting Huang
The Durability of Chemically Treated Soils Subjected to Cycles of
Wetting and Drying
Effects of Shredded Rubber Tires as a Fill Material on the Engineering Properties of Local Memphis Loess
Encased Stone Columns for Soft Ground Improvement
Fatigue Behaviour of Lightly Stabilised Granular Materials from Flexural and Indirect Diametral Tensile Testing
Geotechnical Properties of Lime Treated Gypseous Soil with Fly Ash—A Micro-Level Study
Ground Improvement by the Freezing Method for Underground Space Utilization
Hydrotest Performance of Storage Tanks Supported on Deep Soil Mix Columns and Aggregate Column Ground Improvement Systems
Influence of the Initial Water Content on the Engineering Properties of Carbonated Soil Admixed with Reactive MgO797 Guang-Hua Cai, Song-Yu Liu, Jing-Jing Cao, Guang-Yin Du, and Ning-Ping Wang
Laboratory Investigation on the Effect of Sand Columns on the Shear Strength of Soft Soil
Mechanical Behavior of Ultrafine Cement-Grouted Sands under Unsaturated Conditions
Numerical Modelling of Prestressed Geogrid Reinforced Soil for Adjacent Square Footing

Precewise-Linear Modeling of Combined Vacuum and Surcharge Preloading at the Second Bangkok International Airport836 Keith Doyle and Tong Qiu
Plate Load Tests on Granular Soils Reinforced with Waste Tire Fibers845 Sanjeev Naval and Arvind Kumar
Reliability Estimate of the Compaction Characteristics of Iron Ore Tailings Treated Tropical Black Clay as Road Pavement Sub-Base Material855 K. J. Osinubi, A. O. Eberemu, P. Yohanna, and R. K. Etim
Soil Water Retention-Based Methodology for the Classification of Expansive Soils
Stabilizing Dispersive Soil Using Brown Coal Fly Ash and Hydrated Lime
Study of the Mechanical Behavior of a Clayey Soil with the Insertion of Polyethylene Terephthalate Flakes
The Sustainable Design of Granular Columns Based on Laboratory Model Tests
Selçuk Demir, Farhad R. Mokarram, and Pelin Özener
Time-Rate Variation of the Shear Wave Velocity (Site Stiffness) Following  Blast-Induced Liquefaction
Use of Geocells to Protect Buried Pipelines and Underground Utilities in Soft Clayey Soils
Geoengineering of Mine Wastes and Industrial Byproducts
A Dynamic Contact Angle Measurement Technique for Water-Repellent Coal Fly Ash (CFA)
Compaction and Shear Strength Behavior of Fresh and Aged Basic Oxygen Furnace (BOF) Steel Slag

Dynamic Properties of Moderately Expansive Soil Stabilized with  Class C Fly Ash94	49
Troyee Tanu Dutta and Sireesh Saride	•/
Engineering Behavior of Soils in Electrolyte Solutions	59
Hydraulic Behavior of Maryland RAP Materials Used in Highway Shoulders	69
and Bora Cetin  Stabilization of Red Mud by Lime and Gypsum and Investigating Its  Possible Use in Geoenvironmental Engineering	78
The Use of Microbial Induced Calcite Precipitation to Reduce Trace Element Leaching from Fly Ash	89
Water Quality Risk Assessment from Roadway Substructures Employing Fly Ash	98