# **Geo-Chicago 2016**

# Sustainable Materials and Resource Conservation

Selected Papers from Geo-Chicago 2016

Geotechnical Special Publication Number 272

Chicago, Illinois, USA 14-18 August 2016

### **Editors:**

Krishna R. Reddy Dimitrios Zekkos Anirban De

Nazli Yesiller Arvin Farid

ISBN: 978-1-5108-2982-4

#### Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by American Society of Civil Engineers All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact American Society of Civil Engineers at the address below.

American Society of Civil Engineers 1801 Alexander Bell Drive Reston, VA 20191 USA

Phone: (800) 548-2723 Fax: (703) 295-6333

www.asce.org

#### Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA

Phone: 845-758-0400 Fax: 845-758-2633

Email: curran@proceedings.com Web: www.proceedings.com

## **Contents**

New, Recycled, and Residual Materials: Properties

| A Study on the Effect of Oxide Compositions on the Compressive Strength Characteristics of Geopolymer Concrete  |
|---|
| M. Srinivasula Reddy, P. Dinakar, B. Hanumantha Rao, B. K. Satpathy, and A. N. Mohanty  |
| Engineering Properties of Foamed Recycled Glass as a Lightweight Fill11 Robert H. Swan Jr., Seungcheol Yeom, Kurt J. Sjoblom, Timothy D. Stark, and Archie Filshill |
| Evaluation of the Compaction Characteristics of Untreated and Treated Red Mud23   |
| N. Gangadhara Reddy and B. Hanumantha Rao   |
| An Experimental Study on Stone Dust and EPS Beads Based Material  |
| Geotechnical Properties of Aged Municipal Solid Waste Incineration Fly  |
| Ash   |
| Improvement of the Geotechnical Properties of Sandy Soil Using Shredded Polyethylene Terephthalate (PET) Wastes   |
| The Shear Strength of "Tunable" Clay-Polymer Composite under Various Ionic Concentrations61   |
| Bijoy K. Halder and Angelica M. Palomino  |
| Stockpiling Recycled Concrete Aggregate: Changes in Physical Properties and Leachate Characteristics Due to Carbonation and Aging                                   |
| Aiyoub Abbaspour, Burak F. Tanyu, Bora Cetin, and Michael C. Brown  |
| The Use of Sodium Pyrophosphate to Improve a Translucent Clay Simulate83  |
| Ryan D. Beemer, Elliese Shaughnessy, Kristen R. Ewert, Nicholas Boardman, Giovanna Biscontin, Charles P. Aubeny, and Francisco J. Grajales                          |

#### New, Recycled, and Residual Materials: Applications

| Coast Guard Airport Rigid Pavement Rehabilitation and Storm Water                         |
|---|
| Mitigation  |
| Hudson Jackson, and Kassim Tarhini  |
| Trudson Jackson, and Kassim Tarinin   |
| The Complete Recycling of Waste Concrete to Produce Geopolymer                            |
| Concrete103   |
| Xin Ren and Lianyang Zhang  |
| Effects of Shredded Rubber Tires on Bean Growth When Used as a                            |
| Fill Material in Local Memphis Area Loess112  |
| Andrew Assadollahi, Jodie Crocker, and Brian Harris                                       |
|   |
| Fly Ash and GGBS Mixtures for Geotechnical and Geo-Environmental                          |
| Applications121   |
| Anil Kumar Sharma and P. V. Sivapullaiah  |
| Improving Fine Dredge Material for Use as Fill Material131                                |
| Andrew F. Lund, Curtis Cammack, and David A. Saftner                                      |
| Andrew 1. Edita, Carris Cammack, and David A. Sartifol                                    |
| Innovative Cellular Confinement Systems for Retaining Walls139                            |
| G. S. Manju and G. Madhavi Latha  |
|   |
| Optimum Base Width of Gravity Retaining Walls of Narrow Backfilled                        |
| with Recycled Materials149  |
| B. Munwar Basha, Shaik Moin Ahmed, Arif Ali Baig Moghal, and                              |
| Kandukuri Shanker   |
| The Containable Application of Electric Deider Aberton and                                |
| The Sustainable Application of Fly Ash in Bridge Abutments159 Vahid Alizadeh              |
| Vallid Alizadeli  |
| The Sustainable Use of Plastic Waste in Engineering and Sewer Pipe                        |
| Applications  |
| Naji N. Khoury  |
|   |
| Laboratory Characterization: Engineering Properties                                       |
| A Review on the Influence of Rock Quarry Dust on  |
| Geotechnical Properties of Soil   |
| Malaya Chetia and Asuri Sridharan   |
|   |
| A Systematic Approach towards the Assessment of Sand Bed Preparation                      |
| Using the Air Pluviation Technique 191 Priyanka Ghosh V Sriniyasan and Shubham Sriyastaya |

| An Equation Describing the Shear Modulus of Unsaturated Soil201 Corrie Walton-Macaulay, L. Sebastian Bryson, and Brock Kidd  |
|--|
| Cohesionless Soil Fabric and Shear Strength at Low Confining Pressures212 Katherine E. Winters, Oliver-Denzil S. Taylor, Woodman W. Berry, Wesley R. Rowland, and Mark D. Antwine                  |
| Deformation and Degradation of Railroad Granular Layers under High Frequency Cyclic Loading and the Benefits of Using Geosynthetics222 Sanjay Nimbalkar, Buddhima Indraratna, and M. Mahdi Biabani |
| <b>Dependency of a Small-Strain Shear Modulus on Suction Stress233</b> Yi Dong and Ning Lu   |
| The Development and Evaluation of a Time Domain Reflectometry Probe for Soil Moisture and Suction Measurement  |
| Effect of Dust Ratios on the Strength of Aggregates with Low Plasticity Fines  |
| Effect of Temperatures on the Dynamic Properties of Asphaltic Core for an  Earth Dam   |
| Experimental Measurement of the Permeability of Calcareous Sands in the South China Sea  |
| <b>Experimental Study on Steel-Wire-Mesh Reinforced Flexible Pavements287</b> G. Narendra Goud, C. Hariprasad, and B. Umashankar   |
| Infrared Oven for the Determination of Soil Moisture Content297 S. T. C. So, T. M. F. Lau, and T. H. Hui   |
| Small- to Large-Strain Shear Modulus and Damping Ratio of Sand-Tyre Crumb Mixtures   |
| Small-Strain Shear Modulus Model for Saturated and Unsaturated Soils316 Yi Dong, John S. McCartney, and Ning Lu  |
| Undrained Strength Characterization of Compacted Earthen Embankment Core Material  |

#### Laboratory Characterization: Chemical Effects

| Effect of the Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratio and NaOH Molarity on the Synthesis of Fly Ash-Based Geopolymer Mortar336   |
|---|
| P. Pavithra, M. Srinivasula Reddy, P. Dinakar, B. Hanumantha Rao, B. K. Satpathy, and A. N. Mohanty                                   |
| Effects of LNAPLs Contamination on the Basic Properties of Silty Clay345 Hanliang Bian, Songyu Liu, Guojun Cai, Ya Chu, and Ling Tian |
| Evaluating the Effect of Fluorescence on the Raman Spectroscopic  Analysis of Chlorinated Solvents                                    |
| Clike K. Monwuba and Joseph V. Sinneid  |
| Experimental Investigation of the Effect of Salt Leaching on the Compression Behavior of Reconstituted Wenzhou Clay                   |
| Impedance-Based Water-Quality Monitoring Using the Parallel-Plate Method  |
| Ali Nazari, Arvin Farid, and Ken Cornell  |
| Laboratory Calibration of an Electronic Tongue for the  Detection of Lead and Cadmium in Water  |
| Leaching Characteristics of Recycled Asphalt Shingles Mixed with Industrial Byproducts as Structural Fills                            |
| Long-Term Leaching Characteristics of Chromite Ore Processing Residue Using Synthetic Groundwater                                     |
| Optical Characterization of Transparent Gelita Using the  Modulation Transfer Function  |
| Shear Strength and Permeability of Granite Residual Soil—The Influence of BTEX Components   |
| Shear Strength of Transparent Gelita—The Effect of the Mixture Ratio,  Displacement Rate, and Over-Consolidation Ratio                |

#### Field Characterization

| Application of Terrestrial Laser Scanning for the Displacement  Monitoring of GRS-IBS Abutments453   |
|--|
| Ahmad Alhasan, Michael P. McGuire, Pavana K. R. Vennapusa, and David J. White  |
| Behavior of Large-Diameter Buried Pipes—A Case Study of a Parallel Trench Excavation   |
| Jaykumar Shukla, Jignesh Chokshi, and Ashutosh Singhvi   |
| Characterization of Weathered Limestone Using Cross-Hole Ground Penetrating Radar Techniques   |
| <b>Development and Testing of a Multiflow In Situ Permeameter487</b> Clifton B. Farnsworth, Steven F. Bartlett, and Evert C. Lawton  |
| Drained Soil Shear Strength Parameters from CPT and CPTu Data in Coastal Deposits by an Analytical Approach  |
| <b>Evaluation of CPT-Based Empirical Characterization Methods for Sands507</b> Abouzar Sadrekarimi   |
| Evaluation of Field Hydraulic Conductivity Data: Comparing Spot Infiltrometer Test Data to Continuous Recession Data517 Zachary Zukowski, Clay H. Emerson, Andrea L. Welker, and Brendon Achey |
| Geostatistical Modeling Resistivity of Cohesionless Soil Using RCPTU Data  |
| Instrumentation and Monitoring of the Large-Scale Settlement in Thawing Clay   |
| Influence of Foundation Support Conditions on the Intelligent Compaction  Measurements for Hot-Mix Asphalt   |
| Interpretation of a Subsurface Soil Profile Using a Limited Data  Set and Geostatistics  |

| Machine Drive Power Based Roller-Integrated Compaction  |
|---|
| Measurements for Cohesive Embankment Construction   |
|   |
| Prototype Wireless Sensing Nodes for Monitoring   |
| Substructure and Subsurface Conditions581   |
| Xiaochao Tang, Zachary Hill, Elizabeth Yenser, Gregory Didomenico, and Joshua Mulzoff   |
| Site-Specific Relationship for Strain Dependent Shear Modulus and   |
| $\begin{tabular}{lllllllllllllllllllllllllllllllllll$   |
| Modeling and Simulations  |
| A Methodology to Determine the Viscoplastic Perzyna Model   |
| Parameters for Granular Materials under High Strain Rates   |
| A Modified Method of Generating Specimens for a 2D DEM Centrifuge   |
| Model610  |
| N. Duan and Y. P. Cheng   |
| Appraisal of the In Situ Variability and Modeling Uncertainty of Dynamic Soil-Piled Raft-Structure Interaction on Seismic Response: A Probabilistic |
| Approach  |
| Rajib Saha, Abhinava Pal, and Sumanta Haldar  |
| Bayesian Updating of a Spatially Varied Soil Property for   |
| Enhancing Reliability in Drilled Shaft Design631  |
| Zhe Luo, James R. Martin, Lei Wang, Wenping Gong, and C. Hsein Juang  |
| CFD-DEM Modeling of Piping Erosion Considering the  |
| Properties of Sands641  |
| Hui Tao and Junliang Tao  |
| Coherent Dynamics of a Turbulence Structure around Streamlined Piers651   |
| Junhong Li and Junliang Tao   |
| Coupled DEM and CFD Simulations of Soil Erosion661  |
| Yuan Guo and Xiong (Bill) Yu  |
| <b>Evaluation of the Performance of Scour Prediction Equations with</b>   |
| Regards to Flow and Sediment Characteristics671   |
| Fred T. Falcone Jr. and Nina Stark  |

| Finding Storage Tank Settlement on Granular Soil with Small-Strain Stiffness   | 681 |
|--|-----|
| Majid Taherzadeh Dorobati, Alborz Hajiannia, Shahrzad Kasaeian, and Ramin Rasekh   |     |
| Mechanical Behavior of Earthen Materials in Structural Applications<br>Craig D. Foster, David A. Weed, M. Hosein Motamedi, and Adam G. Tennant | 691 |
| Numerical Investigation of the Reaction Kinetics and Expansive Behavior of Sulfate Bearing Soils Pawan Sigdel and Liang Bo Hu                  | 701 |
| Experimental Characterization and Microstructure Based Random FEM Simulation of Freezing and Thawing Effects on Soils                          | 711 |
| Rock Crushing Using Microwave Pre-Treatment Seunghee Kim and J. Carlos Santamarina   | 720 |
| Study on the Interface Behavior of a Geosynthetics-Reinforced Fouled Ballast Using the Discrete Element Method                                 | 730 |