

2016 IEEE 13th International Conference on Group IV Photonics (GFP 2016)

**Shanghai, China
24-26 August 2016**



**IEEE Catalog Number: CFP16GFP-POD
ISBN: 978-1-5090-1904-5**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16GFP-POD
ISBN (Print-On-Demand):	978-1-5090-1904-5
ISBN (Online):	978-1-5090-1903-8
ISSN:	1949-2081

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

ULTRA-LARGE-SCALE SILICON OPTICAL SWITCHES.....	1
<i>L. Qiao, W. Tang, T. Chu</i>	
ELECTROSTATIC DISCHARGE SENSITIVITY OF SILICON PHOTONIC PHOTODETECTORS AND THERMO-OPTIC TUNING ELEMENTS.....	3
<i>D. Celo, D. Goodwill, C. Banks, S. Trifoli, P. Dumais, J. Jiang, C. Zhang, D. Geng, E. Bernier</i>	
DESIGN OF INTEGRATED CAPACITIVE MODULATORS FOR 56GBPS OPERATION.....	5
<i>M. Douix, D. Marris-Morini, C. Baudot, S. Cremer, D. Rideau, D. Perez-Galacho, A. Souhaite, R. Blanc, E. Batail, N. Vulliet, L. Vivien, E. Cassan, F. Boeuf</i>	
ALL-SILICON THERMAL INDEPENDENT MACH-ZEHNDER INTERFEROMETER WITH MULTIMODE WAVEGUIDES.....	8
<i>X. Guan, L. Frandsen</i>	
A 2X2 SILICON THERMO-OPTIC SWITCH BASED ON NANOBEAM CAVITIES WITH ULTRA-SMALL MODE VOLUMES	10
<i>H. Zhou, C. Qiu, Z. Xu, X. Jiang, Y. Yang, L. Han, Y. Zhang, Y. Su</i>	
THERMAL TUNING DOUBLE RING RESONATOR FILTERS: EXPERIMENTAL ANALYSIS	12
<i>C. Manganelli, P. Pintus, F. Gambini, F. Di Pasquale, C. Oton</i>	
MANUFACTURABLE HYBRID SILICON ARRAY LASER SOURCE USING AN INTERPOSER BASED BACK-END- OF-THE-LINE INTEGRATION.....	14
<i>X. Zheng, I. Shubin, J.-H. Lee, D. Lee, J. Bovington, Y. Luo, J. Yao, S. Lin, S. Djordjevic, J. Cunningham, K. Raj, A. Krishnamoorthy</i>	
ULTRAHIGH-SENSITIVITY ON-CHIP POWER MONITOR USING A RESISTIVE MICROHEATER IN A SILICON WAVEGUIDE	16
<i>D. Li, L. Zhou, J. Chen</i>	
NOVEL COST EFFECTIVE BUTT-COUPLED PIN GERMANIUM PHOTODETECTOR INTEGRATED IN A 200MM SILICON PHOTONIC PLATFORM	18
<i>B. Szlag, L. Viro, S. Malhouitre, B. Blampey, S. Brisson, J. Hartmann, P. Brianceau, J. Fedeli, L. Vivien, C. Kopp</i>	
GERMANIUM PHOTODETECTORS ON AMORPHOUS SUBSTRATES FOR ELECTRONIC- PHOTONIC INTEGRATION.....	20
<i>B. Pearson, L. Kimerling, J. Michel</i>	
DESIGN EFFECTS ON THE PERFORMANCE OF HIGH-SPEED GE PHOTO DETECTORS	22
<i>S. Lischke, D. Knoll, C. Mai, M. Kroh, D. Schmidt, A. Peczek, J. Kreißl, J.-M. Lee, M. Kim, W.-Y. Choi, L. Zimmermann</i>	
NARROW-LINEWIDTH WIDELY TUNABLE HYBRID EXTERNAL CAVITY LASER USING SI₃N₄/SiO₂ MICRORING RESONATORS	24
<i>J. Zhao, R. Oldenbeuving, J. Epping, M. Hoeckman, R. Heideman, R. Dekker, Y. Fan, K.-J. Boller, R. Ji, S. Fu, L. Zeng</i>	
ULTRA-HIGH RESPONSIVITY PHOTODETECTOR ON THE SILICON-GRAPHENE PLATFORM	26
<i>Y. Yin, L. Yu, D. Dai</i>	
STRUCTURE AND STRESS ENGINEERING FOR GE-ON-SI LASERS USING SILICON NITRIDE STRESSORS	28
<i>J. Ke, G. Xia, L. Chrostowski</i>	
INTERSUBBAND ABSORPTION IN P-GE QWS ON SI.....	30
<i>K. Gallacher, A. Ballabio, R. Millar, J. Frigerio, A. Bashir, I. Maclaren, G. Isella, M. Ortolani, D. Paul</i>	
MODELING AND FABRICATION OF GE-ON-SI₃N₄ FOR LOW BEND-LOSS WAVEGUIDES	32
<i>W. Li, P. Anantha, S. Bao, K. Lee, X. Guo, H. Wang, R. Soref, C. Tan</i>	
DEFECT-FREE GESN ALLOY STRIPS ON SI BY SN SELF-CATALYZED MBE METHOD	34
<i>K. Yu, D. Zhang, H. Cong, X. Zhang, Y. Zhao, B. Cheng, C. Li</i>	
MID-INFRARED SUPERCONTINUUM GENERATION IN A LOW-DISPERSION GE-ON-SI WAVEGUIDE USING SUB-PICOSECOND PULSES	36
<i>M. Yang, Y. Guo, J. Wang, Z. Han, K. Wada, L. Kimerling, A. Agarwal, J. Michel, G. Li, L. Zhang</i>	
DIRECT BAND GAP GERMANIUM IN HIGH Q-FACTOR CAVITIES.....	38
<i>M. El Kurdi, A. Elbaz, M. Prost, A. Ghrib, R. Ossikovski, G. Picardi, S. Sauvage, X. Checoury, G. Beaudouin, I. Sagnes, F. Boeuf, P. Boucaud</i>	

HIGHLY STRAINED DIRECT BANDGAP GERMANIUM CAVITIES FOR A MONOLITHIC LASER ON SI	40
<i>T. Zabel, E. Marin, R. Geiger, C. Bozon, S. Tardif, K. Guillo, A. Gassenq, J. Escalante, Y. Niquet, I. Duchemin, J. Rothman, N. Pauc, F. Rieutord, V. Reboud, V. Calvo, J. Hartmann, J. Widiez, A. Tchelnokov, J. Faist, H. Sigg</i>	
SIG-ON-SOI MACH-ZEHNDER MODULATORS ENABLING LARGE MODE SIZE EDGE COUPLING.....	42
<i>X. Sun, F. Li, Z. Shao, W. Guo, Y. Huang, F. Liu</i>	
COMPARISON AND ANALYSIS ON SINGLE-LAYER SI FIBER-TO-CHIP EDGE COUPLERS WITH DIFFERENT TAPER TIPS.....	44
<i>J. Wang, Y. Xuan, M. Qi, L. Liu, G. Liu</i>	
OPTIMIZING UNDERCUT IN HIGHLY-STRESSED $\text{Ge}_{0.934}\text{Sn}_{0.066}$ MICRODISK RESONATORS	46
<i>C. Fenrich, X. Chen, Y. Huo, T. Kamins, J. Harris, Y.-C. Huang, H. Chung</i>	
COMPACT LOW-LOSS ADIABATIC BENDS IN SILICON SHALLOW-ETCHED WAVEGUIDES.....	48
<i>X. Tu, M. Li, J. Jiang, D. Goodwill, P. Dumais, E. Bernier, H. Fu, D. Geng</i>	
HYBRID III-V/SILICON PHOTONIC INTEGRATED CIRCUITS FOR OPTICAL COMMUNICATION APPLICATIONS.....	50
<i>G.-H. Duan, X. Pommarede, G. Levaufré, A. Shen, D. Carrara, N. Girard, A. Gallet, D. Make, G. Glastre, J. Decobert, F. Lelarge, R. Brenot</i>	
SILICON INTEGRATED NONRECIPROCAL PHOTONIC DEVICES USING MONOLITHICALLY INTEGRATED MAGNETIC OXIDES	52
<i>Y. Zhang, K. Shui, J. Qin, X. Liang, L. Nie, L. Deng, L. Bi</i>	
TOWARDS HIGH-SPEED ELECTRO-OPTICAL PERFORMANCE IN A HYBRID BaTiO_3/SI MACH-ZEHNDER MODULATOR.....	54
<i>P. Castera, A. Rosa, D. Tulli, A. Gutierrez, S. Cuffe, R. Orobitchouk, P. Romeo, G. Saint-Girons, P. Sanchis</i>	
SILICON-ORGANIC HYBRID (SOH) DEVICES AND THEIR USE IN COMB-BASED COMMUNICATION SYSTEMS	56
<i>C. Koos, W. Freude, L. Dalton, T. Kippenberg, L. Barry, A. Ramdane, F. Lelarge, S. Wolf, H. Zwickel, M. Lauermann, C. Weimann, W. Hartmann, J. Kemal, P. Marin, P. Trocha, J. Pfeifle, T. Herr, V. Brasch, R. Watts, D. Elder, A. Martinez, V. Panapakam, N. Chimot</i>	
MICRORING MODULATOR MATRIX INTEGRATED WITH MODE MULTIPLEXER AND DE-MULTIPLEXER FOR ON-CHIP OPTICAL INTERCONNECT	58
<i>H. Jia, C. Yuan, L. Zheng, J. Ding, L. Zhang, X. Fu, L. Yang</i>	
VERTICAL TRIDENT COUPLER FOR 3D OPTICAL INTERCONNECTION	60
<i>K. Itoh, K. Yuki, Y. Hayashi, J. Suzuki</i>	
TOWARDS FLEXIBLE, SCALABLE AND LOW LOSS NON-RECIPROCAL SYSTEM IN SILICON PHOTONICS	62
<i>Y. Yang, C. Galland, Y. Liu, T. Baehr-Jones, M. Hochberg</i>	
STABLE UNIDIRECTIONAL EMISSION HYBRID DEFORMED-RING MICROLASER COUPLED TO A SILICON WAVEGUIDE	64
<i>S.-S. Sui, Y.-Z. Huang</i>	
PARAMETRIC CHARACTERIZATION OF SELF-HEATING IN SI MICRO-RING MODULATORS	66
<i>M.-J. Shin, B.-M. Yu, L. Zimmermann, W.-Y. Choi</i>	
STRICTLY NON-BLOCKING 4X4 SILICON ELECTRO-OPTIC SWITCH BASED ON A DOUBLE LAYER NETWORK ARCHITECTURE	68
<i>Z. Guo, L. Lu, S. Zhao, L. Zhou, J. Chen</i>	
SILICON PHOTONIC POLARIZATION BEAMSPLITTER AND ROTATOR FOR ON-CHIP POLARIZATION CONTROL	70
<i>Z. Lu, M. Ma, H. Yun, Y. Wang, N. Jaeger, L. Chrostowski</i>	
SI PHOTONIC ACTIVE CONTROLLER FOR POLARIZATION INDEPENDENT COUPLING	72
<i>T. Cassese, G. De Angelis, P. Velha, V. Sorianello, M. Preite, A. Bianchi, F. Testa, G. Contestabile, M. Romagnoli</i>	
IMPROVING THE EFFICIENCY OF FIBRE-CHIP GRATING COUPLERS NEAR 1310 NM	74
<i>X. Chen, D. Thomson, L. Crudgington, A. Khokhar, L. Gao, X. Song, Y. Li, G. Reed</i>	
IMPACT OF SCATTERING ELEMENT SHAPE ON POLARISATION DEPENDENT LOSS IN TWO DIMENSIONAL GRATING COUPLERS	76
<i>S. Plantier, D. Fowler, K. Hassan, O. Lemonnier, R. Orobitchouk</i>	
LOW-LOSS AND LOW-CROSSTALK SI ETCHED DIFFRACTION GRATINGS WITH MULTI-POINT ITERATIVE OPTIMIZATION.....	78
<i>T. Ye, T. Chu</i>	
ON-CHIP DIFFERENTIAL PHASE MONITORING WITH BALANCED PHOTODIODES	80
<i>A. Ribeiro, K. Miura, T. Spuesens, W. Bogaerts</i>	

ULTRA-DENSE SILICON PHOTONICS OPTICAL IO SOLUTION FOR OPTICAL CHIP SCALE PACKAGE	82
<i>Q. Zhao, X. Song, M. Quan, Z. Dong, R. Ji, Y. Li, L. Gao, L. Hao, S. Fu, L. Zeng</i>	
COMPLEXITY IN NONLINEAR DELAYED FEEDBACK OSCILLATOR WITH SILICON MACH-ZEHNDER MODULATOR	84
<i>L. Zhang, J. Ding, L. Yang, Y. Peng, J. Jia, H. Yang, J. Xiao</i>	
SINGLE-POLARIZATION MICRORING RESONATOR ON SILICON	86
<i>Y. Tan, S. Chen, D. Dai</i>	
DUAL-RING-ASSISTED MZI SILICON MODULATOR FOR ENHANCED INTENSITY MODULATION	88
<i>Z. Wang, A. Knights</i>	
GRAPHENE OPTICAL MODULATOR ON SILICON WAVEGUIDE CONTROLLED BY FINE METAL-TOP GATE	90
<i>Y. Hori, R. Kou, T. Tsuchizawa, Y. Kobayashi, Y. Harada, H. Hibino, T. Yamamoto, K. Yamada, H. Nakajima</i>	
SCHEMATIC DRIVEN SIMULATION AND LAYOUT OF COMPLEX PHOTONIC ICS	92
<i>G. Lamant, J. Flueckiger, F. Villa, A. Farsaei, B. Wang, R. Stoffer, X. Wang, J. Pond, T. Korthorst</i>	
SOI POLARIZATION ROTATORS WITH ASYMMETRICAL PERIODIC PERTURBATIONS	94
<i>Y. Sun, W. Ye</i>	
MICROWAVE PHOTONIC FILTER BASED ON MULTISTAGE HIGH-ORDER MICRORING RESONATORS	96
<i>H. Zhao, L. Zhang, Y. Zhao, J. Ding, L. Yang</i>	
ANALYSIS OF STRAINED GERMANIUM WAVEGUIDE BY μ-RAMAN SPECTROSCOPY AND TRANSMISSION CHARACTERISTICS	98
<i>T. Okumura, K. Oda, J. Kasai, Y. Suwa</i>	
HIGH-PERFORMANCE SILICON-ON-INSULATOR POLARIZATION BEAM SPLITTER USING NOVEL BEND DIRECTIONAL COUPLER	100
<i>T. Ang, J. Ong, E. Sahin, B. Pawlina, G. Chen, D. Tan</i>	
NON-LINEAR BANDGAP STRAIN DEPENDENCE IN HIGHLY STRAINED GERMANIUM USING STRAIN REDISTRIBUTION IN 200 MM GEOI WAFERS FOR LASER APPLICATIONS	104
<i>A. Gassenq, K. Guilloy, S. Tardif, J. Escalante, Y. Niquet, I. Duchemin, J. Hartmann, D. Rouchon, J. Widiez, J. Rothman, T. Zabel, E. Marin, H. Sigg, J. Faist, N. Pauc, F. Rieutord, A. Chelnokov, V. Reboud, V. Calvo</i>	
SILICON BASED GESN P-I-N PHOTODETECTOR WITH LONGWAVE CUTOFF AT 2.3 μM	106
<i>H. Cong, C. Xue, J. Zheng, F. Yang, K. Yu, B. Cheng, Z. Liu, Q. Wang</i>	
ADIABATIC BENDS IN SILICON MULTIMODE WAVEGUIDES	108
<i>C. Oton, O. Lemonnier, M. Fournier, C. Kopp</i>	
LOW INSERTION LOSS POLARIZING BEAM SPLITTER WITH ASYMMETRIC SILICON SLOT WAVEGUIDE	110
<i>J. Feng, R. Akimoto, H. Zeng</i>	
FEASIBILITY STUDY OF III-V/SI HYBRID MOS OPTICAL MODULATORS CONSISTING OF N-INGAASP/AL₂O₃/P-SI MOS CAPACITOR FORMED BY WAFER BONDING	112
<i>J.-H. Han, M. Takenaka, S. Takagi</i>	
A COAXIALLY INTEGRATED PHOTONIC ORBITAL ANGULAR MOMENTUM BEAM MULTIPLEXER	114
<i>Q. Xiao, C. Klitis, H. Chen, S. Li, Y. Chen, J. Zhu, X. Cai, M. Sorel, S. Yu</i>	
ULTRA-COMPACT BROADBAND SILICON POLARIZATION BEAM SPLITTER BASED ON A BRIDGED BENT DIRECTIONAL COUPLER	116
<i>Y. Zhang, Y. He, X. Jiang, B. Liu, C. Qiu, Y. Su</i>	
OPTIMIZED GRATING COUPLERS ON SOI FOR HIGH PERFORMANCE OPERATION AT 1310 NM WAVELENGTH	118
<i>R. Larrea, A. Gutierrez, P. Sanchis</i>	
SILICON WAVEGUIDE METROLOGY THROUGH INTERFEROMETRY	122
<i>C. Oton, C. Manganelli, F. Bontempi, M. Fournier, D. Fowler, C. Kopp</i>	
HIGH-EFFICIENCY AND HIGH-SPEED SILICON OPTICAL MODULATOR BASED ON AMORPHOUS SILICON LOADED SOI WAVEGUIDE	124
<i>G. Cong, Y. Maegami, M. Ohno, M. Okano, K. Yamada</i>	
NEW DEGREES OF FREEDOM FOR HIGH PERFORMANCE SILICON MODULATOR DESIGN	126
<i>X. Li, F. Yang, T. Li, Q. Deng, R. Chen, Z. Zhou</i>	
ALL-OPTICAL ANALOG TO ELECTROMAGNETIC INDUCED TRANSPARENCY EFFECTS BASED ON VERTICAL COUPLING PHOTONIC CRYSTAL CAVITIES	130
<i>C. Hu, L. O'Faolain</i>	

FABRICATION TOLERANT TE-PASS POLARIZER BASED ON HYBRID PLASMONIC BRAGG GRATING	132
<i>B. Bai, X. Li, Z. Zhou</i>	
HYBRID III-V/SOI RESONANT CAVITY PHOTODETECTOR	134
<i>S. Learkthanakhachon, A. Taghizadeh, G. Park, K. Yvind, I.-S. Chung</i>	
OPTIMIZATION OF STRESS TO ENHANCE ELECTRO-OPTICAL MODULATION PERFORMANCE BASED ON STRAINED SILICON WAVEGUIDES	136
<i>I. Olivares, T. Angelova, A. Gutierrez, P. Sanchis</i>	
TUNABLE PHOTO RESPONSE IN GRAPHENE PHOTODETECTOR WITH NOVEL SPLIT LOCAL BACK-GATES BASED ON HEAVILY DOPED SILICON	138
<i>C. Cheng, B. Huang, X. Mao, P. Xue, H. Chen</i>	
FABRICATION OF 200 MM GERMANIUM-ON-INSULATOR (GEOI): A STEP TOWARD A GERMANIUM PHOTONIC PLATFORM	140
<i>V. Reboud, J. Widiez, J. Hartmann, E. Gomez, A. Gassenq, K. Guillo, M. Bertrand, S. Tardif, J. Escalante, N. Pauc, D. Fowler, E. Amalric, D. Rouchon, I. Duchemin, Y. Niquet, F. Rieutord, R. Geiger, T. Zabel, E. Marin, H. Sigg, J. Faist, A. Chelnokov, V. Calvo</i>	
MODE-ORDER-INVARIANT BEAM SPLITTER ON SILICON-ON-INSULATOR WAVEGUIDE	143
<i>J. Liao, G. Wang, W. Zhang</i>	
MOS-TYPE RING RESONATORS AND LASERS ON THE HYBRID III-V-ON-SI PLATFORM	145
<i>X. Huang, D. Liang, G. Kurczveil, M. Fiorentino, R. Beausoleil</i>	
LONG LIFETIME QUANTUM-DOT LASER MONOLITHICALLY GROWN ON SILICON	147
<i>S. Chen, J. Wu, M. Tang, M. Liao, H. Liu</i>	
COMPACT III-V/SILICON EXTERNAL CAVITY LASER CONFIGURATION WITH PHOTONIC CRYSTAL CAVITY REFLECTOR FOR DIRECT FREQUENCY MODULATION	149
<i>A. Liles, A. Bakoz, A. Gonzalez-Fernandez, T. Habruseva, G. Huyet, S. Hegarty, L. O'Faolain</i>	
ULTRABROADBAND HYBRID III-V/SOI GRATING REFLECTOR FOR ON-CHIP LASERS	151
<i>G. Park, A. Taghizadeh, I.-S. Chung</i>	
ROBUST GENERATION OF KERR FREQUENCY COMBS WITH STRONG AND LOCALIZED SPECTRAL LOSS	153
<i>J. Wang, Z. Han, Y. Guo, L. Kimerling, J. Michel, A. Agarwal, G. Li, L. Zhang</i>	
HIGHLY DIRECTIONAL VORTEX BEAM EMITTERS BASED ON ARCHIMEDEAN SPIRAL ADIABATIC WAVEGUIDES	156
<i>S. Li, L. Meriggi, W. Yu, Q. Xiao, X. Cai, M. Sorel, S. Yu</i>	
LOW-LOSS SOI WAVEGUIDES AT MID-IR WAVELENGTHS (4800 NM) USING THE SECOND-ORDER TE MODE	158
<i>L. He, Y. Guo, Z. Han, K. Wada, L. Kimerling, J. Michel, A. Agarwal, G. Li, L. Zhang</i>	
EXTREME SPECTRAL TRANSMISSION FLUCTUATIONS IN SILICON NANOWIRES INDUCED BY BACKSCATTERING	160
<i>A. Li, Y. Xing, R. Van Laer, R. Baets, W. Bogaerts</i>	
LOW-LOSS SILICON SLOT WAVEGUIDE REALIZED BY SURFACE ROUGHNESS REDUCTION	162
<i>K. Debnath, A. Khokhar, G. Reed, S. Saito</i>	
100GB/S CWD M TRANSMITTER AND RECEIVER CHIPS ON A MONOLITHIC SI-PHOTONICS PLATFORM	164
<i>G. Li, D. Lambert, J. Zyskind, J. Spann, M. Askari, G. Pickrell, M. Sodagar, S. Krasulick</i>	
INTEGRATION OF A III-V LIGHT EMITTER ON A SILICON PHOTONIC IC THROUGH TRANSFER PRINTING	166
<i>A. De Groote, P. Cardile, A. Subramanian, A. Fecioru, C. Bower, D. Delbeke, R. Baets, G. Roelkens</i>	
HIGH ALIGNMENT TOLERANCE III-V ON SI HYBRID INTEGRATION USING A REFLECTIVE SLAB WAVEGUIDE	168
<i>X. Sun, Y. Liu, F. Li, Z. Shao, W. Li, Y. Huang, L. Jia, N. Feng</i>	
200MM SILICON PHOTONIC PLATFORM SUITABLE FOR HIGH PERFORMANCE COMPUTING APPLICATIONS	170
<i>B. Szegla, M. Seyedi, S. Malhouire, B. Blampey, A. Descos, C.-H. Chen, S. Brisson, P. Brianceau, M. Fiorentino, R. Beausoleil, C. Kopp</i>	
ATHERMAL AND CMOS-COMPATIBLE FLAT-TOPPED SILICON MACH-ZEHNDER FILTERS	172
<i>Q. Deng, R. Zhang, L. Liu, X. Li, J. Michel, Z. Zhou</i>	
GROUP IV COMPOUNDS FOR INTEGRATED PHOTONIC APPLICATIONS	174
<i>F. Gardes, C. Littlejohns, M. Nedeljkovic, T. Dominguez, N. Hattasan, M. Banakar, L. Mastronardi, A. Khokhar, K. Grabska, G. Reed, G. Mashanovich, A. Runge, Y. Franz, A. Peacock, A. Al-Attili, S. Saito</i>	
CMOS PHOTONICS FOR DIRECT MICROPROCESSOR I/O	176
<i>R. Ram</i>	

LOW-POWER, ULTRA-COMPACT, FULLY-DIFFERENTIAL 40GBPS DIRECT DETECTION RECEIVER IN 0.25μM PHOTONIC BICMOS SIGE TECHNOLOGY	178
<i>S. Gudyriev, J. Scheytt, S. Meister, C. Meuer, D. Knoll, S. Lischke, L. Zimmermann</i>	
WDM TRANSCEIVER WITH SEMICONDUCTOR MODE LOCKED LASER	180
<i>J. Muller, A. Moscoso-Martir, J. Hauck, A. Garreau, N. Chimot, R. Setter, A. Badihi, D. Rasmussen, M. Nielsen, S. Romero-Garcia, B. Shen, A. Sandomirsky, S. Rockman, C. Li, S. Azadeh, G.-Q. Lo, E. Mentovich, F. Merger, F. Lelarge, J. Witzens</i>	
AUTOMATIC CONTROL OF THE SILICON MICRORING OSR AND MULTIPLEXER IN DML- BASED WDM TRANSMITTER FOR 40G TWDM-PON OLT	182
<i>S. Fu, L. Zeng, R. Ji, S. Grillanda, F. Morichetti, M. Carminati, M. Sampietro, A. Dentin, A. Dede, A. Vannucci, A. Melloni</i>	
HIGH SPEED AND LOW POWER SILICON-BASED RECEIVER FRONT-END FOR OPTICAL INTERCONNECT.....	184
<i>S.-W. Chen, P.-W. Chiu, Y.-F. Li, S. Hsu, K. Li, D. Thomson, G. Reed</i>	
Author Index	