

2016 International Conference on Electromagnetics in Advanced Applications (ICEAA 2016)

**Cairns, Australia
19-23 September 2016**



**IEEE Catalog Number: CFP1668B-POD
ISBN: 978-1-4673-9812-1**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1668B-POD
ISBN (Print-On-Demand):	978-1-4673-9812-1
ISBN (Online):	978-1-4673-9811-4

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS - ICEAA

SESSION 1:Recent Advancement of Electromagnetic Theory, organized by H. Shirai		Pages	
Hagiwara K., Goto K., Tokumaru S., Okada L., Takeno Y.	Frequency-Domain Asymptotic Solutions for Scattered Electric Field by a 2-D Coated Conducting Cylinder Covered with a Thick Dielectric Medium	366	367
Goto K., Hagiwara K., Takeno Y., Tokumaru S., Okada L.	Frequency-Domain Uniform Asymptotic Solution for Scattered Electric Field by a 2-D Coated Conducting Cylinder Covered with a Thin Lossy Medium	364	365
Tanaka T., Inasawa Y., Nishioka Y., Miyashita H.	Hierarchical Generation of Characteristic Basis Functions Combined with Singular Value Decomposition	450	452
Chu H.B., Shirai H.	Novel Closed-Form Solutions for Designing Extended-Composite Right/Left-Handed Transmission Lines	349	352
Komiyama A.	Scattering of a TE Plane Wave from a Periodic Surface between Different Dielectrics	353	355
Uyama K., Nishimura S., Deguchi H., Tsuji M.	Transmission Characteristics of CRLH Rectangular Waveguides Constructed by the Cutoff Modes of TM and TE Waves	728	731
Takeuchi Y., Deguchi H., Tsuji M.	Understanding of Physical Mechanism in GA-designed UWB Filter and Improvement of Passband Characteristics by the Simplified Structure	732	735
SESSION 2:Advances in computational electromagnetics, organized by J.-M. Jin and W. Yu			
Guan J., Yan S., Jin J.-M.	A Multi-Solver Framework for Electromagnetic Analysis	331	334
Yuan Y., Zhang K., Ding X., Wu Q.	Experimental validation of ultra-thin metalenses for N-beam emissions based on transformation optics	460	462
Wang C.F., Kee C.Y., Liu Z.-L., Hu F.-G.	Hybrid High Frequency Modeling of Complex Electromagnetic Problems	620	621
Zhao L., Chen H., Chen G., Yu W.	Vector Unit Acceleration Technique for DGTD Method	403	406
SESSION 3:Modern problems of mathematical and computational electromagnetics and their advanced applications, organized by G.N. Georgiev and M.N. Georgieva-Grosse			
Georgieva-Grosse M.N., Georgiev G.N.	A new method for exact computation of the differential phase shift in the circular waveguide, loaded with an azimuthally magnetized ferrite cylinder and a dielectric toroid	955	958
Georgiev G.N., Georgieva-Grosse M.N.	Cut-off Characteristics of the Azimuthally Magnetized Ferrite-Dielectric Circular Waveguide for the Normal TE_{0n} Modes	959	962
Uslenghi P.L.E.	Electromagnetic Scattering of an H-polarized Plane Wave by a Double Trihedral Reflector with a Semi-Infinite Slot	318	320

Nakonechny A., Podlipenko Y., Shestopalov Y.V.	Guaranteed Estimation for Inverse Problems in Electromagnetics and Acoustics	374	377
Nilsson B., Ioannidis A., Ivanenko Y., Nordebo S.	On absence of sources at infinity and uniqueness for waveguide solutions	780	783
Neustock L.T., Paulsen M., Jahns S., Adam J., Gerken M.	Simulation of photonic waveguides with deterministic aperiodic nanostructures for biosensing	980	983
Zhekov S.S., Tatomirescu A., Franek O., Pedersen G.F.	Study of the Interaction User Head-Ultrawideband MIMO Antenna Array for Mobile Terminals	930	933
SESSION 4:Computational advances in radar scattering from rough and vegetated surfaces, organized by M. Moghaddam and U. Khankhoje			
Yang L., Moghaddam M., Liu Q., Chen R.	Exploring the effect of forest spatial heterogeneity using coherent three-dimensional radar backscattering model	808	811
Yang J., Du Y., Shi J., Li D.	Polarimetric Simulations of Bistatic Scattering from Sea Surfaces at Low Wind Speeds at L and C Bands	N/A	
Trivedi R., Khankhoje U.K.	Polarization response of a cloud of finite rough cylinders	716	719
Akbar R., Chen R., Tabatabaenejad A., Moghaddam M.	Synergistic Use of AirMOSS P-band SAR with the SMAP L- band Radar-Radiometer for Soil Moisture Retrieval	793	795
Zhu L., Wlaker J.P., Ye N., Rudiger C.	The effect of radar configuration on effective correlation length	820	823
SESSION 8:Electromagnetic properties of materials			
Ivanenko Y., Nordebo S.	Approximation of dielectric spectroscopy data with Herglotz functions on the real line and convex optimization	863	866
Islam M.A., Kharkovsky S.	Determination of Dielectric Permittivity of Concrete Using Microwave Dielectric-Loaded Dual-Waveguide Sensor for Infrastructure Health Monitoring	662	665
Bleszynski E.H., Bleszynski M.K., Jaroszewicz T.	High accuracy solution of the time-dependent radiative transfer equation for pulse propagation in obscuring random media	951	954
Sun H., Li Z., Chen X., Liu L., Xu B., Gu C.	Realization of High-efficiency Anomalous Reflection using Phase Gradient Metasurface at UHF	435	437
Lalbahsh A., Afzal M.U., Esselle K.P.	Simulation-driven Particle Swarm Optimization of Spatial Phase Shifters	428	430
SESSION 10:Inverse scattering and remote sensing			
Yaswanth K., Bhattacharya S., Khankhoje U.K.	Algebraic reconstruction techniques for inverse imaging	756	759
Abeynayake C., Tran M.D.	Ground Penetrating Radar Applications in Buried Improvised Explosive Device (IED) Detection	564	567

Raza M.B., Fickenscher T.	Impact of Blade Shape and Pitch Angle on Wind Turbine Forward Scattering	476	479
Hong K., Braidwood S., Halappa A., Kilpatrick T., Keane B., Longstaff D.	Influence of field polarity on harmonic radar detection of concealed electronics	560	563
Anderson S.J.	Observing geophysical state variables and their dynamics with decametric radar	607	611
Alqadah H.F.	Resonant Mode Feature Extraction via a Compressive Multi-Frequency Linear Sampling Method	690	693
Yukhanov Y.V., Privalova T.Yu.	Synthesis of Nonstationary Anisotropic Impedance Plane for Specified Frequency Spectrum of the Reflected Signal	456	459
SESSION 12:Ultrawideband Theory, Technology, Applications, and Systems, organized by E. Mokole			
Rabeah N., Aditya S., Alawwad F., Molisch A.F., Behairy H.	A Measurement-based Blocking Distribution for Improving Localization in Warehouse Environments	894	897
Mokole E.L., Sarkar T.K.	Introduction to Ultrawideband Theory/Technology/Systems	768	771
Rohde U.L., Poddar A.K., Sarkar T.K.	Next Generation Networks: Software Defined Radio, Emerging Trends	784	788
Sarkar T.K., Mokole E.L., Salazar-Palma M.	Overview of Ultrawideband Systems	602	603
Hussain M.G.	Principles of MIMO Radar Based on Ultrawideband Throb Signals	878	881
Ghosh D., Sahu P.K.	UWB in Healthcare	679	682
SESSION 14:Electromagnetic modeling of devices and circuits			
Tang S., Gu L., Wang Q., Li X., Xu Y., Chen T., Yang Y.	A 700W Push-Pull GaN Power Amplifier for P-Band Aerospace Application	453	455
Fraccaroli E., Lora M., Fummi F., Montuschi P.	A Fast Simulation Environment for Smart Systems Validation in presence of Electromagnetic Interferences	740	743
Munir A.	Development of Dual-band Microstrip Bandpass Filter Based on Split Ring Resonator	712	715
Ahmed U.T., Abbosh A.M.	In-Phase Power Divider Using Three Parallel Coupled Lines for Medium Power Applications	633	635
Voznyuk I., Boutami S., Gliere A.	Metamodeling as an effective tool for the description of 2D superlattice photonic crystals	898	900
Gu L., Tang S., Xu Y., Yang Y., Chen T.	Modeling of Bonding Wires Array and Its Application in the Design of a 120 W X-band Internally Matched AlGaIn/GaN Power Amplifier	463	465
Ahmed U.T., Abbosh A.M.	Modified Gysel Power Divider for Hyperthermia Using Microstrip to Slotline Transitions	639	641
Delgado A.	Noise Generation in Dynamic Wireless Power Transfer	576	579
Huang Q.-T., Chu Q.-X., Wong S.-W.	Triple-Mode Cavity Bandpass Filter Using Corner-Cut Perturbations	752	755

Ahmed U.T., Abbosh A.M.	Wideband In-Phase Power Divider Using Cascaded Parallel Coupled Microstrip Lines	636	638
SESSION 15:Antenna systems for radio astronomy, organized by D.B. Davidson, E. de Lera Acedo, P. Hall, G. Virone			
Razavi-Ghods N., de Lera Acedo E., Lind F., Eckert C.	A hardware calibrator for the RAPID instrument	947	950
Wayth R.B., Colegate T., Sokolowski M., Sutinjo A.T., Ung D.	Advanced, efficient primary beam modeling for the Murchison Widefield Array radio telescope	431	434
Hall P.J., Benthem P., Sutinjo A.T.	Aperture Array Verification System 1: Overview of a Square Kilometre Array Prototype	345	348
Pienaar H., Davidson D.B.	Error Sensitivity Analysis for Multi-copter Planar Positioning on Low-Gain Nearfield Measurements	568	571
Sutinjo A.T., Ung D., Wayth R.B., Hall P.J.	Multi-Element Vertical Array for Zero-Spacing Interferometry	395	398
de Lera Acedo E., Arts M., Craeye C., Van H.B.	On the effects of mutual coupling in the active reflection coefficient of wide-field scanning electrically large random phased arrays	683	685
Peaverini O.A., Virone G., Addamo G., Lumia M., Farooqui Z., Tascone R.	Passive Devices for Antenna Multi-Feed Systems Operating at Q and W Band	876	877
Bird T.S.	Role of Radio Astronomy as a Testbed for Future Wireless Applications	410	412
El-makadema A., Zhang Y., Yang M., Brown A.K.	System Noise Reduction through Null Steering in Large Wideband Sparse Arrays	686	689
Chippendale A.P., Beresford R.J., Deng X., Leach M., Reynolds J.E., Kramer M., Tzioumis T.	Testing a modified ASKAP Mark II phased array feed on the 64 m Parkes radio telescope	909	912
Wilson C., Chow K., Harvey-Smith L., Indermuehle B., Sokolowski M., Wayth R.B.	The Australian Radio Quiet Zone – Western Australia: Objectives, Implementation and Early Measurements	922	923
DeBoer D.R.	The Hydrogen Epoch of Reionization Array (HERA)	525	528
Fagnoni N., de Lera Acedo E.	The Hydrogen Epoch of Reionization Array (HERA) - Improvement of the antenna response with a matching network and scientific impacts	629	632

Paonessa F., Virone G., Bolli P., Pupillo G., Monari J., Perini F., Mattana A., Naldi G., Poloni M., Schiaffino M., Lingua A.M., Piras M., Dabove P., Aicardi I., Addamo G., Peverini O.A., Orta R., Tascone R.	The UAV-based Test Source as an End-to-End Verification Tool for Aperture Arrays	886	889
Subrahmanyam R., Raghunathan A., Udaya Shankar N., Singh S., Puthige S., Mahesh N., Rao M.S.	Wideband antennas for precision spectral radiometers for cosmology	438	441
SESSION 16: Radar cross section and asymptotic techniques			
Khalil M., Eltrass A., Elzaafarany O., Galal B., Walid K., Tarek A., Ahmadien O.	An Improved Approach for Multi-Target Detection and Tracking in Automotive Radar Systems	480	483
Liu Y.Z., Xu X.	Antenna Pattern Compensation Technique for Near Field MIMO Radar Imaging	385	388
Semenikhina D.V., Semenikhin A.I., Yukhanov Y.V., Klimov A.V.	Binary Structures Similar to Checkerboard, with Anisotropic Impedance Metasurface for RCS Reduction	307	310
Bai Y., Yin H.C., Dong C.Z.	Computational Research on Calibration Target for Full-Polarimetric Scattering Measurement	516	518
Otsuyama T., Honda J.	Study of Passive Aircraft Surveillance Radar using DTTB Signal Delay	869	871
SESSION 17: Optimization and Optimal Antennas, organized by M. Gustafsson, L. Jonsson			
Jonsson B.L.G., Gustafsson M.	Antenna Q based limitations for small and non-small structures	776	779
Sjöberg D., Helander J.	Convex optimization for endfire array antennas	N/A	
Majeed F., Shahpari M., Thiel D.	Q-factor and efficiency of carbon nanotube antennas	824	827
Zheng X., Vandenbosch G.A.E., Moshchalkov V.V.	Recoverable Energy of Antennas	845	847
Nguyen-Trong N., Fumeaux C., Kouassi A., Lallechere S., Bonnet P.	Reliability-Aware Optimization for the Sidelobe Level of Leaky-Wave Antennas	708	711
Zhang B., Rahmat-Samii Y.	Worst-Case Sensitivity Analysis (WCSA) by Particle Swarm Optimization (PSO): Applications in Realistic Optimal Antenna Designs	974	977

SESSION 22:Mathematical advances in electromagnetics, organized by J.M. Arnold and P. Smith

Barzegar E., van Eijndhoven S.J.L., van Beurden M.C.	A characterization method for electromagnetic fields in a stack of lossy dielectric slabs with random material properties	583	586
De Souza S.M.T., Moraes T., Pereira D.F.G.G., Uslenghi P.I.E.	Electromagnetic Scattering of an H-polarized Wave by a Slotted Semi-elliptical Channel Truncated by a Metal Plane	315	317
Angulo L.D., Alvarez J., Tong Z., Bretones A.R., Garcia S.G.	Enhancements of computational efficiency of DGTD methods	N/A	
de Hon B.P., Arnold J.M.	Finite-difference Green's functions on a 3-D cubic lattice - Integer versus fixed-precision arithmetic recurrence schemes	918	921
Shestopalov Y.V.	Recent Advances in the Spectral Theory of Open Structures: Existence and Distribution of the Spectra of Running Waves for a Class of Open Waveguides	370	373
Markowskei A.J., Smith P.D.	Scattering from Structures with Acute, Obtuse and Reflex Corners	882	885
Vinogradova E.	Scattering of E- and H- polarized plane waves by two-dimensional airfoils: a comparative analysis	700	703
Wood A., Charnley M.	Through-the-Wall Radar Detection Analysis via Numerical Modeling of Maxwell's Equations	303	306

SESSION 23:Frequency selective surfaces

Yao X., Bai M., Miao J.	A Novel Design of Frequency Selective Surface with Low Beam's Aberration and Insensitive to the Beam Waist Radius of Incidence Wave in Quasi-Optical Feed System	473	475
Kumaran N., Arunachalam K.	A wideband non-resonant FSS with finite number of unit cells for mobile phone SAR reduction	901	904
Liang B., Bai M., Miao J.	Three-dimensional frequency selective structure with wide passband and sharp roll-off	595	596

SESSION 24:Novel frequency-selective structures, organized by Z. Shen

Ericsson A., Sjöberg D., Larsson C., Martin T.	Functional Structures Applied to Doubly Curved Surfaces	N/A	
Ding X., Zhang K., Fu J., Meng F., Yang G., Wu Q.	Metasurface for polarization and phase manipulation of the electromagnetic wave simultaneously	393	394
Wu Q., Yang G., Fu J., Meng F., Zhang K., Kong W., Ding X.	Miniaturized Frequency Selective Surface and Broadband Frequency Selective Surface Design	494	496
Qu S.-W., Feng P.-Y., Chen L., Chen B.-J., Bai X., Ng K.B., Chan C.H.	Reflection Efficiency of Terahertz Metasurface	966	969
Ebrahimi A., Shen Z., Withayachumnankul W., Al-Sarawi S., Abbott D.	Tunable Bandpass Frequency Selective Surface with Embedded Biasing	469	472

Tang W., Zhu J., Wang C., Ge J., Yu Z., Zhuang W.	Waveguide 3-D FSSs by 3-D printing technique	675	678
Wang J., Shen Z., Wu W.	Wideband polarization rotator based on frequency selective surfaces	413	415
SESSION 25:Electromagnetic measurements			
Wu P., Xu X.	A Correction formulation for RCS measurement of dihedral reflector with quasi-monostatic Geometry	381	384
Fernandez M., Peña I., Guerra D., Arrinda A.	Analysis of human exposure due to WiFi signals based on a novel measurement methodology	736	739
Pinapati S.P, Ranasinghe D.C., Fumeaux C.	Characterization of Conductive Textiles for Wearable RFID Applications	341	344
Alqadah H.F.	Difference Co-Array Methods for Reconstructing Elementary Dipole Sources from Near-Field Measurements in Underwater Mediums	796	799
SESSION 26:Computational electromagnetics, organized by R.D. Graglia and D.R. Wilton			
Adams R.J., Young J.C.	A Diagonal Factorization for Integral Equation Matrices	812	815
Kavanagh I., Brennan C.	A Hybrid 2D to 3D Full Wave Indoor Propagation Model	748	751
Jorna P., Lancellotti V., van Beurden M.C.	A Multilevel Green Function Interpolation Method to Efficiently Construct the EFIE MoM-Matrix for 2D-Periodic PEC Structures in 3D Space	572	575
Yu W., Zhao L., Chen G.	A Novel DGTD Method and Engineering Applications	324	327
Zhao P., Liu D., Chan C.H.	Analysis and Design of Metasurfaces for Wave Manipulation Using the Multilevel Green's Function Interpolation Method	580	582
Ludick D.J., Davidson D.B.	Applying Characteristic Mode Analysis to Finite Antenna Array design	934	937
Li D., Wilton D.R., Jackson D.R., Chen J.	Efficient computation of Green's functions for uniaxial anisotropic layered media	N/A	
Kastner R., Shay N., Weile D.S.	Electric-magnetic balanced absorber Green's function method for MoM matrix thinning	963	965
Ma M., Jiao D.	Exact-Arithmetic HSS-Inversion Algorithm for Fast Direct Solution of Electrically Large Volume Integral Equations	597	599
Sarkar T.K., Salazar-Palma M.	Generation of Nonminimum Phase and Time Domain Response Using Amplitude-Only Data	323	323
Solis D.M., Taboada J.M., Obelleiro F., Landesa L., Rodriguez J.L.	Impact of the evaluation precision of the reaction Integrals of the method of moments on the solution of plasmonic problems near the quasi-static regime	916	917
Hadi M., Mahmud S.F., Elsherbeni A.	Modeling Cylindrical-Sectoral Structures with the BOR-FDTD Method	335	336
Zheng X., Vandenbosch G.A.E., Moshchalkov V.V.	On a Dedicated Volume Integral Equation Solver for Nanoparticle-on-Mirror (NPoM) structures	848	850

Liu Q., Sun S., Chew W.C., Dai Q., Jiang L.	Right-Hand Side Effect on the Convergence of Integral Equation Based Systems	612	615
SESSION 27:Finite methods			
Seagar A., Espinosa H.	A Numerical Comparison between EFIE/MoM and CCD Methods for EM Scattering in Two Dimensions	328	330
Franek O.	A simple method for static load balancing of parallel FDTD codes	587	590
Chen X., Fei C., Sun H., Li Z., Gu C.	Adaptive Generation of the Multiple-Scattering Characteristic Basis Functions	867	868
SESSION 28:Technologies for mm and sub-mm waves			
Zhong Y., Yang Y.	A Wideband Integrated Marchand Balun in Silicon Technology for Millimeter-wave Applications	913	915
Hui A.T.L., Yi X., Song S., Nguyen L.	Continuously tunable delay line based on eye-like ring resonator	655	658
Zhu X., Yang Y., Xue Q.	Design of An On-Chip Bandpass Filter Using Inverse-Coupled Resonator	860	862
Ogawa K., Kajiwara A.	Stepped FM high range-resolution sensor with MUSIC	724	727
Uchiyama K., Kajiwara A.	Vehicle location estimation based on 79GHz UWB radar employing road objects	720	723
SESSION 29:EMC			
Lu Z., Zhou D., Wang C., Qin Y.	A Novel Strong Electromagnetic Pulse Protection Method for RF Front-end	N/A	
Hong S., Kwon J.-H.	Numerical calculation of specific absorption rate for smart-watch with planar inverted F antenna	646	647
Gardner R.L.	Pulse Injection of a PT Symmetric Circuit	501	504
Gardner R.L.	Pulse Injection of Electromechanical Systems	505	508
SESSION 31:Antennas for mobile communications, organized by J. Guo			
Liu H., Liu Y., Gong S., Wan T.	A Broadband Microstrip-CPW Fed Circular-Polarized antenna	616	619
Karmokar D.K., Guo Y.J., Qin P.-Y., Esselle K.P., Bird T.S.	A dual-band half-width microstrip leaky-wave antenna for beam scanning in the forward and backward directions	816	819
Yang X., Zhao G., Hu W., Guo Y.J., Yin YZ., Bah A.O.	Characteristics of Wideband Phased Array with Two-layer Metasurface	852	855
Jiang W., Zhang K., Gong S., Dong T.	Design of 2.5-Dimensional Miniaturized Frequency Selective Surface	491	493
Chen X., Guo Y.J., Qin P.Y., Fu G.	Low-cost 3D Printed Compact Circularly Polarized Antenna with High efficiency and Wide beamwidth	497	500
Huan-huan X., Wan T., Wang Y., Yun-lin Z.	Metal cylinder cavities for harmonic suppression in stripline power dividers	744	747
Fan F., Yang J., Yan Z., Liu Y.	Q Factor and insertion loss analysis of half-height pin ridge gap waveguide	622	624

Jia Y., Liu Y., Gong S.	Wideband high-gain circularly polarized planar antenna based on polarization rotator	416	419
Guan D.-F., Ding C., Sun H., Yuan F.	Wide-band SIW cavity-Backed circular polarized array antennas with sequential rotation technique	466	468
SESSION 32:Antennas and Arrays			
Tawk Y., Chahoud M., Fadous M., Hanna E., Costantine J., Ayoub F., Christodoulou C.	3D Printed Miniaturized Quadrifilar Helix Antenna	604	606
Santos R.A., Sodré jr A.C., Barbin S.E.	A Low-Profile Printed Antenna for UWB Applications	905	908
Majumdar B., Esselle K.P.	A Single Band Beam Scanning Active Phased Array Antenna	832	835
Chen K., Zhang Y., Liu X., He S., Zhu G.	Accurate network model to simplify the design and optimization of the composite right-left handed transmission line (CRLH-TL)	N/A	
Munir A., Saputra Y.P., Maulana Y.Y.	Experimental Approach of X-Band Slotted Microstrip Patch Antenna Array with Non-Uniform Current Distribution	764	767
Manohar V., Kovitz J.M., Rahmat-Samii Y.	Ka band Umbrella Reflectors for CubeSats: Revisiting Optimal Feed Location and Gain Loss	800	803
Xu G., Wang Y., Ni W., Pan G.	Optimization of Close-in Anti-missile Shipborne Gun Weapon System by Phased Array Radar	N/A	
Haupt R.L., Nayeri P.	Phased array far field in the time domain	519	520
Chen S.J., Ranasinghe D.C., Fumeaux C.	Snap-On Buttons as Detachable Shorting Vias for Wearable Textile Antennas	521	524
SESSION 33:Inverse problems and nonlinear media, organized by Y.V. Shestopalov			
Bondestam Malmberg J., Beilina L.	Adaptive finite element method for the solution of electromagnetic inverse problem using limited observations	424	427
Beilina L., Mpinganzima L., Tassin P.	Adaptive optimization algorithm for the computational design of nanophotonic structures	420	423
Smolkin E., Tsupak A.	Galerkin Method for Solving the Scalar Problem of Diffraction by a Partially Shielded Inhomogeneous Body	360	363
Brand H.R., Descalzi O.	Influence of Noise on Dissipative Solitons and their Interaction	378	380
Shadrivov I.V.	Mechanical motion in solid and liquid electromagnetic metamaterials	659	661
Alekseev G.V., Lobanov A.V., Spivak Yu.E.	Modeling and optimization in cloaking problems for Maxwell equation	442	445
Smolkin E., Shestopalov Y.V.	Nonlinear coupled TE-TM waves in Goubau Line	356	359
Alekseev G.V., Minaev S.S., Tereshko D.A.	Numerical analysis of inverse problems for nonlinear combustion model	446	449
Shestopalov Y.V., Smirnov Yu.G., Derevyanchuk E.D.	Tensor Permittivity Reconstruction of Multi-Sectional Diaphragm in a Rectangular Waveguide	407	409

SESSION 34: Communication and Signaling Technologies of Railway, organized by Y.H. Wen

Wang Z., Li S., Cai B., Wang G., Zhang T., Zhang H.	A multi-mode multi-channel adaptive transmission system for online state monitoring of the trolleybus	550	555
Baigen C., Bin C., Wei S., Jian W., Jiang L., Debiao L., Wei J.	Real-time Reliability Evaluation Method for Train-ground Communication Subsystem based on Dynamic Bayesian Networks	556	559
Wei S., Yi W., Bai-gen C., Jian W., Jiang L., Wei J.	Research of the Application Technique of BDS in the Western Low Density Railway-Lines	537	540
Guo Y., Wen Y.H., Xiao J.	Research on the Influence of 27t Axle-load to the Reliability Analysis of Hump Reducer	546	549
Zhang J.B., Wen Y.H., Tan Z.H.	Research on the Wireless Channel Statistical Characteristics of High-speed Railway Based on Big Data	533	536
Wen Y.H., Zhang J.B.	Statistical analysis on EMI to Vehicular Signaling System in CRH	541	545
Cao H.F., Zhang J.B., Ren J., Xiao J.J.	Study on the internal surface charging of H2/O2 engine nozzles	529	532

SESSION 35: Electromagnetics for healthcare and medical applications, organized by K. Ito

Ito K.	Advanced Physical Phantoms for Evaluation of Interactions between the Human Body and Electromagnetic Waves	600	601
Wu Y., Zhu M., Li D., Zhang Y., Wang Y.	Brain Stroke Localization by Using Microwave-based Signal Classification	828	831
Basari B., Aziz R., Zulkifli F.Y., Rahardjo F.T.	Dual-Arm Modified-Spiral Textile Antenna for Wearable Medical Communication Applications	772	775
Zheng Y., Gao F., Feng X.	Electromagnetic Acoustics: Towards Revolutionary Imaging and Therapy	970	973
Saito K., Ogasawara N., Ito K.	Forceps type microwave surgical device with tissue coagulation detection mechanism	368	369
Zamani A., Ahdi Rezaeieh S., Abbosh A.M.	Improved Microwave Medical Imaging Using Virtual Antenna Array	652	654
Bialkowski K.S., Marimuthu J., Abbosh A.M.	Low-Cost Microwave Biomedical Imaging	697	699
Hang S.Y.	Metamaterial-inspired Transverse Electromagnetic (TEM) Head Coil at 10.5 T	978	979
Guo L., Abbosh A.M.	Microwave head imaging using multi-frequency tomography	666	669
Bjelogrić M., Fuchs B., Mosig J.R., Mattes M.	On the Born approximation for differential microwave imaging using volume integral equation formulation	487	490
Mobashsher A.T., Abbosh A.M.	Performance Comparison of Directional and Omnidirectional Ultra-wideband Antennas in Near-field Microwave Head Imaging Systems	804	807
Afsari A., Abbosh A.M.	Pulse Compression with Minimum Uncertainty: An Efficient Microwave Medical Imaging Technique	670	673

Mohan A.S., Boddupalli A., Hossain Md D., Gozasht F., Ling S.S.H.	Techniques for RF localization of wireless capsule endoscopy	856	859
Rezaeieh S.A., Zamani A., Abbosh A.M.	Thoracic Fluid Detection and Monitoring System Using Metamaterial Loaded Yagi-Antenna Array	642	645
SESSION 36:Electromagnetic theory			
Majumdar B., Baer D., Chakraborty S., Esselle K.P., Heimlich M.	A 3D Printed Dual-Ridged Horn Antenna	836	839
Dilz R.J., van Beurden M.C.	An efficient spatial spectral integral-equation method for EM scattering from finite objects in layered media.	509	511
Sakai S., Tijhuis A.G., van Beurden M.C.	Approximating non-spherical singularities as spherical singularities for objects at an interface between two layers	512	515
Velazquez Arcos J.M., Granados Samaniego J., Vargas C.A.	Electromagnetic scalar and vector potentials on the problem of left-hand materials conditions	337	340
Abdallah M.N., Sarkar T.K., Salazar-Palma M.	Far Field's Starting Distance	789	792
Serizawa H.	Plane wave diffraction by a small rectangular aperture in a thick conducting screen	890	893
SESSION 37:High-power electromagnetics, sources and effects, organized by D.V. Giri, F. Vega			
Ge X., Xie Y.	A TTL-controlled Trigger Generator with Rise-time of Nanosecond Level	872	875
Zhou Y., Xie Y.	Comparison of Analytical Descriptions for Early Time High-altitude Electromagnetic Pulse Waveform (E1)	944	946
Kasmi C.K, Lopes Esteves J.L.E.	Functional Susceptibility of COTS devices to IEMI at local and large-scale levels	399	402
Giri D.V.	Mode Converters for High-Power Microwaves	311	314
Neira E., Vega F.	Study of the Space-Charge Limited Current in Circular Diodes Applied to Virtual Cathode Oscillator	938	942
SESSION 38:Antennas and Electromagnetic Devices Inspired by Electromagnetic Band Gap, organized by K.P. Esselle, L. Matekovits			
Panoiu N., Weismann M.	Computational Modeling of Nonlinear Optical Response of 2D-3D Heteromaterials	625	628
Song H., Kubota S., Xiao X., Kikkawa T.	Design of UWB antennas for breast cancer detection	321	322
Sun S.	Planar optics by gradient metasurfaces	N/A	
Afzal M.U., Esselle K.P.	Radiation Performance and Profile Comparison of All-Dielectric Phase-Corrected Electromagnetic Bandgap Resonator Antennas and Hyperbolic Lens Antennas	704	707

Selga J., Vélez P., Bonache J., Martín F.	Slow wave EBG-based transmission lines and applications	484	486
Hashmi R.M., Baba A.A., Esselle K.P.	Wideband Single-Feed Highly Directive Resonant Cavity Antennas with All-Dielectric Superstructures	694	696