

2016 IEEE-APS Topical Conference on Antennas and Propagation in Wireless Communications (APWC 2016)

**Cairns, Australia
19-23 September 2016**



**IEEE Catalog Number: CFP1674N-POD
ISBN: 978-1-5090-0471-3**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1674N-POD
ISBN (Print-On-Demand):	978-1-5090-0471-3
ISBN (Online):	978-1-5090-0470-6

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS - IEEE APWC

SESSION 5:Wireless communications and technologies		Pages	
Abdallah M., Costantine J., Ramadan A., Tawk Y., Christodoulou C.	A New RF Rectifier Topology with Enhanced Operable Power Range	82	84
Pucci E., Ghasemzadeh F., Rexberg L.	Antenna gain response in the out-of-band region for unwanted emissions of AAS/massive MIMO	42	43
Uomoto Y., Kajiwara A.	Biological information sensing using an autoregressive moving average model	150	153
Khalil M.I., Berber S.M., Sowerby K.W.	Energy Efficiency and Spectrum Efficiency Trade-off Over Optimal Relay Location In Bidirectional Relay Networks	298	302
Takayama I., Kajiwara A.	Intra-vehicle wireless harness with mesh-networking	146	149
Nepa P., Buffi A., Chou H.-T.	Near-Field Focused Antennas: from Optics to Microwaves	154	157
Koizumi H., Kajiwara A.	Stepped-FM UWB Sensor with multiple step frequencies	130	133
Esmati Z., Kharkovsky S., Samali B.	Wireless Power Transmission inside Reinforced Concrete Slab Using a Resonant Antipodal Vivaldi Antenna	118	121
Tsutsumi E., Kajiwara A.	Wireless Vital Radio Sensor using Maximum Entropy Method	134	137
SESSION 6:Channel Modeling			
Liang J., Kim M.-D., Lee J., Park J.-J., Park B., Kim K.-W.	Comparison of SAGE and BBF for Multipath Angular and Delay Spread Characteristics with 28 GHz Channel Measurements	166	169
Zöchmann E., Lerch M., Caban S., Langwieser R., Mecklenbräuker C.F., Rupp M.	Directional Evaluation of Receive Power, Rician K-factor and RMS Delay Spread obtained from Power Measurements of 60 GHz Indoor Channels	246	249
Lynch S.D., Bertot E.M., Bales K.	Ionosphere characterization using received HF communication signals	278	281
Kim K.-W., Kim M.-D., Park J.-J., Lee J., Liang J., Park B.	Joint Probability Distribution of Power Delay Profiles based on 28 GHz Channel Measurements	187	190
SESSION 7:Communication satellite antennas			
Zheng K.-K., Chu Q.-X.	A center-fed beidou antenna with zero phase center	191	194
You B.Q., Huang J., Shang Y.P., Hu B.F., Zhou J.H.	A Dual-Frame Microstrip Antenna with Four-Bridge Feeding Control for CNSS Applications	142	145
Zhang H., Wang W., Jin M., Lu X.	A dual-polarized array antenna for on-the-move applications in Ku-band	5	8
Zhou J.H., Yang L.P., You B.Q., Dong M.Y., Li J., Ouan W.	A Square Patch Antenna Loaded with Wrench-shaped Tuning Rings for CNSS Applications with GPS	114	117

Yusop S.H., Misran N., Mansor M.F., Abu M.	Analysis on Element Shape Geometries to Enhance Reflection Coefficient and Gain of Reflectarray Antenna	195	199
Tatomirescu A., Pedersen G.F., Christiansen J., Gerhardt D.	Antenna System for Nano-satelite Mission GOMX-3	282	285
Ramli M., Misran N., Mansor M.F.B., Islam M.T.	Capacitive Loading Radiating Element for Reconfigurable Reflectarray at Ku-Band	200	203

SESSION 9:Electromagnetic propagation

Nowak T., Hartmann M., Zech T., Thielecke J.	A Path Loss and Fading Model for RSSI-based Localization in Forested Areas	110	113
Ni W., Xu G.	A self-learning based antenna system for indoor wireless network	N/A	
Ullah A., Rehman S., Mufti N.	A Survey of Different Techniques of Determining the Refractive Parameters	274	277
Abdullah M., Ullah H.E., Rasheed H., Mufti N.	An Investigation of the Radio Refractive Conditions in lowest portions of the Troposphere near Margalla Hills, Pakistan	225	228
Moghadam H.H., Hendijani N., Kouki A.B.	Application of Wideband and Narrow-band Channel Models to GPS Satellite Signal Propagation in Urban Environments	98	101
Alford-Lago D.J., Lynch S.D.	High-Frequency Wave Field Estimation Using Gaussian Ray Bundle Superposition on Delaunay Triangulation	242	245
Mufti N., Siddle D.R.	Investigations into the Occurrence of Evaporation Ducts within the English Channel	212	216
Najib S., Mehreen R., Mufti N.	Modelling of the Vertical Radio Refractivity near Arabian Sea	217	220
Zhu G., He S., He J., Wu X.	Study of a 3DMLUV-FIA Method for EM Scattering from Dielectric Object and Rough Surface	122	125
Bertot E.M., Lynch S.D.	Updating HF Noise Models Using Open Source Datasets	239	241
Bellekens B., Penne R., Weyn M.	Validation Of An Indoor Ray Launching RF Propagation Model	74	77

SESSION 11:RFID technologies

Barahona M., Betancourt D., Ellinger F.	Comparison of UWB Chipless RFID Tags on Flexible Substrates Fabricated Using either Aluminum, Copper or Silver	78	81
Jayawardana D., Kharkovsky S., Liyanapathirana R.	Investigation of UHF Power Flow in the Vicinity of a Steel I-Beam for Optimization of its Health Monitoring using Wireless Sensor Integrated RFID Tag Antenna System	138	141
Chou H.-T., Nepa P.	Multi-facet focused microwave antennas	294	297

SESSION 13:Low-profile wideband antennas

Scorrano L., Chinino G., Anelli M.	A Novel UWB Folded Monopole	237	238
Bah A.O., Qin P.-Y., Guo Y.J.	An Extremely Wideband Tapered Balun for Application in Tightly Coupled Arrays	162	165

Zhang X.-L., Gao H.-T., Zhang Q.-C	An Optimum Design of Low-Profile Ultra-Wideband HF Skeletal Wire Duoconical Monopole Antenna with Parasitic Grounded Poles	264	267
Zhao X., Tian B.N., Yeo S.P., Ong L.C.	Design of low-profile broadband dual-polarized integrated patch sub-array for X-band SAR payload on small satellite	27	29
Stanev S., Tatomirescu A.	Hybrid Tunable Wideband Single Feed Antenna Element for Smartphones supporting Carrier Aggregation	286	289
SESSION 18:Wideband/multiband Antennas and Emerging Antenna Technologies, organized by H. Nakano			
Fukusako T., Ogata Y.	A design of bi-directional and low-profile antenna using microstrip element	89	90
Matsunaga M.	A Dual-Band Single-Feed Circularly Polarized Microstrip Patch Antenna with a Cross Slot	91	92
Hamid S., Ali M.T., Abd Rahman N.H., Pasya I., Yamada Y., Michishita N.	Accuracy Estimations of a Negative Refractive Index Cylindrical Lens Antenna Designing	23	26
Fauzi N.F, Ali M.T., Abd Rahman N.H., Yamada Y.	Accurate feed position designing for precise Malaysia beam coverage	20	22
Tengah Z., Ali M.T., Abd Rahman N.H., Ibrahim I.P., Abd Rashid N.E., Yamada Y	Achievement of a Bifurcated Beam by a Bend Array Configuration	126	129
Bondarik A., Sjoberg A.D.	Bias network and diode parasitics of a reconfigurable stacked microstrip patch antenna at 60 GHz	290	293
Koga Y., Kai M., Fujieda K., Egawa H.	Design of a Low SAR Multiband Antenna for Mobile Applications	47	50
Kagoshima K., Uchida M., Takeda S., Umehira M.	Investigation on the reactance loading and EM coupling feed for a design of a dual frequency planar antenna	30	33
Taguchi M., Taniguchi T.	Printed inverted L antenna on dielectric substrate excited by microstrip line	268	269
Nakano H., Kameta Y., Yamauchi J.	Radiation Beam with a Large Tilt Angle	11	12
Maruyama T., Endo S., Chen Q., Kameda S., Suematsu N.	Reflectarray design for small antenna using meta-surface	250	251
Wang H.Y., Xu H.L.	Resonant Structures and Applications to Mobile Handset Antennas	44	46
Tasaka Y., Iwasaki H.	Small Size Dual Band Monopole Antenna of Smart Watch for Cellular Communication	16	19
Ta S.X., Park I.	Wideband circularly polarized slot coupled metasurface-based array antenna	13	15
Fujimoto T., Taguri J.	Wideband Printed Inverted-F Antenna with Unidirectional Radiation Pattern	181	182

**SESSION 19:Wideband/multiband Antennas
and Emerging Antenna Technologies, organized
by H. Nakano**

Tanabe M.	A Spiral Antenna above a Hybrid HIS-EBG Reflector	208	211
Guan N., Tayama H., Ueyama M., Yamaguchi Y., Chiba H.	An invisible vehicle roof antenna	51	54
Shibayama J., Kusunoki D., Yamauchi J., Nakano H.	Analysis of a metal disc-shaped terahertz surface wave splitter with a center rod	93	94
Akimoto S., Yanagi T., Fukasawa T., Miyashita H.	Demonstration of a Highly Efficient Seawater Antenna	55	58
Huang C.-F., Peng B.-C.	Design of a Helical Antenna Array and the Compensation Technique for Its Boresight Error of Radiation Patterns	95	97
Kawano T., Nakano H.	Diamond Array of Diamond Elements	9	10
Makino S., Moroya T., Kotaka M., Itoh K., Noguchi K., Hirota T.	Dual Band MACKEY-E with E Shaped Radiator	63	65
Keowsawat P., Osklang P., Kanahna R., Phongcharoenpanich C.	Wideband Dipole Antenna Array for Digital TV Broadcasting Applications	233	236

SESSION 20:Antennas

Roshna T.K., Deepak U., Mohanan P.	A Compact Coplanar 4-Port MIMO Antenna For High-Speed UWB Applications	106	109
Artner G., Langwieser R., Zemann R., Mecklenbräuker C.F.	Carbon Fiber Reinforced Polymer Integrated Antenna Module	59	62
Kumar S., Vishwakarma D.K.	Compact Circularly Polarized Slits-Loaded Microstrip Patch Antenna with Symmetric-Fractal Boundary	34	37
Laue H.E.A., du Plessis W.P.	Compressive Direction-Finding Antenna Array	158	161
Govender D., Magarelli J., Caldow A., Fumeaux C.	Helically Counter-Poised Monopole Antenna	170	172
Ahmed K., Attiah K., Eltrass A.	Multiple Signal Classification Algorithm Compensated by Extended Kalman Particle Filtering for Wi-Fi Through Wall Multi-Target Tracking	66	69
Chiu C.-Y., Murch R.D.	Watch-sized Four-port Dual-band MIMO Antennas	1	4

**SESSION 21:Array and Lens Antennas,
organized by S.G. Hay**

Zhang J.A., Hay S.G., Guo Y.J.	Directional Antennas for Point-to-Multipoint Millimetre-Wave Communications	204	207
Hay S.G.	Equivalent Two-Port for Receiver Noise Figure of Connected Array Antennas with Constrained Beamforming	256	259

Gray D.P., Nikolic N., Thornton J.	Frequency performance of 4-layer discretized Luneburg lenses	177	180
Hay S.G.	Heterogeneous Dielectrics in Connected Array Analysis with CBFM	252	255
Gray D.P., Nikolic N., Thornton J.	Performance of a 2-layer radial hole effective media lens	173	176
Liu J., Hay S.G.	Prospects for Microwave Imaging of the Lymphatic System in the Axillary	183	186

SESSION 30:Multi-band and UWB antennas and systems

Cicchetti R., Miozzi E., Testa O.	A Novel Wideband Multi-Permittivity Composite Dielectric Resonator Antenna for Wireless Applications	70	73
Zhekov S.S., Tatomirescu A., Franek O., Pedersen G.F.	Design of a Quasi-Hemispherical UWB Antenna	270	273
Zhou D., Qin Y., Lu Z.	Simulation Analysis of Automobile Logo Printed UWB Monopole Antennas	N/A	231
Andriambeloson J.A., Wiid P.G.	Time and Frequency Domain Characterisation of a 3D-Printed Bi-conical Antenna Dispersion	221	224
Ying Q.C., Dou W.B.	UWB Compact CPW-Fed Circular/Elliptical Slot Antennas With Gear-shaped Tuning Stub	38	41
Moosazadeh M., Kharkovsky S., Esmati Z., Samali B.	UWB Elliptically-Tapered Antipodal Vivaldi Antenna for Microwave Imaging Applications	102	105
Franek O., Zhang S., Jensen T.L., Eggers P.C.F., Olesen K., Byskov C., Pedersen G.F.	Wind Turbine Blade Deflection Sensing System Based on UWB Technology	260	263