

2016 IEEE CPMT Symposium Japan (ICSJ 2016)

**Kyoto, Japan
7 – 9 November 2016**



**IEEE Catalog Number: CFP16PWJ-POD
ISBN: 978-1-5090-2038-6**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

******This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16PWJ-POD
ISBN (Print-On-Demand):	978-1-5090-2038-6
ISBN (Online):	978-1-5090-2037-9

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

The Latest Package and Assembly Technology for SiC Power Module	1
<i>Y. Takahashi, H. Nogawa, A. Morozumi, Y. Nishimura</i>	
Power Module Trends to Enhance Energy Efficiency of EV & HEV	5
<i>K. Kawada</i>	
Possibility of Enhancement of Cooling Performance on Heating Surface by Using Intermittent Jet Flow	8
<i>T. Fukue, K. Hirose, H. Shirakawa, H. Natsusaka, T. Furusawa</i>	
An Experimental Setup of Stacked Thermal Chips with Selectable Cell Heaters for 3D Integration Design	12
<i>S. Kikuchi, M. Suwada, Y. Iwakiri, H. Onuki, N. Nakamura</i>	
Virtual Prototyping Methodology for Assessment of the Interaction Between Wire Bond Pad Design and Bond Process Parameters to Enhance the Robustness of Copper Wire Bond Interconnect	16
<i>C. Meng, M. Fink, L. Weiss</i>	
Micro Wear Modeling in Copper Wire Wedge Bonding	21
<i>P. Eichwald, A. Unger, F. Eacock, S. Althoff, W. Sextro, K. Guth, M. Brokelmann, M. Hunstig</i>	
Flip-Chip Interconnection EA-DFB Laser Module for 100-Gbit/s/λ Application	25
<i>S. Kanazawa, S. Tsunashima, Y. Nakanishi, Y. Muramoto, Y. Ueda, H. Tanobe, H. Sanjoh, H. Yamazaki, W. Kobayashi, H. Ishii</i>	
4-Channel Miniature Solderable Optical Modules With An Integrated CDR Circuitry For 100-Gb/S Short Reach Applications	29
<i>K. Nagashima, T. Kise, Y. Ishikawa, H. Nasu</i>	
28-Gb/S $\times$ 4-Channel Solderable Optical Transceiver Module For QSFP28	31
<i>H. Nasu, K. Nagashima, Y. Ishikawa, A. Izawa, Y. Nekado, T. Kise</i>	
A Compact 25-Gbit/S $\times$ 12-Ch Active Optical Cable Formed By High-Density Optical Sub-Assembly Techniques	35
<i>Y. Matsuoka, N. Kohmu, T. Takai, M. Sato, S. Komatsuzaki, A. Ogura, N. Chujo, H. Arimoto, K. Yamazaki, Y. Sunaga</i>	
Error Free 28-Gbps Parallel Data Transmission Over A Long Polymer Optical Waveguide For On-Board Optical Interconnections	39
<i>A. Singh, T. Ishgure</i>	
Study of Electrical and Thermal Conduction Mechanisms in Novel Isotropic Conductive Adhesive	43
<i>H. Kristiansen, S. Helland, P. Al-Alam, S. Pettersen</i>	
CFD-Based Basic Investigation on Heat Transfer Characteristics of Pulsating Flow in Narrow Cooling Passages	47
<i>N. Suzuki, T. Fukue, J. Suzuki, W. Hiratsuka, H. Shirakawa, K. Hirose</i>	
A Study on Mounting Pad Shape and Thermal Resistance for Small Surface Mount Devices	51
<i>Y. Aruga, K. Hirasawa, H. Aoki, T. Hatakeyama, S. Nakagawa, M. Ishizuka</i>	
Photosensitive Polyimide Adhesive Sheet	55
<i>M. Tomikawa, K. Matsumura, Y. Koyama, Y. Ikeda, Y. Tatsuta, Y. Shoji</i>	
Identifying The Optimal Deformation Point In Metal-Coated Polymer Particles For Conductive Adhesives	59
<i>M. Bazilchuk, J. He, Z. Zhang, H. Kristiansen, H. Nguyen</i>	
Mechanical Property Investigation of Single Polymer Particles with Different Surfactant Additive Contain for Monodisperse Polymer Particle Synthesized	63
<i>Y. Chen, Y. Kao, K. Chen</i>	
Novel Gas Barrier Films Prepared by Transfer Printing Method	67
<i>T. Izumi, W. Iwaya, T. Furuya, T. Ohashi, K. Nishijima, S. Naganawa, K. Nagamoto, T. Kondo</i>	
Energy Harvest-Power MEMS Devices for Future Sensor Network Society - Stochastic Resonance Meets TENG Device	71
<i>M. Su, B. Kim</i>	
Ultra Low Power Wireless Sensor Nodes for Expanding Application of the Internet of Things	74
<i>T. Itoh</i>	
Integration Challenges For Terabit Class Mid Board Photonic Transceivers	76
<i>S. Bernabe, T. Ferrotti, B. Bakir, B. Szelag, F. Gays, A. Myko, O. Castany, B. Charbonnier, M. Epitoux, J. Cornelius, J. Coronati, F. Boeuf, C. Baudot, C. Seassal</i>	
Thermal Design Of 28-Gb/s $\times$ 24-Channel Cdrintegrated VCSEL-Based Transceiver Module	79
<i>T. Uemura, K. Nagashima, N. Nishimura, A. Izawa, Y. Ishikawa, H. Nasu</i>	

On-chip Optics for Data Center Interconnects. Prospects and Limitations	83
<i>A. Mamman, S. Stepanov, K. Hasharoni</i>	
System Embedded Photonic Interconnect For Mega-Data Centre Environments.....	87
<i>R. Pitwon</i>	
Biomedical Applications Of Micromachines: Small, Soft, And Safe Micromachines Based On Pneumatic Balloon Actuator	91
<i>S. Konishi</i>	
In Vivo Molecular Sensing For Image-Guided Surgery	93
<i>T. Takamatsu</i>	
Fabrication For Polymer Microchannels With Circular Cross-Sections For Bio-Chip Applications	95
<i>K. Ohga, T. Ishigure</i>	
A Built-in Defective Level Monitor of Resistive Open Defects in 3D ICs with Logic Gates	99
<i>M. Hashizume, A. Odoriba, H. Yotsuyanagi, S. Lu</i>	
Development of a Stacking Technology for Large-sized Chips Using Non-Conductive Film.....	103
<i>H. Kira, N. Kainuma, N. Nakamura, T. Kubota, T. Masuyama, S. Iijima</i>	
Development Of Stealth Dicing Tape For TSV Process	107
<i>S. Yamashita, N. Saiki, S. Takyu</i>	
Graded Index Polymer Waveguide for High-Bandwidth Optical Circuit	111
<i>R. Kinoshita, K. Kitazoe, A. Horimoto</i>	
Towards A Common Integration Platform For Photonics And Electronics. Challenges For Assembly And Packaging	115
<i>G. Carpintero, R. Guzman, H. Lamela, L. Garcia, D. Segovia, I. Ederra, R. Gonzalo</i>	
Investigation of an Advanced Concurrent 44/60-GHz Dual-Band Phased Array for Communications and Sensing.....	118
<i>J. Lee, C. Huynh, D. Lee, J. Bae, C. Nguyen</i>	
Implementation of Passive Functions on 0.18 μm CMOS at Ka-Band.....	121
<i>N. Othman, M. Salleh, G. Prigent</i>	
Advanced Packaging Technologies Supporting New Semiconductor Application.....	125
<i>M. Ooida, F. Taniguchi, T. Iwasaki, A. Ono, Y. Asano, Y. Hiruta</i>	
Warpage Simulation and Experiment for Panel Level Fan-Out Package	129
<i>T. Lin, F. Hou, H. Liu, D. Pan, F. Chen, J. Li, H. Zhang, L. Cao</i>	
Potential and Challenges of Fan-Out Panel Level Packaging	132
<i>T. Braun, K. Becker, R. Kahle, S. Raatz, M. Topper, R. Aschenbrenner, S. Voges, M. Wohrmann, K. Lang</i>	
Testability for Resistive Open Defects by Electrical Interconnect Test of 3D ICs Without Boundary Scan Flip Flops.....	137
<i>F. Ali, M. Hashizume, Y. Ikiri, H. Yotsuyanagi, S. Lu</i>	
A Power Supply Circuit for Interconnect Tests Based on Injected Charge Volume of 3D IC	139
<i>K. Ohtani, M. Hashizume, D. Suga, H. Yotsuyanagi, S. Lu</i>	
Analysis Of Malfunction Due To Conducted Disturbance To Power Supply Pin Of Operational Amplifier	141
<i>K. Fujiki, T. Matsusima, T. Hisakado, O. Wada</i>	
Densely Aligned Single-Mode Polymer Parallel Optical Waveguide Compatible With Si Photonics Chips For Off-Chip Interconnects	143
<i>K. Yasuhara, F. Yu, T. Ishigure</i>	
Multimode Polymer Optical Waveguide With Over-Crossing Structures Enabling High-Density On- Board Integration	145
<i>A. Yamauchi, Y. Taira, T. Ishigure</i>	
Fabrication For Low-Loss Polymer Optical Waveguide With Graded-Index Perfect Circular Core Using The Mosquito Method	147
<i>Y. Saito, T. Ishigure, K. Fukagata</i>	
Index Profile Design of Graded-Index Core Tapered Polymer Waveguide for Low Loss Light Coupling	149
<i>H. Toda, T. Ishigure</i>	
Formation of Pitch Conversion Structure in Multimode Polymer Optical Waveguide with High Coupling Efficiency	151
<i>H. Masuda, N. Chujo, T. Ishigure</i>	
Electrical Signal Transmission around Human Body Standing on the Electrode Located on the Floor Surface for Human Body Communication	153
<i>Y. Fujita, F. Koshiji, K. Koshiji</i>	
Transmission Characteristics of Short-Range Wireless Communication Using Magnetically- Coupled Spiral Coils.....	155
<i>R. Yamaguchi, F. Koshiji, K. Koshiji</i>	

Proposal of the Cross Type of Unbalanced Dipole Antenna with the Bent Type of Semicircular and Trapezoidal Radiating Elements	157
<i>T. Yamada, F. Koshiji, K. Koshiji</i>	
A Broadband Loop Antenna for Ultra-Wideband Radio	159
<i>Y. Nagatsu, T. Yamada, F. Koshiji, K. Koshiji</i>	
The Warpage and Thermal Simulation Study for Embedded Die Technology	161
<i>T. Chen, B. Chen, P. Yang, J. Lai, M. Shih</i>	
Spot Size Converter Using Mask-Transfer Self-Written Waveguide Method for Optical Interconnection	163
<i>N. Baharudin, S. Ambran, O. Mikami, C. Fujikawa, A. Suzuki, S. Taguchi, O. Mitomi</i>	
Al/Au Multilayers With Different Diffusion Barrier Layers For Application As Wafer-Bonded UV Reflectors	165
<i>Y. Kunitune, E. Higurashi, T. Suga</i>	
Three-Dimensional Iterative Electrical-Thermal Co-simulation (3-D IETC) Method for Power/Thermal Integrity Analysis	167
<i>Y. Nakatani, H. Asai, T. Sekine</i>	
Multi-Core Optical Fibers Realizing High-Density/-Capacity Transmissions	169
<i>T. Hayashi</i>	
Characterization of CRIGF Integrated on DBR Substrate	173
<i>K. Yanagida, K. Mori, M. Nakata, J. Inoue, S. Ura, K. Kintaka</i>	
Integrated Optic Device For Narrow-Band Reflection And Guided-Wave Launching	177
<i>A. Tsuji, J. Inoue, K. Nishio, S. Ura, K. Kintaka</i>	
LiNbO₃ Die-Attach With Au-Ge Eutectic Solders	181
<i>A. Roshanghias, G. Bruckner, A. Binder</i>	
Printing and Application of Flexible and Solderable Electrodes for LED Sheets	185
<i>Y. Sakai, K. Honda, O. Shinohara, H. Kizawa, K. Hirose</i>	
Stretchable Insulating Material for IoT Devices	189
<i>T. Shibata, S. Otake, S. Uehara, K. Tendo, T. Minegishi</i>	
Novel 200 degC Curable Positive Tone Poly(Benzoxazole) Materials	193
<i>D. Matsukawa, T. Nakamura, T. Enomoto, N. Yamazaki, M. Ohe, T. Motobe, M. Nishimura</i>	
Reliability of 200°C Curable Photodefinable PBO for Re-distribution Layer in WLP	197
<i>M. Nishimura, D. Matsukawa, N. Matsuie, N. Yamazaki, T. Enomoto, M. Ohe</i>	
Co-design Importance for over 20Gbps I/O Interface	201
<i>F. Fujii, D. Ogawa, K. Hashimoto, Y. Akiyama, K. Otsuka</i>	
Transmission Design Technique for 25-Gbps Retimer	205
<i>F. Yuuki, K. Kogo, T. Norimatsu, N. Kohmu, T. Kawamoto</i>	
Stepped-Impedance Common-Mode Filter in Differential Lines	209
<i>A. Engin</i>	
Glass Interposer Technology Advances for High Density Packaging	213
<i>S. Kuramochi, H. Kudo, M. Akazawa, H. Mawatari, M. Tanaka, Y. Fukuoka</i>	
Moisture Induced Interface Delamination for EMI Shielding Package	217
<i>Y. Liu, Z. Ji, P. Chen, X. Wang, N. Ye, C. Chiu</i>	
Solutions and Challenges of Optical Board-Edge Connectivity	221
<i>T. Schmalzigau</i>	
Tapered Polymer Waveguides with Graded-Index Core for Low-Loss Optical VIA	223
<i>K. Katori, T. Ishigure</i>	
Evaluation of Optical Coupling Characteristics for Optoelectronic Hybrid LSI Package	227
<i>A. Noriki, T. Amano, M. Mori, Y. Sakakibara, K. Kurata, A. Ukita, M. Kurihara, K. Takemura</i>	
Ultra-Dense, Low-Loss, Universal Optical Coupling Solution For Optical Chip Scale Package	231
<i>Q. Zhao, X. Song, Z. Dong, L. Gao, J. Liu, S. Fu, L. Zeng</i>	
High Efficiency Power Electronic Module with Embedded Die	235
<i>H. Kuo, P. Chen, C. Chiu, C. Wang, K. Essig</i>	
High Frequency Performance Characterization of Super-fine Inkjet Printed Silver Traces	239
<i>Y. Lim, M. Aoyagi, Y. Goh, C. Liu</i>	
Optimal Design of Vialess Open-stub EBG structure for Power-bus Noise Reduction	243
<i>K. Okimoto, K. Iokibe, K. Kondo, S. Yoshida, T. Kaneko, Y. Toyota</i>	
Development of Cu-Ag Composite Pastes for Power IC Attachment	247
<i>J. Song, C. Hsiao</i>	
Validated Simulation of the Ultrasonic Wire Bonding Process	251
<i>A. Unger, R. Schemmel, T. Meyer, F. Eacock, P. Eichwald, S. Althoff, W. Sextro, M. Brokelmann, M. Hunstig, K. Guth</i>	

Production and Characterization of High-temperature Substrates through Selective Laser Melting (SLM) for Power Electronics 255
A. Syed-Khaja, P. Perez, J. Franke

Compact Power Electronic Modules Realized By PCB Embedding Technology 259
T. Loher, S. Karaszkiwicz, L. Bottcher, A. Ostmann

Author Index