

2016 IEEE International Electron Devices Meeting (IEDM 2016)

**San Francisco, California, USA
3-7 December 2016**

Pages 1-451



**IEEE Catalog Number: CFP16IED-POD
ISBN: 978-1-5090-3903-6**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16IED-POD
ISBN (Print-On-Demand):	978-1-5090-3903-6
ISBN (Online):	978-1-5090-3902-9
ISSN:	0163-1918

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

1.1 - TECHNOLOGY SCALING CHALLENGES AND OPPORTUNITIES OF MEMORY DEVICES	1
<i>Seok-hee Lee</i>	
1.3 - SYMBIOTIC LOW-POWER, SMART AND SECURE TECHNOLOGIES IN THE AGE OF HYPERCONNECTIVITY	9
<i>M. N. Semeria</i>	
2.1 - FPGA DESIGN AND SYSTEM OPTIMIZATIONS WITH NEW TECHNOLOGIES	23
<i>N. Chong ; J. Jing ; H. Liu ; G. Refai-ahmed ; S. Wu ; X. Wu</i>	
2.2 - 22NM FDSOI TECHNOLOGY FOR EMERGING MOBILE, INTERNET-OF-THINGS, AND RF APPLICATIONS	27
<i>R. Carter ; J. Mazurier ; L. Pirro ; J-u. Sachse ; P. Baars ; J. Faul ; C. Grass ; G. Grasshoff ; P. Javorka ; T. Kammler ; A. Preusse ; S. Nielsen ; T. Heller ; J. Schmidt ; H. Niebojewski ; P-y. Chou ; E. Smith ; E. Erben ; C. Metze ; C. Bao ; Y. Andee ; I. Aydin ; S. Morvan ; J. Bernard ; E. Bourjot ; T. Feudel ; D. Haramé ; R. Nelluri ; H. -j. Thees ; L. M-meskamp ; J. Kluth ; R. Mulfinger ; M. Rashed ; R. Taylor ; C. Weintraub ; J. Hoentschel ; M. Vinet ; J. Schaeffer ; B. Rice</i>	
2.3 - FIRST FULLY FUNCTIONALIZED MONOLITHIC 3D+ IOT CHIP WITH 0.5 V LIGHT-ELECTRICITY POWER MANAGEMENT, 6.8 GHZ WIRELESS-COMMUNICATION VCO, AND 4-LAYER VERTICAL RERAM	31
<i>Fu-kuo Hsueh ; Chang-hong Shen ; Jia-min Shieh ; Kai-shin Li ; Hsiu-chih Chen ; Wen-hsien Huang ; Hsing-hsiang Wang ; Chih-chao Yang ; Tung-ying Hsieh ; Chang-hsien Lin ; Bo-yuan Chen ; Yu-shao Shiao ; Guo-wei Huang ; Oi-ying Wong ; Po-hung Chen ; Wen-kuan Yeh</i>	
2.4 - A 300MM FOUNDRY HRSOI TECHNOLOGY WITH VARIABLE SILICON THICKNESS FOR INTEGRATED FEM APPLICATIONS	35
<i>Rui Tze Toh ; Shyam Parthasarathy ; Tao Sun ; Shaoqiang Zhang ; Raj Verma Purakh ; Chao Song Zhu ; Venkata Sudheer Nune ; Jen Shuang Wong ; Madabusi Govindarajan ; Yong Koo Yoo ; Kok Wai Chew ; Diing Shenp Ang</i>	
2.5 - A 14NM FINFET TRANSISTOR-LEVEL 3D PARTITIONING DESIGN TO ENABLE HIGH-PERFORMANCE AND LOW-COST MONOLITHIC 3D IC	39
<i>Jiajun Shi ; Deepak Nayak ; Srinivasa Banna ; Robert Fox ; Srikanth Samavedam ; Sandeep Samal ; Sung Kyu Lim</i>	
2.6 - A 7NM CMOS PLATFORM TECHNOLOGY FEATURING 4TH GENERATION FINFET TRANSISTORS WITH A 0.027UM² HIGH DENSITY 6-T SRAM CELL FOR MOBILE SOC APPLICATIONS	43
<i>Shien-yang Wu ; C. Y. Lin ; M. C. Chiang ; J. J. Liaw ; J. Y. Cheng ; S. H. Yang ; C. H. Tsai ; P. N. Chen ; T. Miyashita ; C. H. Chang ; V. S. Chang ; K. H. Pan ; J. H. Chen ; Y. S. Mor ; K. T. Lai ; C. S. Liang ; H. F. Chen ; S. Y. Chang ; C. J. Lin ; C. H. Hsieh ; R. F. Tsui ; C. H. Yao ; C. C. Chen ; R. Chen ; C. H. Lee ; H. J. Lin ; C. W. Chang ; K. W. Chen ; M. H. Tsai ; K. S. Chen ; Y. Ku ; S. M. Jang</i>	
2.7 - A 7NM FINFET TECHNOLOGY FEATURING EUV PATTERNING AND DUAL STRAINED HIGH MOBILITY CHANNELS	47
<i>R. Xie ; P. Montanini ; K. Akarvardar ; N. Tripathi ; B. Haran ; S. Johnson ; T. Hook ; B. Hamieh ; D. Corliss ; J. Wang ; X. Miao ; J. Sporre ; J. Fronheiser ; N. Loubet ; M. Sung ; S. Sieg ; S. Mochizuki ; C. Prindle ; S. Seo ; A. Greene ; J. Shearer ; A. Labonte ; S. Fan ; L. Liebmann ; R. Chao ; A. Arceo ; K. Chung ; K. Cheon ; P. Adusumilli ; H. P. Amanapu ; Z. Bi ; J. Cha ; H. -C. Chen ; R. Conti ; R. Galatage ; O. Gluschenkov ; V. Kamineni ; K. Kim ; C. Lee ; F. Lie ; Z. Liu ; S. Mehta ; E. Miller ; H. Niimi ; C. Niu ; C. Park ; D. Park ; M. Raymond ; B. Sahu ; M. Sankarapandian ; S. Siddiqui ; R. Southwick ; L. Sun ; C. Surisetty ; S. Tsai ; S. Whang ; P. Xu ; Y. Xu ; C. Yeh ; P. Zeitsoff ; J. Zhang ; J. Li ; J. Demarest ; J. Arnold ; D. Canaperi ; D. Dunn ; N. Felix ; D. Gupta ; H. Jagannathan ; S. Kanakasabapathy ; W. Kleemeier ; C. Labelle ; M. Mottura ; P. Oldiges ; S. Skordas ; T. Standaert ; T. Yamashita ; M. Colburn ; M. Na ; V. Paruchuri ; S. Lian ; R. Divakaruni ; T. Gow ; S. Lee ; A. Knorr ; H. Bu ; M. Khare</i>	
3.1 - SIGE HBT WITH F_T/F_{MAX} OF 505 GHZ/720 GHZ	51
<i>B. Heinemann ; H. Rücker ; R. Barth ; F. Bärwolf ; J. Drews ; G. G. Fischer ; A. Fox ; O. Fursenko ; T. Grabolla ; F. Herzel ; J. Katzer ; J. Korn ; A. Krüger ; P. Kulse ; T. Lenke ; M. Lisker ; S. Marschmeyer ; A. Scheit ; D. Schmidt ; J. Schmidt ; M. A. Schubert ; A. Trusch ; C. Wipf ; D. Wolansky</i>	
3.2 - INGAAS TRI-GATE MOSFETS WITH RECORD ON-CURRENT	55
<i>Cezar B. Zota ; Fredrik Lindelow ; Lars-Erik Wernersson ; Erik Lind</i>	
3.3 - HIGH FREQUENCY GAN HEMTS FOR RF MMIC APPLICATIONS	59
<i>M. Micovic ; D. F. Brown ; D. Regan ; J. Wong ; Y. Tang ; F. Herrault ; D. Santos ; S. D. Burnham ; J. Tai ; E. Prophet ; I. Khalaf ; C. McGuire ; H. Bracamontes ; H. Fung ; A. K. Kurdoghlian ; A. Schmitz</i>	

3.4 - ELECTRIC-FIELD INDUCED F- MIGRATION IN SELF-ALIGNED INGAAS MOSFETS AND MITIGATION	63
<i>Xiaowei Cai ; Jianqiang Lin ; Dimitri A. Antoniadis ; Jesús A. del Alamo</i>	
3.5 - W-BAND N-POLAR GAN MISHEMTS WITH HIGH POWER AND RECORD 27.8% EFFICIENCY AT 94 GHZ	67
<i>B. Romanczyk ; M. Guidry ; S. Wienecke ; H. Li ; E. Ahmadi ; X. Zheng ; S. Keller ; U. K. Mishra</i>	
3.6 - MONOLITHIC INTEGRATION OF MULTIPLE III-V SEMICONDUCTORS ON SI FOR MOSFETS AND TFETS	71
<i>H. Schmid ; D. Cutaia ; J. Gooth ; S. Wirths ; N. Bologna ; K. E. Moselund ; H. Riel</i>	
3.7 - STUDY OF RF-CIRCUIT LINEARITY PERFORMANCE OF GAN HEMT TECHNOLOGY USING THE MVSG COMPACT DEVICE MODEL	75
<i>Ujwal Radhakrishna ; Pilsoon Choi ; Jesús Grajal ; Li-Shiuan Peh ; Tomás Palacios ; Dimitri Antoniadis</i>	
4.1 - TOWARDS ULTIMATE SCALING LIMITS OF PHASE-CHANGE MEMORY	79
<i>F. Xiong ; E. Yalon ; A. Behnam ; C. M. Neumann ; K. L. Grosse ; S. Deshmukh ; E. Pop</i>	
4.2 - ALD-BASED CONFINED PCM WITH A METALLIC LINER TOWARD UNLIMITED ENDURANCE	83
<i>W. Kim ; M. BrightSky ; T. Masuda ; N. Sosa ; S. Kim ; R. Bruce ; F. Carta ; G. Fraczak ; H. Y. Cheng ; A. Ray ; Y. Zhu ; H. L. Lung ; K. Suu ; C. Lam</i>	
4.3 - SiO_x-BASED RESISTIVE SWITCHING MEMORY (RRAM) FOR CROSSBAR STORAGE/SELECT ELEMENTS WITH HIGH ON/OFF RATIO	87
<i>A. Bricalli ; E. Ambrosi ; M. Laudato ; M. Maestro ; R. Rodriguez ; D. Ielmini</i>	
4.4 - FORMING-FREE METAL-OXIDE RERAM BY OXYGEN ION IMPLANTATION PROCESS	91
<i>Wonjoo Kim ; Alexander Hardtdegen ; Christian Rodenbücher ; Stephan Menzel ; Dirk J. Wouters ; Susanne Hoffmann-Eifert ; Dan Buca ; Rainer Waser ; Vikas Rana</i>	
4.5 - UNDERSTANDING RRAM ENDURANCE, RETENTION AND WINDOW MARGIN TRADE-OFF USING EXPERIMENTAL RESULTS AND SIMULATIONS	95
<i>C. Nail ; G. Molas ; P. Blaise ; G. Piccolboni ; B. Sklenard ; C. Cagli ; M. Bernard ; A. Roule ; M. Azzaz ; E. Vianello ; C. Carabasse ; R. Berthier ; D. Cooper ; C. Pelissier ; T. Magis ; G. Ghibaudo ; C. Vallée ; D. Bedeau ; O. Mosendz ; B. De Salvo ; L. Perniola</i>	
4.6 - STATISTICAL INVESTIGATION OF THE IMPACT OF PROGRAM HISTORY AND OXIDE-METAL INTERFACE ON OXRRAM RETENTION	99
<i>C. Y. Chen ; A. Fantini ; R. Degraeve ; A. Redolfi ; G. Groeseneken ; L. Goux ; G S. Kar</i>	
4.7 - FUNDAMENTAL VARIABILITY LIMITS OF FILAMENT-BASED RRAM	103
<i>A. Grossi ; E. Nowak ; C. Zambelli ; C. Pellissier ; S. Bernasconi ; G. Cibrario ; K. El Hajjam ; R. Crochemore ; J. F. Nodin ; P. Olivo ; L. Perniola</i>	
4.8 - TRUE RANDOM NUMBER GENERATOR USING CURRENT DIFFERENCE BASED ON A FRACTIONAL STOCHASTIC MODEL IN 40-NM EMBEDDED RERAM	107
<i>Z. Wei ; Y. Katoh ; S. Ogasahara ; Y. Yoshimoto ; K. Kawai ; Y. Ikeda ; K. Eriguchi ; K. Ohmori ; S. Yoneda</i>	
5.1 - CARBON NANOTUBE COMPLEMENTARY LOGIC WITH LOW-TEMPERATURE PROCESSED END-BONDED METAL CONTACTS	111
<i>Jianshi Tang ; Qing Cao ; Damon B. Farmer ; George Tulevski ; Shu-Jen Han</i>	
5.2 - FIRST DEMONSTRATION OF A WRAP-GATED CNT-FET WITH VERTICALLY-SUSPENDED CHANNELS	115
<i>Dongil Lee ; Byung-Hyun Lee ; Jinsu Yoon ; Bongsik Choi ; Jun-Young Park ; Dae-Chul Ahn ; Choong-Ki Kim ; Byeong-Woon Hwang ; Seung-Bae Jeon ; Hyun Jun Ahn ; Myeong-Lok Seol ; Min-Ho Kang ; Byung Jin Cho ; Sung-Jin Choi ; Yang-Kyu Choi</i>	
5.3 - RECORD LOW METAL — (CVD) GRAPHENE CONTACT RESISTANCE USING ATOMIC ORBITAL OVERLAP ENGINEERING	119
<i>Adil Meersha ; H. B. Variar ; K. Bhardwaj ; A. Mishra ; S. Raghavan ; N. Bhat ; Mayank Shrivastava</i>	
5.4 - FIRST-PRINCIPLES SIMULATIONS OF 2-D SEMICONDUCTOR DEVICES: MOBILITY, I-V CHARACTERISTICS, AND CONTACT RESISTANCE	123
<i>M. Luisier ; A. Szabo ; C. Stieger ; C. Klinkert ; S. Brück ; A. Jain ; L. Novotny</i>	
5.5 - FEW-LAYER BLACK PHOSPHOROUS PMOSFETS WITH BN/Al₂O₃ BILAYER GATE DIELECTRIC: ACHIEVING I_{ON}=850μA/μM, G_M=340μS/μM, AND R_C=0.58KΩ μM	127
<i>L. M. Yang ; G. Qiu ; M. W. Si ; A. R. Charnas ; C. A. Milligan ; D. Y. Zemlyanov ; H. Zhou ; Y. C. Du ; Y. M. Lin ; W. Tsai ; Qing Paduano ; M. Snure ; P. D. Ye</i>	
5.6 - APPROACHING BALLISTIC TRANSPORT IN MONOLAYER MOS₂ TRANSISTORS WITH SELF-ALIGNED 10 NM TOP GATES	131
<i>Chris D. English ; Kirby K. H. Smithe ; Runjie Lily Xu ; Eric Pop</i>	
5.7 - HIGH-YIELD LARGE AREA MOS₂ TECHNOLOGY: MATERIAL, DEVICE AND CIRCUITS CO-OPTIMIZATION	135
<i>L. Yu ; D. El-Damak ; U. Radhakrishna ; A. Zubair ; D. Piedra ; X. Ling ; Y. Lin ; Y. Zhang ; Y. -H. Lee ; D. Antoniadis ; J. Kong ; A. Chandrakasan ; T. Palacios</i>	

5.8 - QUANTITATIVE EVALUATION OF ENERGY DISTRIBUTION OF INTERFACE TRAP DENSITY AT MOS₂ MOS INTERFACES BY THE THERMAN METHOD	139
<i>M. Takenaka ; Y. Ozawa ; J. Han ; S. Takagi</i>	
6.1 - HIGH PERFORMANCE, FLEXIBLE CMOS CIRCUITS AND SENSORS TOWARD WEARABLE HEALTHCARE APPLICATIONS	143
<i>Kuniharu Takei</i>	
6.2 - CIRCUITS AND SYSTEMS FOR ENERGY EFFICIENT SMART WEARABLES	147
<i>Ajit Sharma ; Tarkesh Pande ; Praveen Aroul ; Karthik Soundarapandian ; Wai Lee</i>	
6.3 - FLEXIBLE METAL-OXIDE THIN FILM TRANSISTOR CIRCUITS FOR RFID AND HEALTH PATCHES	151
<i>P. Heremans ; N. Papadopoulos ; A. de Jamblinne de Meux ; M. Nag ; S. Steudel ; M. Rockelé ; G. Gelinck ; A. Tripathi ; J. Genoe ; K. Myny</i>	
6.4 - CHALLENGES AND OPPORTUNITIES IN FLEXIBLE ELECTRONICS	155
<i>R. D. Bringans ; Janos Veres</i>	
6.5 - ADVANCED INTEGRATED SENSOR AND LAYER TRANSFER TECHNOLOGIES FOR WEARABLE BIOELECTRONICS	157
<i>A. Alharbi ; B. Nasri ; T. Wu ; D. Shahrjerdi</i>	
6.6 - WEARABLE SWEAT BIOSENSORS	161
<i>Wei Gao ; Hnin Y. Y. Nyein ; Ziba Shahpar ; Li-Chia Tai ; Eric Wu ; Mallika Bariya ; Hiroki Ota ; Hossain M. Fahad ; Kevin Chen ; Ali Javey</i>	
6.7 - FLEXIBLE METAMATERIALS, COMPRISING MULTIFERROIC FILMS	165
<i>Y. P. Lee ; Y. J. Yoo ; Y. J. Kim ; H. M. Son ; J. S. Hwang</i>	
7.1 - A NOVEL SYNTHESIS OF RENT'S RULE AND EFFECTIVE-MEDIA THEORY PREDICTS FEOL AND BEOL RELIABILITY OF SELF-HEATED ICS	168
<i>Woojin Ahn ; Hai Jiang ; SangHoon Shin ; Muhammad Ashraf Alam</i>	
7.2 - NEW APPROACH FOR UNDERSTANDING "RANDOM DEVICE PHYSICS" FROM CHANNEL PERCOLATION PERSPECTIVES: STATISTICAL SIMULATIONS, KEY FACTORS AND EXPERIMENTAL RESULTS	172
<i>Zhe Zhang ; Zexuan Zhang ; Runsheng Wang ; Xiaobo Jiang ; Shaofeng Guo ; Yangyuan Wang ; Xingsheng Wang ; Binjie Cheng ; Asen Asenov ; Ru Huang</i>	
7.3 - OXIDE-BASED ANALOG SYNAPSE: PHYSICAL MODELING, EXPERIMENTAL CHARACTERIZATION, AND OPTIMIZATION	176
<i>Bin Gao ; Huaqiang Wu ; Jinfeng Kang ; Hongyu Yu ; He Qian</i>	
7.4 - EXTENDING THE BOUNDS OF PERFORMANCE IN E-MODE P-CHANNEL GAN MOSHETS	180
<i>A. Kumar ; M. M. De Souza</i>	
7.5 - NSP: PHYSICAL COMPACT MODEL FOR STACKED-PLANAR AND VERTICAL GATE-ALL-AROUND MOSFETS	184
<i>O. Rozeau ; S. Martinie ; T. Poiroux ; F. Triozon ; S. Barraud ; J. Lacord ; Y. M. Niquet ; C. Tabone ; R. Coquand ; E. Augendre ; M. Vinet ; O. Faynot ; J. -Ch. Barbé</i>	
7.6 - A PHYSICS-BASED COMPACT MODEL FOR MATERIAL- AND OPERATION-ORIENTED SWITCHING BEHAVIORS OF CBRAM	188
<i>Y. D. Zhao ; J. J. Hu ; P. Huang ; F. Yuan ; Y. Chai ; X. Y. Liu ; J. F. Kang</i>	
7.7 - MULTI-DOMAIN COMPACT MODELING FOR GESBTE-BASED MEMORY AND SELECTOR DEVICES AND SIMULATION FOR LARGE-SCALE 3-D CROSS-POINT MEMORY ARRAYS	192
<i>Nuo Xu ; Jing Wang ; Yexin Deng ; Yang Lu ; Bo Fu ; Woosung Choi ; Udit Monga ; Jongwook Jeon ; Jongchol Kim ; Keun-Ho Lee ; Eun Seung Jung</i>	
8.1 - BACKSIDE ILLUMINATED SPAD IMAGE SENSOR WITH 7.83μM PITCH IN 3D-STACKED CMOS TECHNOLOGY	196
<i>T. Al Abbas ; N. A. W. Dutton ; O. Almer ; S. Pellegrini ; Y. Henrion ; R. K. Henderson</i>	
8.2 - 256$\times$256, 100KFPS, 61% FILL-FACTOR TIME-RESOLVED SPAD IMAGE SENSOR FOR MICROSCOPY APPLICATIONS	200
<i>I. Gyongy ; N. Calder ; A. Davies ; N. A. W. Dutton ; P. Dalgarno ; R. Duncan ; C. Rickman ; R. K. Henderson</i>	
8.3 - AN APD-CMOS IMAGE SENSOR TOWARD HIGH SENSITIVITY AND WIDE DYNAMIC RANGE	204
<i>M. Mori ; Y. Sakata ; M. Usuda ; S. Kasuga ; S. Yamahira ; Y. Hirose ; Y. Kato ; A. Odagawa ; T. Tanaka</i>	
8.4 - NOVEL STACKED CMOS IMAGE SENSOR WITH ADVANCED CU₂CU HYBRID BONDING	208
<i>Y. Kagawa ; N. Fujii ; K. Aoyagi ; Y. Kobayashi ; S. Nishi ; N. Todaka ; S. Takeshita ; J. Taura ; H. Takahashi ; Y. Nishimura ; K. Tatani ; M. Kawamura ; H. Nakayama ; T. Nagano ; K. Ohno ; H. Iwamoto ; S. Kadomura ; T. Hirayama</i>	

8.5 - AN OVER 1MFPS GLOBAL SHUTTER CMOS IMAGE SENSOR WITH 480 FRAME STORAGE USING VERTICAL ANALOG MEMORY INTEGRATION.....	212
<i>M. Suzuki ; M. Suzuki ; R. Kuroda ; Y. Kumagai ; A. Chiba ; N. Miura ; N. Kuriyama ; S. Sugawa</i>	
8.6 - A 1.8E⁻ TEMPORAL NOISE OVER 90DB DYNAMIC RANGE 4K2K SUPER 35MM FORMAT SEAMLESS GLOBAL SHUTTER CMOS IMAGE SENSOR WITH MULTIPLE ACCUMULATION SHUTTER TECHNOLOGY.....	216
<i>Kazunari Kawabata ; Masahiro Kobayashi ; Yusuke Onuki ; Hiroshi Sekine ; Toshiki Tsuboi ; Yasushi Matsuno ; Hidekazu Takahashi ; Shunsuke Inoue ; Takeshi Ichikawa</i>	
8.7 - FOUR-DIRECTIONAL PIXEL-WISE POLARIZATION CMOS IMAGE SENSOR USING AIR-GAP WIRE GRID ON 2.5-μM BACK-ILLUMINATED PIXELS.....	220
<i>Tomohiro Yamazaki ; Yasushi Maruyama ; Yusuke Uesaka ; Motoaki Nakamura ; Yoshihisa Matoba ; Takashi Terada ; Kenta Komori ; Yoshiyuki Ohba ; Shinichi Arakawa ; Yasutaka Hirasawa ; Yuhiko Kondo ; Jun Murayama ; Kentaro Akiyama ; Yusuke Oike ; Shuzo Sato ; Takayuki Ezaki</i>	
9.1 - FOOTPRINT-EFFICIENT AND POWER-SAVING MONOLITHIC IOT 3D⁺ IC CONSTRUCTED BY BEOL-COMPATIBLE SUB-10NM HIGH ASPECT RATIO (AR>7) SINGLE-GRAINED SI FINFETS WITH RECORD HIGH ION OF 0.38 MA/μM AND STEEP-SWING OF 65 MV/DEC. AND I_{ON}/I_{OFF} RATIO OF 8.....	224
<i>Chih-Chao Yang ; Jia-Min Shieh ; Tung-Ying Hsieh ; Wen-Hsien Huang ; Hsing-Hsiang Wang ; Chang-Hong Shen ; Fu-Kuo Hsueh ; Ping-Yi Hsieh ; Meng-Chyi Wu ; Wen-Kuan Yeh</i>	
9.2 - AN ADVANCED 3D/2.5D INTEGRATION PACKAGING APPROACH USING DOUBLE-SELF-ASSEMBLY METHOD WITH COMPLEX TOPOGRAPHY, AND MICROPIN-FIN HEAT SINK INTERPOSER FOR PRESSURE SENSING SYSTEM.....	228
<i>Yu-Chen Hu ; Chun-Pin Lin ; Hsiao-Chun Chang ; Yu-Tao Yang ; Chi-Shi Chen ; Kuan-Neng Chen</i>	
9.3 - INTERCONNECT SCALING: CHALLENGES AND OPPORTUNITIES	232
<i>Ruth Brain</i>	
9.4 - CMOS COMPATIBLE MIM DECOUPLING CAPACITOR WITH RELIABLE SUB-NM EOT HIGH-K STACKS FOR THE 7 NM NODE AND BEYOND	236
<i>T. Ando ; E. Cartier ; P. Jamison ; A. Pyzyna ; S. Kim ; J. Bruley ; K. Chung ; H. Shobha ; I. Estrada-Raygoza ; H. Tang ; S. Kanakasabapathy ; T. Spooner ; L. Clevenger ; G. Bonilla ; H. Jagannathan ; V. Narayanan</i>	
9.5 - BEOL COMPATIBLE GRAPHENE/CU WITH IMPROVED ELECTROMIGRATION LIFETIME FOR FUTURE INTERCONNECTS.....	240
<i>Ling Li ; Zhongwei Zhu ; Tao Wang ; Jean A. Currivan-Incorvia ; Alex Yoon ; H. -S. Philip Wong</i>	
9.6 - VERTICAL CHANNEL DEVICES ENABLED BY THROUGH SILICON VIA (TSV) TECHNOLOGIES.....	244
<i>C. Kothandaraman ; S. Rosenblatt ; J. Safran ; P. Oldiges ; P. Kulkarni-Kerber ; J. Xumalo ; W. Landers ; J. Liu ; J. A. Oakley ; S. Butt ; T. L. Graves-Abe ; N. Robson ; M. G. Farooq ; D. Berger ; S. S. Iyer</i>	
10.1 - 1.7 KV/1.0 MOCM² NORMALLY-OFF VERTICAL GAN TRANSISTOR ON GAN SUBSTRATE WITH REGROWN P-GAN/ALGAN/GAN SEMIPOLAR GATE STRUCTURE.....	248
<i>Daisuke Shibata ; Ryo Kajitani ; Masahiro Ogawa ; Kenichiro Tanaka ; Satoshi Tamura ; Tsuguyasu Hatsuda ; Masahiro Ishida ; Tetsuzo Ueda</i>	
10.2 - NOVEL GAN TRENCH MIS BARRIER SCHOTTKY RECTIFIERS WITH IMPLANTED FIELD RINGS	252
<i>Y. Zhang ; M. Sun ; Z. Liu ; D. Piedra ; M. Pan ; X. Gao ; Y. Lin ; A. Zubair ; L. Yu ; T. Palacios</i>	
10.3 - HIGH-SPEED SWITCHING AND CURRENT-COLLAPSE-FREE OPERATION BY GAN GATE INJECTION TRANSISTORS WITH THICK GAN BUFFER ON BULK GAN SUBSTRATES.....	256
<i>Hirofumi Handa ; Shinji Ujita ; Daisuke Shibata ; Ryo Kajitani ; Nanako Shiozaki ; Masahiro Ogawa ; Hidekazu Umeda ; Kenichiro Tanaka ; Satoshi Tamura ; Tsuguyasu Hatsuda ; Masahiro Ishida ; Tetsuzo Ueda</i>	
10.4 - INTEGRATION OF LPCVD-SiN_x GATE DIELECTRIC WITH RECESSED-GATE E-MODE GAN MIS-FETS: TOWARD HIGH PERFORMANCE, HIGH STABILITY AND LONG TDDF LIFETIME	260
<i>Mengyuan Hua ; Zhaofu Zhang ; Jin Wei ; Jiacheng Lei ; Gaofei Tang ; Kai Fu ; Yong Cai ; Baoshun Zhang ; Kevin J. Chen</i>	
10.5 - SUPERIOR PERFORMANCE OF SIC POWER DEVICES AND ITS LIMITATION BY SELF-HEATING	264
<i>T. Terashima</i>	
10.6 - EXPERIMENTAL VERIFICATION OF A 3D SCALING PRINCIPLE FOR LOW V_{CE(SAT)} IGBT	268
<i>K. Kakushima ; T. Hoshii ; K. Tsutsui ; A. Nakajima ; S. Nishizawa ; H. Wakabayashi ; I. Muneta ; K. Sato ; T. Matsudai ; W. Saito ; T. Saraya ; K. Itou ; M. Fukui ; S. Suzuki ; M. Kobayashi ; T. Takakura ; T. Hiramoto ; A. Ogura ; Y. Numasawa ; I. Omura ; H. Ohashi ; H. Iwai</i>	

10.7 - EXPERIMENTAL DEMONSTRATION OF -730V VERTICAL SIC P-MOSFET WITH HIGH SHORT CIRCUIT WITHSTAND CAPABILITY FOR COMPLEMENTARY INVERTER APPLICATIONS	272
<i>Junjie An ; Masaki Namai ; Mikiko Tanabe ; Dai Okamoto ; Hiroshi Yano ; Noriyuki Iwamuro</i>	
10.8 - ON THE SUBTHRESHOLD DRAIN CURRENT SWEEP HYSTERESIS OF 4H-SIC NMOSFETS	276
<i>Gerald Rescher ; Gregor Pobegen ; Thomas Aichinger ; Tibor Grassner</i>	
11.1 - FIRST DEMONSTRATION OF FINFET SPLIT-GATE MONOS FOR HIGH-SPEED AND HIGHLY-RELIABLE EMBEDDED FLASH IN 16/14NM-NODE AND BEYOND	280
<i>S. Tsuda ; Y. Kawashima ; K. Sonoda ; A. Yoshitomi ; T. Mihara ; S. Narumi ; M. Inoue ; S. Muranaka ; T. Maruyama ; T. Yamashita ; Y. Yamaguchi ; D. Hisamoto</i>	
11.2 - A NEW RULER ON THE STORAGE MARKET: 3D-NAND FLASH FOR HIGH-DENSITY MEMORY AND ITS TECHNOLOGY EVOLUTIONS AND CHALLENGES ON THE FUTURE.....	284
<i>Jaeduk Lee ; Jaehoon Jang ; Junhee Lim ; Yu Gyun Shin ; Kyupil Lee ; Eunseung Jung</i>	
11.3 - POLYCRYSTALLINE-SILICON CHANNEL TRAP INDUCED TRANSIENT READ INSTABILITY IN A 3D NAND FLASH CELL STRING.....	288
<i>Wen-Jer Tsai ; W. L. Lin ; C. C. Cheng ; S. H. Ku ; Y. L. Chou ; Lennis Liu ; S. W. Hwang ; T. C. Lu ; K. C. Chen ; Tahui Wang ; Chih-Yuan Lu</i>	
11.4 - AUTOMOTIVE REQUIREMENTS TO NON-VOLATILE MEMORIES — A HOLISTIC APPROACH TO QUALIFICATION	292
<i>V. Kottler</i>	
11.5 - A 28NM HKMG SUPER LOW POWER EMBEDDED NVM TECHNOLOGY BASED ON FERROELECTRIC FETS.....	294
<i>M. Trentzsch ; S. Flachowsky ; R. Richter ; J. Paul ; B. Reimer ; D. Utess ; S. Jansen ; H. Mulaosmanovic ; S. Müller ; S. Slesazek ; J. Ocker ; M. Noack ; J. Müller ; P. Polakowski ; J. Schreiter ; S. Beyer ; T. Mikolajick ; B. Rice</i>	
11.6 - HOW TO MAKE DRAM NON-VOLATILE? ANTI-FERROELECTRICS: A NEW PARADIGM FOR UNIVERSAL MEMORIES.....	298
<i>Milan Pesic ; Steve Knebel ; Michael Hoffmann ; Claudia Richter ; Thomas Mikolajick ; Uwe Schroeder</i>	
11.7 - FULLY BEOL COMPATIBLE TAO_x-BASED SELECTOR WITH HIGH UNIFORMITY AND ROBUST PERFORMANCE	302
<i>Qing Luo ; Xiaoxin Xu ; Hangbing Lv ; Tiancheng Gong ; Shibing Long ; Qi Liu ; Haitao Sun ; Ling Li ; Nianduan Lu ; Ming Liu</i>	
12.1 - PHYSICAL THICKNESS 1.X NM FERROELECTRIC HfZRO_x NEGATIVE CAPACITANCE FETS.....	306
<i>M. H. Lee ; S. -T. Fan ; C. -H. Tang ; P. -G. Chen ; Y. -C. Chou ; H. -H. Chen ; J. -Y. Kuo ; M. -J. Xie ; S. -N. Liu ; M. -H. Liao ; C. -A. Jong ; K. -S. Li ; M. -C. Chen ; C. W. Liu</i>	
12.2 - FERROELECTRIC HfZRO_x GE AND GSN PMOSFETS WITH SUB-60 MV/DECADE SUBTHRESHOLD SWING, NEGLIGIBLE HYSTERESIS, AND IMPROVED I_{DS}	310
<i>Jiuren Zhou ; Genquan Han ; Qinglong Li ; Yue Peng ; Xiaoli Lu ; Chunfu Zhang ; Jincheng Zhang ; Qing-Qing Sun ; David Wei Zhang ; Yue Hao</i>	
12.3 - EXPERIMENTAL STUDY ON POLARIZATION-LIMITED OPERATION SPEED OF NEGATIVE CAPACITANCE FET WITH FERROELECTRIC HfO₂	314
<i>Masaharu Kobayashi ; Nozomu Ueyama ; Kyungmin Jang ; Toshiro Hiramoto</i>	
12.4 - FULLY COUPLED 3-D DEVICE SIMULATION OF NEGATIVE CAPACITANCE FINFETS FOR SUB 10 NM INTEGRATION	318
<i>Hiroyuki Ota ; Tsutomu Ikegami ; Junichi Hattori ; Koichi Fukuda ; Shinji Migita ; Akira Toriumi</i>	
12.5 - IMPACT OF LA₂O₃/INGAAS MOS INTERFACE ON INGAAS MOSFET PERFORMANCE AND ITS APPLICATION TO INGAAS NEGATIVE CAPACITANCE FET	322
<i>C. -Y. Chang ; K. Endo ; K. Kato ; C. Yokoyama ; M. Takenaka ; S. Takagi</i>	
12.6 - EXPERIMENTAL STUDY ON HOLE AND ELECTRON EFFECTIVE MASSES IN INVERSION LAYERS OF GE (100), (110) AND (111) P- AND N-MOSFETS.....	326
<i>R. Zhang ; J. Li ; Z. Zheng ; X. Yu ; W. Dong ; Y. Zhao</i>	
13.1 - QUANTUM COMPUTING WITHIN THE FRAMEWORK OF ADVANCED SEMICONDUCTOR MANUFACTURING	330
<i>J. S. Clarke ; N. Thomas ; J. Roberts ; R. Pilliarisetty ; Z. Yoscovits ; R. Caudillo ; H. George ; K. J. Singh ; D. Michalak ; P. Amin ; A. Mei ; A. Bruno ; S. Poletto ; J. Boter ; G. Droulers ; N. Kalhor ; N. Samkharadze ; J. P. Dehollain ; L. Yeoh ; A. Sammak ; G. Scappucci ; M. Veldhorst ; L. DiCarlo ; L. M. K. Vandersypen</i>	
13.2 - SPIN-BASED QUANTUM COMPUTING IN SILICON CMOS-COMPATIBLE PLATFORMS	333
<i>A. S. Dzurak</i>	
13.3 - COUPLED QUANTUM DOTS ON SOI AS HIGHLY INTEGRATED SI QUBITS.....	335
<i>S. Oda ; G. Yamahata ; K. Horibe ; T. Kodera</i>	

13.4 - SOI TECHNOLOGY FOR QUANTUM INFORMATION PROCESSING	339
<i>S. De Franceschi ; L. Hutin ; R. Maurand ; L. Bourdet ; H. Bohuslavskyi ; A. Corna ; D. Kotekar-Patil ; S. Barraud ; X. Jehl ; Y. -M. Niquet ; M. Sanquer ; M. Vinet</i>	
13.5 - CRYO-CMOS FOR QUANTUM COMPUTING.....	343
<i>E. Charbon ; F. Sebastiano ; A. Vladimirescu ; H. Homulle ; S. Visser ; L. Song ; R M. Incandela</i>	
13.6 - DIAMOND — A QUANTUM ENGINEER'S BEST FRIEND.....	347
<i>Marko Loncar</i>	
13.7 - LARGE-SCALE QUANTUM TECHNOLOGY BASED ON LUMINESCENT CENTERS IN CRYSTALS.....	348
<i>M. Trupke ; C. Salter ; S. Reisenbauer ; R. Vasconcelos ; G. Wachter ; K. Buczak ; A. Angerer ; J. Schmiedmayer ; F. Aumayr ; U. Schmid ; P. Walther ; W. J. Munro ; K. Nemoto</i>	
14.1 - TWO-DIMENSIONAL TRANSISTORS BASED ON MOS₂ LATERAL HETEROSTRUCTURES	352
<i>D. Marian ; E. Dib ; T. Cusati ; A. Fortunelli ; G. Iannaccone ; G. Fiori</i>	
14.2 - PHYSICS OF ELECTRONIC TRANSPORT IN TWO-DIMENSIONAL MATERIALS FOR FUTURE FETS.....	356
<i>M. V. Fischetti ; W. G. Vandehberghe</i>	
14.3 - A NUMERICAL STUDY OF SI-TMD CONTACT WITH N/P TYPE OPERATION AND INTERFACE BARRIER REDUCTION FOR SUB-5 NM MONOLAYER MOS₂ FET	360
<i>Ying-Tsan Tang ; Kai-Shin Li ; Lain-Jong Li ; Ming-Yang Li ; Chang-Hsien Lin ; Yi-Ju Chen ; Chun-Chi Chen ; Chuan-Jung Su ; Bo-Wei Wu ; Cheng-San Wu ; Min-Cheng Chen ; Jia-Min Shieh ; Wen-Kuan Yeh ; Po-Cheng Su ; Tahui Wang ; Fu-Liang Yang ; Chenming Hu</i>	
14.4 - A MODIFIED SCHOTTKY MODEL FOR GRAPHENE-SEMICONDUCTOR (3D/2D) CONTACT: A COMBINED THEORETICAL AND EXPERIMENTAL STUDY	364
<i>Shi-Jun Liang ; Wei Hu ; A. Di Bartolomeo ; Shaffique Adam ; Lay Kee Ang</i>	
14.5 - PERFORMANCE PREDICTIONS OF SINGLE-LAYER IN-V DOUBLE-GATE N- AND P-TYPE FIELD-EFFECT TRANSISTORS.....	368
<i>Hamilton Carrillo-Nuñez ; Christian Stieger ; Mathieu Luisier ; Andreas Schenk</i>	
14.6 - CURRENT STATUS AND CHALLENGES OF THE MODELING OF ORGANIC PHOTODIODES AND SOLAR CELLS	372
<i>R. Clerc ; B. Bouthinon ; M. Mohankumar ; P. Rannou ; J. Vaillant ; T. Maindron ; B. Racine ; Y-F Chen ; L. Hirsch ; J. M. Verilhac ; A. Pereira ; A. Revaux</i>	
14.7 - PROSPECTS OF ULTRA-THIN NANOWIRE GATED 2D-FETS FOR NEXT-GENERATION CMOS TECHNOLOGY	376
<i>Wei Cao ; Wei Liu ; Kaustav Banerjee</i>	
15.1 - RELIABILITY CHARACTERIZATION OF 10NM FINFET TECHNOLOGY WITH MULTI-VT GATE STACK FOR LOW POWER AND HIGH PERFORMANCE	380
<i>Minjung Jin ; Changze Liu ; Jinju Kim ; Jungin Kim ; Hyewon Shim ; Kangjung Kim ; Gunrae Kim ; Soonyoung Lee ; Taiki Uemura ; Man Chang ; Taehyun An ; Junekyun Park ; Sangwoo Pae</i>	
15.2 - CONSIDERATION OF BTI VARIABILITY AND PRODUCT LEVEL RELIABILITY TO EXPEDITE ADVANCED FINFET PROCESS DEVELOPMENT.....	384
<i>Y. -H. Lee ; J H. Lee ; Y. F. Wang ; R. Hsieh ; Y. S. Tsai ; K. Huang</i>	
15.3 - STATISTICAL MODEL OF THE NBTI-INDUCED THRESHOLD VOLTAGE, SUBTHRESHOLD SWING, AND TRANSCONDUCTANCE DEGRADATIONS IN ADVANCED P-FINFETS	388
<i>J. Franco ; B. Kaczer ; S. Mukhopadhyay ; P. Duhan ; P. Weckx ; Ph. J. Roussel ; T. Chiarella ; L. Ragnarsson ; L. Trojman ; N. Horiguchi ; A. Spessot ; D. Linten ; A. Mocuta</i>	
15.4 - HOT CARRIER EFFECT IN ULTRA-SCALED REPLACEMENT METAL GATE SI_{1-x}GE_x CHANNEL P-FINFETS.....	392
<i>Miaomiao Wang ; Xin Miao ; James H Stathis ; Richard Southwick ; Barry P. Linder ; Derrick Liu ; Ruqiang Bao ; Koji Watanabe</i>	
15.5 - NEW UNDERSTANDING OF DIELECTRIC BREAKDOWN IN ADVANCED FINFET DEVICES — PHYSICAL, ELECTRICAL, STATISTICAL AND MULTIPHYSICS STUDY	396
<i>S. Mei ; N. Raghavan ; M. Bosman ; D. Linten ; G. Groeseneken ; N. Horiguchi ; K. L. Pey</i>	
15.6 - SELF-HEATING IN FINFET AND GAA-NW USING SI, GE AND III/V CHANNELS.....	400
<i>E. Bury ; B. Kaczer ; D. Linten ; L. Witters ; H. Mertens ; N. Waldron ; X. Zhou ; N. Collaert ; N. Horiguchi ; A. Spessot ; G. Groeseneken</i>	
15.7 - SUBSTRATE AND LAYOUT ENGINEERING TO SUPPRESS SELF-HEATING IN FLOATING BODY TRANSISTORS.....	404
<i>S. H. Shin ; S. -H. Kim ; S. Kim ; H. Wu ; P. D. Ye ; M. A. Alam</i>	
15.8 - LOCAL THERMOMETRY OF SELF-HEATED NANOSCALE DEVICES	408
<i>F. Menges ; F. Motzfeld ; H. Schmid ; P. Mensch ; M. Dittberner ; S. Karg ; H. Riel ; B. Gotsmann</i>	

16.1 - HYPERDIMENSIONAL COMPUTING WITH 3D VRRAM IN-MEMORY KERNELS: DEVICE-ARCHITECTURE CO-DESIGN FOR ENERGY-EFFICIENT, ERROR-RESILIENT LANGUAGE RECOGNITION	412
<i>Haitong Li ; Tony F. Wu ; Abbas Rahimi ; Kai-Shin Li ; Miles Rusch ; Chang-Hsien Lin ; Juo-Luen Hsu ; Mohamed M. Sabry ; S. Burc Eryilmaz ; Joon Sohn ; Wen-Cheng Chiu ; Min-Cheng Chen ; Tsung-Ta Wu ; Jia-Min Shieh ; Wen-Kuan Yeh ; Jan M. Rabaey ; Subhasish Mitra ; H. -S. Philip Wong</i>	
16.2 - BINARY NEURAL NETWORK WITH 16 MB RRAM MACRO CHIP FOR CLASSIFICATION AND ONLINE TRAINING.....	416
<i>Shimeng Yu ; Zhiwei Li ; Pai-Yu Chen ; Huaqiang Wu ; Bin Gao ; Deli Wang ; Wei Wu ; He Qian</i>	
16.3 - A RERAM-BASED SINGLE-NVM NONVOLATILE FLIP-FLOP WITH REDUCED STRESS-TIME AND WRITE-POWER AGAINST WIDE DISTRIBUTION IN WRITE-TIME BY USING SELF-WRITE-TERMINATION SCHEME FOR NONVOLATILE PROCESSORS IN IOT ERA	420
<i>Chieh-Pu Lo ; Wei-Hao Chen ; Zhibo Wang ; Albert Lee ; Kuo-Hsiang Hsu ; Fang Su ; Ya-Chin King ; Chrong Jung Lin ; Yongpan Liu ; Huazhong Yang ; Pedram Khalili ; Kang-Lung Wang ; Meng-Fan Chang</i>	
16.4 - 50×20 CROSSBAR SWITCH BLOCK (CSB) WITH TWO-VARISTORS (A-SI/SIN/A-SI) SELECTED COMPLEMENTARY ATOM SWITCH FOR A HIGHLY-DENSE RECONFIGURABLE LOGIC	424
<i>N. Banno ; M. Tilda ; K. Okamoto ; N. Iguchi ; T. Sakamoto ; H. Hada ; H. Ochi ; H. Onodera ; M. Hashimoto ; T. Sugibayashi</i>	
16.5 - ZERO STATIC-POWER 4T SRAM WITH SELF-INHIBIT RESISTIVE SWITCHING LOAD BY PURE CMOS LOGIC PROCESS	428
<i>Chu-Feng Liao ; Meng-Yin Hsu ; Yue-Der Chih ; Jonathan Chang ; Ya-Chin King ; Chrong Jung Lin</i>	
16.6 - EXPERIMENTAL DEMONSTRATION OF SHORT AND LONG TERM SYNAPTIC PLASTICITY USING OXRAM MULTI K-BIT ARRAYS FOR RELIABLE DETECTION IN HIGHLY NOISY INPUT DATA.....	432
<i>T. Werner ; E. Vianello ; O. Bichler ; A. Grossi ; E. Nowak ; J. -F. Nodin ; B. Yvert ; B. DeSalvo ; L. Perniola</i>	
16.7 - DEVICE NONIDEALITY EFFECTS ON IMAGE RECONSTRUCTION USING MEMRISTOR ARRAYS	436
<i>Wen Ma ; Fuxi Cai ; Chao Du ; Yeonjoo Jeong ; Mohammed Zidan ; Wei D. Lu</i>	
16.8 - DEMONSTRATION OF HYBRID CMOS/RRAM NEURAL NETWORKS WITH SPIKE TIME/RATE-DEPENDENT PLASTICITY	440
<i>V. Milo ; G. Pedretti ; R. Carboni ; A. Calderoni ; N. Ramaswamy ; S. Ambrogio ; D. Ielmini</i>	
17.1 - AIR SPACER FOR 10NM FINFET CMOS AND BEYOND	444
<i>K. Cheng ; C. Park ; C. Yeung ; S. Nguyen ; J. Zhang ; X. Miao ; M. Wang ; S. Mehta ; J. Li ; C. Surisetty ; R. Muthinti ; Z. Liu ; H. Tang ; S. Tsai ; T. Yamashita ; H. Bu ; R. Divakaruni</i>	
17.2 - FINFET PERFORMANCE WITH SI:P AND GE:GROUP-III-METAL METASTABLE CONTACT TRENCH ALLOYS	448
<i>O. Gluschenkov ; Z. Liu ; H. Nimi ; S. Mochizuki ; J. Fronheiser ; X. Miao ; J. Li ; J. Demarest ; C. Zhang ; C. Niu ; B. Liu ; A. Petrescu ; P. Adusumilli ; J. Yang ; H. Jagannathan ; H. Bu ; T. Yamashita</i>	
17.3 - FOI FINFET WITH ULTRA-LOW PARASITIC RESISTANCE ENABLED BY FULLY METALLIC SOURCE AND DRAIN FORMATION ON ISOLATED BULK-FIN.....	452
<i>Qingzhu Zhang ; Huaxiang Yin ; Jun Luo ; Hong Yang ; Lingkuan Meng ; Yudong Li ; Zhenhua Wu ; Yanbo Zhang ; Yongkui Zhang ; Changliang Qin ; Junjie Li ; Jianfeng Gao ; Guilei Wang ; Wenjuan Xiong ; Jinjuan Xiang ; Zhangyu Zhou ; Shujian Mao ; Gaobo Xu ; Jinbiao Liu ; Yang Qu ; Tao Yang ; Junfeng Li ; Qiuxia Xu ; Jiang Yan ; Huilong Zhu ; Chao Zhao ; Tianchun Ye</i>	
17.4 - TECHNOLOGY VIABLE DC PERFORMANCE ELEMENTS FOR SI/SIGE CHANNEL CMOS FINFTT.....	456
<i>Gen Tsutsui ; Ruqiang Bao ; Kwan-yong Lim ; Robert R. Robison ; Reinaldo A. Vega ; Jie Yang ; Zuoguang Liu ; Miaomiao Wang ; Oleg Gluschenkov ; Chun Wing Yeung ; Koji Watanabe ; Steven Bentley ; Hiroaki Niimi ; Derrick Liu ; Huimei Zhou ; Shariq Siddiqui ; Hoon Kim ; Rohit Galatage ; Rajasekhar Venigalla ; Mark Raymond ; Praneet Adusumilli ; Shogo Mochizuki ; Thamarai S. Devarajan ; Bruce Miao ; Bei Liu ; Andrew Greene ; Jeffrey Shearer ; Pietro Montanini ; Jay W. Strane ; Christopher Prindle ; Eric R. Miller ; Jody Fronheiser ; Chengyu C. Niu ; Kisup Chung ; James J. Kelly ; Hemanth Jagannathan ; Sivananda Kanasabapathy ; Gauri Karve ; Fee Li Lie ; Philip Oldiges ; Vijay Narayanan ; Terence B. Hook ; Andreas Knorr ; Dinesh Gupta ; Dechao Guo ; Rama Divakaruni ; Huiming Bu ; Mukesh Khare</i>	
17.5 - IMPROVEMENT OF THE CMOS CHARACTERISTICS OF BULK SI FINFETS BY HIGH TEMPERATURE ION IMPLANTATION	460
<i>Y. Kikuchi ; T. Hopf ; G. Mannaert ; Z. Tao ; A. Waite ; J. Cournoyer ; J. Borniquel ; R. Schreutelkamp ; R. Ritzenthaler ; M. S. Kim ; S. Kubicek ; S. A. Chew ; K. Devriendt ; T. Schram ; S. Demuynck ; N. Variam ; N. Horiguchi ; D. Mocuta</i>	

17.6 - VERTICALLY STACKED-NANOWIRES MOSFETS IN A REPLACEMENT METAL GATE PROCESS WITH INNER SPACER AND SIGE SOURCE/DRAIN.....	464
<i>S. Barraud ; V. Lapras ; M. P. Samson ; L. Gaben ; L. Grenouillet ; V. Maffini-Alvaro ; Y. Morand ; J. Daranlot ; N. Rambal ; B. Previtali ; S. Reboh ; C. Tabone ; R. Coquand ; E. Augendre ; O. Rozeau ; J. M. Hartmann ; C. Vizioz ; C. Arvet ; P. Pimenta-Barros ; N. Posseme ; V. Loup ; C. Comboroure ; C. Euvrard ; V. Balan ; I. Tinti ; G. Audoit ; N. Bernier ; D. Cooper ; Z. Saghi ; F. Allain ; A. Toffoli ; O. Faynot ; M. Vinet</i>	
17.7 - A NOVEL DUAL ISOLATION SCHEME FOR STRESS AND BACK-BIAS MAXIMUM EFFICIENCY IN FDSOI TECHNOLOGY	468
<i>R. Berthelon ; F. Andrieu ; P. Perreau ; D. Cooper ; F. Roze ; O. Gourhant ; P. Rivallin ; N. Bernier ; A. Cros ; C. Ndiaye ; E. Baylac ; E. Souchier ; D. Dutartre ; A. Claverie ; O. Weber ; E. Josse ; M. Vinet ; M. Haond</i>	
18.1 - HIGHLY IMPROVED RESPONSE AND RECOVERY CHARACTERISTICS OF SI FET-TYPE GAS SENSOR USING PRE-BIAS.....	472
<i>Jongmin Shin ; Yoonki Hong ; Meile Wu ; Younjin Jang ; Jun Shik Kim ; Byung-Gook Park ; Cheol Seong Hwang ; Jong-Ho Lee</i>	
18.2 - GRAPHENE-GATE TRANSISTORS FOR GAS SENSING AND THRESHOLD CONTROL.....	476
<i>N. Harada ; K. Hayashi ; M. Kataoka ; J. Yamaguchi ; M. Ohtomo ; M. Ohfuchi ; I. Soga ; D. Kondo ; T. Iwai ; S. Sato</i>	
18.3 - TUNABLE AND WEARABLE HIGH PERFORMANCE STRAIN SENSORS BASED ON LASER PATTERNED GRAPHENE FLAKES	480
<i>Lu-Qi Tao ; Dan-Yang Wang ; He Tian ; Zhen-Yi Ju ; Ying Liu ; Yuan-Quan Chen ; Qian-Yi Xie ; Hai-Ming Zhao ; Yi Yang ; Tian-Ling Ren</i>	
18.4 - THINNEST TRANSPARENT EPIDERMAL SENSOR SYSTEM BASED ON GRAPHENE	484
<i>S. K. Ameri ; R. Ho ; H. Jang ; Y. Wang ; D. M. Schnyer ; D. Akinwande ; N. Lu</i>	
18.5 - HETEROGENEOUSLY-INTEGRATED MICRODEVICES.....	488
<i>Shuji Tanaka</i>	
18.6 - A CMOS-COMPATIBLE LARGE-SCALE MONOLITHIC INTEGRATION OF HETEROGENEOUS MULTI-SENSORS ON FLEXIBLE SILICON FOR IOT APPLICATIONS	492
<i>Joanna M. Nassar ; Galo A. Torres Sevilla ; Seneca J. Velling ; Marlon D. Cordero ; Muhammad Mustafa Hussain</i>	
18.7 - SENSORS AND HAPTICS TECHNOLOGIES FOR USER INTERFACE DESIGN IN WEARABLES.....	496
<i>R. Baskaran ; G. C. Dogiamis</i>	
19.1 - VERTICAL INAS/GAASSB/GASB TUNNELING FIELD-EFFECT TRANSISTOR ON SI WITH $S = 48$ MV/DECADE AND $I_{ON} = 10 \mu A/\mu M$ FOR $I_{OFF} = 1$ NA/μM AT $V_{DS} = 0.3$ V	500
<i>E. Memisevic ; J. Svensson ; M. Hellenbrand ; E. Lind ; L. -E. Wernersson</i>	
19.2 - TWO-DIMENSIONAL HETEROJUNCTION INTERLAYER TUNNEL FET (THIN-TFET): FROM THEORY TO APPLICATIONS	504
<i>Mingda Oscar Li ; Rusen Yan ; Debdeep Jena ; Huili Grace Xing</i>	
19.3 - HYBRID PHASE-CHANGE — TUNNEL FET (PC-TFET) SWITCH WITH SUBTHRESHOLD SWING < 10 MV/DECADE AND SUB-0.1 BODY FACTOR: DIGITAL AND ANALOG BENCHMARKING.....	508
<i>E. A. Casu ; W. A. Vitale ; N. Oliva ; T. Rosca ; A. Biswas ; C. Alper ; A. Krammer ; G. V. Luong ; Q. T. Zhao ; S. Mantl ; A. Schuler ; A. Seabaugh ; A. M. Ionescu</i>	
19.4 - DEMONSTRATING PERFORMANCE IMPROVEMENT OF COMPLEMENTARY TFET CIRCUITS BY ION ENHANCEMENT BASED ON ISOELECTRONIC TRAP TECHNOLOGY	512
<i>T. Mori ; H. Asai ; J. Hattori ; K. Fukuda ; S. Otsuka ; Y. Morita ; S. O'uchi ; H. Fuketa ; S. Migita ; W. Mizubayashi ; H. Ota ; T. Matsukawa</i>	
19.5 - TUNNELING MOSFET TECHNOLOGIES USING III-V/GE MATERIALS	516
<i>S. Takagi ; D. H. Ahn ; M. Noguchi ; T. Gotow ; K. Nishi ; M. Kim ; M. Takenaka</i>	
19.6 - PERFORMANCE BENCHMARKING OF P-TYPE IN0.65GA0.35AS/GAAS0.4SB0.6 AND GE/GE0.93SN0.07 HETERO-JUNCTION TUNNEL FETS	520
<i>R. Pandey ; C. Schulte-Braucks ; R. N. Sajjad ; M. Barth ; R. K. Ghosh ; B. Grisafe ; P. Sharma ; N. von den Driesch ; A. Vohra ; B. Rayner ; R. Loo ; S. Mantl ; D. Buca ; C-C. Yeh ; C-H. Wu ; W. Tsai ; D. Antoniadis ; S. Datta</i>	
19.7 - VERTICALLY STACKED GATE-ALL-AROUND SI NANOWIRE CMOS TRANSISTORS WITH DUAL WORK FUNCTION METAL GATES.....	524
<i>H. Mertens ; R. Ritzenthaler ; A. Chasin ; T. Schram ; E. Kunnen ; A. Hikavyy ; L. Ragnarsson ; H. Dekkers ; T. Hopf ; K. Wostyn ; K. Devriendt ; S. A. Chew ; M. S. Kim ; Y. Kikuchi ; E. Rosseel ; G. Mannaert ; S. Kubicek ; S. Demuynck ; A. Dangol ; N. Bosman ; J. Geypen ; P. Carolan ; H. Bender ; K. Barla ; N. Horiguchi ; D. Mocuta</i>	
20.1 - WIDE BANDGAP (WBG) POWER DEVICES AND THEIR IMPACTS ON POWER DELIVERY SYSTEMS.....	528
<i>Alex Q. Huang</i>	

20.2 - SI, SIC AND GAN POWER DEVICES: AN UNBIASED VIEW ON KEY PERFORMANCE INDICATORS.....	532
<i>G. Deboy ; M. Treu ; O. Haeberlen ; D. Neumayr</i>	
20.3 - SYSTEM LEVEL IMPACT OF GAN POWER DEVICES IN SERVER ARCHITECTURES.....	536
<i>A. Lidow ; D. Reusch ; J. Glaser</i>	
20.4 - GAN-BASED SEMICONDUCTOR DEVICES FOR FUTURE POWER SWITCHING SYSTEMS	540
<i>Hidetoshi Ishida ; Ryo Kajitani ; Yusuke Kinoshita ; Hidekazu Umeda ; Shinji Ujita ; Masahiro Ogawa ; Kenichiro Tanaka ; Tatsuo Morita ; Satoshi Tamura ; Masahiro Ishida ; Tetsuzo Ueda</i>	
20.5 - APPLICATION RELIABILITY VALIDATION OF GAN POWER DEVICES	544
<i>Sandeep R. Bahl ; Jungwoo Joh ; Lixing Fu ; Anup Sasikumar ; Tathagata Chatterjee ; Sameer Pendharkar</i>	
20.6 - HORIZON BEYOND IDEAL POWER DEVICES.....	548
<i>Hiromichi OhCihi</i>	
21.1 - RELIABILITY STUDY OF A 128MB PHASE CHANGE MEMORY CHIP IMPLEMENTED WITH DOPED GA-SB-GE WITH EXTRAORDINARY THERMAL STABILITY	552
<i>W. C. Chien ; H. Y. Cheng ; M. BrightSky ; A. Ray ; C. W. Yeh ; W. Kim ; R. Bruce ; Y. Zhu ; H. Y. Ho ; H. L. Lung ; C. Lam</i>	
21.2 - IMPACT OF THE FILAMENT MORPHOLOGY ON THE RETENTION CHARACTERISTICS OF CU/AL₂O₃-BASED CBRAM DEVICES	556
<i>K. Ota ; A. Belmonte ; Z. Chen ; A. Redolfi ; L. Goux ; G. S. Kar</i>	
21.3 - MICROSECOND TRANSIENT THERMAL BEHAVIOR OF HFOX-BASED RESISTIVE RANDOM ACCESS MEMORY USING A MICRO THERMAL STAGE (MTS).....	560
<i>Zizhen Jiang ; Ziwen Wang ; Xin Zheng ; Scott Fong ; Shengjun Qin ; Hong-Yu Chen ; Chiyui Ahn ; Ji Cao ; Yoshio Nishi ; H. -S. Philip Wong</i>	
21.4 - IDENTIFY THE CRITICAL REGIONS AND SWITCHING/FAILURE MECHANISMS IN NON-FILAMENTARY RRAM (A-VMCO) BY RTN AND CVS TECHNIQUES FOR MEMORY WINDOW IMPROVEMENT.....	564
<i>J. Ma ; Z. Chai ; W. Zhang ; B. Govoreanu ; J. F. Zhang ; Z. Ji ; B. Benbakhti ; G. Groeseneken ; M. Jurczak</i>	
21.5 - TECHNOLOGY FOR RELIABLE SPIN-TORQUE MRAM PRODUCTS	568
<i>J. M. Slaughter ; K. Nagel ; R. Whig ; S. Deshpande ; S. Aggarwal ; M. DeHerrera ; J. Janesky ; M. Lin ; H. -J. Chia ; M. Hossain ; S. Ikegawa ; F. B. Mancoff ; G. Shimon ; J. J. Sun ; M. Tran ; T. Andre ; S. M. Alam ; F. Poh ; J. H. Lee ; Y. T. Chow ; Y. Jiang ; H. X. Liu ; C. C. Wang ; S. M. Noh ; T. Tahmasebi ; S. K. Ye ; D. Shum</i>	
21.6 - UNDERSTANDING CYCLING ENDURANCE IN PERPENDICULAR SPIN-TRANSFER TORQUE (P-STT) MAGNETIC MEMORY	572
<i>R. Carboni ; S. Ambrogio ; W. Chen ; M. Siddik ; J. Harms ; A. Lyle ; W. Kula ; G. Sandhu ; D. Ielmini</i>	
21.7 - GRAPHENIC CARBON-SILICON CONTACTS FOR RELIABILITY IMPROVEMENT OF METAL-SILICON JUNCTIONS.....	576
<i>Max Stelzer ; Franz Kreupl</i>	
22.1 - HIGH-MOBILITY TFT AND ENHANCED LUMINESCENCE UTILIZING NUCLEATION-CONTROLLED GESN GROWTH ON TRANSPARENT SUBSTRATE FOR MONOLITHIC OPTOELECTRONIC INTEGRATION.....	580
<i>H. Oka ; M. Koyama ; T. Tomita ; T. Amamoto ; K. Tominaga ; S. Tanaka ; T. Hosoi ; T. Shimura ; H. Watanabe</i>	
22.2 - FIRST DEMONSTRATION OF A BACK-SIDE INTEGRATED HETEROGENEOUS HYBRID III-V/SI DBR LASERS FOR SI-PHOTONICS APPLICATIONS.....	584
<i>J. Durel ; B. Ben Bakir ; C. Jany ; S. Cremer ; B. Szelag ; T. Bria ; V. Larrey ; L. Sanchez ; P. Brianceau ; J. -A Dallery ; R. Guivarch ; T. Card ; R. Thibon ; J. -E. Broquin ; F. Bœuf</i>	
22.3 - GESN LASERS FOR CMOS INTEGRATION.....	588
<i>D. Buca ; N. von den Driesch ; D. Stange ; S. Wirths ; R. Geiger ; C. Schulte Braucks ; S. Mantl ; J. M. Hartmann ; Z. Ikonik ; J. Witzens ; H. Sigg ; D. Grützmacher</i>	
22.4 - HIGH GAIN SEMICONDUCTOR OPTICAL AMPLIFIER — LASER DIODE AT VISIBLE WAVELENGTH.....	592
<i>Chao Shen ; Changmin Lee ; Tien Khee Ng ; Shuji Nakamura ; James S. Speck ; Steven P. DenBaars ; Ahmed Y. Alyamani ; Munir M. El-Desouki ; Boon S. Ooi</i>	
22.5 - THE ZENER-EMITTER: A NOVEL SUPERLUMINESCENT GE OPTICAL WAVEGUIDE-AMPLIFIER WITH 4.7 DB GAIN AT 92 MA BASED ON FREE-CARRIER MODULATION BY DIRECT ZENER TUNNELING MONOLITHICALLY INTEGRATED ON SI.....	596
<i>R. Koerner ; D. Schwaiz ; I. A. Fischer ; L. Augel ; S. Bechler ; L. Haenel ; M. Kern ; M. Oehme ; E. Rolseth ; B. Schwartz ; D. Weisshaupt ; W. Zhang ; J. Schulze</i>	
22.6 - ON-CHIP OPTICAL SENSE STRATEGY ILLUSTRATED IN THE CASE OF FLASH MEMORY SYSTEM.....	600
<i>Junfeng Song ; Xianshu Luo ; Yanzhe Tang ; Chao Li ; Lianxi Jia ; Xiaoguang Tu ; Qing Fang ; Ying Huang ; Haifeng Zhou ; Andy En-Jin Lim ; Tsung-Yang Liow ; Guo-Qiang Lo</i>	

25.1 - HETEROSTRUCTURE AT CMOS SOURCE/DRAIN: CONTRIBUTOR OR ALLEVIATOR TO THE HIGH ACCESS RESISTANCE PROBLEM?	604
<i>Hao Yu ; M. Schaekers ; E. Rosseel ; J. -L. Everaert ; P. Eyben ; T. Chiarella ; C. Merckling ; T. K. Agarwal ; G. Pourtois ; A. Hikavy ; S. Kubicek ; L. Witters ; A. Sibaja-Hernandez ; J. Mitard ; N. Waldron ; S. A. Chew ; S. Demuyne ; N. Horiguchi ; K. Barla ; A. V. -Y. Thean ; A. Mocuta ; D. Mocuta ; N. Collaert ; K. De Meyer</i>	
25.2 - GENERAL RELATIONSHIP FOR CATION AND ANION DOPING EFFECTS ON FERROELECTRIC HFO₂ FORMATION	608
<i>L. Xu ; S. Shibayama ; K. Izukashi ; T. Nishimura ; T. Yajima ; S. Migita ; A. Toriumi</i>	
25.3 - MONOLITHIC INTEGRATION OF AGTE/TIO₂ BASED THRESHOLD SWITCHING DEVICE WITH TIN LINER FOR STEEP SLOPE FIELD-EFFECT TRANSISTORS	612
<i>Jeonghwan Song ; Jaehyuk Park ; Kibong Moon ; Jiyong Woo ; Seokjae Lim ; Jongmyung Yoo ; Dongwook Lee ; Hyunsang Hwang</i>	
25.4 - COST-EFFECTIVE FABRICATION OF IN_{0.53}GA_{0.47}AS-ON-INSULATOR ON SI FOR MONOLITHIC 3D VIA NOVEL EPITAXIAL LIFT-OFF (ELO) AND DONOR WAFER RE-USE	616
<i>Seong Kwang Kim ; Jaephil Shim ; Dae-Myeong Geum ; Chang Zoo Kim ; Han-Sung Kim ; Yeon-Su Kim ; Hang-Kyu Kang ; Jin Dong Song ; Sung-Jin Choi ; Dae Hwan Kim ; Won Jun Choi ; Hyung-jun Kim ; Dong Myong Kim ; Sang Hyeon Kim</i>	
25.5 - EXTREMELY HIGH MODULATION EFFICIENCY III-V/SI HYBRID MOS OPTICAL MODULATOR FABRICATED BY DIRECT WAFER BONDING	620
<i>J. -H. Han ; M. Takenaka ; S. Takagi</i>	
25.6 - ADDITIVE MANUFACTURING FOR ELECTRONICS “BEYOND MOORE”	624
<i>J. Veres ; R. D. Bringans ; E. M. Chow ; J. P. Lu ; P. Mei ; S. E. Ready ; D. E. Schwartz ; R. A. Street</i>	
26.1 - SOLID STATE PH AND CHLORIDE SENSOR WITH MICROFLUIDIC REFERENCE ELECTRODE	627
<i>M. A. G. Zevenbergen ; G. Altena ; V. A. T. Dam ; M. Goedbloed ; P. Bemnowicz ; P. McGuinness ; H. Berney ; A. Berduque ; T. O'Dwyer ; R. van Schaijk</i>	
26.2 - FAST SPINTRONIC THERMAL SENSOR FOR IC POWER DRIVER COOLING DOWN	631
<i>Yanfeng Jiang ; Yisong Zhang ; Angeline Klemm ; Jian-Ping Wang</i>	
26.3 - ENCAPSULATED INERTIAL SYSTEMS	635
<i>C. H. Ahn ; D. L. Christensen ; D. B. Heinz ; V. A. Hong ; E. J. Ng ; J. Rodriguez ; Y. Yang ; G. O'Brien ; T. W. Kenny</i>	
26.4 - TRIBOELECTRIC ENERGY HARVESTER WITH AN ULTRA-THIN TRIBO-DIELECTRIC LAYER BY INITIATED CVD AND INVESTIGATION OF UNDERLYING PHYSICS IN THE TRIBOELECTRICITY	639
<i>Daewon Kim ; Weon-Guk Kim ; Ik Kyeong Jin ; Hongkeun Park ; Moo Jin Kwak ; Sung Gap Im ; Yang-Kyu Choi</i>	
26.5 - GAN-ON-SI μLED OPTOELECTRODES FOR HIGH-SPATIOTEMPORAL-ACCURACY OPTOGENETICS IN FREELY BEHAVING ANIMALS	643
<i>K. Kim ; D. English ; S. McKenzie ; F. Wu ; E. Stark ; J. Seymour ; P. -C. Ku ; K. Wise ; G. Buzsaki ; E. Yoon</i>	
26.6 - OBSERVATION OF ACOUSTOELECTRIC EFFECT IN MICROMACHINED LAMB WAVE DELAY LINES WITH ALGAN/GAN HETEROSTRUCTURE	647
<i>H. Zhu ; A. Ansari ; Wei Luo ; M. Rais-Zadeh</i>	
26.7 - A 1 MHZ 4 PPM CMOS-MEMS OSCILLATOR WITH BUILT-IN SELF-TEST AND SUB-MW OVENIZATION POWER	651
<i>Chun-You Liu ; Ming-Huang Li ; H. G. Ranjith ; Sheng-Shian Li</i>	
26.8 - SUB-50 MV NEM RELAY OPERATION ENABLED BY SELF-ASSEMBLED MOLECULAR COATING	655
<i>Benjamin Osoba ; Bivas Saha ; Liam Dougherty ; Jane Edgington ; Chuang Qian ; Farnaz Niroui ; Jeffrey H. Lang ; Vladimir Bulovic ; Junqiao Wu ; Tsu-Jae King Liu</i>	
27.1 - 4GBIT DENSITY STT-MRAM USING PERPENDICULAR MTJ REALIZED WITH COMPACT CELL STRUCTURE	659
<i>S. -W. Chung ; T. Kishi ; J. W. Park ; M. Yoshikawa ; K. S. Park ; T. Nagase ; K. Sunouchi ; H. Kanaya ; G. C. Kim ; K. Noma ; M. S. Lee ; A. Yamamoto ; K. M. Rho ; K. Tsuchida ; S. J. Chung ; J. Y. Yi ; H. S. Kim ; Y. S. Chun ; H. Oyamatsu ; S. J. Hong</i>	
27.2 - HIGHLY FUNCTIONAL AND RELIABLE 8MB STT-MRAM EMBEDDED IN 28NM LOGIC	663
<i>Y. J. Song ; J. H. Lee ; H. C. Shin ; K. H. Lee ; K. Suh ; J. R. Kang ; S. S. Pyo ; H. T. Jung ; S. H. Hwang ; G. H. Koh ; S. C. Oh ; S. O. Park ; J. K. Kim ; J. C. Park ; J. Kim ; K. H. Hwang ; G. T. Jeong ; K. P. Lee ; E. S. Jung</i>	
27.3 - DATA RETENTION EXTRACTION METHODOLOGY FOR PERPENDICULAR STT-MRAM	667
<i>L. Tillie ; E. Nowak ; R. C. Sousa ; M. -C. Cyrille ; B. Delaet ; T. Magis ; A. Persico ; J. Langer ; B. Ocker ; I-L Prejbeanu ; L. Perniola</i>	

27.4 - SYSTEMATIC VALIDATION OF 2X NM DIAMETER PERPENDICULAR MTJ ARRAYS AND MGO BARRIER FOR SUB-10 NM EMBEDDED STT-MRAM WITH PRACTICALLY UNLIMITED ENDURANCE	671
<i>J. J. Kan ; C. Park ; C. Ching ; J. Ahn ; L. Xue ; R. Wang ; A. Kontos ; S. Liang ; M. Bangar ; H. Chen ; S. Hassan ; S. Kim ; M. Pakala ; S. H. Kang</i>	
27.5 - NOVEL VOLTAGE CONTROLLED MRAM (VCM) WITH FAST READ/WRITE CIRCUITS FOR ULTRA LARGE LAST LEVEL CACHE.....	675
<i>Hiroki Noguchi ; Kazutaka Ikegami ; Keiko Abe ; Shinobu Fujita ; Yoichi Shiota ; Takayuki Nozaki ; Shinji Yuasa ; Yoshishige Suzuki</i>	
27.6 - VOLTAGE-CONTROL SPINTRONICS MEMORY (VOCSM) HAVING POTENTIALS OF ULTRA-LOW ENERGY-CONSUMPTION AND HIGH-DENSITY	679
<i>H. Yoda ; N. Shimomura ; Y. Ohsawa ; S. Shirotori ; Y. Kato ; T. Inokuchi ; Y. Kamiguchi ; B. Altansargai ; Y. Saito ; K. Koi ; H. Sugiyama ; S. Oikawa ; M. Shimizu ; M. Ishikawa ; K. Ikegami ; A. Kurobe</i>	
28.1 - A NOVEL TENSILE SI (N) AND COMPRESSIVE SIGE (P) DUAL-CHANNEL CMOS FINFET CO-INTEGRATION SCHEME FOR 5NM LOGIC APPLICATIONS AND BEYOND	683
<i>Dong-il Bae ; Geumjong Bae ; Krishna K Bhuwarka ; Seung-Hun Lee ; Myung-Geun Song ; Taek-soo Jeon ; Cheol Kim ; Wookje Kim ; Jaeyoung Park ; Sunjung Kim ; Uihui Kwon ; Jongwook Jeon ; Kab-Jin Nam ; Sangwoo Lee ; Sean Lian ; Kang-ill Seo ; Sun-Ghil Lee ; Jae Hoo Park ; Yeon-Cheol Heo ; Mark S. Rodder ; Jorge A. Kittl ; Yihwan Kim ; Kihyun Hwang ; Dong-Won Kim ; Mong-song Liang ; E S Jung</i>	
28.2 - EXTREME SCALING ENABLED BY 5 TRACKS CELLS: HOLISTIC DESIGN-DEVICE CO-OPTIMIZATION FOR FINFETS AND LATERAL NANOWIRES.....	687
<i>M. Garcia Bardon ; Y. Sherazi ; P. Schuddinck ; D. Jang ; D. Yakimets ; P. Debacker ; R. Baert ; H. Mertens ; M. Badaroglu ; A. Mocuta ; N. Horiguchi ; D. Mocuta ; P. Raghavan ; J. Ryckaert ; A. Spessot ; D. Verkest ; A. Steegen</i>	
28.3 - 32-BIT PROCESSOR CORE AT 5-NM TECHNOLOGY: ANALYSIS OF TRANSISTOR AND INTERCONNECT IMPACT ON VLSI SYSTEM PERFORMANCE	691
<i>Chi-Shuen Lee ; Brian Cline ; Saurabh Sinha ; Greg Yeric ; H. -S. Philip Wong</i>	
28.4 - NEW INSIGHTS INTO THE NEAR-THRESHOLD DESIGN IN NANOSCALE FINFET TECHNOLOGY FOR SUB-0.2V APPLICATIONS	695
<i>Xiaobo Jiang ; Shaofeng Guo ; Runsheng Wang ; Yuan Wang ; Xingsheng Wang ; Binjie Cheng ; Asen Asenov ; Ru Huang</i>	
28.5 - NOVEL MOS VARACTOR DEVICE OPTIMIZATION AND MODELING FOR HIGH-SPEED TRANSCEIVER DESIGN IN FINFET TECHNOLOGY	699
<i>Jing Jing ; Susan Wu ; Xin Wu ; Parag Upadhyaya ; Ade Bekele</i>	
28.6 - EMBEDDED FLASH TECHNOLOGY FOR AUTOMOTIVE APPLICATIONS	703
<i>Tadaaki Yamauchi ; Yasuo Yamaguchi ; Takashi Kono ; Hideto Hidaka</i>	
29.1 - INP HEMT INTEGRATED CIRCUITS OPERATING ABOVE 1,000 GHZ	707
<i>W. R. Deal ; K. Leong ; W. Yoshida ; A. Zamora ; X. B. Mei</i>	
29.2 - A 130 NM INP HBT INTEGRATED CIRCUIT TECHNOLOGY FOR THZ ELECTRONICS	711
<i>M. Urteaga ; J. Hacker ; Z. Griffith ; A. Young ; R. Pierson ; P. Rowell ; M. Seo ; M. J. W. Rodwell</i>	
29.3 - RESONANT-TUNNELING-DIODE TERAHERTZ OSCILLATORS AND APPLICATIONS.....	715
<i>Masahiro Asada ; Safumi Suzuki</i>	
29.4 - PHYSICS OF ULTRAHIGH SPEED ELECTRONIC DEVICES.....	719
<i>Michael Shur</i>	
29.5 - INP/GAASSB DHBTS FOR THZ APPLICATIONS AND IMPROVED EXTRACTION OF THEIR CUTOFF FREQUENCIES	723
<i>C. R. Bolognesi ; R. Flückiger ; M. Alexandrova ; W. Quan ; R. Lövblom ; O. Ostinelli</i>	
29.6 - ON-CHIP TERAHERTZ ELECTRONICS: FROM DEVICE-ELECTROMAGNETIC INTEGRATION TO ENERGY-EFFICIENT, LARGE-SCALE MICROSYSTEMS	727
<i>R. Han ; J. W. Holloway ; C. Jiang ; A. Mostajeran ; E. Afshari ; A. Cathelin ; Y. Zhang ; K. K. O ; L. Boglione ; T. M. Hancock ; C. Wang ; Z. Hu ; G. Zhang</i>	
29.7 - ACTIVE TERAHERTZ METASURFACE DEVICES.....	731
<i>H. -T. Chen</i>	
29.8 - DEVICES AND CIRCUITS IN CMOS FOR THZ APPLICATIONS.....	734
<i>Z. Ahmad ; W. Choi ; N. Sharma ; J. Zhang ; Q. Zhong ; D. -Y. Kim ; Z. Chen ; Y. Zhang ; R. Han ; D. Shim ; S. Sankaran ; E. -Y. Seok ; C. Cao ; C. Mao ; R. M. Schueler ; I. R. Medvedev ; D. J. Lary ; H. -J. Nam ; P. Raskin ; F. C. DeLucia ; J. P. McMillan ; C. F. Neese ; I. Kim ; I. Momson ; P. Yellswarapu ; S. Dong ; B. -K. Kim ; K. K. O</i>	
30.1 - SCALING PERSPECTIVE FOR III-V BROKEN GAP NANOWIRE TFETS: AN ATOMISTIC STUDY USING A FAST TIGHT-BINDING MODE-SPACE NEGF MODEL	738
<i>A. Afzalian ; M. Passlack ; Y. C. Yeo</i>	
30.2 - A TUNNEL FET DESIGN FOR HIGH-CURRENT, 120 MV OPERATION	742
<i>P. Long ; J. Z. Huang ; M. Povolotskyi ; D. Verreck ; J. Charles ; T. Kubis ; G. Klimeck ; M. J. W. Rodwell ; B. H. Calhoun</i>	

30.3 - EFFECT OF BAND-TAILS ON THE SUBTHRESHOLD PERFORMANCE OF 2D TUNNEL-FETS	746
<i>Haojun Zhang ; Wei Cao ; Jiahao Kang ; Kaustav Banerjee</i>	
30.4 - MULTI-BARRIER INTER-LAYER TUNNEL FIELD-EFFECT TRANSISTOR	750
<i>N. Prasad ; Xuehao Mou ; L. F. Register ; S. K. Banerjee</i>	
30.5 - COMPACT MODELS OF NEGATIVE-CAPACITANCE FINFETS: LUMPED AND DISTRIBUTED CHARGE MODELS	754
<i>Juan P. Duarte ; Sourabh Khandelwal ; Asif I. Khan ; Angada Sachid ; Yen-Kai Lin ; Huan-Lin Chang ; Sayeef Salahuddin ; Chenming Hu</i>	
30.6 - PERFORMANCE PROJECTION OF III-V ULTRA-THIN-BODY, FINFET, AND NANOWIRE MOSFETS FOR TWO NEXT-GENERATION TECHNOLOGY NODES	758
<i>M. Rau ; E. Caruso ; D. Lizzi ; P. Palestri ; D. Esseni ; A. Schenk ; L. Selmi ; M. Luisier</i>	
30.7 - VERTICALLY STACKED NANOWIRE MOSFETS FOR SUB-10NM NODES: ADVANCED TOPOGRAPHY, DEVICE, VARIABILITY, AND RELIABILITY SIMULATIONS	762
<i>M. Karner ; O. Baumgartner ; Z. Stanojevic ; F. Schanovsky ; G. Strof ; C. Kernstock ; H. W. Karner ; G. Rzepa ; T. Grasset</i>	
31.1 - ENGINEERING THE ELECTRONIC DEFECT BANDS AT THE SI1-XGEX/IL INTERFACE: APPROACHING THE INTRINSIC CARRIER TRANSPORT IN COMPRESSIVELY-STRAINED SI1-XGEX PFETS	766
<i>ChoongHyun Lee ; Richard G. Southwick ; Hemanth Jagannathan</i>	
31.2 - ACCEPTOR-LIKE TRAP EFFECT ON NEGATIVE-BIAS TEMPERATURE INSTABILITY (NBTI) OF SIGE PMOSFETS ON SRB	770
<i>Guangfan Jiao ; Maria Toledano-Luque ; Kab-Jin Nam ; Nakanishi Toshiro ; Seung-Hun Lee ; Jin-Soak Kim ; Thomas Kauerauf ; EunAe Chung ; Dong-il Bae ; Geumjong Bae ; Dong-Won Kim ; Kihyun Hwang</i>	
31.3 - FAST-TRAP CHARACTERIZATION IN GE CMOS USING SUB-1 NS ULTRA-FAST MEASUREMENT SYSTEM	774
<i>X. Yu ; B. Chen ; R. Cheng ; Y. Qu ; J. Han ; R. Zhang ; Y. Zhao</i>	
31.4 - PREDICTIVE AS-GROWN-GENERATION (A-G) MODEL FOR BTI-INDUCED DEVICE/CIRCUIT LEVEL VARIATIONS IN NANOSCALE TECHNOLOGY NODES	778
<i>R. Gao ; Z. Ji ; S. M. Hatta ; J. F. Zhang ; J. Franco ; B. Kaczer ; W. Zhang ; M. Duan ; S. De Gendt ; D. Linten ; G. Groeseneken ; J. Bi ; M. Liu</i>	
31.5 - DEEP INSIGHTS INTO DIELECTRIC BREAKDOWN IN TUNNEL FETS WITH AWARENESS OF RELIABILITY AND PERFORMANCE CO-OPTIMIZATION	782
<i>Qianqian Huang ; Rundong Jia ; Jiadi Zhu ; Zhu Lv ; Jiabin Wang ; Cheng Chen ; Yang Zhao ; Runsheng Wang ; Weihai Bu ; Wenbo Wang ; Jin Kang ; Kelu Hua ; Hanming Wu ; Shaofeng Yu ; Yangyuan Wang ; Ru Huang</i>	
31.6 - COMPREHENSIVE MODEL FOR PROGRESSIVE BREAKDOWN IN NFETS AND PFETS	786
<i>S. Lombardo ; E. Wu ; J. Stathis</i>	
31.7 - A FUNDAMENTAL AC TDDDB STUDY OF BEOL ELK IN ADVANCED TECHNOLOGY	790
<i>M. N. Chang ; Y. -H. Lee ; S. Y. Lee ; Y. S. Huang</i>	
31.8 - SUSTAINABLE ELECTRONICS FOR NANO-SPACECRAFT IN DEEP SPACE MISSIONS	794
<i>Dong-Il Moon ; Jun-Young Park ; Jin-Woo Han ; Gwang-Jae Jeon ; Jee-Yeon Kim ; John Moon ; Myeong-Lok Seol ; Choong Ki Kim ; Hee Chul Lee ; M. Meyyappan ; Yang-Kyu Choi</i>	
32.1 - AN ACTIVE ARTIFICIAL IRIS CONTROLLED BY A 25-μW FLEXIBLE THIN-FILM DRIVER	798
<i>Florian De Roose ; Soeren Steudel ; Kris Myny ; Myriam Willegems ; Steve Smout ; Marc Ameys ; Pawel E. Malinowski ; Robert Gehlhaar ; Radhika Poduval ; Xinyu Chen ; Jelle De Smet ; Andrés Vásquez Quintero ; Herbert De Smet ; W. Dehaene ; Jan Genoe</i>	
32.2 - HIGH-PERFORMANCE AND RELIABLE ELEVATED-METAL METAL-OXIDE THIN-FILM TRANSISTOR FOR HIGH-RESOLUTION DISPLAYS	802
<i>Lei Lu ; Jiapeng Li ; Hoi Sing Kwok ; Man Wong</i>	
32.3 - POLYCRYSTALLINE SILICON TFTS ON A PAPER SUBSTRATE USING SOLUTION-PROCESSED SILICON	806
<i>M. Trifunovic ; P. M. Sberna ; T. Shimoda ; R. Ishihara</i>	
32.4 - HIGH-DETECTIVITY PRINTED ORGANIC PHOTODIODES FOR LARGE AREA FLEXIBLE IMAGERS	810
<i>Adrien Pierre ; Ana Claudia Arias</i>	
32.5 - DUAL-GATE PHOTOSENSITIVE FIN-TFT WITH HIGH PHOTOCONDUCTIVE GAIN AND NEAR-UV TO NEAR-IR RESPONSIVITY	814
<i>H. Ou ; K. Wang ; J. Chen ; A. Nathan ; S. Z. Deng ; N. S. Xu</i>	
32.6 - EXTENDING THE FUNCTIONALITY OF FDSOI N- AND P-FETS TO LIGHT SENSING	818
<i>L. Kadura ; L. Grenouillet ; T. Bedecarrats ; O. Rozeau ; N. Rambal ; P. Scheiblin ; C. Tabone ; D. Blachier ; O. Faynot ; A. Chelnokov ; M. Vinet</i>	

33.1 - RECORD HIGH MOBILITY (428CM²/V-S) OF CVD-GROWN GE/STRAINED GE_{0.91}SN_{0.09}/GE QUANTUM WELL P-MOSFETS	822
<i>Yu-Shiang Huang ; Chih-Hsiung Huang ; Fang-Liang Lu ; Chung-Yi Lin ; Hung-Yu Ye ; I-Hsieh Wong ; Sun-Rong Jan ; Huang-Siang Lan ; C. W. Liu ; Yi-Chiau Huang ; Hua Chung ; Chornng-Ping Chang ; Schubert S. Chu ; Satheesh Kuppurao</i>	
33.2 - PROCESSING AND CHARACTERIZATION OF SI/GE QUANTUM DOTS	826
<i>S. Miyazaki ; K. Makihara ; A. Ohta ; M. Ikeda</i>	
33.3 - HIGH PERFORMANCE AND RELIABILITY GE CHANNEL CMOS WITH A MOS₂ CAPPING LAYER	830
<i>J. Li ; S. Xie ; Z. Zheng ; Y. Zhang ; R. Zhang ; M. Xu ; Y. Zhao</i>	
33.4 - SI-PASSIVATED GE NMOS GATE STACK WITH LOW DIT AND DIPOLE-INDUCED SUPERIOR PBTI RELIABILITY USING 3D-COMPATIBLE ALD CAPS AND HIGH-PRESSURE ANNEAL	834
<i>H. Arimura ; D. Cott ; R. Loo ; W. Vanherle ; Q. Xie ; F. Tang ; X. Jiang ; J. Franco ; S. Sioncke ; L. Ragnarsson ; E. Chiu ; X. Lu ; J. Geypen ; H. Bender ; J. W. Maes ; M. Givens ; A. Sibaja-Hernandez ; K. Wostyn ; G. Boccardi ; J. Mitard ; N. Collaert ; D. Mocuta</i>	
33.5 - HIGH PERFORMANCE COMPLEMENTARY GE PEAKING FINFETS BY ROOM TEMPERATURE NEUTRAL BEAM OXIDATION FOR SUB-7 NM TECHNOLOGY NODE APPLICATIONS	838
<i>Y. -J. Lee ; T. -C. Hong ; F. -K. Hsueh ; P. -J. Sung ; C. -Y. Chen ; S. -S. Chuang ; T. -C. Cho ; S. Noda ; Y. -C. Tsou ; K. -H. Kao ; C. -T. Wu ; T. -Y. Yu ; Y. -L. Jian ; C. -J. Su ; Y. -M. Huang ; W. -H. Huang ; B. -Y. Chen ; M. - C. Chen ; K. -P. Huang ; J. -Y. Li ; M. -J. Chen ; Y. Li ; S. Samukawa ; W. -F. Wu ; G. -W. Huang ; J. -M. Shieh ; T. -Y. Tseng ; T. -S. Chao ; Y. -H. Wang ; W. -K. Yeh</i>	
33.6 - HIGH PERFORMANCE GE JUNCTIONLESS GATE-ALL-AROUND NFETS WITH SIMULTANEOUS I_{ON} =1235 μA/μM AT VOV=VDS=1V, SS=95 MV/DEC, HIGH I_{ON}/I_{OFF}=2$\times$10⁶, AND REDUCED NOISE POWER DENSITY USING S/D DOPANT RECOVERY BY SELECTIVE LASER ANNEALING	842
<i>I-Hsieh Wong ; Fang-Liang Lu ; Shih-Hsien Huang ; Hung-Yu Ye ; Chun-Ti Lu ; Jhih-Yang Yan ; Yu-Cheng Shen ; Yu-Jiun Peng ; Huang-Siang Lan ; C. W. Liu</i>	
34.1 - COUPLING MOS QUANTUM DOT AND PHOSPHOROUS DONOR QUBIT SYSTEMS	846
<i>M. Rudolph ; P. Harvey-Collard ; R. Jock ; T. Jacobson ; J. Wendt ; T. Pluym ; J. Domínguez ; G. Ten-Eyck ; R. Manginell ; M. P. Lilly ; M. S. Carroll</i>	
34.2 - QUANTUM INFORMATION PROCESSING IN A SILICON-BASED SYSTEM	850
<i>Tsung-Yeh Yang ; Aleksey Andreev ; Yu Yamaoka ; Thierry Ferrus ; Shunri Oda ; Tetsuo Koderia ; David A. Williams</i>	
34.3 - EXPERIMENTAL DEMONSTRATION OF NANOMAGNET NETWORKS AS HARDWARE FOR ISING COMPUTING	854
<i>Punyashloka Debashis ; Rafatul Faria ; Kerem Y. Camsari ; Joerg Appenzeller ; Supriyo Datta ; Zhihong Chen</i>	
34.4 - FUNCTIONAL PASSIVE MATERIAL VO₂ FOR ANALOGUE SIGNAL PROCESSING WITH HIGH-SPEED, LOW POWER, AND ROBUST PERFORMANCE	858
<i>T. Yajima ; T. Nishimura ; A. Toriumi</i>	
34.5 - LOW-VOLTAGE ARTIFICIAL NEURON USING FEEDBACK ENGINEERED INSULATOR-TO-METAL-TRANSITION DEVICES	862
<i>J. Lin ; Annadi ; S. Sonde ; C. Chen ; L. Stan ; K. V. L. V Achari ; S. Ramanathan ; S. Guha</i>	
34.6 - AG/HFO₂ BASED THRESHOLD SWITCH WITH EXTREME NON-LINEARITY FOR UNIPOLAR CROSS-POINT MEMORY AND STEEP-SLOPE PHASE-FETS	866
<i>N. Shukla ; B. Grisafe ; R. K. Ghosh ; N. Jao ; A. Aziz ; J. Frougier ; M. Jerry ; S. Sonde ; S. Rouvimov ; T. Orlova ; S. Gupta ; S. Datta</i>	
34.7 - EXCELLENT THRESHOLD SWITCHING DEVICE (IOFF ~ 1 PA) WITH ATOM-SCALE METAL FILAMENT FOR STEEP SLOPE (< 5 MV/DEC), ULTRA LOW VOLTAGE (VDD = 0.25 V) FET APPLICATIONS	870
<i>Seokjae Lim ; Jongmyung Yoo ; Jeonghwan Song ; Jiyong Woo ; Jaehyuk Park ; Hyunsang Hwang</i>	
34.8 - 2D H-BN BASED RRAM DEVICES	874
<i>F. M. Puglisi ; L. Larcher ; C. Pan ; N. Xiao ; Y. Shi ; F. Hui ; M. Lanza</i>	
35.1 - NEW PERSPECTIVES FOR MULTICORE ARCHITECTURES USING ADVANCED TECHNOLOGIES	878
<i>F. Clermidy ; P. Vivet ; D. Dutoit ; Y. Thonnart ; J. L. Gonzales ; J. P Noël ; B. Giraud ; A. Lévisse ; O. Billoint ; S. Thuriès</i>	
35.2 - ULTRA-LOW-RESISTANCE 3D INFO INDUCTORS FOR INTEGRATED VOLTAGE REGULATOR APPLICATIONS	882
<i>C. -L. Chen ; Y. -C. Hsu ; J. -S. Hsieh ; C. -H. Tsai ; V. C. Y. Chang ; A. Roth ; E. Soenen ; C. -T. Wang ; Douglas Yu</i>	

35.3 - HIGH-Q MAGNETIC INDUCTORS FOR HIGH EFFICIENCY ON-CHIP POWER CONVERSION	886
<i>Naigang Wang ; Bruce B. Doris ; Andrea Bahgat Shehata ; Eugene J. O' Sullivan ; Stephen L. Brown ; Stephen Rossnagel ; John Ott ; Lynne Gignac ; Maryam Massouras ; Lubomyr T. Romankiw ; Hariklia Lili Deligianni</i>	
35.4 - ESD DIODES IN A BULK SI GATE-ALL-AROUND VERTICALLY STACKED HORIZONTAL NANOWIRE TECHNOLOGY	890
<i>S. -H. Chen ; G. Hellings ; M. Scholz ; D. Linten ; H. Mertens ; R. Ritzenthaler ; R. Boschke ; G. Groeseneken ; N. Horiguchi</i>	
35.5 - CHARACTERIZATION OF PVT VARIATION & AGING INDUCED HOLD TIME MARGINS OF FLIP-FLOP ARRAYS AT NTV IN 22NM TRI-GATE CMOS	894
<i>Charles Augustine ; Carlos Tokunaga ; Andres Malavasi ; Arijit Raychowdhury ; Muhammad Khellah ; James Tschanz ; Vivek De</i>	
35.6 - THERMAL RESISTANCE MODELING OF BACK-END INTERCONNECT AND INTRINSIC FINFETS, AND TRANSIENT SIMULATION OF INVERTERS WITH CAPACITIVE LOADING EFFECTS	898
<i>Jhih-Yang Yan ; Sun-Rong Jan ; Yu-Jiun Peng ; H. H. Lin ; W. K. Wan ; Y. -H. Huang ; Bigchoug Hung ; K. -T. Chan ; Michael Huang ; M. -T. Yang ; C. W. Liu</i>	
36.1 - SURFACE ROUGHNESS LIMITED MOBILITY IN MULTI-GATE FETS WITH ARBITRARY CROSS-SECTION	902
<i>O. Badami ; D. Lizzit ; R. Specogna ; D. Esseni</i>	
36.2 - NITRIDATION OF GAN SURFACE FOR POWER DEVICE APPLICATION: A FIRST-PRINCIPLES STUDY	906
<i>Zhaofu Zhang ; Baikui Li ; Xi Tang ; Qingkai Qian ; Mengyuan Hua ; Baoling Huang ; Kevin J. Chen</i>	
36.3 - MANIPULATING SPIN POLARIZATION AND CARRIER MOBILITY IN ZIGZAG GRAPHENE RIBBONS USING AN ELECTRIC FIELD	910
<i>Jing Li ; Yann-Michel Niquet ; Christophe Delerue</i>	
36.4 - DENSITY FUNCTIONAL THEORY SIMULATIONS AND EXPERIMENTAL MEASUREMENTS OF A-HFO₂/A-Si₃N₄/SIGE, A-HFO₂/SIO_{0.8}N_{0.8}/SIGE AND A-HFO₂/A-SIO/SIGE INTERFACES	914
<i>E. Chagarov ; K. Sardashti ; M. Edmonds ; M. Clemons ; A. Kummel</i>	
36.5 - INSIGHT INTO PBTI IN INGAAS NANOWIRE FETS WITH AL₂O₃ AND LAALO₃ GATE DIELECTRICS	918
<i>Y. Li ; S. Y. Di ; H. Jiang ; P. Huang ; Y. J. Wang ; Z. Y. Lun ; L. Shen ; L. X. Yin ; X. Zhang ; G. Du ; X. Y. Liu</i>	
36.6 - CONTACT RESISTIVITIES IN GAMMA-VALLEY MATERIALS	922
<i>P. M. Solomon</i>	
36.7 - TCAD-BASED INVESTIGATION ON TRANSPORT PROPERTIES OF DIAMOND-LIKE CARBON COATINGS FOR HV-ICS	926
<i>S. Reggiani ; C. Giordano ; A. Gnudi ; E. Gnani ; G. Baccarani ; J. Dobrzynska ; J. Vobecky ; M. Bellini</i>	
Author Index	