

20th International Conference on Hydrotransport 2017

Melbourne, Australia
3 – 5 May 2017

ISBN: 978-1-5108-4015-7

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by BHR Group
All rights reserved.

Printed by Curran Associates, Inc. (2017)

For permission requests, please contact BHR Group
at the address below.

BHR Group
The Fluid Engineering Centre
Cranfield, Bedfordshire MK43 0AJ
United Kingdom

Phone: +44 1234 750422
Fax: +44 1234 750074

info@bhrgroup.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

20th International Conference on
HYDROTRANSPORT
Melbourne, Australia: 3 – 5 May 2017

CONTENTS

| | |
|---|-----|
| FOREWORD | 1 |
| HYDROTRANSPORT AWARD RECIPIENTS | 3 |
| DESIGN, OPERATION & TROUBLE-SHOOTING | |
| The design of slurry pipelines – historical aspects <i>A D Thomas, N T Cowper (Snr), Slurry Systems Pty Limited, Australia</i> | 7 |
| Ageing assets – long distance pipeline integrity and defect assessment <i>M Turney, J Jacobs, Paterson & Cooke USA, Ltd, USA</i> | 23 |
| Operational pigging of slurry pipelines <i>F Salt, OSD Pty Ltd, Western Australia</i> | 37 |
| Transient flow analysis – considering the effect of fluid property variations along the pipeline <i>M Fehrsen, N Russouw, Paterson and Cooke, South Africa; A G T J Heinsbroek, M Tukker, Deltares, The Netherlands</i> | 45 |
| Preliminary design of 200mm and 300mm NB distribution pipelines for phosphate slurry at the Jorf Lasfar terminal facilities in Morocco <i>N Heywood, P Ioannou, BHR Group, UK; D Hevia, J Garcia, IMASA Ingenieria y Proyectos SA, Spain; N Alderman, Private Consultant, UK</i> | 57 |
| Troubleshooting a 556m sand slurry pipeline <i>N Heywood, BHR Group, UK; N Alderman, Private Consultant, UK; P Harris, Sibelco Ltd, UK</i> | 73 |
| Design of the Sar Cheshmeh gravity flow tailings pipeline, Iran <i>A D Thomas, Slurry Systems Pty Ltd, Australia; R Rieschieck, A Roshdieh, ATC Williams Pty Ltd, Australia</i> | 87 |
| Hydro test of HDPE lined steel pipe <i>M Turney, J Jacobs, Paterson & Cooke USA, Ltd, USA</i> | 101 |

EROSION

- Case Studies: Internal high performance erosion and corrosion protection coatings in hydrotransport pipelines 117
M Magerstaedt, ROSEN Swiss AG, Switzerland; T Raeth, L K Lai, D Plourde, ROSEN Canada Ltd, Canada; S Forster, R Altmeyen, H Rosenbleck-Schmidt, ROSEN Technology and Research Center GmbH, Germany
- Characterization of wear-resistant materials for handling abrasive/erosive slurries 127
Y Xie, J Jiang, Md Aminul Islam, National Research Council Canada, Canada
- An investigation of large solids particle degradation on wear rate in a horizontal pipeline 143
M Huard, K F Adane, A Fuhr, B Fotty, InnoTech Alberta Inc., Devon Research Centre, Canada
- Slurry pump selection based on particle size 157
C I Walker, Weir Minerals Australia Ltd, Australia
- Predicting flow regimes of settling slurries flowing in horizontal pipelines 171
H D'Souza, K F K Adane, A Fuhr, B Fotty, InnoTech Alberta Inc., Devon Research Centre, Canada
- Determination of erosion rate characteristic for particles of different sizes suspended in liquid 183
C Solnordal, L Graham, G Short, C Wong, J Wu, CSIRO Mineral Resources, Australia
- Making erosion spots prediction affordable for Euler/Lagrange computations 197
J Boulanger, C Wong, CSIRO Mineral Resources, Australia; A Zamberi, A Shaffee, Z Johar, Petronas, Malaysia; M Jadid, Uzma Group, Malaysia

TAILINGS, TRANSPORT AND PLACEMENT

- Non-Newtonian flow in small channels and their relevance to tailings beach 213
A G Chryss, L Graham, K Mohanarangam, CSIRO Mineral Resources, Australia
- Analytical and experimental investigation of non-Newtonian thickened tailings slurry flow through open channels 225
S Javadi, P Slatter, B Pirouz, ATC Williams Rheology and Slurry Engineering Group, Australia; S Bhattacharya, RMIT University, Rheology and Material Processing Centre, Australia
- A hydraulic model for predicting the slopes of alluvial deposits 239
T G Fitton, Fitton Tailings Consultants, Australia
- Effect of coarse solids concentration on the yield stress of non-Newtonian kaolin clay slurries 251
R B Spelay, S A Hashemi, Saskatchewan Research Council, Pipe Flow Technology CentreTM, Canada; M H Rahman, A E Olayode, R S Sanders, University of Alberta, Canada

SLURRY FLOW MODELLING

- Slurry transport of very large particles at high line speeds 269
S A Miedema, Delft University of Technology, The Netherlands
- Distribution of stresses over depth of partially stratified flow above granular bed 285
V Matoušek, Czech Technical University in Prague, Czech Republic
- Pick up functions for highly concentrated flows 295
C van Rhee, Delft University of Technology, The Netherlands
- Comprehensive loop testing of a broadly graded (4-component) slurry 307
R Visintainer, J Furlan, G McCall II, GIW Industries, USA; A Sellgren, Lulea University of Technology, Sweden; V Matoušek, Czech Technical University in Prague, Czech Republic
- Kinematic friction of concentrated suspensions of neutrally buoyant coarse particles 325
R B Spelay, R G Gillies, S A Hashemi, Saskatchewan Research Council, Pipe Flow Technology Centre™, Canada; R S Sanders, University of Alberta, Canada
- CFD-DEM modelling of hydraulic transport of coarse solids in vertical pipelines 341
E Abbaszadeh Molaei, S B Kuang, Z Y Zhou, A B Yu, Monash University, Australia
- A comparison of graded PSD methods in slurry transport 355
S A Miedema, Delft University of Technology, The Netherlands

INSTRUMENTATION

- Flow regime detection in coarse particle slurry pipe flow using Pulsed Ultrasound Doppler Velocimetry and Electrical Resistive Tomography 373
R Kotzé, J Shamu, A Sutherland, Cape Peninsula University of Technology, Flow Process & Rheology Centre, South Africa
- Absolute 2.5D Electrical Resistance Tomography in pipe systems 387
L Graham, A Chryss, CSIRO Mineral Resources, Australia; L Pullum, Private Consultant, Australia

PUMPING AND PUMP PERFORMANCE

- Centrifugal slurry pump performance deratings – a coherent approach 401
A Sellgren, Lulea University of Technology, Sweden; R Visintainer, J Furlan, GIW Industries, USA
- Pump phase shift control in world's largest iron ore concentrate pipeline 415
R van Rijswijk, E Vlot, Weir Minerals Netherlands b.v., The Netherlands

NON-NEWTONIAN

- Wall effects on the sedimentation of a sphere in power-law fluids 429
T Vidya Sagar, R P Chhabra, Indian Institute of Technology, Kanpur, India;
S A Patel, New Jersey Institute of Technology, USA
- Turbulent flow of shear thinning slurries in a flume 443
M Rudman, J Singh, H M Blackburn, Monash University, Australia
- High concentration particle transport in a laminar pseudo plastic fluid flow:
pipeline friction losses 457
G Montserrat, Instituto Nacional de Hidráulica, Chile; A Tamburrino, C Ihle,
Universidad de Chile, Chile

AUTHOR INDEX