

SPE Canada Heavy Oil Technical Conference 2017

Calgary, Canada
15 - 16 February 2017

ISBN: 978-1-5108-4037-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2017)

For permission requests, please contact Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

SESSION 1: HO – CARBONATE RECOVERY PROCESSES

Gas Generation and its Benefits in the Grosmont Reservoir During Thermal Recovery Process	1
<i>Hosseinejad, Moslem; Atif, Muhammad; Solanki, Sandeep; Kantzas, Apostolos</i>	
Dynamic Behavior of Asphaltene Precipitation and Distribution Pattern in Carbonate Reservoirs During Solvent Injection: Pore-Scale Observations	10
<i>Telmadarreie, Ali; Trivedi, Japan</i>	
Successful 1st Eocene Carbonate Reservoir Steamflood Pilot Mitigates Key Technical Uncertainties for Full Field Development of Wafra Field, PZ Kingdom of Saudi Arabia & Kuwait: Part 1	
Steamflood Results	30
<i>Brown, Joel; Lwin, Al; Barge, David; Al-Mutairi, Ghanim; Al-Gamdi, Saleh; Kumar, Raushan; Littlefield, Brian</i>	
Successful 1st Eocene Carbonate Reservoir Steamflood Pilot Mitigates Key Technical Uncertainties for Full Field Development of Wafra Field, PZ Kingdom of Saudi Arabia & Kuwait: Part 2	
Simulation Model Validation	46
<i>Kumar, Raushan; Brown, Joel; Lolley, Chris; Barge, David; Bartlema, Ruurd</i>	
Quantification of Sand Production by Use of a Pressure-Gradient-Based Sand Failure Criterion	70
<i>Fan, Zhaoqi; Yang, Daoyong</i>	
Selection of New Generation Chemicals as Steam Additive for Cost Effective Heavy-Oil Recovery Applications	95
<i>Wei, You; Babadagli, Tayfun</i>	

SESSION 2: HO – DRILLING & COMPLETIONS I / SAGD MODELLING

Experimental Investigation of Metal-to-Metal Seal Behavior in Premium Casing Connections for Thermal Wells	108
<i>Xie, Jueren; Matthews, Cam</i>	
Successful Application of Engineered High Temperature Resistant Cement in a Steam Flood Injection Project in Bahrain	126
<i>Pohl, Jonathan; Jain, Bipin; Al-Hawaj, Husain; Shehab, Ali; Sultan, Hussain; Al-Tarif, Nazar; Sayed, AlGhani</i>	
Insulated Coiled Tubing as a Tool for a Thermal EOR Process Through Non-thermal Well	134
<i>Damour, J.; Johannson, D.</i>	
SAGD Sand Control: Large Scale Testing Results	143
<i>Anderson, M.</i>	
2D Transient Simulation of Conjugate Natural Convection and Radiation within Thermal Wellbore Annuli	153
<i>Lu, Xueying; Xiong, Wanqiang; Chen, Zhangxin</i>	
Application of Multiazimuth Vertical Planes MAVP to In-Situ Extraction of Heavy Oil from Shallow and Stranded Oil Sands	176
<i>Jamali, Ali; Soliman, Mohamed Y.; Shahri, Mehdi; Cavender, Travis</i>	

SESSION 3: HO – HYBRID OR SOLVENT BASED PROCESSES I

Sampling: The Key Piece for a Successful Steam-Solvent Pilot	197
<i>Verlaan, M. L.; Castellanos-Diaz, O.</i>	
Water-Soluble Solvent as an Additive to Steam for Improved SAGD	215
<i>Sheng, Kai; Okuno, Ryosuke; Wang, Mingyuan</i>	
ES-SAGD Relative Permeability as a Function of Temperature and Solvent Concentrations	240
<i>Zeidani, M.; Maini, B. B.; Chen, Z.</i>	
Performance Prediction of Solvent Enhanced Steam Flooding for Recovery of Thin Heavy Oil Reservoirs	253
<i>Huang, Shijun; Liu, Hao; Xue, Yongchao; Xiao, Peng; Xiong, Hao</i>	
Simple Calculation of the Effect of Volatile Solvents and Dissolved Gases on the Viscosity of Heavy Oils and Bitumens	271
<i>Freitag, N. P.; Dolter, A. E.</i>	

A New Mathematical Model of Solvent-SAGD Process - Importance of Heat and Mass Transfer	289
<i>Zargar, Zeinab; Ali, S. M. Farouq</i>	
An Investigation into Temperature Distribution and Heat Loss Rate within the Steam Chamber in Expanding-Solvent SAGD Process	305
<i>Liu, Hao; Cheng, Linsong; Li, Chunlan; Xiong, Hao; Xiao, Peng</i>	

SESSION 4: HO – RESERVOIR CHARACTERIZATION & MODELLING I

Measurements of Permeability Change in Inter-Bedded Shale at Elevated Temperatures	326
<i>Oldakowski, K.; Sawatzky, R. P.</i>	
Satellite Monitoring of Cyclic Steam Stimulation without Corner Reflectors	357
<i>Henschel, Michael D; Dudley, Jonathan; Chung, Peter</i>	
Numerical Prediction of H₂S Production in SAGD: Compositional Thermal-Reactive Reservoir Simulations	368
<i>Ayache, Simon V.; Preux, Christophe; Younes, Nizar; Michel, Pauline; Lamoureux-Var, Violaine</i>	

SESSION 5: HO – DRILLING & COMPLETIONS II

Chemical Stimulation Pilot at a Heavy-Oil Field: Key Considerations, Workflow, and Results	386
<i>Gutierrez, Mauricio; Bonilla, Fernando; Gil, Layonel; Parra, Wilmer; Campo, Pablo; Orozco, Alex; Garcia, Monica</i>	
An Experimental Evaluation of Pore Plugging and Permeability Reduction Near SAGD Sand Control Liners	396
<i>Mahmoudi, Mahdi; Fattahpour, Vahidoddin; Nouri, Alireza; Leitch, Michael</i>	
Downhole Remote Monitoring System for SAGD Observation Wells through Fiber Optic DTS	414
<i>Zaini, Faiz; Keough, Daniel</i>	

SESSION 6: HO – SECONDARY RECOVERY

Overcome Viscous Fingering Effect in Heavy Oil Reservoirs by an Optimized Smart Water Injection Scheme	421
<i>Kadeethum, T.; Sarma, H. K.; Maini, B. B.</i>	
Silica-Based Nanofluid Heavy Oil Recovery A Microfluidic Approach	438
<i>Bazazi, Parisa; Gates, Ian D.; Sanati Nezhad, Amir; Hejazi, S. Hossein</i>	
Modeling Polymer Flooding with Crossflow in Layered Reservoirs Considering Viscous Fingering	453
<i>Luo, Haishan; Li, Zhitao; Tagavifar, Mohsen; Lashgari, HamidReza; Zhao, Bochao; Delshad, Mojdeh; Pope, Gary A.; Mohanty, Kishore K.</i>	
Sand Transport Modeling in Heavy Oil Gathering Network in Orinoco Oil Belt, Venezuela	477
<i>Mendoza, L.; Marin, M.; Nascimento, C. M.; Peraza, R.</i>	

SESSION 7: HO – RESERVOIR CHARACTERIZATION & MODELLING II

In-Situ Catalytic Aquathermolysis Combined with Geomechanical Dilation to Enhance Thermal Heavy-Oil Production	496
<i>Fan, Yuxing; Sun, Xinge; Mai, Xing; Xu, Bin; Dong, Mingzhe; Yuan, Yanguang</i>	
Calibrating a Semi-Analytic SAGD Forecasting Model to 3D Heterogeneous Reservoir Simulations	510
<i>Dehdari, Vahid; Dong, Charlie; Marron, Eamon</i>	
A Fractional Flow Theory for Unstable Immiscible Floods	527
<i>Luo, Haishan; Delshad, Mojdeh; Zhao, Bochao; Mohanty, Kishore K.</i>	
An AI-Based Workflow for Estimating Shale Barrier Configurations from SAGD Production Histories	544
<i>Zheng, Jingwen; Leung, Juliana Y.; Sawatzky, Ronald P.; Alvarez, Jose M.</i>	
Characterizing Unconsolidated Heavy Oil Sands Using Cryogenic MicroCT - A Pilot Study from Kuwait	565
<i>Ahmed, K.; Ferdous, H.; Jain, A. K.; Ahmad, F.; Golab, A.; Deakin, L.; Young, B.; Mascini, A.</i>	
Key Insights from Production Data Analysis and Mechanistic Modeling of an Extra Heavy Oil Field	575
<i>Kumar, Raushan; Velasquez, Yorlenis; Lopez, Luisa; Valencia, Luis; Nava, Rafael J; Eckerfeld, Laura; Lolley, Chris; Kumar, Mridul</i>	

Pore Network and Morphological Characterization of Pore-Level Structures	593
<i>Mohammadmoradi, Peyman; Bashtani, Farzad; Goudarzi, Banafsheh; Taheri, Saeed; Kantzas, Apostolos</i>	
Development of a Non-Equilibrium Pore Scale Reservoir Simulator	618
<i>Bayestehparvin, Bitia; Abedi, Jalal; Farouq Ali, S. M.</i>	

SESSION 8: HO – HYBRID OR SOLVENT BASED PROCESSES II

Comparative Study of SAGD and Solvent and Water Assisted Electrical Heating: Effect of Shale Layers	629
<i>Ma, Mingxu; Rabiei Faradonbeh, Moosa; Hassanzadeh, Hassan; Harding, Thomas G.; Zanon, Stefan</i>	
Effects of Concentration-Dependent Diffusion on Mass Transfer and Frontal Instability in Solvent-Based Processes	638
<i>Yuan, Qingwang; Zhou, Xiang; Zeng, Fanhua; Knorr, Kelvin D.; Imran, Muhammad</i>	
Steam-Solvent Coinjection under Reservoir Heterogeneity: Should ES-SAGD be Implemented for Highly Heterogeneous Reservoirs?	651
<i>Venkat Venkatramani, Arun; Okuno, Ryosuke</i>	
Chemical Additives and Foam Assisted SAGD Model Development	692
<i>Li, Ran; Wang, Danling; Chen, Zhangxin</i>	
The Phase Behavior of Heavy Oil and Propane Mixtures	708
<i>Mancilla-Polanco, A.; Schoeggl, F. F.; Johnston, K.; Richardson, W. D. L.; Yarranton, H. W.; Taylor, S. D.</i>	

SESSION 9: HO – FLOW CONTROL & SAGD IMPROVEMENT

Applying Ball-Activated Completion Technology to SAGD Tubing Deployed Outflow Control Devices to Eliminate Well Intervention	729
<i>Webb, P. D.; Gauthier, J.; Skeates, C.</i>	
Learnings from the Grand Rapids Field Trial of Tubing Deployed Inflow Control Devices for SAGD Application	744
<i>Dragani, J. M.; Drover, K. T.; Zhang, X. C.</i>	
A Practical Approach to the Use and Design of Flow Control Devices in SAGD	777
<i>Lastiwka, Marty; Bailey, Chris; James, Bruce; Zhu, Da</i>	
Classification of Alberta Oil Sands Based on Particle Size Distribution for Sand Control Design and Experimental Applications	790
<i>Fattahpour, Vahidoddin; Maciel, Vittor; Mahmoudi, Mahdi; Chen, Ken; Nouri, Alireza; Leitch, Michael</i>	
Impact, Mitigation and Optimization Strategies When Low Oil Prices Alter Long Term SAGD Project Implementation	807
<i>Nourozieh, Hossein; Ranjbar, Ehsan; Kumar, Anjani; Card, Colin C.</i>	
Experimental Research On Gravity Water-Drainage Assisted Steam Flooding in Extra and Super Heavy Oil Development	822
<i>Wu, Xiaoming; Sun, Shouguo; Zhang, Hongjun; Sun, Zhenyu; Yang, Baochun; Wang, Ying; Jiang, Hua; Wang, Lei</i>	
Author Index	