

4th International Symposium on the Science and Technology of Light Sources

Karlsruhe, Germany
7-10 April 1986

ISBN: 978-1-5108-4108-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (1986) by Foundation for the Advancement of the Science & Technology of Light Sources (FAST-LS) All rights reserved.

Printed by Curran Associates, Inc. (2017)

For permission requests, please contact Foundation for the Advancement of the Science & Technology of Light Sources (FAST-LS) at the address below.

Foundation for the Advancement of the Science & Technology of Light Sources
FAST-LS
Belmayne House
99 Clarkehouse Road
Sheffield, United Kingdom
S10 2LN

www.fast-ls.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

INVITED PAPERS

REVIEW OF METAL HALIDE LAMPS	3
<i>A. Dobrusskin</i>	
NEW LAMP COATING AND MATERIALS MODELING	21
<i>T. Souldes, G. Weber</i>	
RECENT PROGRESS IN LOW PRESSURE HG-RARE GAS DISCHARGE RESEARCH	29
<i>J. Maya</i>	
PREPARATION AND USE OF HIGH PURITY METAL HALIDES IN LAMPS	35
<i>T. Brumleve, J. Schoolenberg, R. Roller</i>	
ELECTRONICS FOR LAMPS	47
<i>H. Smulders</i>	
ENERGY EFFICIENT LIGHT SOURCES	51
<i>R. Schafer</i>	
MODELING OF LOW POWER HP DISCHARGE LAMPS	59
<i>E. Fischer</i>	
COMPUTER AIDED CHEMISTRY FOR LAMP DESIGN	75
<i>E. Schmedler</i>	

HIGH PRESSURE LAMPS WITH METAL HALIDES

POLYNOMIAL APPROXIMATION OF THE CONDUCTANCE OF A HIGH PRESSURE MERCURY DISCHARGE APPLICATION TO ELECTRICAL CIRCUITS FOR HP.HG LAMPS	87
<i>J. Damalincourt, M. Aubes, T. Abdemadher, M. Stambouli, M. Annabi</i>	
GEOMETRICAL PROPERTIES OF LUMINANCE DISTRIBUTION APPLICATION TO CALCULATION OF THE NET EMISSION COEFFICIENT	89
<i>J. Damalincourt, M. Aubes, B. Bellon, E. Roaux</i>	
ARC MODEL AND DIAGNOSTICS OF THE HIGH PRESSURE MERCURY ARC WITH SODIUM IODIDE ADDITIVE	91
<i>J. Dakin, R. Gilliard</i>	
MODEL OF AC GLOW-TO-THERMIONIC-ARC TRANSITION IN DISCHARGE LAMPS	93
<i>J. Waymouth</i>	
TEMPORAL BEHAVIOR OF METAL ADDITIVES IN HID LAMPS	95
<i>H. Rothwell</i>	
OPERATION AND EFFICACY MEASUREMENT OF ELECTRODELESS HID LAMPS	99
<i>J. Anderson</i>	
EFFICACY MEASUREMENTS FOR UNCONVENTIONAL FILLS IN ELECTRODELESS HID LAMPS	103
<i>J. Anderson, P. Johnson</i>	
HIGH FREQUENCY OPERATION OF HID LAMPS	105
<i>E. Statnic</i>	
INSTANT START MINIATURE METAL HALIDE LAMP	107
<i>A. Inouye, K. Honda</i>	
NEW DEVELOPMENT OF METAL HALIDE LAMPS FOR PHOTOGRAPHIC PURPOSES	109
<i>B. Lewandowski</i>	
OPTIMIZATION OF 100W MH LAMP DESIGN	111
<i>W. Keeffe, Z. Krasko</i>	
RESIDUAL GASES IN THE OUTER JACKET OF METAL HALIDE LAMPS	113
<i>Z. Hua, W. Ruo, Y. Ci, W. Ou</i>	
A SEARCH FOR AN IMPROVED ULTRAVIOLET RADIATION SOURCE	115
<i>R. Page</i>	
INVESTIGATION OF DOPING POSSIBILITIES OF RARE GAS FLASH LAMPS	117
<i>M. Neiger, C. Popp, H.-P. Popp</i>	

HIGH PRESSURE LAMPS WITH SODIUM AND XENON

THE INFLUENCE OF NANA, NAHG AND NAXE MOLECULES ON THE SPECTRUM OF THE HIGH-PRESSURE SODIUM LAMP	121
<i>J. De Groot, J. Woerdman, M. Kieviet</i>	
LOW-WATTAGE HPS LAMPS FOR SPECIAL USE AND TESTS MADE ON THEM	123
<i>G. Szekacs, D. Vida</i>	
THE DISCUSSION OF THE CHARACTERISTICS IN SAPPHIRE HIGH PRESSURE SODIUM LAMP	125
<i>C. Zuquan, C. Dahua, Y. Heping</i>	
THE SAPPHIRE ARC TUBE AND IT'S APPLICATION IN THE HIGH PRESSURE SODIUM LAMP	127
<i>Y. Haging, C. Dahua</i>	
DESIGNING FILTERS TO IMPROVE THE COLOUR PROPERTIES OF HIGH-PRESSURE SODIUM LAMPS	129
<i>D. Mottram, A. Vos, D. Wharmby</i>	
EXPERIMENTAL INVESTIGATION OF HIGH PRESSURE XENON- AND XENON/THALLIUMIODIDE SHORT ARC LAMPS	131
<i>R. Hoppstock, M. Neiger, H.-P. Popp</i>	
SIMPLE MODEL OF THE CATHODE SPOT PLASMA OF HIGH-PRESSURE SHORT ARC LAMPS	135
<i>A. Palacin, H. Muller, M. Neiger</i>	
USE OF A STATISTICAL MODEL TO EVALUATE THE TOTAL RADIATIVE SPECTRAL LINE POWER FROM A THERMAL PLASMA: APPLICATION TO HIGH PRESSURE XENON LAMPS	139
<i>A. Palacin, M. Neiger</i>	
DESIGN AND TEST OF A 10KW XE-LAMP WITH CONSTANT INTENSITY PROFILE AT FIXED DISTANCES	141
<i>K.-J. Dietz, J. Witt</i>	

LOW PRESSURE LAMPS

A MODEL OF RADIAL VARIATIONS IN THE FLUORESCENT LAMP POSITIVE COLUMN	145
<i>J. Dakin, R. Gilliard</i>	
COMPUTERMODELLING OF FLUORESCENT LAMP PLASMAS	149
<i>R. Sonnenburg, H. Gundel</i>	
THE ENERGY BALANCE OF THE 10NM DIAMETER LOW PRESSURE RARE GAS-MERCURY DISCHARGE COLUMN	151
<i>S. Zhu, B. Zhu, Z. Cai</i>	
THE INFLUENCE OF INERT GAS MIXTURES ON THE PROPERTIES OF COMPACT FLUORESCENT LAMPS	153
EXPERIMENTAL STUDIES OF THE ENHANCEMENT OF THE UV EMITTANCE OF A LOW DENSITY MERCURY DISCHARGE BY A MAGNETIC FIELD AND ISOTOPE BLENDING	155
<i>T.-M. Zhou, F.-Z. Li, D. Hollister, S. Berman</i>	
A SURFACE WAVE LAMP	157
<i>D. Levy, S. Berman, D. Crawford</i>	
ON THE ELECTRIC CHARACTERISTICS OF AR + HG DISCHARGE LAMPS WITH SUPER-NARROW DIAMETER	159
<i>Z. Mi, C. Huang, D. Fang, Z. Cai</i>	
ON THE OPTIMUM COLD SPOT TEMPERATURE OF THE FLUORESCENT DISCHARGE LAMP	161
<i>D. Fang, C. Huang, Z. Cai</i>	
THE RUN-UP CHARACTERISTICS OF VARIOUS COMPACT FLUORESCENT LAMPS	163
<i>W. Hellebrekers, J. Heuvelmans</i>	
EFFECT OF END BANDS ON LUMEN MAINTENANCE OF FLUORESCENT LAMPS	165
<i>E. Covington</i>	
THE USE OF MULTIPLE ELECTRODES TO OFFSET THE GLOW TO ARC TRANSITION IN LOW PRESSURE DISCHARGE LAMPS	167
<i>J. Harry</i>	
IMPROVED VACUUM IN LOW-PRESSURE SODIUM LAMPS	169
<i>B. de Maagt, J. Willems</i>	

INCANDESCENT LAMPS

MODEL FOR DESIGN OF INCANDESCENT LAMPS	173
<i>R. Bergman</i>	
AGING STUDIES OF LOW VOLTAGE INCANDESCENT LAMPS FOR LONG DURATION SPACE APPLICATION	175
<i>H. Leidecker, C. Powers, M. Viehmann</i>	
THE DESIGN, CONSTRUCTION AND PERFORMANCE OF AN INCANDESCENT LIGHT SOURCE WITH A TRANSPARENT HEAT MIRROR	177
<i>R. Howson, R. Fontant, I. Goldstein, L. Thorington</i>	
BOUNDARY CONDITIONS FOR REGENERATIVE CYCLES IN HALOGEN-FILLED INCANDESCENT LAMPS	179
<i>G. Dittmer</i>	
SOLID COMPOUNDS IN HALOGEN-FILLED INCANDESCENT LAMPS	181
<i>U. Niemann</i>	
EFFECTIVE MIXED HALOGEN DOSING OF LONG LIFE LINEAR TUNGSTEN HALOGEN LAMPS	183
<i>I. Connor, V. Goddard</i>	
THE USE OF PHOSPHOROUS AS AN OXYGEN GETTER AND HALOGEN CYCLE MODIFIER IN INCANDESCENT TUNGSTEN-HALOGEN LAMPS	185
<i>M. Beschle</i>	
HALOGEN LAMPS BY HARDGLASS TECHNOLOGY	187
<i>A. Bodmer, R. Kiesel, G. Maier</i>	
HALOGEN INCANDESCENT LAMPS WITH ELLIPSOIDAL REFLECTORS FOR THE ULTRAVIOLET AND BLUE SPECTRAL RANGES	189
<i>K. Pescht</i>	

DIAGNOSTICS

DETERMINATION OF TWO-DIMENSIONAL TEMPERATURE AND ADDITIVE DENSITY DISTRIBUTIONS IN A METAL-HALIDE LAP ARC	195
<i>G. Rogoff, A. Feuersanger, J. Drummey</i>	
SPECTRAL LINE BROADENING OF THE MERCURY 365 NM AND 405 NM LINES IN PULSED OPERATION OF AN HBO 350 W/CC	197
<i>G. Luthen, W. Steudner</i>	
TRANSIENT BEHAVIOUR OF THE PLASMA IN THE ELECTRODE REGION IN HPS-LAMPS STUDIED BY HIGH-SPEED CAMERA AND EMISSION SPECTROSCOPY	199
<i>J. Szanto, S. Hollo, I. Ujj</i>	
REAL-TIME SPECTROSCOPIC MEASUREMENT OF TEMPERATURE PROFILES IN LTE-LAMPS	201
<i>M. brandenbusch, W. Heering</i>	
DETERMINATION OF THE EXCITED STATE DENSITY FOR AN OPTICALLY THICK LINE	203
MEASURING HIGH TEMPERATURE ABSORPTION COEFFICIENTS	205
<i>D. Wharmby, N. ede, J. meads</i>	
APPLICATION OF DIFFERENTIAL QUADRATURE TO THE SOLUTION OF THE ENERGY BALANCE EQUATION IN HIGH PRESSURE LAMPS	207
<i>P. Vicharelli, L. Pitchford</i>	
INTENSITY OF SELF-REVERSED LINES	209
<i>P. Vicharelli, L. Pitchford</i>	
ARC TEMPERATURE MEASUREMENT USING SELF-REVERSED NA D LINES	211
<i>L. cifuentes</i>	
AN ELEMENTARY MODELLING OF THE RADIATIVE FLUX EMITTED FROM A SELF-REVERSED LINE USING BARTEL'S FORALISM	213
<i>J. damelincourt, M. Aubes, T. Abdennadher, N. Salerno, E. Roaux</i>	
BROADENING AND SHIFT OF THE 655 NM THALLIUM LINE EMITTED BY A HIGH PRESSURE HG-TII DISCHARGE	215
<i>J. Damelincourt, M. Aubes, T. Abdennadher, D.Karabourmiotis, S. Couris</i>	
DEVIATIONS FROM THERMOCHEMICAL EQUILIBRIUM IN GHTII LAMP ARCS	217
<i>D. Karabourmiotis, S. Couris, G. Zissis, J. Damenlicourt</i>	

MEASUREMENTS OF THE PHYSICOCHEMICAL PROPERTIES OF LIGHT SOURCES USING NON-LINEAR LASER SPECTROSCOPY	219
<i>R. Devonshire, I. Dring, J. Meads, H. Boysan, J. Swithenbank, D. Greenhalgh</i>	
A NOVEL INTERSECTING LASER BEAM TECHNIQUE FOR FLUORESCENT LAMP DIAGNOSTICS	221
<i>P. Moskowitz</i>	
LASER INDUCED FLUORESCENCE STUDIES OF BA LOSS FROM FLUORESCENT LAMP ELECTRODES WITH CONVENTIONAL BALLASTS	223
<i>A. Bhattacharya, P. Hlahol</i>	
MAPPING OF MERCURY AND XENON DENSITIES IN HIGH PRESSURE LAMPS.....	225
<i>B. Weber</i>	

LAMP CHEMISTRY

THE DERIVATION OF THERMOCHEMICAL PARAMETERS FOR USE IN MODELLING METAL HALIDE LAMPS	231
<i>S. Mucklejohn, N. O'Brien</i>	
PRELIMINARY REPORT ON THE EXAMINATION OF ELECTRODE EROSION BY THE TRANSPIRATION TECHNIQUE.....	233
<i>N. O'Brien, S. Mucklejohn</i>	
THE REACTION OF RARE-EARTH METAL IODIDES WITH THE SILICA WALL IN METAL HALIDE DISCHARGE LAMPS.....	235
<i>W. van Erk, T. Rietveld</i>	
COMPLEX FORMATION IN METAL HALIDE LAMPS. SODIUM ENHANCEMENT FOR THE SYSTEMS NAI + SNI₂ AND NAI + PBI.....	237
<i>J. Seehawer, K. Hilpert</i>	
THERMODYNAMIC STUDIES FOR METAL HALIDE LAMPS	239
<i>K. Hilpert, J. Seehawer, B. Saha</i>	
MASS SPECTROMETRIC STUDIES OF THE ATTACK OF TUNGSTEN BY BROMINE, CHLORINE AND OXYGEN	241
<i>A. Popovic, J. marsel, O. Kaposi</i>	
SODIUM LOSS IN HPS-LAMPS AND ITS INVESTIGATION BY RADIOCHEMICAL METHODS	243
<i>K. Weinmuller</i>	

ELECTRONIC BALLAST

INVESTIGATION INTO THE EFFECT OF THE CURRENT WAVEFORM MODULATION ON FLUORESCENT LAMPS AT HIGH FREQUENCY	247
<i>R. Citino</i>	
AN AUTOTRACKING SYSTEM FOR STABLE HF OPERATION OF HID LAMPS	251
<i>F. Bernitz</i>	
REALIZATION OF ELECTRONIC BALLASTS FOR HID-LAMPS	253
<i>H.-J. Fahnrich</i>	
SOME ELECTRICAL PROPERTIES OF COMPACT FLUORESCENT LAMPS AND THEIR INDUCTIVE BALLASTS.....	257
<i>W. Veenstra</i>	
START AND OPERATION OF COMPACT FLUORESCENT LAMPS AT HIGH FREQUENCIES	259
<i>E. Rasch</i>	

MATERIALS AND MISCELLANEOUS

SOLID MERCURY FILLING FOR FLUORESCENT LAMPS.....	263
<i>W. Schuster</i>	
EXPONENTIAL LUMEN DEPRECIATION OF COMPACT FLUORESCENT LAMPS	265
<i>B. Mulder, S. Van Heusden</i>	
THE USE OF MIOBIUM IN HIGH PRESSURE SODIUM LAMPS.....	267
<i>C. McVey</i>	

SOME PROCESSING FACTORS AFFECTING THE MICROSTRUCTURE AND PROPERTIES OF TRANSLUCENT ALUMINA TUBES	269
<i>Z. Shaoxian</i>	
TRANSLUCENT ALUMINA TUBE USED FOR HIGH PRESSURE SODIUM LAMP	271
<i>G. qiao</i>	
CATHODLUMINESCENCE AS A LIGHT SOURCE	273
<i>S. Rigden</i>	

POST DEADLINE PAPERS

METAL OXIDE CONTAINING HIGH INTENSITY DISCHARGE LAMP	277
<i>W. lapatovich, W. Keeffe, N. Brates, R. Liebermann, J. Maya</i>	
Author Index	