

2017 13th Conference on Ph.D. Research in Microelectronics and Electronics (PRIME 2017)

**Giardini Naxos - Taormina, Italy
12 – 15 June 2017**



**IEEE Catalog Number: CFP17622-POD
ISBN: 978-1-5090-6509-7**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP17622-POD
ISBN (Print-On-Demand):	978-1-5090-6509-7
ISBN (Online):	978-1-5090-6508-0

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Table of Contents

Welcome	xiii
----------------	------

Committees	xv
-------------------	----

Regular Papers

Emerging and Non-CMOS Technologies I

Tuesday 13/06/2017, 10:20–12:00, Vulcano

Spin Torque Oscillator Based BFSK Modulation

R. Ma¹, A. Purbawati², M. Kreissig¹, F. Protze¹, A. Ruiz-Calaforra², J. Hem², U. Ebels², F. Ellinger¹

¹TU Dresden, Germany, ²SPINTEC, France

1

3D Design of a pNML Random Access Memory

A. Ferrara, U. Garlando, L. Girola, G. Santoro, M. Zamboni

Politecnico di Torino, Italy

5

Solution Processing of Silver Nanowires for Transparent Heaters and Flexible Electronics

M. Bobinger¹, V. Dergianlis¹, A. Albrecht¹, M. Haider¹, Q. Hirmer¹, M. Becherer¹, P. Lugli²

¹TU Munich, Germany, ²Free University of Bozen-Bolzano, Italy

9

Stochastic Weight Updates in Phase-Change-Memory-Based Synapses and Their Influence on Artificial Neural Networks

I. Boybat¹, M. Le Gallo¹, T. Moraitis¹, Y. Leblebici², A. Sebastian¹, E. Eleftheriou¹

¹IBM Research Zurich, Switzerland, ²EPFL, Switzerland

13

Analysis of Array Biasing in Crosspoint Memories for Leakage Power Minimization

Y. Belay, A. Cabrini, G. Torelli

University of Pavia, Italy

17

Sensing Systems I

Tuesday 13/06/2017, 10:20–12:00, Panarea

A MOX Gas Sensors Resistance-to-Digital CMOS Interface with 8-Bit Resolution and 128-dB Dynamic Range for Low-Power Consumer Applications

F. Ciciotti¹, C. Buffa², R. Gaggi², A. Baschirotto¹

¹University of Milano Bicocca, Italy, ²Infineon Technologies, Austria

21

Compressive Image Sensor Architecture with On-Chip Measurement Matrix Generation <i>M. Trevisi, R. Carmona-Galán, A. Rodríguez-Vazquez</i> Instituto de Microelectronica de Sevilla and University of Sevilla, Spain	25
A Mixed-Signal Multi-Functional System for Current Measurement and Stress Detection <i>A. D'Amico¹, C. Djelassi², O. Barbu², D. Haerle³, L. Petruzzi⁴, A. Baschiroto¹</i> ¹ University of Milano Bicocca, Italy, ² Infineon Technologies, Austria, ³ KAI, Austria, ⁴ Haerl, Austria	29
A Mixed-Signal ASIC for the Readout of Gas Electron Multiplier Detectors <i>F. Cossio</i> Politecnico di Torino and INFN Torino, Italy	33
MEMS Microphone Fully-Integrated CMOS Cap-Less Preamplifiers <i>M. Croce¹, P. Malcovati¹, A. Baschiroto², L. Crespi³, C. De Berti³</i> ¹ University of Pavia, Italy, ² University of Milano Bicocca, Italy, ³ Conexant Systems, United States	37
Radio Frequency Circuits and Systems I <i>Tuesday 13/06/2017, 10:20–12:00, Lipari</i>	
Output Matching Network Design for Broadband Class B/J Power Amplifier <i>S. Boutayeb¹, A. Giry¹, A. Serhan¹, J. Arnould², E. Lauga-Larroze²</i> ¹ CEA-LETI, France, ² University of Grenoble-Alpes, France	41
A TVWS LNTA with Balanced Output Employing a Low-Noise Current Multiplier <i>A. Coccia, D. Manstretta, R. Castello</i> University of Pavia, Italy	45
3-Path 5-6-GHz 0.25-μm SiGe BiCMOS Power Amplifier on Thin Substrate <i>S. Oezbek, G. Alavi, J. Digel, M. Grözing, J. Burghartz, M. Berroth</i> University of Stuttgart, Germany	49
Enhanced Zero Crossing Frequency Estimation for FMCW Radar Systems <i>B. Al-Qudsi, M. El-Shennawy, N. Joram, F. Ellinger</i> TU Dresden, Germany	53
NLOS Mitigation in FMCW RADAR with CLEAN Peak Detection <i>A. Figueroa, B. Al-Qudsi, N. Joram, F. Ellinger</i> TU Dresden, Germany	57
Modeling, Optimization, and Characterization I <i>Tuesday 13/06/2017, 13:00–14:40, Vulcano</i>	
Dynamic Stability of a Closed-Loop Gate Driver Enabling Digitally Controlled Slope Shaping <i>J. Groeger¹, K. Norling², B. Wicht¹</i> ¹ Reutlingen University, Germany, ² Infineon Technologies, Austria	61
Investigation on the Demodulation of Multi-Tone Interference in Feedback OpAmps <i>M. Brignone Aimonetto, F. Fiori</i> Politecnico di Torino, Italy	65
Nonlinear Modeling of Cross-Coupled Regenerative Sampling Oscillators <i>H. Ghaleb, M. El-Shennawy, U. Joerges, C. Carta, F. Ellinger</i> TU Dresden, Germany	69
A TCAD Modeling Approach for Diamond Particle Detectors: Simulation and Test <i>A. Morozzi, D. Passeri</i> University of Perugia and INFN Perugia, Italy	73
Fractional-N PLL Phase Noise Effects on Baseband Signal-to-Noise Ratio in FMCW Radars <i>M. El-Shennawy, B. Qudsi, N. Joram, F. Ellinger</i> TU Dresden, Germany	77

Digital Circuits and Sub-Systems*Tuesday 13/06/2017, 13:00–15:00, Plenary Room***Low-Power Approximate MAC Unit***D. Esposito¹, A. Strollo¹, M. Alioto²*¹University of Napoli "Federico II", Italy, ²National University of Singapore, Singapore 81**An Automated S-Box Optimization Based on Composite Field Arithmetic***L. Sarti, L. Baldanzi, B. Carnevale, L. Fanucci*

University of Pisa, Italy 85

Improved StrongARM Latch Comparator: Design, Analysis and Performance Evaluation*A. Almansouri, A. Alturki, A. Alshehri, T. Al-Attar, H. Fariborzi*

King Abdullah University of Science and Technology, Saudi Arabia 89

Hardware Support for UNUM Floating Point Arithmetic*A. Bocco¹, Y. Durand¹, F. De Dinechin²*¹CEA-LETI, France, ²INSA Lyon, France 93**Introducing Approximate Memory Support in Linux Kernel***G. Stazi, F. Menichelli, A. Mastrandrea, M. Olivieri*

University of Roma "La Sapienza", Italy 97

Area Efficient DST Architectures for HEVC*M. Masera, M. Martina, G. Masera*

Politecnico di Torino, Italy 101

Data Converters I*Tuesday 13/06/2017, 16:40–18:00, Panarea***Design of a Low-Power Potentiostatic Second-Order CT Delta-Sigma ADC for Electrochemical Sensors***J. Aymerich¹, M. Dei¹, L. Teres^{2, 1}, F. Serra-Graells^{2, 1}*¹IMB-CNM (CSIC), Spain, ²Autonomous University of Barcelona, Spain 105**A Low Power 14-Bit 1-MS/s Extended-Range Incremental ADC for High Energy Physics Experiments in 28-nm Technology***M. Elkhayat, M. Grassi, P. Malcovati, A. Baschiroto*

University of Pavia, Italy 109

Split-Based Time-interleaved ADC with Digital Background Timing-Skew Calibration*M. Guo, S. Sin, S. U, R. Martins*

University of Macau, China 113

A 3rd-Order Time-Interleaved Sigma-Delta Modulator*A. Akdikmen, E. Bonizzoni, F. Maloberti*

University of Pavia, Italy 117

Analog Circuits I*Tuesday 13/06/2017, 16:40–18:20, Lipari***A Dynamic Voltage-Combiners Biased OTA for Low-Power and High-Speed SC Circuits***R. Povoa¹, A. Canelas¹, R. Martins¹, N. Lourenço¹, N. Horta², J. Goes³*¹Instituto de Telecomunicações, Portugal, ²Instituto Superior Técnico, Portugal, ³Uninova, Portugal 121**Design of Current Feedback Instrumentation Amplifiers with Rail-to-Rail Input-Output Ranges***A. Catania¹, S. Del Cesta¹, P. Bruschi¹, M. Piotta²*¹University of Pisa, Italy, ²CNR IEIT Pisa, Italy 125

Improved Switched-Capacitor Cell for a 3-GHz 20-GS/s Waveform Digitizing ASIC <i>P. Orel, G. Varner</i> University of Hawaii at Manoa, United States	129
Reconfigurable Low Voltage Inverter-Based Sample-and-Hold Amplifier <i>D. Ruscio, F. Centurelli, P. Monsurrò, A. Trifiletti</i> University of Roma "La Sapienza", Italy	133
Enhanced Differential Super Class-AB OTA <i>M. Garde¹, A. Lopez-Martin¹, J. Ramirez-Angulo²</i> ¹ Public University of Navarra, Spain, ² New Mexico State University, United States	137
Emerging and Non-CMOS Technologies II <i>Wednesday 14/06/2017, 10:20–12:00, Vulcano</i>	
Inkjet-Printed Patch Antennas for Wireless Chip-to-Chip Communication on Flexible Substrates <i>Q. Hirmer¹, A. Albrecht¹, M. Bobinger¹, M. Loch¹, M. Haider¹, J. Russer¹, M. Becherer¹, P. Lugli²</i> ¹ TU Munich, Germany, ² Free University of Bozen-Bolzano, Italy	141
A Virtual III-V Tunnel FET Technology Platform for Ultra-Low Voltage Comparators and Level Shifters <i>F. Settino¹, M. Lanuzza¹, S. Strangio², F. Crupi¹, P. Palestri³, D. Esseni³</i> ¹ University of Calabria, Italy, ² LFoundry, Italy, ³ University of Udine, Italy	145
3D Printed Capacitive Sensor with Corrugated Surface <i>A. Tuna, O. Erden, Y. Gokdel, B. Sarioglu</i> Istanbul Bilgi University, Turkey	149
Design Approach of a Large Strain Sensor Based on Nanoparticle Technology <i>S. Ameduri, M. Ciminello, A. Concilio, A. Brindisi, L. Mazzola, F. Piscitelli, R. Volponi, O. Petrella, R. Sorrentino, B. Tiseo</i> Centro Italiano Ricerche Aerospaziali, Italy	153
High-Performance X-Band LNAs Using a 0.25-μm GaN Technology <i>M. Vittori, S. Colangeli, W. Ciccognani, A. Salvucci, G. Polli, E. Limiti</i> University of Roma "Tor Vergata", Italy	157
Sensing Systems II <i>Wednesday 14/06/2017, 10:20–12:00, Panarea</i>	
Compact Millimeter Wave Architecture Dedicated to Object Detection Using Dual-Band/Dual-Polarization and Impulse Method <i>P. Diao, T. Alves, B. Poussot, M. Villegas</i> University of Paris Est, France	161
Sensing Road Pavement Health Status through Acoustic Signals Analysis <i>R. Fedele, F. Della Corte, R. Carotenuto, F. Pratico</i> University of Reggio Calabria, Italy	165
Improved Event-Driven Touch CMOS Sensor <i>A. Abou Khalil¹, M. Valle², H. Chible³, C. Bartolozzi¹</i> ¹ Istituto Italiano di Tecnologia, Italy, ² University of Genova, Italy, ³ Lebanese University, Lebanon	169
Proposal for a New ALICE-PHOS, CPV Front-End Electronics Topology <i>C. Seguna, E. Gatt</i> University of Malta, Malta	173
RSSI Overboard Localization System for Safe Evacuation of Large Passengers Ships <i>N. El Agroudy¹, G. Georgiades², N. Joram¹, F. Ellinger¹</i> ¹ TU Dresden, Germany, ² GGDedalos Technology Services, Cyprus	177

Radio Frequency Circuits and Systems II

Wednesday 14/06/2017, 10:20–12:00, Lipari

Compact Monolithic Spiral Quadrature Coupler Design*F. Tabarani, H. Schumacher*

University of Ulm, Germany

181

A 230.5-238.8-GHz Magnetically Coupled Triple-Push Oscillator with Inductive Tuning for Data Transmission in 45-nm CMOS*U. Celik, W. Steyaert, P. Reynaert*

KU Leuven, Belgium

185

Ka Band Passive Differential 4:1 Power Divider/Combiner Based on Wilkinson Topology*M. Balducci, H. Schumacher*

University of Ulm, Germany

189

A Low-Noise K-Band Class-C VCO for E-Band 5G Backhaul Systems in 65-nm BiCMOS Technology*N. Lacaita, M. Bassi, A. Mazzanti, F. Svelto*

University of Pavia, Italy

193

Layout Considerations for Common-Base Amplifiers Operating at 200 GHz*P. Testa, S. Li, C. Carta, F. Ellinger*

TU Dresden, Germany

197

Modeling, Optimization, and Characterization II

Wednesday 14/06/2017, 13:00–15:00, Vulcano

Low-Power Optimization of a Pixel Array Architecture for Next Generation High Energy Physics Detectors*S. Marconi^{1, 4}, T. Hemperek², P. Placidi³, A. Scorzoni³, E. Conti⁴, J. Christiansen⁴*¹University of Perugia and INFN Perugia, Italy, ²University of Bonn, Germany, ³University of Perugia, Italy, ⁴CERN, Switzerland

201

Formal Verification of a Transistor PCell*K. Langner, J. Scheible*

Reutlingen University, Germany

205

PCB RF Probe Landing Pads for Multiline Deembedding*S. Sattler, M. Gadringer, F. Gentili, A. Alterkawi, W. Boesch*

TU Graz, Austria

209

A Comparison of Simulation Strategies for Estimating Phase Noise in Oscillators*S. Galeone, M. Kennedy*

University College Cork, Ireland

213

Phase Noise in Fractional-N Frequency Synthesizers Employing Successive Requantizers and MASH-SQ Hybrids*Y. Donnelly, M. Kennedy*

University College Cork, Ireland

217

Design and Numerical Characterization of a Low Voltage Power MOSFET in 4H-SiC for Photovoltaic Applications*G. De Martino¹, F. Pezzimenti¹, F. Della Corte¹, G. Adinolfi², G. Graditi²*¹University of Reggio Calabria, Italy, ²ENEA Napoli, Italy

221

Reliability and Resiliency*Wednesday 14/06/2017, 13:00–15:00, Plenary Room***1-GRad TID Impact on 28-nm HEP Analog Circuits***F. Resta¹, S. Gerardin², S. Mattiazzo², A. Paccagnella², M. De Matteis¹, C. Enz³, A. Baschirotto¹**¹University of Milano Bicocca and INFN Milano Bicocca, Italy, ²University of Padova, Italy, ³EPFL, Switzerland*

225

Self-Heating Effects on the Thermal Noise of Deep Sub-Micron FD-SOI MOSFETs*C. Baltaci, Y. Leblebici**EPFL, Switzerland*

229

Influence of Layout and Technology Parameters on the Thermal Behavior of InGaP/GaAs HBTs*A. Catalano¹, A. Magnani¹, V. D'Alessandro¹, L. Codecasa¹, P. Zampardi², B. Moser², N. Rinaldi¹**¹University of Napoli "Federico II", Italy, ²Qorvo, Italy*

233

Characterization of Electrical Crosstalk in 4T-APS Arrays using TCAD Simulations*J. Lopez-Martinez, R. Carmona-Galán, A. Rodriguez-Vazquez**Instituto de Microelectronica de Sevilla and University of Sevilla, Spain*

237

Total Ionizing Dose Effects on CMOS Devices in a 110-nm Technology*E. Riceputi¹, M. Manghisoni¹, V. Re¹, L. Gaioni¹, R. Dinapoli², A. Mozzanica²**¹University of Bergamo, Italy, ²Paul Scherrer Institut, Switzerland*

241

15-MRad Radiation Dose Effect on GEMINI*L. Mangiagalli¹, A. Pezzotta², D. Tagnani³, G. Corradi³, F. Murtas³, G. Gorini¹, A. Baschirotto¹**¹University of Milano Bicocca, Italy, ²EPFL, Switzerland, ³INFN Frascati, Italy*

245

Data Converters II*Wednesday 14/06/2017, 16:40–18:00, Panarea***A Novel Architecture for a Capacitive-to-Digital Converter Using Time-Encoding and Noise Shaping***C. Rogi¹, E. Prefasi², R. Gaggi¹**¹Infineon Technologies, Austria, ²Universidad Carlos III de Madrid, Spain*

249

A DAC-Assisted Speed Enhancement Technique for High Resolution SAR ADC*M. Kilic, Y. Leblebici**EPFL, Switzerland*

253

Design of a Compact and Low-Power TDC for an Array of SiPM's in 110-nm CIS Technology*F. Bandi, I. Vornicu, R. Carmona-Galán, A. Rodriguez-Vazquez**Instituto de Microelectronica de Sevilla and University of Sevilla, Spain*

257

A General Formula for Impulse-Invariant Transformation for Continuous-Time Delta-Sigma Modulators*J. Talebzadeh, I. Kale**University of Westminster, United Kingdom*

261

Analog Circuits II*Wednesday 14/06/2017, 16:40–18:20, Lipari***A 0.9-V 600-MHz 4th-Order Analog Filter with Feed-Forward Compensated OPAMP in CMOS 28 nm***F. Ciciotti, M. De Matteis, A. Baschirotto**University of Milano Bicocca and INFN Milano Bicocca, Italy*

265

A 1.2-V Bandgap Reference with an Additional 29.6-ppm/°C Temperature Stable Output Current <i>M. Hanhart, R. Wunderlich, S. Heinen</i> RWTH Aachen University, Germany	269
A Stable CMOS Current Reference Based on the ZTC Operating Point <i>Y. Wenger, B. Meinerzhagen</i> TU Braunschweig, Germany	273
Improved Common-Mode Feedback Based on LCMFB Techniques <i>M. Garde¹, A. Lopez-Martin¹, J. Ramirez-Angulo²</i> ¹ Public University of Navarra, Spain, ² New Mexico State University, United States	277
A Standard CMOS Bridge-Based Analog Interface for Differential Capacitive Sensors <i>G. Barile¹, G. Ferri¹, F. Parente¹, V. Stornelli¹, A. Depari², A. Flammini², E. Sisinni²</i> ¹ University of L'Aquila, Italy, ² University of Brescia, Italy	281
High-Speed Circuits and Systems <i>Thursday 15/06/2017, 10:20–12:00, Vulcano</i>	
A Low Noise Front-End Trans-Impedance Amplifier Channel for a Pulsed Time-Of-Flight Laser Radar <i>A. Baharmast, J. Kostamovaara</i> University of Oulu, Finland	285
A FPGA Correlation Receiver for CDMA Encoded LiDAR Signals <i>T. Fersch¹, M. Alam¹, R. Weigel², A. Koelpin²</i> ¹ Robert Bosch, Germany, ² University of Erlangen-Nuremberg, Germany	289
Compact Dual-Wavelength System for Time-Resolved Diffuse Optical Spectroscopy <i>M. Renna, M. Buttafava, E. Martinenghi, M. Zanoletti, A. Dalla Mora, A. Pifferi, A. Torricelli, D. Contini, F. Zappa, A. Tosi</i> Politecnico di Milano, Italy	293
System and Transistor-Level Analysis of a 8-Tap FFE 10-GB/s Serial Link Transmitter with Realistic Channels and Supply Parasitics <i>A. Bandizio¹, W. Grollitsch², F. Brandonisio², R. Nonis², P. Palestri¹</i> ¹ University of Udine, Italy, ² Infineon Technologies, Austria	297
Analysis, Optimization, and Modeling of Analog Multi-Tone Serial Data Transceivers <i>G. Kim¹, K. Gharibdoust², Y. Leblebici¹</i> ¹ EPFL, Switzerland, ² Kandou Bus, Switzerland	301
Biomedical Circuits and Applications <i>Thursday 15/06/2017, 10:20–12:00, Panarea</i>	
Tapering of Nanoelectrodes for an Intracellular Contact via a Double Hard Mask Technique <i>S. Allani, A. Jupe, M. Figge, A. Goehlich, H. Vogt</i> Fraunhofer IMS, Germany	305
Design of a CMOS Image Sensor and Stimulation IC for a Wide-Angle Retina Implant <i>P. Raffelberg¹, F. Waschkowski², R. Viga¹, W. Mokwa², P. Walter², R. Kokozinski³</i> ¹ University of Duisburg-Essen, Germany, ² RWTH Aachen University, Germany, ³ Fraunhofer IMS, Germany	309
Compact Pixel Architecture for CMOS Lateral Flow Immunoassay Readout Systems <i>E. Pilavaki¹, W. Serdijn², A. Demosthenous¹, V. Valente¹</i> ¹ University College London, United Kingdom, ² TU Delft, Netherlands	313

Capacitance Measurement Applied to the Medical Injection Pen <i>S. Joly¹, A. Wienhues¹, C. Dehollain²</i> ¹ Valtronic Technologies, Switzerland, ² EPFL, Switzerland	317
A Closed-Loop System for Neural Networks Analysis through High Density MEAs <i>G. Seu¹, G. Angotzi², G. Tuveri¹, L. Raffo¹, L. Berdondini², A. Maccione², P. Meloni¹</i> ¹ University of Cagliari, Italy, ² Istituto Italiano di Tecnologia, Italy	321
Power Circuits and Harvesting <i>Thursday 15/06/2017, 10:20–12:00, Lipari</i>	
Integrated Transformer Modelling for Galvanically Isolated Power Transfer Systems <i>N. Greco¹, A. Parisi¹, N. Spina², E. Ragonese², G. Palmisano¹</i> ¹ University of Catania, Italy, ² STMicroelectronics, Italy	325
A Reduced Output Ripple Step-Up DC-DC Converter for Automotive LED Lighting <i>P. Giannelli¹, L. Capineri¹, G. Calabrese², G. Frattini², M. Granato²</i> ¹ University of Firenze, Italy, ² Texas Instruments, Italy	329
Adaptive Current Source Driver for High-Frequency Boost Converter to Reduce EMI Generation <i>V. Subotskaya¹, B. Deutschmann²</i> ¹ Infineon Technologies, Austria, ² TU Graz, Austria	333
An All-MOS Low-Power Fast-Transient 1.2-V LDO Regulator <i>J. Perez-Bailon, A. Marquez, B. Calvo, N. Medrano</i> University of Zaragoza, Spain	337
5-Level E-Type Back to Back Power Converter - A New Solution for Extreme Efficiency and Power Density <i>M. Di Benedetto¹, P. Grbovic², L. Solero¹, A. Lidozzi¹, F. Crescimbeni¹</i> ¹ University of Roma Tre, Italy, ² Huawei, Germany	341
Circuits for Memories and Security <i>Thursday 15/06/2017, 13:20–15:00, Vulcano</i>	
Reconfigurable Array-Based Design for Flexible Cryptography Chip Architecture <i>J. Jeong, J. Kim, T. Kim, J. Choi</i> Kyungpook National University, South Korea	345
Fully Integrable Current-Mode Feedback Suppressor as an Analog Countermeasure against CPA Attacks in 40-nm CMOS Technology <i>D. Bellizia, G. Scotti, A. Trifiletti</i> University of Roma "La Sapienza", Italy	349
A 200-MHz, 0.65-fJ/(Bit Search), 1.152-kBit Pipeline Content Addressable Memory in 28-nm CMOS <i>F. Fary, L. Mangiagalli, A. Pipino, F. Resta, M. De Matteis, A. Baschiroto</i> University of Milano Bicocca, Italy	353
Impact of the Erase Algorithms on Flash Memory Lifetime <i>G. Alieri¹, G. Giaconia¹, L. Mistretta¹, F. La Rosa², A. Cimino²</i> ¹ University of Palermo, Italy, ² STMicroelectronics, Italy	357
A Low-Complexity Programmable Current Mode Circuit to Design the Sawtooth Chaotic Map <i>T. Addabbo¹, A. Fort¹, M. Mugnaini¹, S. Rocchi¹, H. Takaloo¹, V. Vignoli¹, N. Petra²</i> ¹ University of Siena, Italy, ² University of Napoli "Federico II", Italy	361

Imaging*Thursday 15/06/2017, 13:20–15:00, Plenary Room***An 80 x 25 Pixel CMOS Single-photon Image Sensor with Sub-ns Time Gating for Solid State 3D Scanning***H. Ruokamo, H. Rapakko, J. Kostamovaara*

University of Oulu, Finland

365

Photodiode Comparison for Imaging Systems with Harvesting Capabilities*A. Nogier, A. Peizerat, G. Sicard*

CEA-LETI, France

369

Optimal Readout Schemes in SPAD-Based Time-Correlated Event Detection Sensor for Quantum Imaging Applications*M. Zarghami, L. Gasparini, D. Stoppa*

Fondazione Bruno Kessler, Italy

373

Miniaturized 64-Channel Single-Photon Timing System*D. Portaluppi, M. Buttafava, D. Tamborini, A. Ruggeri, F. Villa*

Politecnico di Milano, Italy

377

Coincidence in SPAD-Based Time-of-Flight Sensors*M. Beer¹, O. Schrey¹, B. Hosticka¹, R. Kokozinski²*¹Fraunhofer IMS, Germany, ²University of Duisburg-Essen, Germany

381

Author Index

385