

6th Euro-Asian Pulsed Power Conference (EAPPC 2016)

Held with the 21st International Conference on High-Power Particle Beams (BEAMS 2016) and the 15th International Conference on Megagauss Magnetic Field Generation (MG-XV)

Estoril, Portugal
18 – 22 September 2016

ISBN: 978-1-5108-4607-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2016) by Association for the Advancement of Pulsed Power (A2P2)
All rights reserved.

Printed by Curran Associates, Inc. (2017)

For permission requests, please contact Association for the Advancement of Pulsed Power (A2P2)
at the address below.

Association for the Advancement of Pulsed Power (A2P2)
Rua das Calcadas
Vivenda Pereira, 1º andar
2755-277 Cascais
Portugal

Phone: (+351) 21 400 35 40
Fax: (+351) 21 406 08 29

secretariat@a2p2pulsepower.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|--|-----------|
| PULSED POWER AT CERN | 1 |
| <i>M. J. Barnes, L. Ducimetière, T. Fowler, B. Goddard</i> | |
| PROGRESS ON IVA AND LTD RESEARCH AT NINT | 9 |
| <i>Petian Cong, Yixiang Hu, Weixi Luo, Tieping Sun, Jiahui Yin, Tao Huang, Hao Wei, Zhiguo Wang, Jiangtao Zeng, Fengju Sun, Hailiang Yang, Zhengzhong Zeng, Aici Qiu</i> | |
| THE MODELING OF THERMAL AND DIFFUSION FLUXES FOR MAGNETO-INERTIAL FUSION | 16 |
| <i>S. Ryzhkov, V. Kuzenov</i> | |
| SOLID-STATE PULSED POWER SYSTEM FOR A STRIPLINE KICKER | 20 |
| <i>N. Butler, M. Gaudreau, J. Kinross-Wright, M. Kempkes, R. Simpson</i> | |
| DESIGN AND OPERATION OF PULSED POWER SYSTEMS BUILT TO ESS SPECIFICATIONS | 23 |
| <i>M. Gaudreau, I. Roth, M. Kempkes, R. Simpson, J. Domènec, J. Lancelot</i> | |
| THYRATRON REPLACEMENT | 27 |
| <i>I. Roth, M. Gaudreau, M. Kempkes, R. Simpson</i> | |
| PULSED ELECTRIC FIELD APPLICATION TO AQUACULTURE: PREDATOR CONTROL AND PRODUCT EXTRACTION | 30 |
| <i>M. Kempkes, I. Roth, T. Dempster</i> | |
| OBTAINING ULTRAHIGH PRESSURES IN CONFIGURATION OF MULTI-WIRE Z-0 PINCH ON GAMMA FACILITY | 34 |
| <i>V. Selenir, N. Zavyalov, V. Gordeev, P. Repin, A. Rep'Ev, A. Orlov, B. Repin</i> | |
| DESIGN AND EXPERIMENTAL STUDY OF A KIND OF LAND SPARK SOURCE..... | 38 |
| <i>A. Fan, Y. Sun, X. Xu, R. Fu, A. Fan, Y. Sun, P. Yan, R. Fu, A. Fan</i> | |
| COUPLING EFFECT BETWEEN ACCELERATING UNITS OF DIELECTRIC WALL ACCELERATOR | 42 |
| <i>Y. Shen, Y. Liu, M. Ye, H. Zhang, W. Wang, Z. Wang, C. Yang, L. Xia, J. Shi, L. Zhang, J. Deng</i> | |
| HIGH RESOLUTION BEAM PROFILE MONITOR FOR HIGH AND LOW ENERGY ION BEAMS..... | 45 |
| <i>J. Lopes, J. Rocha, N. Catarino, M. Peres</i> | |
| COMPACT HIGH-POWER MICROWAVE COMPRESSION SYSTEMS FOR FORMATION OF LONG NANOSECOND-DURATION PULSES WITH A RECTANGULAR PULSE SHAPE..... | 49 |
| <i>S. Artemenko, V. Avgustinovich, S. Gorev, V. Igumnov</i> | |
| RAYLEIGH-TAYLOR INSTABILITY OF HIGH-VELOCITY CONDENSED-MATTER LINERS..... | 53 |
| <i>S. Garanin, A. Butko, V. Yakovo</i> | |
| ANALYSIS OF ELECTRICAL CHARACTERISTICS OF THE PULSE DISCHARGE SOURCE | 59 |
| <i>A. Fan, Y. Sun, X. Xu, R. Fu, P. Yan</i> | |
| PULSE GENERATOR FOR BEAM DEFLECTOR AT THE SNS BEAM TEST FACILITY | 63 |
| <i>V. Peplov, B. Han, R. Saethre, M. Stockli, R. Welton</i> | |
| RESEARCH ON CONTROL TECHNOLOGY OF MULTI-LEVEL BATTERY CASCADE POWER SUPPLY FOR HIGH-VOLTAGE LARGE-CURRENT CHARGING | 67 |
| <i>K. Liu, A. Fan, R. Fu, Y. Gao, Y. Sun, P. Yan</i> | |
| STUDY ON PULSE POWER SUPPLY TECHNOLOGY FOR ELECTROSTATIC PRECIPITATOR | 71 |
| <i>Y. Gao, K. Liu, J. Han</i> | |
| TRANSIENT ANALYSIS MODELING OF MODULAR MARX MULTILEVEL CONVERTERS | 75 |
| <i>L. Rocha, J. Silva, L. Redondo</i> | |
| BROAD-BAND HIGH PULSED POWER COAXIAL APPLICATORS FOR IN VITRO AND IN VIVO BIOLOGICAL EXPERIMENTS | 79 |
| <i>R. Veziinet, M. Croizer, T. Chretiennot, A. Catrain, E. Bellard, M. Golzio, M. Rols, M. Breton, L. Mir</i> | |
| PROTOTYPE INDUCTIVE ADDERS WITH EXTREMELY FLAT-TOP OUTPUT PULSES FOR THE COMPACT LINEAR COLLIDER AT CERN | 83 |
| <i>J. Holma, M. Barnes</i> | |
| A KIND OF ATMOSPHERIC REPETITIVE NANOSECOND PULSE DISCHARGE SOURCE FOR APPLICATIONS ON SURFACE MODIFICATION AND STERILIZATION | 87 |
| <i>M. Peng, L. Li, Y. Cheng, Y. Teng</i> | |
| AN IMPROVED ALL-METAL CIRCULARLY POLARIZED RADIAL LINE SLOT ANTENNA | 96 |
| <i>S. Peng, C. Yuan, T. Shu, Z. Zhang, X. Zhao</i> | |

| | |
|---|-----|
| UTILIZING ULTRAHIGH MAGNETIC FIELDS TO PROMOTE THE IGNITION FOR MAGNETIZED PLASMA..... | 99 |
| <i>X. Y Ang, X. Wang, G. Wang</i> | |
| EFFECTS OF PULSED MAGNETIC FIELD ON PERFORMANCES OF SEMICONDUCTOR DEVICES | 103 |
| <i>Y. Yang, L. Dai, J. Hu, S. Tain, Q. Zhang, F. Lin</i> | |
| DESIGN OF A 6 MW SOLID-STATE PULSE MODULATOR USING MARX GENERATOR FOR THE MEDICAL LINAC..... | 108 |
| <i>H. Lim, D. Jeong, M. Lee, J. Yi, S. Ro</i> | |
| LARGE AREA ELECTRON BEAM SOURCE WITH ARC PLASMA EMITTER..... | 112 |
| <i>K. Viktor, I. Ivan, K. Igor, T. Yuri</i> | |
| CONCEPTUAL ELECTRICAL DESIGN FOR A 15-TW LTD ACCELERATOR | 116 |
| <i>R. Spielman, D. Froula, G. Brent, E. Campbell, M. Shoup, D. Reisman, M. Savage, W. Stygar, M. Wisher</i> | |
| COHERENT SUMMATION OF RADIATION FROM FOUR-CHANNEL SHOCK-EXCITED RF SOURCE OPERATING AT 4 GHZ AND REPETITION RATE OF 1000 HZ..... | 122 |
| <i>M. Ulmaskulov, K. Sharypov, S. Shunailov, V. Shpak, M. Yalandin, M. Pedos, S. Rukin</i> | |
| DRIFT CHARACTERISTICS OF FAST RISE-TIME, MODERATELY MAGNETIZED HIGH CURRENT ELECTRON BEAM | 126 |
| <i>S. Shunailov, K. Sharypov, V. Shpak, M. Ulmaskulov, M. Yalandin, V. Rostov</i> | |
| MODIFICATION OF HIGH-VOLTAGE PULSE WAVEFORM BY THE SPIRAL AND CORE-TRANSFORMER FERRITE-FILLED LINES..... | 130 |
| <i>M. Ulmaskulov, S. Shunailov, K. Sharypov, M. Yalandin, V. Shpak</i> | |
| TWO-STAGE HYBRID ENERGY COMPRESSOR FOR NANOSECOND HIGH-VOLTAGE PULSE | 134 |
| <i>M. Ulmaskulov, S. Shunailov, K. Sharypov, M. Yalandin, A. Sadykova, V. Shpak</i> | |
| THERMAL STRESS AT THE SURFACE OF THICK CONDUCTIVE PLATES INDUCED BY SINUSOIDAL CURRENT PULSES | 138 |
| <i>M. Loffler, K. Mecking, T. Lindenblatt, M. Schneider</i> | |
| RF FORMATION USING TRANSMISSION LINES BUILT WITH CERAMIC PZT CAPACITORS OF WEAK NONLINEARITY AND A FAST NS RISE TIME PULSE GENERATOR | 142 |
| <i>L. Neto, J. Rossi, J. Barroso, E. Schmiloglu</i> | |
| PRELIMINARY DATA ANALYSIS AND CALCULATIONS FROM PHELIX CRENULATION-1 AT PRAD EXPERIMENT | 146 |
| <i>C. L. Rousculp, D. M. Oro, J. T. Bradley, W. A. Reass, A. R. Patten, J. R. Griego, F. Fierro, R. E. Reinovsky, P. J. Turchi, A. Saunders, F. G. Mariam, B. J. Hollander, M. S. Freeman, L. G. Margolin, B. Cheng</i> | |
| ESTIMATION OF WARM DENSE MATTER FORMATION STABILITY AT ELECTRO-EXPLOSION OF CYLINDRICAL FOILS ON HIGH-POWER ELECTROPHYSICAL FACILITIES | 149 |
| <i>S. Kuznetsov</i> | |
| PERFORMANCE OF A 2.8 MV LOW INDUCTANCE ELECTRICAL-TRIGGERED GAS SWITCH..... | 153 |
| <i>J. Yin, A. Qiu, F. Sun, T. Liang, X. Jiang, Z. Wang, P. Cong</i> | |
| BACTERIA INACTIVATION BY PULSED ELECTRON BEAM..... | 159 |
| <i>C. Lamarche, G. Demol, F. Pillet, H. Baaziz, M. Rols</i> | |
| CALCULATION OF SPECTRAL-TEMPORAL CHARACTERISTICS OF SXR PULSE ON GAMMA-4 FACILITY | 163 |
| <i>V. Selimir, N. Zavyalov, V. Gordeev, P. Repin, A. Rep'Ev, A. Orlov, B. Repin, A. Mozgovoy, K. Strabikin, S. Puchagin</i> | |
| ON THE POTENTIAL ADVANTAGE OF A BIPOLAR CAPACITOR FOR DRIVING ELECTROMAGNETIC RAILGUNS..... | 167 |
| <i>M. Schneider, G. Vincent</i> | |
| THE PECULIARITIES OF THE APPLICATION OF MAGNETIC-PULSE METHOD FOR FORMING CONTROLLED PRESSURE PULSES TO TEST METAL SAMPLES..... | 170 |
| <i>S. Krivosheev, S. Magazinov, D. Alekseev</i> | |
| ON THE IMPACT OF THE ELASTIC-PLASTIC FLOW UPON THE PROCESS OF DESTRUCTION OF THE SOLENOID IN A SUPER STRONG PULSED MAGNETIC FIELD..... | 174 |
| <i>S. Krivosheev, S. Magazinov, D. Alekseev</i> | |
| SINGLE-TURN MAGNET WITH AN ADDITIONAL BALANCED WINDING AND FLUX CONCENTRATORS..... | 177 |
| <i>G Shneerson, K. Danilin, A. Nenashev, A. Parfentev, A. Pozdeev, D. Dyogtev, D. Petrov</i> | |
| CUMULATION OF HIGH-CURRENT ELECTRON BEAMS: THEORY AND EXPERIMENT | 181 |
| <i>S. Anishchenko, V. Baryshevsky, N. Belous, A. Gurinovich, E. Gurinovich, E. Gurnevich, P. Molchanov</i> | |

| | |
|---|-----|
| THE PROBLEMS AND DEVELOPMENT OF THE MAGNETS WITH A QUASI-FORCE-FREE WINDING | 185 |
| A. Nenashev, A. Parfentev, G. Shneerson, I. Vecherov, S. Shimanskiy, N. Ushakov | |
| AN EXPLOSIVELY DRIVEN HIGH-POWER MICROWAVE SYSTEM | 189 |
| V. Baryshevsky, N. Belous, A. Belov, P. Bogdanovich, V. Evdokimov, A. Gurinovich, E. Gurnevich, P. Molchanov, A. Oskin, A. Rovba, I. Vasiliev | |
| HIGH PERFORMANCE TRIPLET TEM CELL | 193 |
| P. Delmote, F. Bieth | |
| CALIBRATION WITH A MONOCONE ON A GROUND PLANE (CALMOPLA) | 197 |
| F. Bieth, P. Delmote | |
| A REPETITIVE PFN-MARX GENERATOR BASED ON AN INNOVATIVE DESIGN FOR COMPACTNESS AND RISE TIME IMPROVEMENT | 200 |
| F. Lassalle, A. Morell, A. Loyen, T. Chanconie, B. Roques, M. Toury | |
| MAGNETO-HYDRODYNAMIC CODE FLUX-RZ VALIDATION BASED ON RESULTS OF SCINTILLATION MEASUREMENTS OF Z-PINCH THERMAL RADIATION | 206 |
| V. Selemir, P. Repin, A. Rep'Ev, A. Orlov, B. Repin, V. Pokrovsky | |
| INFLUENCE OF FOIL THICKNESS ON HOMOGENEITY OF ITS ELECTRIC EXPLOSION | 210 |
| A. Grigoryev, E. Karnaukhov, A. Pavlenko | |
| RESEARCH IN DYNAMIC BEHAVIOR OF MATERIALS USING GENUV-P FACILITY | 213 |
| E. Karnaukhov, A. Grigoryev, A. Dulov, A. Pavlenko, S. Mokrushin | |
| SIMULATION OF PHYSICAL PROCESSES AT HIGH-CURRENT DISCHARGES IN SPHERICAL CHAMBERS WITH PLASMA FOCUS | 219 |
| V. Dolinskii, S. Garanin, V. Mamyshev, N. Makeev, Y. Shigaev | |
| CALCULATED INVESTIGATION OF FLAT STRIKERS MAGNETIC ACCELERATION IN THE DEVICE BASED ON THE MAGNETO-CUMULATIVE GENERATOR | 223 |
| V. Demidov, A. Boriskin, Y. Vlasov | |
| EXPLOSIVE CURRENT OPENING SWITCHES | 227 |
| V. Demidov | |
| TEST OF DEVICE BASED ON DISK MAGNETOCUMULATIVE GENERATOR DMCG480 WITH EXPLOSIVE CURRENT OPENING SWITCH | 236 |
| S. N. Golosov, V. A. Demidov, A. S. Boriskin, S. A. Kazakov, O. M. Tatsenko, Yu. V. Vlasov, A. P. Romanov, A. V. Filippov, E. A. Bychkova, A. N. Moiseenko, E. I. Schetnikov, V. A. Yanenko, S. V. Kutumov, N. R. Kazakova, S. I. Volodchenkov, R. M. Garipov, R. R. Yusupov, A. S. Sevastyanov, V. V. Kostin | |
| IMPULSE BREAKDOWN CHARACTERISTICS OF PROPYLENE CARBONATE MODIFIED BY NANO-PARTICLES | 240 |
| Y. Hou, J. Zhang, Z. Zhang, D. Chen, Z. Wang, H. Liu | |
| INVESTIGATION ON A HIGH POWER SOLID-STATE PULSE GENERATOR | 243 |
| J. Gao, H. Yang, S. Li, B. Qian, J. Zhang, J. Zhang | |
| COAXIAL PULSE FORMING LINE WITH HIGH ENERGY STORAGE DENSITY BASED ON PROPYLENE CARBONATE | 247 |
| Z. Zhang, H. Yang, J. Zhang, Z. Wang, Y. Hou | |
| AN IMPROVED KU-BAND MILO WITH TAPERED CHOKE CAVITY AND ENLARGED FIRST INTERACTION CAVITY | 250 |
| T. Jiang, J. Zhang, J. He, Z. Li, J. Ling | |
| SOLID-STATE PLANAR PULSE FORMING MODULES BY UTILIZING THE 2-D ELECTRODE MANUFACTURING TECHNOLOGY | 256 |
| L. Wang, J. Liu, Y. Qiu, X. Chu | |
| SIMULATION ON MAGNETIC FIELD DISTRIBUTION OF THE 20-KJ PULSE FORMING UNIT FOR ELECTROMAGNETIC LAUNCHER | 261 |
| X. Guo, L. Dai, F. Lin, J. Li, Y. Huang, W. Liu | |
| HIGH-ENERGY PROTON MICROSCOPY FOR INVESTIGATION OF EXTREME STATE OF MATTER | 265 |
| A. V. Kantsyrev, A. A. Golubev, A. V. Bogdanov, V. A. Panyushkin, N. V. Markov, D. S. Kolesnikov, S. M. Savin, Vl. S. Skachkov, A. V. Skoblyakov, A. V. Bakhmutova, I. V. Roudskoy, D. Varentsov | |
| FAST SEMICONDUCTOR SWITCHING MODULES FOR TRANSFORMER COUPLED LC INVERSION GENERATORS | 269 |
| R. Bischoff, V. Brommer, M. Stoll, S. Schamholz | |
| DEVELOPMENT OF TRIGGER CIRCUIT OF TRIGGERED VACUUM SWITCH USED IN HIGH TEMPERATURE ENVIRONMENT | 273 |
| K. Zhang, L. Dai, L. Xiang, X. Mao, C. Zhang | |
| A FAST RECOVERY 60KV CHARGING DEVICE FOR THE ISOLDE TARGET EXTRACTION VOLTAGE | 283 |
| T. Gharsa, E. Carlier, A. Fowler, J. Schipper | |

| | |
|--|-----|
| KINETIC MODELING OF SPACE CHARGE EFFECTS IN INTENSE ELECTRON BEAMS: DISTRIBUTION FUNCTION METHOD VS. PIC-METHOD | 287 |
| <i>V. Kozhevnikov, A. Kozyrev, N. Semeniuk</i> | |
| SEMICONDUCTOR HIGH VOLTAGE GENERATORS OF SUBNANOSECOND PULSES | 291 |
| <i>A. Lyublinsky, A. Kardo-Sysoev, I. Smirnova</i> | |
| PULSED MHD GENERATORS FOR POWERING RAIL ELECTROMAGNETIC LAUNCHERS | 295 |
| <i>A. Afonin, V. Butov, S. Sinyaev, V. Solonenko, G. Shvetsov</i> | |
| DESIGN OF A FLAT-CHANNEL LAUNCHER | 301 |
| <i>M. Loffler, E. Spahn, M. Wotzel</i> | |
| INFLUENCE OF TARGET PLASMA ON FOCUSED ELECTRON BEAM IN MULTIPLE-PULSE MODE OF LIA | 305 |
| <i>D. Skovorodin, Y. Trunov, V. Danilov, V. Kurkuchekov, A. Kuzmenko, S. Khrenkov, E. Li, P. Kolesnikov, A. Akhmetov, A. Kaplunov</i> | |
| RESULTS FROM COMPRESSION OF MAGNETIZED PLASMA USING IMPLODING SOLID LINER | 307 |
| <i>J. Degnan, C. Grabowski, M. Domonkos, E. Ruden, D. Amdahl, G. Wurden, T. Weber, M. Frese, S. Frese</i> | |
| ANALYSIS OF A GYROMAGNETIC NONLINEAR TRANSMISSION LINE BASED ON EXPERIMENTAL RESULTS | 311 |
| <i>F. Yamasaki, J. Rossi, J. Barroso, E. Schamiloglu</i> | |
| INFLUENCE OF MOCVD TECHNOLOGICAL CONDITIONS ON MAGNETORESISTANCE OF NANOSTRUCTURED LA-CA-MN-O FILMS USED FOR MAGNETIC FIELD SENSORS | 315 |
| <i>N. Zurauskiene, D. Pavilonis, J. Klimantavicius, V. Stankevicius, S. Kersulis, S. Balevicius, M. Skapas, R. Juskenas, V. Plausinaitiene</i> | |
| LINER PERFORMANCE OF RANCHERO-S EXPERIMENTS | 319 |
| <i>J. H. Goforth, E. V. Baca, P. Dickson, T. A. Gianakon, B. B. Glover, J. A. Gunderson, E. H. Haroz, D. H. Herrera, R. K. Meyer, H. Oona, P. J. Rae, C. L. Rousculp, L. J. Tabaka, R. G. Watt</i> | |
| MULTI-STEP ACCELERATED AGEING OF MAGNETIC FIELD SENSORS BASED ON NANOSTRUCTURED LA-SR-MN-O THIN FILMS | 323 |
| <i>J. Klimantavicius, V. Rudokas, N. Zurauskiene, S. Balevicius, C. Simkevicius, S. Kersulis, V. Stankevicius, R. Vasiliauskas, V. Plausinaitiene</i> | |
| WARM X-RAY SOURCE DEVELOPMENT ON THE SATURN ACCELERATOR | 327 |
| <i>B. Oliver, V. Harper-Slaboszewicz, K. Struve, B. Ulmen</i> | |
| A DEVELOPMENT OF A BIPOLAR PULSE GENERATOR USING MOS-FETS BASED LTD | 333 |
| <i>K. Kise, A. Tokuchi, W. Jiang</i> | |
| DEVELOPMENT OF SOS TYPE HIGH-SPEED HIGH-VOLTAGE PULSE GENERATOR | 336 |
| <i>Y. Sawamura, A. Tokuchi, W. Jiang, T. Sugai</i> | |
| 50 KV SOLID-STATE SWITCH USING STATIC INDUCTION THYRISTORS FOR THE KLYSTRON MODULATOR | 340 |
| <i>K. Tenjin, A. Tokuchi</i> | |
| DEVELOPMENT OF SIC MOS FET MARX TYPE KLYSTRON MODULATOR FOR INTERNATIONAL LINEAR COLLIDER | 344 |
| <i>Y. Sawamura, A. Tokuchi, M. Akemoto, H. Nakajima, M. Kawamura, W. Jiang, R. Suzuki, T. Hayashi</i> | |
| 2-SECTION PULSE CURRENT GENERATOR FOR CONCRETE AND ROCKS DESTRUCTION BY SPLITTING OFF | 348 |
| <i>A. Yudin, N. Voitenko, N. Kuznetsova</i> | |
| FOUR CHANNEL GYROMAGNETIC NONLINEAR TRANSMISSION LINE HIGH POWER RF SOURCE WITH BEAM STEERING | 351 |
| <i>M. Ulmaskulov, K. Sharypov, S. Shunailov, V. Shpak, M. Yalandin, M. Pedos, S. Rukin, I. Romanchenko, V. Rostov, V. Konev</i> | |
| RELAXATION OF FERROMAGNETIC AND PARAMAGNETIC STATE OF THIN LA-SR-MNO FILMS EXPOSED BY HIGH POWER PICOSECOND DURATION OPTICAL PULSES | 354 |
| <i>S. Balevicius, S. Kersulis, M. Malisauskas, J. Klimantavicius, V. Stankevicius, N. Zurauskiene, Z. Balevicius, V. Plausinaitiene, K. Pozela, S. Tolvalaisiene</i> | |
| PULSED POWER SOURCE VOLTAGE FORMING METHODS FOR SIX PHASE TWO LEVEL INVERTER | 358 |
| <i>A. Baskys, T. Lipinskis, V. Bleizgys, S. Balevicius, S. Tolvalaisiene</i> | |
| GYROMAGNETIC RF SOURCE FOR INTERDISCIPLINARY APPLICATIONS AND ITS APPROBATION ON ISOLATED LIVER MITOCHONDRIA | 362 |
| <i>I. V. Romanchenko, V. Yu. Konev, M. A. Bolshakov, L. P. Zharkova, A. V. Gunin And V. V. Rostov</i> | |
| POWER DYNISTORS WITH SUBNANOSECOND SWITCHING ON TIME AND BASED ON THEM PULSED POWER DEVICES | 365 |
| <i>S. V. Korotkov, A. G. Lyublinsky, Yu. V. Aristov, D. A. Korotkov</i> | |

| | |
|--|-----|
| SIMULATIONS OF THE INTERACTION OF HIGH-VELOCITY CONDENSED-MATTER LINERS WITH CURRENT-CARRYING WALLS | 369 |
| <i>A. Buyko, S. Garanin</i> | |
| MAGNETORESISTANCE RELAXATION ANISOTROPY OF NANOSTRUCTURED LA-SR(CA)-MN-O FILMS INDUCED BY HIGH PULSED MAGNETIC FIELDS | 373 |
| <i>N. Zurauskiene, D. Pavilonis, J. Klimantavicius, S. Balevicius, V. Stankevic, V. Plausinaitiene, R. Vasiliauskas, M. Skapas, R. Jukenas</i> | |
| EXPLODING WIRE COMPRESSION FOR EVALUATING ELECTRICAL CONDUCTIVITY IN WARM-DENSE DIAMOND-LIKE-CARBON | 377 |
| <i>T. Sasaki, T. Ohuchi, K. Takahashi, N. Harada, T. Kikuchi, A. Watabe, S. Sugimoto, M. Koga, S. Fujioka</i> | |
| WIDE BAND RESISTIVE SENSORS FOR DOUBLE RIDGED WAVEGUIDES..... | 381 |
| <i>P. Ragulis, R. Simniskis, M. Dagys, Z. Kancleris</i> | |
| NUMERICAL SIMULATION OF HYBRID VIRCATOR SYSTEM WITH PHOTONIC CRYSTAL GRID IN CST PARTICLE STUDIO | 385 |
| <i>N. Frolov, A. Hramov, S. Kurkin, A. Koronovskii</i> | |
| INVESTIGATIONS OF HIGH CURRENT DISCHARGE IN HIGH DENSITY GAS | 387 |
| <i>M. Pinchuk, A. Bogomaz, A. Budin</i> | |
| MEASUREMENTS IN HIGH-CURRENT CHANNEL AT HIGH PRESSURE GAS BY CONTACT DIAGNOSTICS | 390 |
| <i>M. Pinchuk, A. Budin, A. Bogomaz, V. Leont'Ev, A. Leks, A. Pozubenkov</i> | |
| POWER NANOSECOND RANGE SEMICONDUCTOR OPENING SWITCH BASED ON P-TYPE SILICON (P-SOS) | 392 |
| <i>A. Lyublinsky, I. Grekhov, E. Belyakova</i> | |
| RF SOLITON GENERATION IN NLTLS USING NEGATIVE INPUT PULSE OF FAST RISE TIMES PROVIDED BY THE DISCHARGE OF A STORAGE CAPACITOR..... | 396 |
| <i>L. Neto, J. Rossi, J. Barroso, E. Schmilogl</i> | |
| STUDY ON THE PACKAGE DESIGN OF HIGH-POWER SEMICONDUCTOR SWITCHES | 400 |
| <i>Y. Bae, S. Kim, B. Lee, S. Ahn, Y. Lee, K. Yang</i> | |
| DEVELOPMENT OF BIPOLAR PULSE ACCELERATOR WITH GAS PUFF PLASMA GUN FOR HIGH-PURITY INTENSE HEAVY ION BEAM | 402 |
| <i>T. Honoki, K. Okajima, Y. Imai, H. Ito</i> | |
| STUDY OF FAST RISING VOLTAGE CIRCUIT USING FAST RECOVERY DIODE | 406 |
| <i>T. Sakugawa, H. Akiyama, K. Yamashita, K. Tasaki</i> | |
| A VARIABLE TRIGGER PULSE GENERATOR FOR THE TRIGGERED VACUUM SWITCH | 410 |
| <i>Y. Son, M. Kim, W. Park, B. Lee</i> | |
| INVESTIGATION OF THE EFFECT OF MATERIAL IN MINIATURE LIGHTNING STRIKE MODEL USING 3D PRINTING TOPOGRAPHY MODEL..... | 413 |
| <i>F. Tanaka</i> | |
| DEVELOPMENT OF COMPACT PULSED POWER MODULATOR FOR BIOLOGICAL APPLICATION | 417 |
| <i>Y. Kusaba, R. Fukumura, H. Akiyama, K. Yano, T. Sakugawa</i> | |
| STUDY ON ACCELERATION MECHANISM OF PARTICLES FROM FAST PLASMA FLOW GENERATED BY TAPERED CONE PLASMA FOCUS DEVICE..... | 420 |
| <i>T. Takezaki, Y. Hatakeyama, K. Takahashi, T. Sasaki, T. Kikuchi, N. Harada</i> | |
| INFLUENCE OF CAVITY STRUCTURE ON MICROWAVE PULSE EMITTED FROM AXIAL VIRTUAL CATHODE OSCILLATOR | 424 |
| <i>T. Nakamura, S. Shinokawa, M. Teramae, F. Niwa, H. Ito</i> | |
| A HIGH-POWER HIGH-EFFICIENCY KU-BAND TRANSIT-TIME OSCILLATOR WITH LOW GUIDING MAGNETIC FIELD | 428 |
| <i>J. Ling, J. Zhang, J. He, C. Geng</i> | |
| PROGRESS ON THE DESIGN OF A STABILIZED LINER COMPRESSOR FOR LOW-COST CONTROLLED FUSION AT MEGAGAUSS FIELD-LEVELS | 432 |
| <i>P. Turchi, S. Frese, M. Frese</i> | |
| SOME HISTORY OF ALTERNATIVES FOR STABILIZED LINER IMPLOSIONS | 436 |
| <i>P. Turchi, S. Frese, M. Frese</i> | |
| THE EFFECT OF HOLDER IN THE TRIGGERED VACUUM SWITCH | 440 |
| <i>W. Park, M. Kim, Y. Son, B. Lee</i> | |
| SOLID STATE BIPOLAR MARX MODULATORS: OVERVOLTAGE TOLERANCE CAPABILITY | 443 |
| <i>H. Canacsinh, L. Redondo, J. Silva</i> | |

| | |
|--|-----|
| LLNL HIGH EXPLOSIVE PULSED POWER CAPABILITIES AND EXPERIMENTS AT THE ANCHO CANYON TEST SITE..... | 447 |
| A. J. Young, A. D. White, D. P. Milhous, R. A. Anderson, R. M. Kuklo, J. J. Trueblood, A. J. Ferriera, R. D. Speer, E. V. Baluyot, G. R. Mease, A. Cs. Ray, R. K. Hicks, D. B. Norton, A. D. Wiltse, C. K. Black, R. A. Richardson, J. P. Lewis, M. W. Danforth, D. N. Hulsey, D. J. Gire, K. M. Hood, R. A. Bonner, P. Rae, J. Goforth, D. Herrera, E. Baca, P. Dickson, J. Gunderson, B. Glover, E. Daykin, C. Perez | |
| GENERATION OF SERIES AND SERIES TRAINS OF NANOSECOND PULSES TERAWATT LEVEL ON INDUCTIVE STORAGES AND COMBINATION OPENING SWITCHES: SEMICONDUCTOR OPENING SWITCH AND OPENING SWITCH BASED ON SKIN – EFFECT PHENOMENON..... | 451 |
| O. Egorov | |
| SOLID-STATE PULSED POWER SYSTEM FOR DIELECTRIC WALL ACCELERATOR..... | 455 |
| Y. Liu, L. Xia, Y. Chen, W. Wang, M. Ye, H. Zhang, C. Yang, J. Shi, L. Zhang | |
| OPTICAL DIAGNOSIS ON BREAKDOWN CHARACTERISTICS OF PROPYLENE CARBONATE..... | 459 |
| H. Liu, Y. Hou, Z. Zhang, J. Zhang, Z. Wang | |
| HIGH MAGNETIC FIELD-DRIVEN LINER-IMPACTORS FOR SHOCK WAVE AND WARM DENSE MATTER APPLICATIONS..... | 463 |
| R. Reinovsky, C. Rousculp, S. Kreher, J. Jacobs | |
| RESEARCH OF ELECTRON BEAM PULSE ON DIELECTRIC DISCHARGE COLD CATHODE..... | 467 |
| R. Horie, A. Sugawara, T. Otsuki, K. Yambe, K. Ogura | |
| CORRUGATED WAVEGUIDE MODE PURIFIER FOR TEM OUTPUT IN A DUAL-MODE OPERATION OVERMODED COAXIAL MILLIMETER-WAVE GENERATOR..... | 471 |
| Z. Bai, J. Zhang, H. Zhong, D. Chen, D. Zhang | |
| EVIDENCE OF ANODE INITIATED BREAKDOWN OF VACUUM GAPS WITH A 50-NS, 1-MV PULSE GENERATOR..... | 475 |
| R. Allen, D. Hinshelwood, J. Schumer, I. Rittersdorf, S. Jackson, P. Ottinger | |
| SPECTROSCOPIC ANALYSIS AND STERILIZATION OF DBD PLASMA JET ENVELOPED BY WATER FLOW | 479 |
| K. Minami, A. Yamamoto, M. Mori, H. Akiyama, T. Sakugawa | |
| MATCHING A NANOSECOND PULSE SOURCE TO A CO₂ PLASMA LOAD | 482 |
| B. Hooimeijer, T. Huiskamp, A. Pemen | |
| GW X BAND TEM MODE PHASE SHIFTER | 486 |
| X. Zhao, C. Yuan, L. Liu, J. Gao, S. Peng | |
| THE ELECTRIC VECTOR POTENTIAL FOR CALCULATING INDUCTIVE ELECTRIC FIELDS: REVISITED..... | 489 |
| G. Kiutu | |
| TEST OF A PULSED CORONA DRIVEN PROCESS FOR INDUSTRIAL EMISSION CONTROL: PROCESSING BEHAVIOR, MODEL AND VERIFICATION..... | 493 |
| E. Heesch, F. Beckers, W. Hoeben, T. Huiskamp, A. Pemen, A. Bonkestoter | |
| DIFFERENT OPERATION MODES OF CYLINDRICAL GESA IV FACILITY WITH CONVERGING ELECTRON BEAM | 496 |
| R. Fetzer, W. An, A. Weisenburger, G. Mueller | |
| MAGNETIC PULSE WELDING: SOLUTIONS FOR PROCESS MONITORING WITHIN PULSED MAGNETIC FIELDS | 500 |
| J. Bellmann, E. Beyer, J. Gies, A. Tekkaya | |
| MAGNETIC PULSE WELDING OF TUBES: ENSURING THE STABILITY OF THE INNER DIAMETER | 504 |
| J. Lueg-Althoff, S. Gies, A. Tekkaya, J. Bellmann, E. Beyer, S. Schulze | |
| COMPUTATIONAL JUSTIFICATION OF THE COMMON VACUUM DIODE LOAD FOR GAMMA-4 EXPERIMENTAL FACILITY | 508 |
| N. Zavyalov, V. Gordeev, A. Grishin, A. Mozgovoy, S. Glushkov, S. Puchagin, K. Strabykin, S. Nazarenko, V. Pavlov, V. Demanov | |
| NUCLEAR MICROPROBE APPLIED TO THE STUDY OF CORRODED METALLIC SURFACES | 511 |
| J. Cruz, V. Corregidor, J. Lopes | |
| STUDY OF PHYSICAL PROCESSES AT HIGH ENERGY DENSITIES WITH THE USE OF EXPLOSIVE MAGNETIC GENERATORS | 515 |
| A. Ivanovskiy | |
| PLASMA FOCUS NEUTRON SOURCE POWERED BY EXPLOSIVE MAGNETIC GENERATOR | 521 |
| V. E. Ablesimov, A. V. Andrianov, A. A. Bazanov, Yu. N. Dolin, P. V. Duday, A. Yu. Fevralev, A. M. Glybin., A. V. Ivanovskiy, A. E. Kalinychev, G. V. Karpov, A. I. Krayev, S. S. Lomtev, V. N. Nudikov, N. I. Pozdov, S. M. Polyushko, A. F. Rybakov, A. N. Turov, A. A. Zimenkov | |

| | |
|---|-----|
| STUDY OF RHEOLOGICAL PROPERTIES OF MATERIALS WITH THE USE OF EXPLOSIVE MAGNETIC GENERATORS | 526 |
| <i>V. Baranov, P. Duday, V. Dudin, A. Glybin, S. Nadezhin, R. Tagirov, O. Tyupanova, A. Zimenkov</i> | |
| EXPERIMENTAL TEST BENCH ON THE BASIS OF A SMALL-CLASS DISK EXPLOSIVE MAGNETIC GENERATOR TO STUDY PROCESSES OF TURBULENT MIXING AND MATERIAL PROPERTIES | 530 |
| <i>E. I. Bochkov, B. E. Grinevich, P. V. Duday, B. T. Egorychev, A. V. Ivanovskiy, K. N. Klimushkin, A. I. Krayev, V. B. Kudelkin*, V. I. Mamyshev, Yu. I. Mattsev, S. M. Polyushko, E. V. Shapovalov, A. A. Zimenkov</i> | |
| FORMATION OF CURRENT PULSES WITH THE AMPLITUDE TO 10 MA AND RISE TIME ~100 NS IN EXPERIMENTS WITH EXPLOSIVE MAGNETIC GENERATOR | 534 |
| <i>A. Bazanov, P. Duday, A. Zimenkov, A. Ivanovskiy, G. Karpov, A. Krayev, V. Kudelkin, V. Mamyshev, S. Polyushko, E. Shapovalov</i> | |
| ANALYSIS OF RF GENERATION USING NLTLS DRIVEN BY PUMP INPUT PULSES OF DIFFERENT SHAPES | 538 |
| <i>J. Rossi, E. Rangel, J. Barroso, F. Yamasaki, L. Neto, E. Schamiloglu</i> | |
| DEVELOPMENT OF PARALLEL SWITCHING CIRCUIT USING WIDE BAND-GAP SEMICONDUCTOR POWER DEVICES | 542 |
| <i>T. Sakugawa, N. Yamashita, K. Tasaki, K. Yamashita, H. Akiyama, T. Ohkubo, H. Umeda, T. Matsungaga, H. Mizoguchi</i> | |
| ANALYSIS OF PEF TREATMENT USING A MONOAXIAL AND A BIAXIAL TREATMENT CHAMBER FOR FOOD PROCESSING | 546 |
| <i>H. Bermaki, A. Semmak, Y. Bellebna, M. Kaddour, H. Belhassaini, A. Tilmantine</i> | |
| ANALYSIS OF PEF TREATMENT USING A SQUARE MULTIUNITS CHAMBER FOR FOOD PROCESSING | 552 |
| <i>A. Semmak, H. Bermaki, Y. Bellebna, M. Kaddour, H. Belhassaini, A. Tilmantine</i> | |
| DEPENDENCE OF SHOCK STRENGTH ON THE OPERATING CONDITIONS IN UNDERWATER WIRE EXPLOSION | 556 |
| <i>K. Chung, K. Lee, Y. Hwang, D. Kim</i> | |
| ALL SOLID-STATE MARX GENERATOR FOR EXHAUST GAS TREATMENT | 559 |
| <i>K. Lee, K. Chung, Y. Hwang</i> | |
| HV CLOSING SEMICONDUCTOR SWITCH FOR LHC BEAM DUMPING SYSTEM | 563 |
| <i>V. Senaj, L. Ducimetiere</i> | |
| DEVELOPMENT OF RELATIVISTIC MAGNETRONS | 566 |
| <i>M. Fuks, E. Schamiloglu, N. Kovalev</i> | |
| HIGH CURRENT STRIPLINES FOR NEUTRINO BEAMS | 570 |
| <i>T. Sipahi, S. Biedron, J. Hylen, S. Milton, R. Zwaska</i> | |
| Author Index | |