## 2017 6th International Conference on Agro-Geoinformatics

Fairfax, Virginia, USA 7-10 August 2017



**IEEE Catalog Number: CFP1748T-POD ISBN**:

978-1-5386-3885-9

## Copyright $\odot$ 2017 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP174ST-POD

 ISBN (Print-On-Demand):
 978-1-5386-3885-9

 ISBN (Online):
 978-1-5386-3884-2

## **Additional Copies of This Publication Are Available From:**

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



## Table of Contents

| Phenology Based NDVI Time-series Compensation for Yield Estimation Analysis   | 1  |
|---|----|
| Gaussian process based spatial modeling of Soil moisture for dense Soil moisture sensing network  | 6  |
| A Benchmarking: Feature Extraction and Classification of Agricultural Textures Using LBP, GLCM, RBO, Neural Networks, k-NN, and Random Forest | 11 |
| Intelligent Methods for Managing Geospatial Data at the US Federal Government Feras Batarseh and Ruixin Yang                                  | 15 |
| A Script-based Workflow Module for Composition of Geoprocesing Functions in GRASS Xiaoqian Bu, Peng Yue and Mingda Zhang                      | 20 |
| Cloud And Cloud Shadow Removal of Landsat 8 Images Using Multitemporal Cloud Removal Method   | 25 |
| Study on Spatial Structure of Forest Park in Chongqing Metropolitan Area  | 30 |
| Global research trends in agro-geoinformatics during 1991-2015: a bibliometric analysis Xiaojie Chen, Bei Wang and Jinting Zhang              | 35 |
| Paddy rice field mapping using GF-1 images with SVM method Yujie Dou, Limin Wang, Jing Wang, Peilin Song, Dongdong Zhang and Jingfeng Huang   | 41 |
| Disease Detection on the Leaves of the Tomato Plants by Using Deep Learning   | 46 |
| Spatial Clustering Characteristics Mining of Cigarette Brand Sales in Guizhou provinceChina   | 51 |
| Geospatial data storage based on HBase and MapReduce  Fan Gao, Peng Yue, Mingda Zhang and Zhaoyan Wu  | 55 |
| Routability-Driven Legalization Algorithm with Minimum Total Movement for Supporting Agricultural Machinery Design                            | 59 |
| A Fast Nonlinear Placement Algorithm to Improve Agricultural Mechanization  | 64 |
| Coupling Relationship Between Land Use Transitions and Grain Yield in the Huang-Huai-Hai Plain  | 70 |
| Data Features of the Weighted Standard Deviational Curve  | 76 |

| Growth Monitoring of Plants Using Active Contour Technique   |
|--|
| Analysis of the microclimate characteristic in tunnel greenhouses under low wind speed in summer   |
| Lead Time Predictability and Large Scale Drivers: Global Dynamics of Sun-induced Chlorophyll Fluorescence from 2007 to 2016  |
| Integrated application of Water informatization: A case study from Zengcheng  Guangzhou China  |
| Developing Geospatial Web Service for Agriculture Soil Moisture Monitoring Through SMAP Data   |
| Mapping sub-pixel crop distribution using time-series of MODIS data and random forest regression model   |
| City-scale Agricultural Land Use Detection using Soil Moisture Derived from GF-1 Images 113  Min Huang, Nengcheng Chen and Zeqiang Chen  |
| Vegetation water content of crops and woodlands for improving soil moisture retrievals from Coriolis WindSat   |
| An Interoperable Approach for Sensor Web Provenance  |
| Spatio-temporal Soil Moisture Estimation using Neural Network with Wavelet Preprocessing   |
| An Adaptive Petri Net Model of Wheat Phenological Phases Under Environmental  Conditions   |
| Analyzing Reach Planform Changes Based on Metric Relations   |
| Aggregating the benefits of the sloping land conversion policy: distance-decay functions for externalities value   |
| Assessing the impacts of climate and land use land cover changes on hydrological droughts in the Yellow River Basin using SWAT model with time-varying parameters 153  Yunyun Li, Lifeng Luo and Jianxia Chang |

| Spatial-temporal variation of NPP of vegetation in Xuzhou city based on TM data 159  Liang Liang, Jiahui Wang, Xiang Luo, Jialing Li, Liping Di, Meixia Deng and Li Lin |
|---|
| Habitat Selection and Spatial Distribution Prediction of Rhinolophidae in Wuling Mountain Based on 3S Technology  |
| Extract Flood Duration from Dartmouth Flood Observatory Flood Product   |
| Developing a web service based application for demographic information modeling and analyzing   |
| Best spectral and temporal selection for crop type identification using Landsat OLI and Rapid Eye imagery in Heilongjiang province                                      |
| Estimation of evapotranspiration based on TETRIC and TTME models from Landsat data over heterogeneous land surfaces in arid region of China                             |
| 3D Geographic Scenes Visualization based on WebGL   |
| Hybrid Classification-Clustering Approach for Export-Non Export Grape Area Mapping and Health Estimation using Sentinel-2 Satellite Data                                |
| Mapping the Spatial Distribution of Barley Growth based on Unmanned Aerial Vehicle 202  Sangil Na, Chanwon Park, Kyuho So, Jaemoon Park and Kyungdo Lee                 |
| The Impact of Climate Change on Food Security and Agricultural Production in the Pak Phanang River Basin, Thailand  |
| Multi-scale Suitability Assessment of Agricultural Land in Savan District, Laos   |
| Agriculture Flood Mapping with Soil Moisture Active Passive (SMAP) Data: A Case of Louisiana Flood  |
| Agricultural plains monitoring using interferometric SAR data   |
| Comparison of Temperature Vegetation Dryness Indexes through Two Approaches in Drought Monitoring: a case of Henan Province   |

| Study on Extraction Methods of Paddy Rice Area Based on GF-1 Satellite Image  |
|---|
| Big Spatial Data Processing With Apache Spark   |
| An Automatic Change Detection Technology for remote sensing data using Gaussian  Mixture Model                                  |
| Crop Fraction Layer (CFL) datasets derived through MODIS and LandSat for the Continental US from year 2000 – 2016               |
| Advanced Calibration to Improve Robustness of Drone-Acquired Hyperspectral Remote Sensing Data                                  |
| Selection and evaluation of high-nitrogen efficiency of early rice cultivars in red soil agro-ecosystem in South China          |
| Using Structured Decision Making and Remote Sensing to Help Implement Ecological Restoration of Degraded Mud Flat Ecosystem     |
| Modelling Yield of Water Hyacinth (Eichhornia crassipes) Using Satellite and GPS Sensors  |
| Establish CyberInfrastructure to Facilitate Agricultural Drought Monitoring   |
| Building Robust Geospatial Web Services for Agricultural Information Extraction and Sharing                                     |
| Energy Optimization in Wireless Sensor Networks using Duty-cycling Approach   |
| Application of Precipitation Temperature Index in drought and flood disasters monitoring 290 Miao Tian, Zhiming Wang and Kun Yu |
| A Datacube Approach to Agro-Geoinformatics  |
| Spatial correlation and its influencing factors of the sampling units in a spatial sampling scheme for crop acreage estimation  |

| Rice Growth Monitoring Using Multi-Temporal GF-1 Images  Jing Wang, Bihui Lu, Kun Yu, Miao Tian, Xiaojun Huang and Zhiming Wang  | 306   |
|--|-------|
| Dynamic analysis of agricultural landscape pattern changes in Jiangsu  | . 311 |
| Deployment Optimization Method for Hydrological Sensor Network to Maximize Spatial Coverage  | . 315 |
| Estimating winter wheat yield by assimilation of MODIS LAI into WOFOST model with Ensemble Kalman Filter   | 321   |
| Construction of Wheat's Photosynthetic Carbon Model  | . 326 |
| Plant Phenology Recognition using Deep Learning: Deep-Pheno  | . 332 |
| Social Media Geo-Sensing Services for EO Missions under Sensor Web Environment: Users Sensing Information About the Ya'an Earthquake from Sina Weibo   | . 337 |
| LandQv1: A GIS cluster-based management information system for arable land quality big data  | . 343 |
| Embedded System Application For Sunn Pest Detection  | . 349 |
| Performance Improvement on a Web Geospatial Service for the Remote Sensing Flood-induced Crop Loss Assessment Web Application Using Vector Tiling  Eugene Yu, Liping Di, Md. Shahinoor Rahman, Li Lin, Ziheng Sun, Chen Zhang, Lei Hu, Ranjay Shrestha, Lingjun Kang, Junmei Tang and Guangyuan Yang | . 355 |
| Crop Phenology Estimation by Time Series MODIS medium-resolution data  | . 361 |
| Design and Implementation of Wi-Fi Signals Collection and Storage in SQLite  | . 365 |
| Uneven Land Development and the Spatial Diffusion Mechanism  | 369   |
| Integrating OGC Web Processing Service with Cloud Computing Environment for Earth Observation Data   | . 375 |
| A Volunteered Geographic Information Oriented Approach for Disaster Risk Reduction the case on urban waterlogging  | . 379 |

| Inversion of surface soil moisture based on ASAR-GM data; combining water cloud and Change Detection models   |
|---|
| An ontology for processing service orchestration  |
| Estimation of all-sky instantaneous photosynthetically active radiation from Visible Infrared Imaging Radiometer Suite (VIIRS) data using optimization method               |
| Correlation between climate warming and changes in agricultural caloric resources in arid regions of northwest China  |
| Spatial sampling of Multi-environment trials data for station layout of maize variety 403 Zuliang Zhao, Xiaodong Zhang, Zhe Liu, Xiaochuang Yao, Shaoming Li and De-Hai Zhu |
| CST, a freeware for predicting crop yield from remote sensing or crop model indicators: illustration with RSA and Ethiopia  |
| ASAP - Anomaly hot Spots of Agricultural Production, a new global early warning system for food insecure countries  |
| Monitoring rice growth based on TerraSAR-X dual polarization data   |