

2017 IEEE-APS Topical Conference on Antennas and Propagation in Wireless Communications (APWC 2017)

Verona, Italy
11 – 15 September 2017



IEEE Catalog Number: CFP1774N-POD
ISBN: 978-1-5090-4455-9

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1774N-POD
ISBN (Print-On-Demand):	978-1-5090-4455-9
ISBN (Online):	978-1-5090-4454-2

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS - IEEE APWC

SESSION 1:Low-profile and wideband antennas		Pages	
You B., Xu H., Zhou J., Shang Y., Xue T.	A broadband positioning array antenna with crescent-like slits for global navigation satellite system applications	127	130
Zhou J., Dong M., You B., Shang Y., Li J.	A Multi-band Antenna Loaded with DNA-like Dual-Helix Meta-elements for WLAN/WIMAX Applications	131	134
Sneha K., Sastry N.N., Siddhartha V.R.	A Small Aperture Multi Octave Band Tapered Slot Radiator	156	159
Wang F., Arslan T.	Body-Coupled Monopole UWB Antenna for Wearable Medical Microwave Imaging Applications	146	149
Matsumoto H., Tanikawara M.	Circularly polarized microstrip antenna with an airgap for multi-GNSS applications	150	151
Zhang S., Syrytsin I., Sørensen M., Pedersen G.F.	Extremely Low-Profile Circular Patch-Ring Antenna with A Shorting Via for Impedance Matching Improvement	221	224
Pinapati S.P., Nguyen-Trong N., Piotrowski A., Fumeaux C.	Integration of a Wideband Low-Profile Monopolar Antenna onto Curved Metallic Surfaces	203	206
Rashidian A., Shafai C., Shafai L.	On-Silicon Millimeter-Wave Antennas and Passive Components Using Narrow Film Structures	213	216
Pennock S.R., Jenks C.H.J.	UWB shielded teardrop monopole antenna for GPR and communications	288	291
SESSION 26:Wireless power transmission and harvesting			
Kumar A., Pattapu U., Chakraborty Das A., Das S.	A 2.45 GHz Harmonic Rejection Antenna for Wireless Power Transfer Applications	81	84
Salles V.M., Barbin S.E., Kretly L.C.	Dissipated Energy of a Low-Power Adiabatic CPAL JK-FF Design Using Four-Phase AC-clocked Power Supply based on 180 nm CMOS Technology with Various Load Capacitances	1933	1935
Go S., Abramowicz A.	Wireless Power Transfer System Based on Magnetic Resonant Coupling with Directional Coupler	197	198
SESSION 28:RFID technologies			
Donelli M.	A broadband modulated scattering technique (MST) probe based on a self complementary antenna	25	28
Donelli M.	A chipless RFID system based on substrate impedance waveguide resonators (SIW).	29	32
de Sousa T.V., Rodrigues R.A.A., Fontgalland G., Barbin S.E.	Analysis of the Use of Different Substrates for the Design of C-Sectioned Folded Microstrip Chipless Tag for Pressure Detection	308	311
Barahona M.R., Betancourt D., Ellinger F., Haase K., Schmidt G.C., Hübler A.C.	Automatic IR UWB Chipless RFID System for Short Range Applications	274	279
Chiu C.-W., Hong J.H.	Circularly polarized tag antenna on an AMC substrate for wearable UHF RFID Applications	71	74
Mejri F., Aguilil T.	Design of a passive microwave sensor for the characterization of mobile engine oil	266	269

Siri M.S., Schafer B.W., Steffen A.M., Eroglu A., Ronnow D.	Tunable Tapped Comline Bandpass Filters for RFID Systems	240	243
	SESSION 29:Wideband/multiband antennas and emerging antenna technologies, organized by H. Nakano		
Ishfaq M.K., Rahman T.A., Yamada Y., Sakakibara K.	8x8 Phased Series Fed Patch Antenna Array at 28 GHz for 5G Mobile Base Station Antennas	160	162
Xuat Ta S., Park I.	A Circularly Polarized Antenna Integrated with Metasurface Solar Cells	120	122
Kawano T., Nakano H.	A Diamond-shaped Grid Array Antenna Printed on a Dielectric Substrate	105	107
Matsunaga M.	A Multiband Circularly Polarized Cross Spiral Antenna with a Dipole Feeder	232	233
Wang H., Zhou H.	A Multi-Band Loop Antenna with a Band Stop Filter for Wireless Handheld Devices	135	136
Ong L.T., Chia T.T.	A sidelobe cancellation approach for phase-only array antennas: On initial-weight estimation	108	111
Han D., Lee C., Khattak M.K., Kahng S., Kim J.H.	A Small-Sized Automobile LTE Multi-Band MIMO Antenna	207	208
Zhang X.L., Yang F., Xu S.H., Li M.K.	A Wideband Reflectarray Design Using Novel Phasing Rings	178	180
Guan N., Tayama H., Kaushal S., Yamaguchi Y.	A wire-grid type transparent film UWB antenna	166	169
Wu L.J., Cui Y.H., Li R.L.	Bandwidth Enhanced Broadband Dual-Polarized Antenna for Base Stations	234	236
Fujimoto T., Hisatomi D.	Broadband Monopole Antenna with a Reflector and a Parasitic Element	75	76
Liu W.E.I., Chen Z.N., Qing X.	Compact, Wideband and Circularly Polarized Metasurface-Based Phased Array at Ka-Band	17	20
Kittiyapuna C., Krairiksh M.	Dual-band unidirectional cross dipole antenna	47	48
Makino S., Hirano K., Ohtsubo Y., Itoh K., Noguchi K., Hirota T.	Dual-band/Wideband MACKEY Type O Using Offset Feed Technique	101	104
La Spada L., Hao Y.	Electromagnetic waves control for antennas applications	116	119
Tanabe M.	Low-Profile Spiral Antenna with a Fan-Shaped HIS/EBG Reflector Radiating a Circularly Polarized Wave	237	239
Koga Y., Yamagajo T., Kai M.	Metal Frame Multiband MIMO Antenna for Smartphones	217	220
Sakamoto H., Yanagi T., Nishioka Y., Fukasawa T., Miyashita H.	Miniaturized Broadband Circularly Polarized Antenna Allocated in a Rotational Symmetry	37	40
Maruyama T., Shimano T., Chen Q., Kameda S., Suematsu N.	Novel reflected beam switching method using meta-surface loaded with active elements	300	301
Nakano H., Kawano T., Yamauchi J.	Parasitic Elements Coupled to Transmission Lines	12	14
Taguchi M.	Proposal of offset fed antenna with coplanar waveguide incorporated within antenna element	306	307
Gu C., Gao S., Sanz B.	Wideband Low-THz Antennas for High-Speed Wireless Communications	141	145

SESSION 38:Wireless communications			
Li Y., Wang Y., Yang R.	An improved maximum correntropy criterion algorithm with flexible zero attractor for sparse channel estimation in mixed Gaussian noise environment	316	319
Kuester D.G., McGillivray D.A., Genco S., Gu D.	Black Box Measurement of System Noise in Integrated Wireless Receivers	209	212
Castellanos G., Teuta G.	Coexistence Study between DTT and LTE services in the 614-698MHz band	302	305
Pivit F., Doumanis E., Kozlov D., Gueye M., Gimersky M.	Compact 60-GHz lens antenna with self-alignment feature for small cell backhaul	280	283
Ahumada L., Carreño E., Angles A., Schkolnik D.	Modeling shadow fading correlation in 60 GHz outdoor urban street canyons	193	196
Rohde U., Poddar A., M.A. Silaghi	Next Generation Radios: SDR (Software Defined Radio and SDN (Software Defined Network)	296	299
Ramos N.J.P.L., Fontgalland G., Neto A.G., Barbin S.E.	NSGA-RF: Elitist Non-Dominated Sorting Genetic Algorithm Region-Focused	1936	1939
Vermeeren G., Torfs G., Thielens A., Rogier H., Demeester P., Martens L., Joseph W.	Signal-to-Interference Ratio between Atto Cells in an Ultra-High Density Wireless Access Network	270	273
SESSION 40:Propagation Modelling			
Rezende M.H.B., Ramos G.L., Pereira P.T., Resende Ú.C., Silva E.J., Ribeiro G.M., Regoz C.G.	18 GHz Propagation Measurements and Analysis in Belo Horizonte/Brazil	97	100
Fuschini F., Zoli M., Vitucci E.M., Barbiroli M., Degli-Esposti V.	A study on mm-Wave Multi-User Indoor Beamforming	77	80
Plouhinec E., Uguen B., Avrillon S.	Comparison between a 3D UTD model and near field chamber measurements in the presence of a dielectric circular cylinder	89	92
Zhou H., Chabory A., Douvenot R.	Continuous and Discrete Formulations for Modeling Electromagnetic Wave Propagation over an Impedance Ground in Low Troposphere in 3D	181	184
Amani N., Bencivenni C., Glazunov A.A., Ivashina M., Maaskant R.	MIMO Channel Capacity Gains in mm-Wave LOS Systems with Irregular Sparse Array Antennas	264	265
Mendonça L.M., D'Assunção A.G., Cavalcanti B.J.	Optimizing Empirical Propagation Models for LTE and LTEA Using Genetic Algorithms at 879 MHz	312	315
Castellanos G., Teuta G.	Path Loss Model in Amazonian Border Region for VHF and UHF Television Bands	137	140
SESSION 43:IoT, Big Data and advanced EM sensors and systems, organized by G. Perona			
Bertoldo S., Lucianaz C., Allegretti M.	77 GHz automotive anti-collision radar used for meteorological purposes	49	52
Allegretti M., Gilli L., Quaglia L.	A microwave system connected to a IoT infrastructure for weed seed bank depletion	330	333

Carosso L., Allegretti M., Bertoldo S.	A new wireless sensor network module for health monitoring of civil structures	8	11
Bertoldo S., Lucianaz C., Allegretti M.	Car as a moving meteorological integrated sensor	53	56
Massaro F., Allegretti M., Ferrari A.	Data mining in modern radio astronomy	15	16
Basso T.C., Iovieno M., Bertoldo S., Perotto G., Athanassiou A., Canavero F., Perona G., Tordella D.	Disposable radiosondes for tracking Lagrangian fluctuations inside warm clouds	189	192

SESSION 50:Antennas and Arrays - IEEE APWC

Cao M.M., Wang X., Huo X.N., Wang X.F., Wang S.X.	A Novel Dual Band and Dual Circularly-Polarized Multi-beam Antenna Based on Butler Matrix	64	66
Liu T., Yang H., He Y., Zhao F.	A Novel Method to Improve The Omnidirectionality of the Dielectric Resonator Antenna Array	228	231
Particke F., Schmidt A., Rügheimer C., Mahr T.	Additive Random Sampling for Radar Signal Processing	93	96
Jia F., Mouping J., Feng Y.	An 45deg Oblique Polarized Printed Dipole Antenna Array	1	3
Alvarez-Narciandi G., Laviada J., Pino M.R., Las-Heras F.	Application of MUSIC algorithm to the estimation of objects attitude	N/A	
Islam M.N., Lacy G.E., Souto A.D.	Application of shape memory alloy actuators in shape correction of composite radio telescope reflector surfaces	152	155
Elboushi A., Alsulaiman S., Khalid Jamil K.	Cavity-Backed Monopole Antenna for UAV Communication Applications	185	188
Asgharzadeh A., Singh J., Hofmann P., Reichert G., Hein M.A.	Design approach towards automotive FM broadcast antennas based on characteristic modes	57	60
Barba Molina H., Hesselbarth J.	Discrete modified planar Luneburg lens antenna	244	247
Ramos N.J.P.L., Fontgalland G., Neto A.G., Peixeiro C.J.O., Barbin S.E.	Implementation of a Corner Reflector Antenna Using Frequency Selective Surfaces	1940	1943
Choi S., Choi J.	Miniaturized MIMO Antenna with a High Isolation for Smart Glasses	61	63
Liu K., Gao Y., Alkaraki S., Cheng Y.Q., Li X., Fan B.	OAM-generating Method Based on Concentric-ring Array Using Planar Antenna	123	126
Pralon M., Hein M., Thomä R., Pralon L., Pompeo B., Beltrao G., DelGaldo G.	On the Polarization Effects of Decoupling and Matching Networks in Compact Single-Polarized Antenna Arrays for Direction Finding	256	259
Morabito A.F., Nicolaci P.G.	Optimal Synthesis of Phase-Only Reconfigurable Continuous Aperture Sources and Isophoric Sparse-Ring Arrays	248	251
Wang M., Wang Z., Cheng Z.	OTH Passive location based on the troposcatter signal group delay and beamspace MUSIC	21	24
Salama D., Abdallah M.N., Sarkar T.K., Salazar-Palma M.	Smart Non-uniform Antenna Arrays Deployed above an Imperfect Ground Plane at Multiple Frequencies	292	295

	SESSION 53:Advances in Wireless Sensing Systems and Technologies , organized by Y.J. Guo		
Rahman M.L., Zhang J.A., Huang X., Guo Y.J.	Analog Antenna Array based Sensing in Perceptive Mobile Networks	199	202
Gao X., Du J., Zhang T., Guo Y.J.	Design of a Monolithic-Integrated Circularly-Polarized Antenna-Coupled High-Tc Superconducting Terahertz Harmonic Mixer	324	325
Wang X.-F., Zhang N., Tan Z.-H., Fang W.-H., Gao K., Zhou S.-G.	Design of an L/S-Band Antenna with Pattern and Polarization Diversity for Aircraft Application	45	46
Nan Y., Huang X., Guo Y.J.	Passive Synthetic Aperture Radar Imaging with Piecewise Constant Doppler Algorithm	41	44
Karmokar D.K., Guo Y.J.	Planar Leaky-Wave Antennas for Low-Cost Radar	112	115
Dutkiewicz E., He Y., Jayawickrama A., Abeywickrama H.V.	Radio Environment Maps Generation and Spectrum Sensing Testbed for Spectrum Sharing in 5G Networks	33	36
Zhang J.A., Huang X., Guo Y.J., Rahman M.L	Signal Stripping Based Sensing Parameter Estimation in Perceptive Mobile Networks	67	70
	SESSION 57:Advances in antennas, sensors and communication systems for smart and connected vehicles, organized by P. Nepa and A. Michel		
Franchina V., Michel A., Nepa P., Gallo M., Parolari R., Polo Filisan A., Zamberlan D.	A compact 3D antenna for automotive LTE MIMO applications	326	329
Lindenmeier S.M., Goncharova I., Hastürkoglu S., Diez M.B.	Antennas for Terrestrial Communication in Vehicles and Their Interaction with Antennas for Satellite Services	334	337
Zamberlan D.	Convergence in Automotive and Wireless technologies: updates on perspectives for vehicular antennas	320	323
Artner G., Mecklenbräuker C.F.	Exchangeable Bases for Rapid Prototyping of Carbon Fiber Reinforced Polymer Antenna Cavities	85	88
Tolin E., Litschke O., Bruni S., Vipiana F.	Innovative Rotman Lens Setup for Extended Scan Range Array Antennas	252	255
Berisha T., Artner G., Krasniqi B., Duriqi B., Mucaj M., Berisha S., Svoboda P., Mecklenbraeuker C.F.	Measurement and Analysis of LTE Coverage for Vehicular Use Cases in Live Networks	260	263
Mandlik M., Sturm C., Lubbert U., Vajdiak T., Kubak J.	Multiband Automotive Radar Sensor with Agile Bandwidth	163	165
Qing X., Ning Chen Z.	Planar Transmit-Array Antenna and Plano-Convex Lens Antenna for 77-GHz Automotive Radar	225	227
Glazunov A.A.	Test Zone Characterization in an Automotive Random-LOS OTA Test Setup	170	173
	SESSION 58:Wireless sensor networks		
Zhang Y., Liu R.	A 3D passive localization system based on indoor wireless channel model and finger printing location	174	177

