

2017 New Generation of CAS (NGCAS 2017)

**Genova, Italy
6-9 September 2017**



**IEEE Catalog Number: CFP17K67-POD
ISBN: 978-1-5090-6448-9**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP17K67-POD
ISBN (Print-On-Demand):	978-1-5090-6448-9
ISBN (Online):	978-1-5090-6447-2

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2017 First New Generation of CAS

NGCAS 2017

Table of Contents

Welcome Message from the IEEE CASS President	xii
Welcome Message from the General Chair	xiii
Welcome Message from the Technical Program Chairs	xv
Welcome Message from the Head of DITEN	
Department	xvi
Committees	xvii
Invited Talks	xviii
Plenary Keynotes	xx
Tutorials	xxiii
Special Sessions	xxvii

Modeling and Simulation of Circuits and Systems (CAD/NEUR)

PAN and MPanSuite: Simulation Vehicles towards the Analysis and Design of Heterogeneous Mixed Electrical Systems	1
<i>Federico Bizzarri and Angelo Brambilla</i>	
Activation-Kernel Extraction through Machine Learning	5
<i>Valerio Tenace and Andrea Calimera</i>	
Efficient Neural Computation on Network Processors for IoT Protocol Classification	9
<i>Vibha Pant, Roberto Passerone, Michele Welponer, Luca Rizzon, and Roberto Lavagnolo</i>	
Tunable Error Detection-Correction for Efficient Adaptive Voltage Over-Scaling	13
<i>Roberto Giorgio Rizzo and Andrea Calimera</i>	

Energy Efficient Autonomous Smart Sensory Systems (Special Session)

Energy Efficient System for Tactile Data Decoding Using an Ultra-Low Power Parallel Platform	17
<i>Michele Magno, Ali Ibrahim, Antonio Pullini, Maurizio Valle, and Luca Benini</i>	
A Sensor Node Driven by Air Flow	21
<i>Gregorio Boccalero, Corrado Boragno, Remy Morasso, and Daniele D. Caviglia</i>	

A Research Tool for the Power and Performance Analysis of Sensor-Based Mobile Robots	25
<i>Christopher B. Harris and R. Iris Bahar</i>	
A Low-Power Self-Startup Bandgap Circuit for Energy Efficient Applications	29
<i>Ali H. Hassan, Mohamed A. ElBadry, Yehea Ismail, and Hassan Mostafa</i>	
100 μ W Coreless Flyback Converter for Microbial Fuel Cells Energy Harvesting	33
<i>Yohan Wanderoild, Armande Capitaine, Adrien Morel, and Gael Pillonnet</i>	

Poster-Session: VLSI & FPGAs

Interface Circuits Based on FPGA for Tactile Sensor Systems	37
<i>Ali Ibrahim, Luigi Pinna, and Maurizio Valle</i>	
Approximate FPGA Implementation of CORDIC for Tactile Data Processing Using Speculative Adders	41
<i>Marta Franceschi, Vincent Camus, Ali Ibrahim, Christian Enz, and Maurizio Valle</i>	
Investigation on the Optimal Pipeline Organization in RISC-V Multi-threaded Soft Processor Cores	45
<i>Mauro Olivieri, Abdallah Cheikh, Gianmarco Cerutti, Antonio Mastrandrea, and Francesco Menichelli</i>	
A Convolutional Neural Network Fully Implemented on FPGA for Embedded Platforms	49
<i>Marco Bettoni, Gianvito Urgese, Yuki Kobayashi, Enrico Macii, and Andrea Acquaviva</i>	
A 10-Bit Radiation-Hardened by Design (RHBD) SAR ADC for Space Applications	53
<i>MohammadReza Baghbanmanesh, Franco Maloberti, and Umberto Gatti</i>	
Design & Analysis of a Nanowire SGFET-Based 10GHz Frequency Synthesizer	57
<i>Muhammad Aldacher and Sotoudeh Hamed-Hagh</i>	
A Cross-Coupled Redundant Sense Amplifier for Radiation Hardened SRAMs	61
<i>Nicola Lupo, Edoardo Bonizzoni, and Franco Maloberti</i>	
Partially Reconfigurable IP Protection System with Ring Oscillator Based Physically Unclonable Functions	65
<i>Emrah Abtioglu, Ramazan Yeniçeri, Burak Gövem, Emre Göncü, Müstak E. Yalçın, and Gökay Saldamli</i>	
An Analytical Model of the Delay Generator for the Triggering of Particle Detectors at CERN LHC	69
<i>Jordan Lee Gauci, Edward Gatt, Giacinto De Cataldo, Owen Casha, and Ivan Grech</i>	
Feasibility Study of an Ultra High Speed Current-Mode SAR ADC	73
<i>Waqar Ahmed Qureshi, Edoardo Bonizzoni, and Franco Maloberti</i>	

Designing a New Generation of Circuits and Systems without Clocks (Special Session)

Cost-Effective and Flexible Asynchronous Interconnect Technology for GALS Networks-on-Chip	77
<i>Davide Bertozzi, Gabriele Miorandi, Mahdi Tala, and Steven M. Nowick</i>	
Asynchronous Arbitration Primitives for New Generation of Circuits and Systems	81
<i>Andrey Mokhov, Danil Sokolov, Victor Khomenko, and Alex Yakovlev</i>	
Asynchronous and GALS Design -Overview and Perspectives	85
<i>Milos Krstic, Eckhard Grass, and Xin Fan</i>	
Timing Organization of a Real-Time Multicore Processor	89
<i>Martin Schoeberl and Jens Sparsø</i>	

Circuits for Biomedical Applications and Bio-Inspired Circuits (BIO)

A Perceptron Circuit with DAC-Based Multiplier for Sensor Analog Front-Ends	93
<i>Yoritaka Ishiguchi, Daishi Isogai, Takuma Osawa, and Shigetoshi Nakatake</i>	
Clock Recovery Gated PLL for Periodically Interrupted and 100% ASK Modulated Signals for a Medical Implant	97
<i>Henning Schütz, Albrecht Rothermel, and Stefan Gambach</i>	
Raspberry Pi Based System for Portable and Simultaneous Monitoring of Anesthetics and Therapeutic Compounds	101
<i>Francesca Stradolini, Abuduwaili Tuoheti, Paolo Motto Ros, Danilo Demarchi, and Sandro Carrara</i>	
ROIC Design for a 10k Pixel Photoresistive Image Sensor with On-Chip Calibration	105
<i>Cagatay Ozmen, Aydin Dirican, Hieu Nguyen, and Martin Margala</i>	

Gas Sensing Circuit Interfaces (Special Session)

153dB Dynamic Range Calibration-Less Gas Sensor Interface Circuit with Quasi-Digital Output	109
<i>Zeinab Hijazi, Marco Grassi, Daniele D. Caviglia, and Maurizio Valle</i>	
An Unconventional Type of Measurement with Chemoresistive Gas Sensors Exploiting a Versatile Measurement System	113
<i>Tommaso Addabbo, Ada Fort, Marco Mugnani, Lorenzo Parri, and Valerio Vignoli</i>	
Gas Sensing on Unmanned Vehicles: Challenges and Opportunities	117
<i>Maurizio Rossi and Davide Brunelli</i>	
A 0.7 V Capacitance-To-Digital Converter for Interdigitated Electrode Capacitive Vapor Sensors	121
<i>Chih-Hong Li, Ting-I Chou, Shih-Wen Chiu, and Kea-Tiong Tang</i>	

Approximate Computing and Signal Processing

Approximate Multipliers Based on Inexact Adders for Energy Efficient Data Processing	125
<i>Mario Osta, Ali Ibrahim, Hussein Chible, and Maurizio Valle</i>	
Multiplier Free Implementation of 8-Tap Daubechies Wavelet Filters for Biomedical Applications	129
<i>Adem Coskun, Izzet Kale, and Yaprak Eminaga</i>	
Approximate Arai DCT Architecture for HEVC	133
<i>Giovanni Renda, Maurizio Masera, Maurizio Martina, and Guido Masera</i>	
Approximate Distributed Arithmetic for Variable-Latency Table Lookup	137
<i>Yi-Hsuan Ting, Tay-Jyi Lin, Cheng-Chun Chang, Chih-Chien Hu, Chingwei Yeh, and Jinn-Shyan Wang</i>	

Poster-Session: CAS for Power, Communications, and Analog signal Processing

Bluetooth Low Energy (BLE) Direct Down Conversion Receiver Front End in 65nm CMOS Technology	141
<i>M. Nasrollahpour, R. Sreekumar, F. Hajilou, M. Aldacher, and S. Hamed-Hagh</i>	
Cascode Stage Based LNA for Bluetooth Applications in 45 nm CMOS Technology	145
<i>Rahul Sreekumar, Mehdi Nasrollahpour, and Sotoudeh Hamed-hagh</i>	
Analog Characterization Module with Data Converter-Coupled Signal Reconfiguration	149
<i>Daishi Isogai, Bo Liu, Yoritaka Ishiguchi, and Shigetoshi Nakatake</i>	
A Low-Cost Free-Space Optical Communication Prototype	153
<i>Alberto Oliveri and Matteo Lodi</i>	
Design and Layout Challenges in a 2 GHz On-Chip Differential Wide Bandpass Filter	157
<i>Luciano Boglione and Douglas Jachowski</i>	
A Regulated High Negative Voltage Generator for Single-Photon Avalanche Photodiodes	161
<i>Shijie Deng, Liam Lewis, and Alan P. Morrison</i>	
Analog FIR Filter Integrated Circuit	165
<i>Aleksandr Gryunshpan, Andrey Bratov, Vladimir Bratov, Vladimir Katzman, and Aliksandr Vasyukevich</i>	
A Clock-Less PWM Architecture for Sensor Imaging	169
<i>Massari Nicola, Gottardi Massimo, Alberini Giacomo, and Passerone Roberto</i>	
Analysis of Power Electronic Interface for Capacitive MEMS Energy Harvesters	173
<i>Binh Duc Truong, Cuong Phu Le, and Einar Halvorsen</i>	

Sensors and Systems for the Restoration of the Sense of Touch in Prosthetics (Special Session)

Distributed Sensing and Stimulation Systems for Sense of Touch Restoration in Prosthetics	177
<i>Hoda Fares, Lucia Seminara, Ali Ibrahim, Marta Franceschi, Luigi Pinna, Maurizio Valle, Strahinja Dosen, and Dario Farina</i>	
Wearable Capacitive-Based Wrist-Worn Gesture Sensing System	181
<i>Xiangpeng Liang, Hadi Heidari, and Ravinder Dahiya</i>	
Restoring Touch through Intracortical Microstimulation of Human Somatosensory Cortex	185
<i>Sharlene Flesher, Jennifer Collinger, Jeffrey Weiss, Christopher Hughes, Sliman Bensmaia, Michael Boninger, and Robert Gaunt</i>	
A Novel Embedded System for Direct, Programmable Stimulation of the Peripheral Neural System	189
<i>Caterina Carboni, Lorenzo Bioni, Roberto Puddu, Luigi Raffo, and Massimo Barbaro</i>	
Multi-modal Sensory Feedback System for Upper Limb Amputees	193
<i>Huaiqi Huang, Tao Li, Claudio Bruschini, Christian Enz, Jörn Justiz, Christian Antfolk, and Volker M. Koch</i>	

Analog Circuits (ASP/COMM)

Design of a BGR Suitable for the Space Industry with Performance of 1.25 V with 0.758 ppm/°C TC from - 55° to 125°C	197
<i>Jonathan Calvillo, Jorge Guilherme, and Nuno Horta</i>	
Parasitic Insensitive 16 - Symbol Backscatter Modulator	201
<i>Vandana Dhawan</i>	
A 0.18 μm CMOS X-Band Low Noise Amplifier for Space Applications	205
<i>Nergiz Sahin and Mustafa Berke Yelten</i>	
An Ultra-Low Power and High Speed Single Ended Sense Amplifier for Non-Volatile Memories	209
<i>Steve Ngueya W., Julien Mellier, Stephane Ricard, Jean-Michel Portal, and Hassen Aziza</i>	
A SPAD-Based Random Number Generator Pixel Based on the Arrival Time of Photons	213
<i>Massari Nicola, Leonardo Gasparini, Alessio Meneghetti, and Alessandro Tomasi</i>	

Poster-Session: Future Electronics for Sensory Systems and Applications

Towards a Novel HMI Paradigm Based on Mixed EEG and Indoor Localization Platforms	217
<i>M. Salvaro, V. Kartsch, S. Benatti, M. Milano, and L. Benini</i>	
An Event-Based, Frame-Based Image Acquisition Mechanism for CMOS Image Sensors	221
<i>Arnaud Verdant, Gilles Sicard, and Dupoirron camille</i>	

Digital Signal Processing Sensor for Automotive Visible Light Communications Applications	225
<i>Alin-Mihai Cailean, Mihai Dimian, Valentin Popa, Luc Chassagne, and Barthélemy Cagneau</i>	
The Impact of Soft Errors on Memristor-Based Memory	229
<i>Ahmed Abubakr, Ahmed Ibrahim, Yehea Ismail, and Hassan Mostafa</i>	
Socketmaster: Integrated Sensors System for the Optimised Design of Prosthetic Socket for above Knee Amputees	233
<i>Leandro Lorenzelli, Guido Sordo, Alvise Bagolini, and Giuseppe Resta</i>	
The Application of Average Voltage Estimation Models in Simulation of Permanent Magnet AC Electric Motor and Generator Drive Systems	237
<i>Calum Cossar and Najmeh Rezaei</i>	
Two-Dimensional Digital Lock-In Circuit for Fluorescent Imaging of Odor Biosensor System	241
<i>Yuji Sukekawa, Totok Mujiono, and Takamichi Nakamoto</i>	
Calculation of Voltage Gain Determinants with Co-factors Formed by Circuit Trajectance Paths	245
<i>Sotoudeh Hamed-Hagh</i>	
Noise Analysis in Switched Capacitor Amplifier Based Sensors	249
<i>Mohammad Ali Vosoughi, Hamdi Torun, and Gunhan Dundar</i>	

Digital Signal Processing (DSP/FPGA)

A Low Complexity Cyclostationary Detector for OFDM Signals	253
<i>Douglas Allan, Louise Crockett, and Robert Stewart</i>	
Two-Stage Cosine Filter-Based Decimator with Improved Aliasing Rejection	257
<i>Gordana Jovanovic Dolecek</i>	
A System-Theoretic View on Breathing Detection Using Chirp Sequence Modulated Radar Sensors	261
<i>Tim Poguntke, Davi Duarte de Carvalho Filho, and Karlheinz Ochs</i>	
High Dynamics Adaptive Demodulator for Ultrasound Applications: FPGA Implementation	265
<i>Valentino Meacci, Riccardo Matera, and Stefano Ricci</i>	

Integrated Circuits and VLSI (VLSI)

CMOS Dynamic Tactile Sensor	269
<i>Ali Abou Khalil, Maurizio Valle, Hussein Chible, and Chiara Bartolozzi</i>	
An Efficient MPI Implementation for Multi-Core neuromorphic Platforms	273
<i>Francesco Barchi, Gianvito Urgese, Enrico Macii, and Andrea Acquaviva</i>	
Exploiting the Dynamic Partial Reconfiguration on NoC-Based FPGA	277
<i>Amr Hassan, Hassan Mostafa, Hossam A. H. Fahmy, and Yehea Ismail</i>	

A Cost-Effective Dynamic Partial Reconfiguration Implementation Flow for Xilinx
FPGA281
 *Ahmed Kamaleldin, Islam Ahmed, Abulfattah M. Obeid, Ahmed Shalash,
 Yehea Ismail, and Hassan Mostafa*

Author Index285