

2017 Texas Symposium on Wireless and Microwave Circuits and Systems (WMCS 2017)

**Waco, Texas, USA
30-31 March 2017**



**IEEE Catalog Number: CFP17WMD-POD
ISBN: 978-1-5386-1795-3**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP17WMD-POD
ISBN (Print-On-Demand):	978-1-5386-1795-3
ISBN (Online):	978-1-5386-1794-6

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

CONCURRENT DUAL BAND HYBRID POWER AMPLIFIER IN 0.25μM GAN TECHNOLOGY	1
<i>Urmila Nath ; Tony Quach ; Aji Mattamana ; Steve Dooley ; William Gouty ; Paul Watson ; Guru Subramanyam</i>	
A NOVEL SOFT-OUTPUT DECODING METHOD FOR INTEGER SPACE-TIME BLOCK CODES	5
<i>Mitchell J Grabner ; Xinrong Li ; Shengli Fu</i>	
A 12-BIT SERIAL-TO-PARALLEL CONVERTER USING DEPLETION-MODE-ONLY DEVICES.....	10
<i>Marvin Harris ; Ping Gui</i>	
MEASUREMENT, SIMULATION AND THEORY OF CREEPING WAVE PROPAGATIONS AROUND THE HUMAN HEAD AT 2.45 GHZ	14
<i>Drew Bresnahan ; Yang Li</i>	
THE MINIMUM PHASE PROPERTY IN APERTURE ANTENNAS	18
<i>Heinrich Foltz ; James McLean</i>	
STUDY OF A FIFTH ORDER SYNTHESIZED COMBLINE FILTER FOR A SELF- STRUCTURING FILTER PROTOTYPE	22
<i>Shaynee Contee ; Michel Reece</i>	
SQUARE DIELECTRIC INTERCONNECT FOR CHIP-TO-CHIP THZ COMMUNICATION	26
<i>N. Aflakian ; T. Lafave ; R. M. Henderson ; K. K. O ; D. L. Macfarlane</i>	
TUNABLE CPW-BASED TRANSMISSION LINE FOR MM-WAVE APPLICATIONS.....	29
<i>A. Chen ; R. Sreekumar ; L. Melikian ; S. Ardalan</i>	
A COMPACT WATT-LEVEL GAN-ON-SI CLASS AB POWER AMPLIFIER FOR HANDSET APPLICATIONS	33
<i>Muhammad Ruhul Hasin ; Jennifer Kitchen</i>	
VIBRATION CORRECTION OF OSCILLATOR FOR PHASE NOISE IMPAIRMENTS UTILIZING MEMS ACCELEROMETER	37
<i>Shannon Wanner</i>	
GEOMETRIES FOR CREATING A PROCESS SEAL INSERT FOR A STANDARD WAVEGUIDE-TO-COAX ADAPTER.....	42
<i>Tanner Jameson Trapp ; Buford Randall Jean</i>	
FAST RECONFIGURATION IN REAL-TIME TRANSMITTER AMPLIFIER IMPEDANCE OPTIMIZATION USING S-PARAMETERS.....	46
<i>Jacob Boline ; Matthew Fellows ; Alicia Magee ; Charles Baylis ; Lawrence Cohen ; Robert J. Marks</i>	
MAGNETIC INDUCTION FOR MWD TELEMETRY SYSTEM	50
<i>Li Yan ; Debing Wei ; Miao Pan ; Jiefu Chen</i>	
ON-BODY RADIATION OF 3D-PRINTED FOLD CYLINDRICAL HELIX (FCH) WEARABLE ANTENNA	54
<i>Dong Xue ; Brian A. Garner ; Yang Li</i>	
WIRELESS DETECTION OF SIGNALS FROM EXCITATION OF MACULA BY LIGHT PULSES.....	58
<i>Yang Fan ; C. S. Lee</i>	
AMBIGUITY FUNCTION MAGNITUDE INVERSION VIA A MODIFIED GERCHBERG- SAXTON ALGORITHM.....	61
<i>Albert R. Yu ; Charles Baylis ; Robert J. Marks</i>	
WIDEBAND GAAS MMIC DRIVER POWER AMPLIFIERS FOR X AND KU BANDS.....	65
<i>Esmail Babakrpur ; Ali Medi ; Won Namgoong</i>	
PREDICTIVE METHOD FOR ANALYZING OAM AT RADIO FREQUENCIES	69
<i>Shilpi Sharma ; Haohan Yao ; Rashaunda Henderson ; Solyman Ashrafi ; Duncan Macfarlane</i>	
SIMULATED DESIGN METHODOLOGY FOR AN 80-METER DOHERTY AMPLIFIER USING MOSFET ACTIVE DEVICES	73
<i>Bryant Baker ; Christopher G. Thompson ; Taylor W. Barton</i>	
POLYNOMIAL MEMORY PRE DISTORTION BASED ON NON UNIFORM DELAYS FOR WIRELESS APPLICATIONS	77
<i>Avi Sulimarski ; Avi Gazneli ; David Lipshitz</i>	
PLASMA BASED TERAHERTZ DEVICES.....	82
<i>Hasan T. Abbas ; Robert D. Nevels ; Krzysztof A. Michalski</i>	
ANALYSIS OF A TIME-DOMAIN PROPAGATOR NUMERICAL METHOD FOR ELECTROMAGNETIC FIELDS	86
<i>Jongchul Shin ; Robert Nevels</i>	

CARRIER AGGREGATION RECEIVER EMPLOYING DIRECT RECENTRED OFFSET RECEIVERS	90
<i>Dror Regev ; Shimi Shilo ; Doron Ezri ; Michael Moyal ; Junping Zhang ; Xiang Yi ; Chirn Chye Boon</i>	
A FIFTH-ORDER POLYNOMIAL PREDISTORTION CIRCUIT FOR MACH-ZEHNDER MODULATOR LINEARIZATION IN 65NM CMOS	94
<i>Jeffrey Okyere ; Kunzhi Yu ; Kamran Entesari ; Samuel Palermo</i>	
ELECTROMAGNETIC DEVICES FOR NEXT-GENERATION WIRELESS COMMUNICATION SYSTEMS	98
<i>Ahmed Kord ; Dimitrios L. Sounas ; Andrea Alù</i>	
A HIGHLY EFFICIENT AND LINEAR 15 GHZ GAN POWER AMPLIFIER DESIGN FOR 5G COMMUNICATIONS	102
<i>J. C. Mayeda ; D. Y. C. Lie ; J. Lopez</i>	
FAST DESIGN OF UNCONDITIONALLY STABLE POWER AMPLIFIER USING THE CENTER FREQUENCY SMITH TUBE	106
<i>Lucilia Lamers ; Eric Walden ; Charles Baylis ; Ed Viveiros Robert J. Marks</i>	
KA BAND 3D PRINTED HORN ANTENNAS	110
<i>Haohan Yao ; Shilpi Sharma ; Rashaunda Henderson ; Solyman Ashrafi ; Duncan Macfarlane</i>	
FAST AMPLIFIER PAE OPTIMIZATION USING RESONANT FREQUENCY INTERVAL HALVING WITH AN EVANESCENT-MODE CAVITY TUNER	114
<i>Zachary Hays ; Charles Baylis ; Robert J. Marks ; Mohammad Abu Khater ; Abbas Semnani ; Dimitrios Peroulis ; Ed Viveiros</i>	
BROADBAND CONDUCTOR-BACKED COPLANAR WAVEGUIDE TO DOUBLE-SIDED PARALLEL STRIP LINE TRANSITION AT MILLIMETER WAVE.....	117
<i>Lei Fang ; Rashaunda Henderson</i>	
MEASUREMENT OF LOAD-PULL PERFORMANCE IN THE POWER SMITH TUBE USING A TUNABLE VARACTOR MATCHING NETWORK	121
<i>Sarvin Rezayat ; Charles Baylis ; Robert J. Marks ; Ed Viveiros</i>	
COMPREHENSIVE LOAD-PULL DATA FOR AMPLIFIER DESIGN	125
<i>Kim Tran</i>	
A 2.33GHZ, -133 DBC/HZ, 8-PHASE VCO RFIC IN 130NM CMOS RF SOI	128
<i>Rong Jiang ; Hossein Noori ; Fa Foster Dai</i>	
BENEFITS OF A SCALED DIFFERENTIAL CALCULATION METHOD FOR USE IN A FABRY-PEROT BASED OPTICAL CAVITY BIOSENSOR.....	132
<i>Cody Joy ; Seunghyun Kim</i>	
A HIGH-EFFICIENCY 5G K/KA-BAND STACKED POWER AMPLIFIER IN 45NM CMOS SOI PROCESS SUPPORTING 9GB/S 64-QAM MODULATION WITH 22.4% AVERAGE PAE	136
<i>Chaojiang Li ; Min Wang ; Taiyun Chi ; Arvind Kumar ; Myra Boenke ; Ned Cahoon ; Anirban Bandyopadhyay ; Alvin Joseph ; Hua Wang</i>	
Author Index	