

International Display Manufacturing Conference & FPD Expo (IDMC'07)

Taipei, Taiwan
3 – 6 July 2007

ISBN: 978-1-5108-4877-1

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2007) by Society for Information Display
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact Society for Information Display
at the address below.

Society for Information Display
1475 S. Bascom Ave.
Suite 114
Campbell, California 95008-4006
USA

Phone: (408) 879-3901
Fax: (408) 879-3833

office@sid.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

THE NEW ERA: MANUFACTURING CHALLENGE AND OPPORTUNITY FOR POST-EXPANSION TFT-LCD INDUSTRY	1
<i>L. Chen</i>	
CROSSING THE DIGITAL DIVIDE: THE LATEST EFFORTS FROM ONE LAPTOP PER CHILD	2
<i>M. Jepsen</i>	
BUILDING THE WORLDS FIRST SUPPLY CHAIN FOR ORGANIC TFT ROLLABLE DISPLAYS	3
<i>G. Aelbers</i>	
ADVANCES IN MANUFACTURING-WORTHY LASER CRYSTALLIZATION TECHNIQUES AND SYSTEMS	4
<i>J. Im, A. Limanov, P. Wilt, U. Chung, B. Turk, J. Choi, A. Chitu</i>	
IMPROVE THE ELECTRICAL PROPERTIES OF NILC POLY-SI FILMS USING A GETTERING SUBSTRATE	8
<i>Y. Wu, C. Hu, C. Lin</i>	
SINGLE GRAIN ARRAY FORMATION ON GLASS SUBSTRATE BY NOVEL MICRO-LIGHT BEAM SEEDING METHOD AND REAL TIME GROWTH POSITION HISTORY MEASUREMENT OF SUPER LATERAL GROWTH	10
<i>W. Yeh</i>	
SURFACE-ORIENTATION-CONTROLLED AND DEFECT-FREE SINGLE-CRYSTAL SI REGIONS ON GLASS SUBSTRATES FOR TFTS	13
<i>P. Wilt, A. Chitu, U. Chung, A. Limanov, J. Im</i>	
A NEW DESIGN OF THIN FILM TRANSISTORS WITH HEAT-RETAINING ENHANCED CRYSTALLIZATION (H-REC) METHOD	16
<i>G. Hu, P. Lee, C. Tseng, H. Chen, C. Lai, Y. Yeh</i>	
TOWARDS INKJET MANUFACTURING IN LCD PRODUCTION PROCESS	20
<i>T. Xu, E. Tan</i>	
LARGE AREA PROCESSING PECVD SYSTEMS	24
<i>T. Tanaka</i>	
RECENT ADVANCES IN THIN-BEAM BASED LTPS PROCESSING OF LARGE AREA BACKPLANES FOR FLAT-PANEL DISPLAYS	25
<i>M. Bowen, D. Knowles</i>	
APPLICATION OF LASER CUTTING PROCESS IN THIN FLAT PANEL DISPLAY	28
<i>L. Yeh, S. Wang, C. Chu, W. Hsieh, C. Lin</i>	
THEORETICAL INVESTIGATION FOR THE CAUSE OF THE DROPLET VOLUME VARIATION IN A PIEZO DOD INKJET PRINT HEAD FOR THE FABRICATION OF COLOR FILTERS	32
<i>D. Shin, C. Kim</i>	
CURRENT STATUS OF SPINDT-FED DEVELOPMENT FOR AUTOMOTIVE APPLICATION	35
<i>M. Tanaka, S. Shinya, Y. Nomura</i>	
DEVELOPMENT OF CARBON NANOTUBES FIELD EMISSION DISPLAY	40
<i>J. Fang, C. Kuo, Y. Chen, Y. Li, J. Hsu, S. Hsiao, K. Chen, F. Yang, M. Ho, W. Hsu, C. Hsiao, K. Cheng, C. Kao, T. Liu, K. Chen, D. Yeh, C. Hsiao, T. Chan</i>	
MGO THIN FILM DEPOSITION AND SECONDARY EMISSION PROPERTIES OF DYNODE-FED	43
<i>S. Lai, J. Chiou, S. Lee, H. Li, S. Wei, L. Chang, J. Lo</i>	
DEVELOPMENT OF SEMITRANSLUCENT INDICATOR WITH CNT- FED	48
<i>Y. Chen, C. Kuo, J. Fang, Y. Li, J. Hsu, S. Hsiao, K. Chen, F. Yang, M. Ho, W. Hsu, C. Hsiao, K. Cheng, K. Chen, D. Yeh, C. Hsiao, T. Chan</i>	
CNT- CATHODE MANUFACTURING FOR EMISSION DISPLAY	50
<i>M. Chiang, C. Mo, M. Chang</i>	
RECENT ADVANCES IN LC MIXTURES FOR TFT LCD	52
<i>A. Jelfs, M. Verrall, S. Lee</i>	
DUAL FREQUENCY BISTABILITY IN NEMATIC LCS: NUMERICAL SIMULATIONS AND EXPERIMENTAL RESULTS	53
<i>S. Palto, M. Barnik</i>	

POLYMER CHOLESTERIC-LIQUID-CRYSTAL (PCLC) FLAKE/FLUID HOST ELECTRO-OPTICAL SUSPENSIONS AND THEIR APPLICATIONS IN COLOR FLEXIBLE REFLECTIVE DISPLAYS	57
<i>K. Marshall, A. Trajkovska-Petkoska, K. Hasman, M. Leitch, G. Cox, T. Kosc, S. Jacobs</i>	
WRITABLE CHOLESTERIC LIQUID CRYSTAL DISPLAY AND THE ALGORITHM USED TO DETECT ITS IMAGE	61
<i>D. Lee, J. Shiu, Y. Sha, Y. Chang</i>	
NANOSTRUCTURE STRUCTURE EFFECT ON TRANSITION IN PI-CELLS	65
<i>C. Lee, S. Chen, H. Chen</i>	
DEVELOPMENT AND APPLICATION OF SEMI EH&S GUIDELINES FOR FPD INDUSTRY	68
<i>S. Mashiro</i>	
FPD MANUFACTURING EQUIPMENT SAFETY	71
<i>P. Huang, C. Layman, Y. Kwon</i>	
ENVIRONMENTALLY FRIENDLY CELL THINNING APPROACH	75
<i>J. Chwu, Y. Liu, J. Wu, C. Lin, B. Sventek, W. Lin, A. Hsu, R. Chen</i>	
ANALYSIS OF THE TFT-LCD ELECTRODE EROSION (LEAD OPEN) DEFECT	79
<i>M. Zhang, J. Guo, C. Long</i>	
MEASUREMENT OF MANUFACTURING- AND HYDROTHERMAL-INDUCED WARPAGES FOR ACF-BONDED COG PACKAGE IN TFT-LCD	83
<i>M. Tsai, C. Huang, C. Ding, K. Kao, M. Chen, J. Tsang, S. Yang, C. An, S. Chang</i>	
PERFORMANCE OF NANOTUBE FIELD EMISSION DISPLAYS	87
<i>K. Dean, B. Coll, L. Dworsky, E. Howard, H. Li, M. Johnson, S. Johnson, J. Jaskie</i>	
FEDS FOR LARGE TV DISPLAYS	91
<i>W. Taylor, H. Bishop</i>	
IMPROVEMENT OF LUMINANCE EFFICIENCY FOR LARGE SIZE CNT-BLU	95
<i>T. Tsou, Y. Jiang, B. Lin, E. Chou, C. Fu, M. Hsiao, Y. Chang, W. Lin, M. Lin, C. Liang, C. Huang, C. Lee</i>	
PROCESSING EFFECT ON THE LUMINESCENT PROPERTIES OF $Gd_{1-x}VO_4:Eu_x^{3+}$ PHOSPHORS	98
<i>M. Kim, S. Kang</i>	
INFLUENCE OF DOPING AND COATING ON THE PHOTOLUMINESCENCE PROPERTY OF YAG PHOSPHOR	100
<i>S. Yang, C. Lu</i>	
BENDING EFFECT OF ORGANIC THIN FILM TRANSISTORS FABRICATED ON PLASTIC SUBSTRATES	104
<i>Y. Shen, Y. Wang, C. Kao, J. Ho, H. Chou</i>	
ELECTRICAL CHARACTERISTICS OF A-SI:H TFTS FABRICATED ON POLYIMIDE AND GLASS SUBSTRATES	108
<i>J. Huang, C. Liu, C. Tsai, P. Lee, Y. Chen, B. Kung, Y. Yeh</i>	
INFLUENCE OF GATE DIELECTRIC INTERFACE TREATMENT ON THE PERFORMANCE OF AMORPHOUS SILICON THIN-FILM TRANSISTORS FOR AMLCDS	112
<i>Y. Lee, C. Chen, C. Lin, Y. Peng, H. Chou, C. Chang, C. Hou, K. Huang, T. Huang, J. Chang, S. Lin</i>	
DYNAMIC STRESS EFFECTS ON THE RELIABILITY OF POLY-SI TFT	116
<i>Y. Kuo, S. Huang, W. Shih, Y. Tai</i>	
PASSIVATION OF DEFECTS IN A-SI:H TFTS WITH 150°C SUPERCRITICAL FLUIDS	119
<i>P. Yang, P. Liu, T. Chang, Y. Cheng</i>	
STUDY ON DEGRADATION OF CRYSTALLIZED LATERALLY GROWN POLY-SI TFT UNDER DYNAMIC STRESS	122
<i>H. Lu, W. Chung, T. Tseng, Y. Chen, P. Liu, T. Chang, S. Chi</i>	
ELECTRIC FIELD SIMULATION OF THE TBC-OTFTS WITH MESHED SOURCE ELECTRODES	124
<i>H. Zan, K. Wang, K. Yen</i>	
A LOW TEMPERATURE POLYCRYSTALLINE SILICON THIN FILM TRANSISTOR PHASE LOCKED LOOP CIRCUIT USED FOR CLOCK REGENERATION	128
<i>Y. Tai, C. Tseng</i>	
INVESTIGATION ON THIN-FILM-TRANSISTORS WITH A TRANSPARENT MATERIAL ZINC-OXIDE LAYER WITH DC SPUTTER DEPOSITION SYSTEM	131
<i>Y. Chou, C. Huang, S. Shiau, P. Liu, L. Chu</i>	
THE MODIFIED BIAS-STRESS EFFECT IN ORGANIC TFTS	134
<i>H. Zan, S. Kao, H. Pan, K. Lin, C. Hsu, F. Gan</i>	
HIGHLY RELIABLE INTEGRATED AMORPHOUS SILICON THIN FILM TRANSISTORS GATE DRIVER	138
<i>C. Liu, Y. Tai</i>	

CAPACITANCE-VOLTAGE BEHAVIORS OF THE LTPS TFTS BEFORE AND AFTER DC STRESS EXPLAINED BY THE SLICING MODEL.....	142
<i>Y. Kuo, S. Huang, Y. Chao, Y. Tai</i>	
FULLY WET CU GATE METALLIZATION PROCESS FOR A-SI:H TFT DEVICE	145
<i>C. Wu, J. Liao, C. Chien, S. Liu, C. Yang, S. Liang, P. Chen, M. Wang</i>	
FABRICATION AND CHARACTERIZATION OF EXCIMER LASER CRYSTALLIZED DOUBLE-GATE LOW-TEMPERATURE POLY-SILICON THIN FILM TRANSISTORS.....	148
<i>C. Tsai, K. Wei, Y. Lee, I. Lee, H. Chen, J. Wang, H. Chen, H. Cheng</i>	
INFLUENCE OF DEFECT STATES IN α-SINX:H FILM ON OPTICAL PERFORMANCE OF TFT-LCD.....	152
<i>C. Liu, Y. Hung, Y. Chung, W. Lin</i>	
FEED-BACK CONTROL FOR THE REDUCTION OF FLICKER AND GRAY SCALE ERRORS FOR LARGE PANEL TFT-LCD.....	155
<i>J. Lee, T. Won</i>	
CONTROLLABLE VIEWING ANGLE LCD HAVING A SINGLE LC LAYER.....	159
<i>W. Shin, T. Won</i>	
GAS SENSING MECHANISM IN PENTACENE-BASED OTFTS.....	163
<i>H. Zan, Y. Liang, W. Tsai, Y. Yang</i>	
DEVELOPMENT OF SPATIAL TRANSLATING MATRIX PANELS FOR PORTABLE TFT-LCD APPLICATIONS	166
<i>M. Huang, H. Peng, T. Tsai, W. Tseng, H. Yu</i>	
HIGH PERFORMANCE OTFT WITH A HYBRID NANOCOMPOSITE INSULATOR	170
<i>W. Lee, J. Wang, W. Chen, J. Ho, T. Hu</i>	
COLOR FILTERING FUNCTIONAL ORGANIC THIN-FILM TRANSISTORS	173
<i>Y. Huang, H. Chang, S. Tsai, C. Chuang, J. Cheng, F. Chen, H. Shieh</i>	
SPIN-ON ZNO THIN FILM TRANSISTORS WITH OXIDATION TREATMENT	176
<i>C. Huang, Y. Chou, P. Liu, W. Chung, C. Huang</i>	
A STUDY ON MOVING PICTURE SIMULATION FOR HOLD TYPE AND COLOR SEQUENTIAL DISPLAYS	179
<i>D. Pan, K. Hu, J. Huang, W. Che</i>	
TEXTURE ANALYSIS OF DIRECTIONAL-SLS PROCESSED SI FILMS; FILM THICKNESS AND PULSE DURATION EFFECTS	182
<i>P. Wilt, U. Chung, A. Chitu, A. Limanov, J. Im</i>	
AN INVESTIGATION OF P TYPE LOW TEMPERATURE POLY-SI TFT UNDER AC STRESS	186
<i>C. Chao, C. Peng, K. Lin, F. Gan</i>	
SIMULATION-BASED PERFORMANCE COMPARISON BETWEEN HYBRID SCANNING AND DOUBLE FRAME-RATE TECHNIQUES	188
<i>T. Su, J. Su, T. Chang</i>	
NOVEL PIXEL CIRCUIT FOR AMOLED WITH COMPENSATING THRESHOLD VOLTAGE VARIATION OF POLY-SI TFTS	192
<i>C. Lin, C. Tu, T. Tsai</i>	
AMORPHOUS SILICON THIN FILM TRANSISTORS WITH PLASMA NITRIDATION TREATED COPPER GATES	194
<i>P. Chen, K. Tu, W. Tsai, J. Lin, S. Wu, C. Chen, P. Chen</i>	
THERMAL INSTABILITY OF A-SI:H TFT	198
<i>P. Wu, Y. Lin, S. Chen</i>	
MASK REDUCTION PROCESS BY CHEMICAL LIFT-OFF.....	200
<i>C. Liao, C. Yang, K. Fang, S. Jan, H. Lin, C. Chen</i>	
FORMING LOW-RESISTIVITY ELECTRODES OF TFT LCD WITH SELECTIVE ELECTROLESS PLATING PROCESS.....	204
<i>T. Fang, S. Chang, B. Chuang, C. Tsai, C. Huang, C. Hsu, W. Lin, S. Lai, S. Meng</i>	
NEW SELECTIVE RESET WAVEFORM FOR A LARGE SUSTAIN GAP STRUCTURE IN AC PDPS.....	207
<i>T. Song, J. Kim, D. Kim, W. Jun, S. Lee</i>	
STUDY ON CARBON NANOTUBES SYNTHESIZED AT LOW TEMPERATURES USING MULTILAYERED CATALYTIC FILMS.....	212
<i>H. Chen, K. Lin, Y. Leou, Y. Hsu, P. Chung, C. Juan, H. Cheng</i>	
PILLAR-SHAPED CARBON NANOTUBES BY TI-FE CODEPOSITION	216
<i>P. Chang, R. Lai, C. Lee, K. Lin, H. Chen, C. Juan, C. Chang, Y. Hsu, C. Chang, H. Cheng</i>	
NEW ELECTRODE STRUCTURE FOR ENHANCED PERFORMANCE IN AC PDP.....	220
<i>K. Kim, S. Yang, C. Moon</i>	

STUDY THE ELECTRICAL PROPERTIES OF NON-CRYSTALLINE SEMICONDUCTOR BY ADMITTANCE SPECTROSCOPY	224
<i>M. Hsieh, C. Chang, J. Chen, H. Zan, K. Yen, C. Chen, Y. Lee</i>	
FIELD EMISSION SITES FROM MPCVD GROWN DIAMOND-LIKE CARBON FILM	228
<i>S. Chung, B. Huang, J. Mao, C. Chang</i>	
LOW TEMPERATURE GROWTH OF CARBON NANOTUBES ON GLASS SUBSTRATE THROUGH THE THERMAL CHEMICAL VAPOR DEPOSITION METHOD USING A BINARY CATALYST SYSTEM	230
<i>M. Kuo, T. Tsai, N. Tai</i>	
ADVANCED BARRIERLESS COPPER METALLIZATION FOR TFT-LCD APPLICATIONS.....	233
<i>J. Chu, C. Lin, V. John</i>	
THE STUDY AND CHARACTERIZATION OF SPUTTERED AU-INDIUM-ZINC-OXIDE FILMS FOR OPTO-ELECTRONIC APPLICATIONS.....	236
<i>J. Chen, C. Chen, J. Ho, C. Chang</i>	
ZNO-BASED TCO MATERIAL FOR LCD.....	239
<i>A. Abduev, A. Akhmedov, A. Asvarov</i>	
THE BENDING TEST OF FLEXIBLE LIQUID CRYSTAL DISPLAY	241
<i>Y. Chang, Y. Sha, P. Su, C. Hsieh, K. Chang, C. Hsiao, J. Shiu, S. Fuh, W. Cheng, Y. Liao, J. Yang, K. Lo, D. Lee, K. Lee, C. Chen, W. Ke, J. Shy</i>	
NEW DEVICE WITH BRIGHTNESS-ENHANCING INTEGRAL POLARIZER.....	244
<i>Y. Jeng, W. Liu, Y. Wu, Y. Chen</i>	
PLASMA BEAM ALIGNMENT TECHNIQUE FOR OCB MODE LIQUID CRYSTAL DISPLAY.....	248
<i>H. Chou, W. Wu, Y. Chen, H. Chen</i>	
A NOVEL POLARIZER VIA MULTI-LAYER COATING PROCESS.....	251
<i>Y. Jeng, W. Liu, Y. Wu, Y. Chen</i>	
MODULIZATION AND MINIMIZATION LED DRIVING CIRCUIT USING COLOR SEQUENTIAL TECHNOLOGY	254
<i>C. Chen, K. Tsao, C. Su</i>	
A NOVEL PATTERNED DIFFUSER FOR HIGH UNIFORM AND HIGH BRIGHT LCD BACKLIGHTS	256
<i>Y. Lo, J. Fang, Y. Huang, H. Shieh, G. Yu, T. Chiang</i>	
LED POWER CONSUMPTION AND HEAT IMPROVEMENT WITH NOVEL ELECTRICAL CIRCUIT DESIGNS	260
<i>S. Lee, H. Shieh</i>	
ELECTRO-OPTICAL PROPERTIES OF FULLERENE-DOPED HOMEOTROPIC LIQUID CRYSTAL CELL	263
<i>S. Jeng, K. Liu, H. Wang, C. Liao, C. Yang, T. Tsai</i>	
THE EFFECT OF CONFIGURED INCIDENT END SURFACE OF A LIGHT GUIDE PLATE ON FRINGE SMEARING AND LIGHT EXTRACTION IN A WEDGE-TYPE BACKLIGHT UNIT	266
<i>C. Huang, C. Kang, J. Lin, F. Chou</i>	
EXPERIMENTAL INVESTIGATION FRENLCD ON “ACTIVE” LENS.....	270
<i>V. Tsvetkov</i>	
HIGHLY CONDUCTIVE BLACK PHOTO-SENSITIVE MATERIALS (BLACK MATRIX).....	272
<i>I. Cheng, C. Weng, K. Hung</i>	
IMPLEMENTATIONS OF Q-TENSOR AND VECTOR APPROACHES FOR OCB MODE	274
<i>S. Cho, S. Yang, H. Yoon, T. Won</i>	
FERRO/ANTI-FERROELECTRIC LIQUID CRYSTAL DOPED WITH HIGH CONCENTRATION FERROELECTRIC NANOPARTICLES	277
<i>J. Lee, Z. Lin, Y. Xiao</i>	
DYNAMIC ELECTRO-OPTICAL RESPONSES OF VERTICAL-ALIGNED LIQUID CRYSTAL CELL DOPED WITH CARBON NANOTUBE.....	281
<i>H. Li, J. Hsu</i>	
VIRTUAL EXPERIMENT FACILITATE DESIGN MODIFICATION OF LCD MODULE IN SYSTEM ASSEMBLY PROCESS.....	284
<i>A. Tzeng, A. Lu, J. Jong</i>	
ELECTROOPTICAL PROPERTIES AND SURFACE TREATMENT FOR FLCS USING FERROELECTRIC GLASSY LIQUID CRYSTALS AS CHIRAL DOPANTS	287
<i>Y. Huang, H. Chen</i>	
FEEDBACK CONTROL OF COLOR-SEQUENTIAL LED BACKLIGHT	290
<i>S. Hsu</i>	
OPTICAL LENS DESIGN FOR LED BACKLIGHTS	293
<i>C. Chen, D. Peng, R. Lin, S. Chi</i>	

BLACK MATRICES SURFACE TREATMENT FOR COLOR FILTERS INK JET PRINTING PROCESS.....	296
<i>Y. Shin, S. Wu, J. Cheng, H. Chen</i>	
AN INNOVATIVE SOLUTION FOR THE THINNESS OF BACKLIGHT UNITS WITH THE IMPLEMENTATION OF TRANSFLECTORS.....	299
<i>C. Kang, J. Lin, M. Chen, P. Wang</i>	
GRAY-SCALE, LOW COLOR SHIFT CHOLESTERIC LIQUID CRYSTAL DISPLAYS.....	303
<i>K. Wu, P. Hsieh, H. Chen</i>	
CRITICAL VOLTAGE REDUCTION BY ALIGNMENT LAYER MODIFICATION IN PI-CELLS.....	306
<i>W. Wu, Y. Chen, S. Chen, H. Chen</i>	
DESIGN OF MICROLENS-ARRAY FOR HIGH EFFICIENCY OF LIGHT UTILIZATION IN LIQUID CRYSTAL DISPLAY.....	309
<i>Y. Chang, R. Chen</i>	
PLASMA BEAM TREATED POLYMER FILMS FOR LIQUID CRYSTAL ALIGNMENT.....	313
<i>S. Lin, C. Lee, Y. Su, Y. Lee</i>	
THE RESEARCH ON VERTICAL BLOCK MURA IN TFT-LCD.....	317
<i>C. Long, H. Wu, W. Wang</i>	
THE POST-ANNEALING EFFECT ON THE ELECTRICAL PROPERTIES OF PENTACENE THIN FILM TRANSISTORS.....	321
<i>Y. Shih, F. Chen</i>	
CONDUCTIVE MATERIAL MIXED WITH SEALANT AS A CONNECTING LAYER ON TFT LCD PANEL.....	325
<i>Z. Hong, L. Ping, S. Ning, L. Guo, R. Jian, Y. Xia</i>	
ALIGNMENT OF LIQUID CRYSTAL ON A POLYIMIDE SURFACE EXPOSED TO HYDROGEN ION BEAM.....	328
<i>Y. Yang, T. Ho, J. Chen, C. Hsiao, D. Chen, H. Chiang</i>	
STUDY OF HYDROGEN ION BEAM ALIGNMENT OF LIQUID CRYSTALS ON DLC THIN FILMS.....	331
<i>Z. Yen, D. Chen, B. Wu, H. Chien, H. Chiang</i>	
INNOVATIVE CRYSTALLIZATION METHOD FOR LTPS TFT USING SOLID GREEN LASER.....	333
<i>R. Kawakami, K. Nishida, J. Izawa, N. Kawaguchi, F. Matsuzaka, M. Masaki, M. Morita, A. Yoshinouchi, K. Odagiri, Y. Kawasaki</i>	
EFFECT OF THE SURFACE TREATMENTS ON THE TURN-ON VOLTAGE OF PENTACENE-BASED THIN-FILM TRANSISTORS.....	336
<i>S. Tsai, F. Chen</i>	
FERRO/ANTI-FERROELECTRIC LIQUID CRYSTAL DOPED WITH HIGH CONCENTRATION FERROELECTRIC NANOPARTICLES.....	340
<i>J. Lee, Z. Lin, Y. Xiao</i>	
EFFECT OF DEPOSITION TEMPERATURE ON THE CHANNEL AND CONTACT RESISTANCE OF PENTACENE THIN-FILM TRANSISTORS.....	344
<i>Y. Chen, F. Chen</i>	
EXCIMER LASER SYSTEMS FOR LTPS MANUFACTURING.....	348
<i>L. Herbst, B. Turk, R. Paetzel</i>	
NEW PATTERNING METHOD FOR PENTACENE-BASED OTFTS BY USING ALN DIELECTRIC AND O₂ PLASMA TREATMENT.....	351
<i>H. Zan, T. Tu, C. Chou, K. Yen, C. Wang, J. Hwang, C. Hsu, K. Lin, F. Gan</i>	
RETURN ON INVESTMENT FOR LCD FACTORIES.....	355
<i>B. Ighani</i>	
NPB-BASED SINGLE LAYER OLEDs.....	359
<i>K. Tsung, S. Tse, S. So</i>	
ENHANCEMENT OF COLOR GAMUT OF WOLED DISPLAY BY USING MICROCAVITY GREEN PIXEL.....	362
<i>C. Chang, C. Lin, Y. Lu, C. Wu</i>	
ENHANCING OUT-COUPPLING OF ORGANIC LIGHT EMITTING DEVICE USING MICRO-PARTICLE DIFFUSER.....	364
<i>C. Chang, C. Wu</i>	
INVESTIGATIONS OF MOLYBDENUMOXIDE AS THE ANODE-INSENSITIVE HOLE-INJECTION LAYER.....	367
<i>T. Cho, C. Lin, Y. Lu, C. Yang, T. Ke, C. Wu</i>	

PERFORMANCE OF ORGANIC LIGHT-EMITTING DIODES WITH A MIXED EMITTING LAYER: RELATIONSHIP BETWEEN MIXED-LAYER CARRIER MOBILITY AND EFFICIENCY/LIFETIME	371
<i>S. Liu, C. Liao, C. Lee, C. Chen, J. Wang</i>	
ENHANCEMENT ON THE EFFICIENCY AND CONTRAST OF PHOSPHORESCENT WHITE ORGANIC LIGHT-EMITTING DIODES.....	374
<i>J. Li, S. Su, C. Wu, K. Hwang, M. Yokoyama, S. Chen</i>	
THE ROLES OF THERMAL EVAPORATED CESIUM CARBONATE IN ORGANIC LIGHT EMITTING DEVICES.....	378
<i>M. Chen, C. Wu</i>	
EFFICIENT SOLID-STATE HOST-GUEST LIGHT-EMITTING ELECTROCHEMICAL CELLS BASED ON CATIONIC TRANSITION METAL COMPLEXES	381
<i>H. Su, C. Wu, F. Fang, K. Wong</i>	
REALIZING THREE-PEAK WHITE ORGANIC LIGHT-EMITTING DEVICES UTILIZING WAVELENGTH-SELECTIVE MIRROR ELECTRODES	385
<i>Y. Lu, C. Lin, C. Chang, C. Wu, L. Chen, H. Hsu, Y. Lin, R. Nishikawa</i>	
EFFICIENT WHITE OLEDs EMPLOYING PHOSPHORESCENT SENSITIZATION	389
<i>C. Chang, Y. Lu, Z. Liu, C. Wu, Y. Yeh</i>	
INFLUENCE OF RESONANT WAVELENGTHS ON MICROCAVITY OLEDs.....	393
<i>K. Tien, C. Lin, H. Chang, C. Wu</i>	
MICROCAVITY TOP-EMITTING OLEDs INTEGRATED WITH MICROLENS ARRAYS: SIMULTANEOUS ENHANCEMENT OF QUANTUM EFFICIENCY, CD/A EFFICIENCY AND COLOR PERFORMANCES	397
<i>C. Yang, H. Hsieh, S. Liu, C. Liu, T. Cho, C. Wu</i>	
ALLEVIATING THE MICROCAVITY EFFECTS OF TOP-EMITTING WHITE OLED BY USING LOW-REFLECTIVITY MOLYBDENUM ANODE.....	401
<i>M. Lee, M. Tseng</i>	
PLATINUM DOPED INDIUM TIN OXIDE AS AN ANODE CONTACT LAYER FOR FLEXIBLE ORGANIC LIGHT-EMITTING DIODES.....	404
<i>C. Hsu, J. Huang, H. Li, W. Wu</i>	
TRIPLET ENERGY TRANSFER BETWEEN A CONJUGATED POLYMER AND PHOSPHORESCENT MOLECULES.....	407
<i>H. Ting, F. Chen</i>	
ELECTRONIC PROPERTIES OF INDENOTHIOPHENE-EMBEDDED HOMOLOGUES	410
<i>W. Hung, T. Hou, W. Chen, T. Chao, K. Wong</i>	
DOUBLY META-FUSED QUINOXALINE/TRIARYLAMINE AND DIPHENYLFLUORENE HYBRIDS AS BIPOLAR, FLUORESCENT CHAMELEONS FOR OPTOELECTRONIC APPLICATIONS	412
<i>W. Chao, C. Chen</i>	
HIGHLY EFFICIENT PHOSPHORESCENT POLYMER OLEDs FABRICATED BY SCREEN PRINTING	415
<i>D. Lee, J. Choi, S. Cho</i>	
THE INFLUENCE OF ITO PRETREATMENT ON THE ORGANIC LIGHT-EMITTING DEVICE STABILITY AND EFFICIENCY	418
<i>J. Cheng, M. Chang, C. Chen, H. Shieh, T. Negishi, T. Miyata, W. Huang, H. Hiraiwa</i>	
EFFICIENT FLUORESCENT RED, GREEN, AND BLUE ORGANIC LIGHT-EMITTING DEVICES WITH A BLUE HOST OF SPIRO-BIFLUORENE DERIVATIVE	421
<i>R. Lee, Y. Wang, Y. Huang, H. Chang</i>	
EFFICIENT TOP-EMITTING OLEDs WITH AG ANODES MODIFIED BY SELF-ASSEMBLED MONOLAYERS OF CARBOXYLATES.....	425
<i>C. Cho, Y. Tao</i>	
A QUEST OF HIGH-PERFORMANCE HOST MATERIALS FOR ELECTROPHORESCENCE BLUE DOPANTS	428
<i>M. Wu, S. Yeh, C. Chen, H. Murayam, T. Tsuboi, S. Liu, J. Wang</i>	
EFFICIENT DIPHENYLAMINO-SPIROBIFLUORENE/FUMARONITRILE RED FLUOROPHORE FOR ORGANIC LIGHT-EMITTING DIODES.....	430
<i>Y. Li, C. Chiang, C. Chen</i>	
POLYCRYSTALLIZATION OF ORGANIC HOLE-TRANSPORT ALLOY THIN FILMS AND THEIR APPLICATION TO ORGANIC LIGHT-EMITTING DIODES.....	433
<i>Y. Iida, T. Mori</i>	

INFLUENCE OF MOLECULAR DIPOLES ON THE PHOTOLUMINESCENCE AND ELECTROLUMINESCENCE OF DIPOLAR SPIROBIFLUORENE	437
<i>C. Chiang, S. Tseng, C. Chen, C. Hsu, Y. Wen, C. Shu</i>	
DIAZA-SUBSTITUTED FLUORENES HAVING ENHANCED ELECTRON TRANSPORTING ABILITY AS THE EFFICIENT LIGHT EMITTER FOR HIGHLY EFFICIENT NON-DOPED BLUE ORGANIC LIGHT-EMITTING DIODES	440
<i>C. Chi, H. Yueh, C. Chiang, C. Chen</i>	
NON-DOPANT PHOSPHORESCENT AND FLUORESCENT WHITE ORGANIC LIGHT-EMITTING DIODES	443
<i>H. Chen, C. Chiang, C. Chen</i>	
SYNTHESIS, PHOTOLUMINESCENCE, AND ELECTROLUMINESCENCE OF SILICON CARDO AND SPIROSILABIFLUORENE DERIVATIVES	446
<i>Y. Wen, C. Chiang, C. Chen</i>	
THE MALEIMIDE COPOLYMER LIGHT-EMITTING DIODES : INFLUENCE OF THE POLYMER MOLECULAR WEIGHT AND AGGREGATION TENDENCY ON THE DEVICE PERFORMANCE	449
<i>Y. Chiu, L. Chan, C. Chen</i>	
CHARACTERISTICS OF EFFICIENT RED PHOSPHORESCENT OLEDs USING BEBQ2 ELECTRON TRANSPORT MATERIAL	453
<i>C. Lee, D. Moon, J. Han</i>	
ENCAPSULATED CORES: A NEW APPROACH TO SOLUTION-PROCESSABLE PHOSPHORESCENT ORGANIC LIGHT-EMITTING DIODES BASED ON CHROMOPHORIC AMPHIPHILE/SILICA NANOCOMPOSITE	456
<i>C. Yang, C. Hsu</i>	
WIDE BAND-GAP NAPHTHYRIDINOL METAL CHELATES FOR BLUE FLUORESCENCE OLEDs	461
<i>S. Liao, S. Yeh, C. Chen</i>	
IMAGE QUALITY ESTIMATION OF MOVING PICTURES: JUST NOTICEABLE WIDTH DIFFERENCE	463
<i>Y. Lai, R. Chen, K. Chang</i>	
ELECTRO-OPTICAL PERFORMANCE OF LIQUID CRYSTAL IN CLOSED STRUCTURE	467
<i>M. Lee, Y. Lin, Y. Hsieh, C. Liao</i>	
MOTION BLUR MINIMIZATION USING HUMAN VISION MODELS	469
<i>Z. Jhang, S. Wang</i>	
INVESTIGATION OF ELECTRICAL PULSE ERASING METHOD EFFECT ON CURRENT - VOLTAGE CHARACTERISTICS OF ORGANIC BISTABLE DEVICE	473
<i>P. Lee, T. Chang, S. Chen</i>	
PIXEL DESIGNS WITH PARALLEL AND CASCADE CHARGE PUMP CIRCUITS	477
<i>H. Chen, C. Tsai, J. Huang</i>	
A HUMAN VISUAL MODEL FOR COLOR BREAK-UP ARTIFACT IN DESIGN FIELD-SEQUENTIAL COLOR LCDS	480
<i>S. Chen, S. Yan, Y. Cheng, F. Lin, C. Wei, Y. Huang, H. Shieh</i>	
FAST AND SIMPLE IMAGE REGISTRATION FOR FUSION APPLICATIONS IN DIGITAL STILL CAMERA	484
<i>Y. Chuang, H. Shieh, K. Lin, C. Wu</i>	
2D/3D SWITCHABLE MOBILE DISPLAY	488
<i>C. Wu, C. Tsai, K. Lee</i>	
THIN-FILM TRANSISTORS WITH $Zn_{1-x}Mg_xO$ ACTIVE LAYERS FABRICATED BY SOL-GEL METHOD	492
<i>S. Chiang, C. Yu, C. Tsay, B. Chuang, M. Wang, C. Lin, M. Ma, J. Ou</i>	
DEVELOPMENT OF MULTI-PRIMARY COLOR LCD	496
<i>C. Chan, G. Wei, H. Ke, S. Cheng, S. Chu, M. Lai, A. Wang</i>	
AN ADVANCED APPROACH TO REDUCE COLOR BREAKUP FOR COLOR SEQUENTIAL DISPLAYS	500
<i>D. Pan, S. Chang, K. Hu, J. Huang</i>	
UV GENERATED PHOTOCURRENT FROM MPCVD GROWN DIAMOND- LIKE CARBON FILM	503
<i>S. Chung, B. Huang, J. Huang, C. Chang, Y. Chuang</i>	
ADVANCEMENTS OF LTFS TFT-LCD FOR MOBILE APPLICATIONS	505
<i>D. Ting</i>	
HIGH EFFICIENCY AMOLEDs	509
<i>G. Haas, C. Prat</i>	

ESTIMATION OF THE EFFECT OF CHANNEL SHORTENING FOR P-TYPE POLY-SI TFTS UNDER AC STRESS	514
<i>S. Huang, H. Tsao, Y. Tai</i>	
IMPROVEMENT OF ELECTRICAL CHARACTERISTICS FOR NOVEL PROCESS-COMPATIBLE FLOATING CHANNEL SOLID-PHASE CRYSTALLIZED POLY-SI TFTS	518
<i>C. Chang, J. Lee, T. Lei</i>	
SPATIALLY RESOLVED ANALYSIS OF SUBGRAINS IN (100)-RD TEXTURED METAGRAINS OBTAINED VIA DIRECTIONAL SLS OF SI FILMS.....	521
<i>U. Chung, P. Wilt, A. Chitu, A. Limanov, J. Im</i>	
BACKGROUND OF SEMI STANDARD ACTIVITY FOR SINGLE SUBSTRATE MANUFACTURING.....	525
<i>H. Fukazawa</i>	
THE DEVELOPMENT OF HIGH TECHNOLOGY PLANT CONSTRUCTION	529
<i>T. Hsu</i>	
MULTI-DOMAIN ALIGNMENT LIQUID CRYSTAL DISPLAY BY INK-JET PRINTING.....	532
<i>P. Su, Y. Sha, C. Hsieh, K. Chang, J. Shiu, K. Lee, C. Hsiao, W. Cheng, Y. Liao, J. Yang, K. Lo, D. Lee, Y. Chang</i>	
MASS-PRODUCTION SELAX TECHNOLOGY FOR FORMING HIGH PERFORMANCE POLY-SI TFTS	536
<i>A. Yazaki, M. Hongo, T. Kamo, T. Kaitoh, M. Maki, T. Satoh, M. Hatano</i>	
COMPENSATION CONTROLLER DESIGN FOR IMPROVING LUMINANCE UNIFORMITY OF LIGHT EMITTING DIODE ARRAY MODULE	540
<i>M. Tsai, S. Yeh, K. Wang, C. Juan</i>	
MANAGEMENT OF ENERGY TRANSFER IN ORGANIC PHOSPHORESCENT HOST-GUEST SYSTEMS	542
<i>S. Tokito, I. Tanaka</i>	
ADVANCED MATERIALS FOR OLEDs.....	546
<i>J. Proiß, E. Fuchs, I. Munster, K. Kahle, C. Lennartz, O. Molt, N. Moonen, J. Rudolph, C. Schildknecht, G. Wagenblast</i>	
CONFORMATION OF ORGANIC MOLECULES IN OLED THIN FILMS	550
<i>T. Tsuboi</i>	
MECHANISMS OF ENHANCED HOLE-INJECTION IN ORGANIC LIGHT-EMITTING DEVICES WITH MOO₃ LAYERS.....	554
<i>C. Lin, G. Lee, C. Wu, T. Cho, C. Wu, T. Pi</i>	
AN UNPRECEDENTED AMBIPOLAR CHARGE TRANSPORT MATERIAL.....	557
<i>W. Hung, W. Chen, Y. Liao, C. Lin, K. Wong</i>	
INTEGRATED PERIPHERAL DRIVING CIRCUIT TECHNOLOGIES IN LTPS TFT-LCD.....	559
<i>Y. Nakajima</i>	
ARTIFICIAL RETINA USING POLY-SI THIN-FILM PHOTODEVICE AND POLY-SI THIN-FILM TRANSISTOR.....	563
<i>M. Kimura, T. Shima, T. Yamashita, Y. Nishizaki, H. Hara, S. Inoue</i>	
INTERACTIVE SCREEN AND ITS PROSPECTS.....	567
<i>S. Fann, H. Hwang</i>	
NOVEL LTPS CIRCUITS FEATURED WITH LOW-DRIVEN VOLTAGE AND HIGH-SPEED INTERFACE FOR THE APPLICATION OF SYSTEM ON PANEL	570
<i>F. Hsueh, M. Wu, J. Yu, K. Yang, K. Sano, A. Lin</i>	
A NOVEL PIXEL CIRCUIT COMPENSATING FOR POLY-SI THRESHOLD-VOLTAGE SHIFT AND DEGRADATION OF OLED FOR EMI-FLECTIVE DISPLAY.....	573
<i>K. Lin, B. Yang, H. Shieh</i>	
NEW IN-LINE SPUTTERING SYSTEM SDP-2600VTX.....	576
<i>Y. Kikuchi, M. Matsuda, T. Shindou, K. Ishino, J. Tsutsui, H. Nakamura, T. Koizumi, K. Saitou, K. Hanzawa</i>	
TFTS BEYOND LCD PIXEL DRIVING AND EXPERIENCE FOR 450 MM ULSIC PROCESS DEVELOPMENT	578
<i>Y. Kuo</i>	
THE DEVELOPMENT OF PLASTIC COLOR FILTER FOR HYBRID AND FLEXIBLE LIQUID CRYSTAL DISPLAY.....	582
<i>K. Lo, W. Cheng, J. Shiu, Y. Sha, C. Hsiao, K. Lee, P. Su, C. Hsieh, Y. Liao, J. Yang, D. Li, Y. Chang, S. Fuh, R. Sun, H. Li, Y. Tsai</i>	
GATE STRUCTURE OF COPPER-ALLOY FILM CONTAINING O₂/N₂ FOR ACTIVE-MATRIX LIQUID CRYSTAL DISPLAYS.....	585
<i>C. Yang, S. Liang, M. Wang, P. Chen, S. Liu, J. Liao, C. Wu, C. Chien, Y. Chen, T. Chen, C. Liang</i>	
DLCDS AND FRENLCDS : NOI'S ARK FOR FUTURE LC FLOOD.....	587
<i>V. Tsvetkov</i>	

USING INK JETS TO MANUFACTURE ELECTRONICS AND DISPLAYS	592
<i>L. Creagh</i>	
COLOR CALIBRATION AND CHARACTERIZATION OF AMLCDS	594
<i>G. Marcu</i>	
ROTARY ITO TARGETS FOR DISPLAYS APPLICATION	598
<i>M. Olsson</i>	
POLISH-FREE PROCESS APPROACH BY USING ULTRA THINNER BLACK MATRIX FOR HIGH PERFORMANCE LIQUID CRYSTAL DISPLAYS	600
<i>Y. Huang, C. Chen, S. Lee, C. Chen</i>	
OPTIMUM DESIGN OF FOUR-PRIMARY COLOR GAMUT FOR REPRODUCING MAXIMUM INPUT ENCODED COLOR	603
<i>Y. Chen, Y. Cheng, H. Shieh</i>	
THE PROPERTIES OF TCO/AG/TCO SANDWICH STRUCTURE THIN FILMS SPUTTERED AT ROOM TEMPERATURE FOR DISPLAY APPLICATIONS	607
<i>W. Chang, J. Ho, T. Wu, J. Chen</i>	
PROGRESS OF MVA TECHNOLOGY FOR LCD TV	611
<i>H. Lin, Y. Liao, C. Lee, C. Chen, C. Wei</i>	
A DIRECT-VIEW MEMS DISPLAY FOR MOBILE APPLICATIONS	615
<i>N. Hagood, R. Barton, T. Brosnihan, J. Fijol, J. Gandhi, M. Halfman, R. Payne, J. Steyn</i>	
RECENT ADVANCE MVA TECHNOLOGY PROGRESS	619
<i>K. Lin, T. Chang, C. Liao, M. Lai, Y. Ho, S. Yeh, M. Chien, W. Huang, C. Tsao, J. Su, H. Hou, C. Lee, P. Chen</i>	
AN ANALYSIS OF COMMON REFERENCE VOLTAGE ARCHITECTURE IN WIDE TFT-LCD	623
<i>Y. Park, E. Lee, S. Kim</i>	
A NOVEL RGB LED BACKLIGHT SYSTEM IN 47 INCH TFT-LCD	625
<i>S. Wu, W. Lin, W. Lo, H. Chen, C. Mo</i>	
THE KEY ISSUES FOR OLED DISPLAY PANEL MANUFACTURING	629
<i>C. Chung, H. Shih, C. Tsou, H. Huang</i>	
TECHNOLOGIES FOR SMALL AND MEDIUM-SIZED AMOLED DISPLAY	632
<i>D. Peng, H. Hsu, R. Nishikawa</i>	
NOVEL ORGANIC OXIDE/AL COMPLEX CATHODE FOR EFFICIENT ORGANIC/POLYMER LIGHT-EMITTING DIODES	636
<i>T. Guo, F. Yang, Z. Tsai, T. Wen, C. Chung</i>	
VOLTAGE REDUCTION OF WHITE OLED BY SELECTIVELY CO-EVAPORATING COMPLEMENTARY DOPANT IN THE EMITTING LAYER	639
<i>C. Hsiao, C. Lin, J. Lee</i>	
THE IMPACT OF MICROSTRUCTURE AND DEFECTS ON MOISTURE RESISTANCE OF NOVEL SiO_xN_y PASSIVATION LAYER FOR OLED APPLICATIONS	642
<i>Y. Chen, K. Hsu, Y. Chen, C. Su, S. Tang</i>	
MANUFACTURING OF LOW COST, HIGHLY REFLECTIVE, COLOR ELECTROCHROMIC DISPLAYS	646
<i>D. Corr, A. Briancon, M. Ryan, G. Copeland, S. Huang</i>	
RECENT ADVANCES IN ELECTROWETTING DISPLAY FABRICATION, DEVICE ARCHITECTURES, AND PERFORMANCE	649
<i>J. Heikenfeld, B. Sun, K. Zhou, Y. Lao, M. Kilaru</i>	
MICROCUP® E-PAPER FOR EMBEDDED AND FLEXIBLE DESIGNS	653
<i>H. Zang, F. Wang, Y. Kang, Y. Chen, W. Lin</i>	
IN-PLANE SWITCHING BISTABLE SMA LIQUID-CRYSTAL DISPLAY	656
<i>H. Chen, R. Shao, E. Korblova, W. Lee, D. Walba, N. Clark</i>	
BISTABLE BEHAVIOR OF NANOPARTICLE-DOPED LIQUID CRYSTAL CELL	658
<i>C. Wu, C. Huang</i>	
FLEXIBLE LOW POWER CONSUMPTION ACTIVE-MATRIX OLED DISPLAYS	661
<i>R. Ma, R. Hewitt, K. Rajan, J. Silvernail, K. Urbanik, M. Hack, J. Brown</i>	
R&D STATUS OF ALL ORGANIC DISPLAY	665
<i>H. Park</i>	
AMORPHOUS SILICON THIN FILM TRANSISTOR BACKPLANES FABRICATED AT HIGH TEMPERATURE FOR FLEXIBLE DISPLAYS	667
<i>I. Cheng, S. Wagner, A. Kattamis, B. Hekmatshoar, K. Cherenack, H. Gleskova, J. Sturm</i>	
TEMPERATURE-DEPENDENT ELECTRICAL CHARACTERISTICS OF LOW TEMPERATURE A-SI: H TFTS FABRICATED ON PLASTIC SUBSTRATE	671
<i>K. Ho, P. Chen, C. Cheng, C. Cheng, Y. Yeh</i>	

CHARACTERISTICS IMPROVEMENT OF FLEXIBLE ORGANIC THIN FILM TRANSISTORS BY SELF-ASSEMBLED MONOLAYERS TREATMENT	675
<i>J. Wen, Y. Shen, Y. Wang, C. Kao, J. Ho, H. Chou</i>	
POLARIZED OLEDS AS BACKLIGHT FOR LIQUID CRYSTAL DISPLAYS	679
<i>S. Culligan, A. Chen, J. Wallace, C. Tang, S. Chen</i>	
PHOSPHORESCENT OLEDS FOR DISPLAYS AND LIGHTING	682
<i>M. Weaver, V. Adamovich, B. D'Andrade, B. Ma, R. Kwong, J. Brown</i>	
PIN OLEDS – ENHANCED PERFORMANCE AND LIFETIME BY IMPROVED STRUCTURES AND MATERIALS	686
<i>T. Canzler, P. Wellmann, M. Hofmann, J. Birnstock, A. Werner, J. Blochwitz-Nimoth</i>	
EFFICIENT PHOSPHORESCENT WHITE OLEDS INCORPORATING MULTIFUNCTIONAL OSMIUM COMPLEX	690
<i>C. Chang, Y. Lin, C. Wu</i>	
BLUE-EMITTING HETEROLEPTIC IRIIDIUM(III) COMPLEXES SUITED FOR HIGH EFFICIENCY PHOSPHORESCENT OLEDS	693
<i>C. Yang, Y. Cheng, Y. Chi, C. Hsu, P. Chou, C. Chang, C. Wu</i>	
DIRECT FABRICATION OF A-SI:H TFT ARRAYS ON FLEXIBLE SUBSTRATES FOR HIGH INFORMATION CONTENT FLEXIBLE DISPLAYS: CHALLENGERS AND SOLUTIONS	697
<i>G. Raupp, S. O'Rourke, D. Loy, C. Moyer, S. Ageno, B. O'Brien, D. Bottesch, E. Bawolek, M. Marrs, J. Dailey, J. Kaminski, D. Alee, S. Venugopal, R. Cordova</i>	
FLEXIBLE LIQUID CRYSTAL FILM USING CONTINUOUS PROCESS	701
<i>C. Liao, H. Wang, K. Liu, R. Chen, C. Chang, S. Jeng, Y. Lin, K. Lu, R. Chang, J. Chen</i>	
ADVANCED OPTICAL FILMS FOR FLEXIBLE DISPLAY APPLICATIONS	704
<i>H. Yoshimi, S. Takashi</i>	
BENDING EFFECT OF FLEXIBLE LIQUID CRYSTAL DISPLAY	708
<i>Y. Lin, S. Jeng, C. Kuo, C. Liao, C. Chen, J. Shy</i>	
THE FABRICATION OF MICRORETARDER FOR IN-CELL STEREOSCOPIIC LCD USING REACTIVE LIQUID CRYSTAL	711
<i>G. Tseng, C. Tsai, H. Lin, W. Huang, K. Huang, K. Lee</i>	
HIGH PERFORMANCE TRANSPARENT AMORPHOUS OXIDE SEMICONDUCTOR TFTS	715
<i>H. Hosono</i>	
TRANSPARENT ELECTRONICS: AN ENABLING DISPLAY TECHNOLOGY?	719
<i>J. Wager</i>	
ADVANCED MATERIALS FOR THE NEXT GENERATION OF THIN FILM TRANSISTORS	721
<i>E. Fortunato, P. Barquinha, L. Pereira, G. Goncalves, R. Martins</i>	
ORGANIC THIN-FILM TRANSISTORS DRIVING PHOSPHORESCENCE ORGANIC LIGHT EMITTING DIODES	724
<i>Y. Wang, T. Lin, J. Yan, T. Lee, Y. Shen, S. Yeh, M. Lin, C. Kao, M. Tseng, P. Wu, J. Ho</i>	
ORGANIC THIN FILM TRANSISTORS WITH NOVEL SOLUTION-PROCESS POLYMERIC GATE INSULATORS	727
<i>Y. Tsai, S. Tsai, C. Chuang, J. Cheng, F. Chen, H. Shieh</i>	
ALL-PRINTABLE POLYMER LIGHT-EMITTING DIODES WITH PRINTED CONDUCTIVE AG-PASTE CATHODE	731
<i>Y. Cao, W. Zeng, C. Zhang, F. Huang, H. Wu</i>	
INKJET PRINTED LUMINESCENT QUANTUM DOTS LAYERS FOR LIGHT EMITTING APPLICATIONS	733
<i>H. Haverinen, Y. Warman, R. Myllyla, G. Jabbour</i>	
HIGH-CONTRAST OLEDS	734
<i>F. Zhu</i>	
TUNING HOLE-INJECTION WITH SELF-ASSEMBLED LAYER ON SILVER ELECTRODE FOR TOP-EMITTING OLED APPLICATIONS	738
<i>K. Wu, Y. Tao, H. Huang</i>	
BIPOLAR CHARGE TRANSPORT AND ELECTROLUMINESCENT PROPERTIES OF BIS(10-HYDROXYBENZO[H]QINOLINATO) BERYLLIUM: DEPENDENCE ON DEPOSITION RATE	742
<i>S. Liu, G. Huang, C. Lee, C. Chen, J. Wang</i>	
ADVANCES IN OPTICAL FILMS FOR LCD BACKLIGHTS	744
<i>J. Anderson, P. Watson, D. Freier, S. Kong, A. Ouderkerk</i>	
STRATEGIES FOR CONTROLLING THE OPTICAL PROPERTIES OF SOLVENT-CAST POLYMER FILMS AS APPLIED TO LIQUID CRYSTAL DISPLAYS	747
<i>J. Greener, H. Lei, Y. Rao, J. Eiman</i>	
POLYMER DIELECTRIC EVOLUTION IN SUPPORT OF THE TFT-LCD INDUSTRY	751
<i>E. Chuang, B. Chen, Y. So, S. Kisting, M. Mills</i>	

TANDEM LIGHT-GUIDE WITH PRISMATIC MICRO-BUMPS STRUCTURES FOR FIELD-SEQUENTIAL-COLOR SCANNING BACKLIGHT MODULE	754
<i>Y. Yao, Y. Lu, C. Tien</i>	
THE BRAND-NEW HIGH DENSITY “NCF-TYPE COMPLIANT-BUMPED COG” IN HIGH RESOLUTION LCD	758
<i>S. Chang, K. Kao, C. An, M. Chen, J. Tsang, S. Yang, C. Chen, C. Lin, W. Chen</i>	
FABRICATION OF LIGHT GUIDE PLATE USING BACKSIDE EXPOSURE LITHOGRAPHY	762
<i>C. Chung, K. Sher, E. Hsiao, M. Wu, Z. Hong</i>	
NOVEL PIXEL ELECTRODE CIRCUITS AND A-SI:H TFT STRUCTURES FOR AM-OLEDs	765
<i>H. Lee, J. Yoo, C. Kim, I. Kang, J. Kanicki</i>	
ORGANIC THIN-FILM TRANSISTOR AND ITS APPLICATION TO LARGE AREA ELECTRONICS	769
<i>J. Jang, S. Han</i>	
INVERSE OF MAPPING FUNCTION (IMF) METHOD FOR IMAGE QUALITY ENHANCEMENT OF DUAL-PANEL DISPLAYS	773
<i>C. Liao, F. Lin, L. Liao, Y. Huang, H. Shieh</i>	
DRIVE AND CONTROL CIRCUITRY OF OCB FILED-SEQUENTIAL COLOR LCD WITH HIGH DATA RATE	777
<i>Y. Hsu, F. Lin, C. Chen, Y. Huang, H. Shieh</i>	
FIELD SEQUENTIAL COLOR LCD-TV USING MULTI-AREA CONTROL ALGORITHM	781
<i>W. Tai, S. Chiou, C. Mo, C. Liu</i>	
APPROACHES FOR ENHANCING EFFICIENCY OF ORGANIC PHOTOVOLTAIC DEVICES	785
<i>C. Lee</i>	
INVESTIGATION OF DEGRADATION MECHANISMS OF ORGANIC LIGHT-EMITTING DIODES UNDER AN ELECTRICAL STRESS	786
<i>C. Lee, H. Baek, J. Kwak, H. Cho</i>	
HIGHLY EFFICIENT PHOSPHORESCENT OLEDs WITH SIMPLE DEVICE ARCHITECTURE	789
<i>J. Kwon</i>	
INFLUENCE OF POLYMER GATE DIELECTRICS ON N-TYPE PENTACENE-BASED ORGANIC FIELD-EFFECT TRANSISTORS	793
<i>T. Guo, Z. Tsai, S. Chen, T. Wen, C. Chung</i>	
OLEDs INTEGRATED WITH SOLAR CELLS: HIGH CONTRAST AND ENERGY RECYCLING	796
<i>C. Yang, T. Cho, C. Lin, C. Wu</i>	
EMERGING TECHNOLOGIES FOR BACKLIGHT MODULES	800
<i>J. Pan, A. Lin</i>	
AN ANALYSIS OF CURRENT BLU TECHNOLOGY AND ISSUES IN LED BLU	804
<i>E. Chung, Y. Nam, G. Lee</i>	
MERCURY-FREE FFL BACKLIGHT FOR LCD IMAGE QUALITY IMPROVEMENT	806
<i>C. Tsai</i>	
MODELING METHOD FOR TRANFLECTIVE LCD WITH LOW DRIVING VOLTAGE AND WIDE VIEWING ANGLE	809
<i>Y. Lin, M. Chen, H. Tung, J. Chang, F. Gan</i>	
NOVEL DESIGN FOR LED LENS AND BACKLIGHT SYSTEM	813
<i>C. Hung, W. Chen, J. Lin, W. Li</i>	
ON-WAFER POLYIMIDE LENS LED STRUCTURE FOR LCD BACKLIGHT APPLICATIONS	817
<i>L. Chen, C. Wang, H. Chen, J. Huang</i>	
Author Index	