

2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop (NSS/MIC/RTSD 2016)

**Strasbourg, France
29 October - 6 November 2016**

Pages 1-763



**IEEE Catalog Number: CFP16NSS-POD
ISBN: 978-1-5090-1643-3**

**Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP16NSS-POD
ISBN (Print-On-Demand):	978-1-5090-1643-3
ISBN (Online):	978-1-5090-1642-6
ISSN:	1095-7863

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

DEVELOPMENT OF A MR-COMPATIBLE DOI-TOF DETECTOR MODULE FOR PET IMAGING SYSTEMS	1
<i>Tianpeng Xu ; Qingyang Wei ; Guanghua Gong ; Yaqiang Liu ; Tianyu Ma</i>	
THE EASYPET: A NOVEL CONCEPT FOR AN EDUCATIONAL COST-EFFECTIVE POSITRON EMISSION 2D SCANNER	4
<i>V. Arosio ; M. Caccia ; I. F. Castro ; P. M. M. Correia ; C. Mattone ; L. M. Moutinho ; R. Santoro ; A. L. M. Silva ; J. F. C. A. Veloso</i>	
RHIP, A RADIO-CONTROLLED HIGH-VOLTAGE INSULATED PICOAMMETER	12
<i>S. Dalla Torre ; B. Gobbo ; S. Levorato ; G. Menon ; F. Tessarotto</i>	
SCINTILLATOR-BASED PHOTON COUNTING DETECTOR: IS IT FEASIBLE?	15
<i>Lisa Bläckberg ; Michael Moebius ; Narjes Moghadam ; Dilber Uzun-Ozsahin ; Eric Mazur ; Georges El Fakhri ; Hamid Sabet</i>	
DEVELOPMENT OF A HIGH-INTENSITY PHOTON-BEAM PROFILE MONITOR	20
<i>Takatsugu Ishikawa ; Hisako Fujimura ; Ryo Hashimoto ; Yuki Honda ; Takashi Ishida ; Hiroki Kanda ; Satoshi Kido ; Yuji Matsumura ; Manabu Miyabe ; Ikuro Nagasawa ; Ken'ichi Nanbu ; Hajime Shimizu ; Koutaku Suzuki ; Ken Takahashi ; Atsushi O. Tokiyasu ; Yusuke Tsuchikawa ; Hirohito Yamazaki</i>	
HYBRID WHOLE-BODY DYNAMIC TOF PET IMAGING FOR SIMULTANEOUS ESTIMATION OF COMPARTMENTAL AND PATLAK PARAMETRIC MAPS FROM CONTINUOUS BED MOTION DATA	22
<i>Fotis A. Kotasidis ; Valentina Garibotto ; Habib Zaidi</i>	
DIRECT PARAMETRIC IMAGING OF REVERSIBLE TRACERS USING PARTIAL DYNAMIC DATA	24
<i>Kyungsang Kim ; Georges El Fakhri ; Quanzheng Li</i>	
18F-FDG:18F-NAF PET/MR MULTI-PARAMETRIC IMAGING WITH KINETICS-BASED BONE SEGMENTATION FOR ENHANCED DUAL-TRACER PET QUANTIFICATION	28
<i>Nicolas A. Karakatsanis ; Ronan Abgral ; Gilles Boeykens ; Marc R. Dweck ; Philip M. Robson ; Maria Giovanna Trivieri ; Claudia Calgano ; Charalampos Tsoumpas ; Zahi A. Fayad</i>	
EVALUATION OF ZERO-TE-BASED ATTENUATION CORRECTION METHODS ON PET QUANTIFICATION OF PET/MRI HEAD AND NECK LESIONS	33
<i>Keum Sil Lee ; Greg Zaharchuk ; Praveen K. Gulaka ; Craig S. Levin</i>	
JOINT ESTIMATION OF ACTIVITY AND ATTENUATION: APPLICATION TO NON-FDG TOF PET/MR CLINICAL DATA	36
<i>Lishui Cheng ; Sangtae Ahn ; Dattesh Shanbhag ; Hua Qian ; Timothy Deller ; Florian Wiesinger</i>	
MODELLING THE MOTION DEPENDENT POINT SPREAD FUNCTION IN MOTION CORRECTED SMALL ANIMAL PET IMAGING	39
<i>Georgios I. Angelis ; John E. Gillam ; Andre Z. Kyme ; Roger R. Fulton ; Steven R. Meikle</i>	
REAL-TIME DATA-DRIVEN RIGID MOTION DETECTION AND CORRECTION FOR BRAIN SCAN WITH LISTMODE PET	42
<i>Tao Feng ; Defu Yang ; Wentao Zhu ; Yun Dong ; Hongdi Li</i>	
ORTHOCT FOR TUMOR LUNG IRRADIATION: A SIMULATION STUDY	46
<i>Hugo Simões ; Mariana Alves Barros ; Paulo Crespo</i>	
IMPACT OF TUMOR CONTRAST IN ORTHOGONAL RAY IMAGING: A PROSTATE IRRADIATION STUDY	51
<i>Ana Luísa Lopes ; Hugo Simões ; Paulo Crespo ; João A. S. Barata ; Joana Lencart ; João A. M. Santos</i>	
DEVELOPMENT OF A SIPM-BASED DETECTION MODULE FOR PROMPT GAMMA IMAGING IN PROTON THERAPY	56
<i>Giulia Cozzi ; Paolo Busca ; Marco Carminati ; Carlo Fiorini ; Alberto Gola ; Claudio Piemonte ; Veronica Regazzoni</i>	
LARGE-AREA SEGMENTED POLYCRYSTALLINE CVD DIAMOND FOR DOSE MAPPING IN ADVANCED RADIOTHERAPY TECHNIQUES	60
<i>M. Bruzzi ; A. Baldi ; A. Bartoli ; I. Cupparo ; S. Pallotta ; A. Pasquini ; M. Scaringella ; C. Talamonti</i>	
EMULSION CLOUD CHAMBER: MEASUREMENT OF ¹²C IONS BEAM FRAGMENTATION AT LARGE ANGLE	64
<i>Giovanni De Lellis ; Adele Lauria ; M. Cristina Montesi</i>	
PROMPT GAMMA IMAGING WITH A MULTI-KNIFE-EDGE SLIT COLLIMATOR FOR LARGE FOV MONITORING OF SCANNED PROTON PENCIL BEAMS	68
<i>Wenzhuo Lu ; Peng Fan ; Hui Liu ; Zhaoxia Wu ; Shi Wang ; Yaqiang Liu ; Tianyu Ma</i>	
DESIGN OF A HIGH DYNAMIC RANGE INTEGRATED CHARGE TO DIGITAL CONVERTER FOR ONLINE DOSIMETRY IN RADIOTHERAPY	72
<i>L. Gallin-Martel ; O. Rossetto ; Y. Arnoud ; B. Boyer ; R. Delorme ; R. Fabbro ; M L. Gallin-Martel ; O. Guillaudin ; A. Pélissier</i>	
LARGE AREA POLYCRYSTALLINE DIAMOND DETECTORS FOR ONLINE HADRON THERAPY BEAM TAGGING APPLICATIONS	77
<i>M. L. Gallin-Martel ; A. Bes ; A. Boukhémiri ; G. Bosson ; J. Collot ; D. Dauvergne ; M. Fontana ; L. Gallin-Martel ; A. Gorecki ; J. Y. Hostachy ; J. Krimmer ; A. Lacoste ; S. Marcotili ; J. Morse ; J. F. Muraz ; F. E. Rarbi ; O. Rossetto ; M. Salomé ; E. Testa ; M. Yamouni</i>	
TIMING PERFORMANCE OF WIDE SCINTILLATOR CRYSTAL ELEMENTS FOR SUPER-RESOLUTION CLINICAL PET	82
<i>J. W. Cates ; G. Chinn ; C. S. Levin</i>	

TIMING PERFORMANCE OF TWO PET DETECTOR DESIGNS CAPABLE OF TIME-OF-FLIGHT AND DEPTH-OF-INTERACTION MEASUREMENT: PHOSWICH AND OFFSET CRYSTAL LAYERS	85
<i>Chen-Ming Chang ; Craig S. Levin</i>	
MONDO: A NEUTRON TRACKER FOR PARTICLE THERAPY SECONDARY EMISSION MEASUREMENTS	88
<i>L. Gasparini ; R. Mirabelli ; V. Patera ; D. Pinci ; A. Sarti ; A. Sciubba ; E. Spiriti ; D. Stoppa ; M. Marafini</i>	
COMPARISON OF COLUMNAR AND PIXELATED SCINTILLATORS FOR SMALL FIELD OF VIEW HYBRID GAMMA CAMERA IMAGING	91
<i>Layal K. Jambi ; John E. Lees ; Sarah L. Bugby ; Bahadar S. Bhatia ; Mohammed S. Alqahtani ; Numan S. Dawood ; Aik H. Ng ; Alan C. Perkins</i>	
RESPONSE FUNCTION ESTIMATION FOR THE XCOUNTER FLITE X1 PHOTON COUNTING DETECTOR USING MONTE CARLO METHOD	95
<i>Xiaofei Xu ; Li Zhang ; Dufan Wu ; Sen Wang</i>	
3D POSITIONING AND READOUT CHANNEL NUMBER COMPRESSION METHODS FOR MONOLITHIC PET DETECTOR	99
<i>Peng Fan ; Tianpeng Xu ; Zhenlei Lyu ; Shi Wang ; Yaqiang Liu ; Tianyu Ma</i>	
LIGHT RESPONSE ESTIMATION AND GAMMA EVENTS RECONSTRUCTION IN GAMMA-DETECTORS BASED ON CONTINUOUS SCINTILLATORS AND SIPMS	103
<i>M. Occhipinti ; P. Busca ; C. Fiorini</i>	
PHOTON INTERACTION POSITION-DEPENDENT TIME WALK MEASUREMENT FOR THE PET DETECTORS WITH A CONTINUOUS CRYSTAL COUPLED TO A MULTI-ANODE PMT	107
<i>Yong Xiao ; Yonggang Wang ; Xinyi Cheng</i>	
STATISTICAL ANALYSIS OF TIME RESOLUTION OF THE J-PET SCANNER	110
<i>Lech Raczyński ; Wojciech Wislicki ; Paweł Kowalski ; Wojciech Krzemien ; Dominika Alfs ; Tomasz Bednarski ; Piotr Białas ; Catalina Curceanu ; Eryk Czerwinski ; Kamil Dulski ; Aleksander Gajos ; Bartosz Glowacz ; Marek Gorgol ; Beatrix Hiesmayr ; Bożena Jasinska ; Daria Kaminska ; Grzegorz Korcyl ; Tomasz Kozik ; Nikodem Krawczyk ; Ewelina Kubicz ; Muhsin Mohammed ; Monika Pawlik-Niedzwiecka ; Szymon Niedzwiecki ; Marek Palka ; Zbigniew Rudy ; Oleksandr Rundel ; Neha Gupta Sharma ; Michał Silarski ; Jerzy Smyrski ; Adam Strzelecki ; Anna Wieczorek ; Bożena Zgardzinska ; Marcin Zielinski ; Paweł Moskal</i>	
PERFORMANCE TESTS OF TOF PET DETECTORS WITH A STRIP-LINE BASED READOUT	114
<i>Heejong Kim ; Yueshan Hua ; Daoming Xi ; Qingguo Xie ; Neville Eclow ; Chin-Tu Chen ; Chien-Min Kao</i>	
A ~0.7 MM SPATIAL RESOLUTION ALL-DIGITAL ANIMAL PET SYSTEM USING IMPROVED TRANS-PET DETECTORS	117
<i>Tong Liu ; Ming Niu ; Shuguo Gu ; Peng Xiao ; Qingguo Xie</i>	
FIRMWARE ARCHITECTURE OF THE DATA ACQUISITION SYSTEM FOR THE LABPET II MOUSE SCANNER	120
<i>Larissa Njejmama ; Louis Arpin ; Christian Thibaudeau ; Nadia Jürgensen ; Haithem Bouziri ; Marc-André Tétrault ; Nicolas Viscogliosi ; Caroline Paulin ; Roger Lecomte ; Réjean Fontaine</i>	
A NOVEL GENERIC ORGAN-PET FOR SMALL ANIMAL ORGANS AND TISSUES	123
<i>Levent Sensoy ; John J. Sunderland</i>	
3-D POSITION SENSITIVE CZT PET SYSTEM: CURRENT STATUS	125
<i>Shiva Abbaszadeh ; Craig S. Levin</i>	
COMPACT, MR COMPATIBLE SIPM SMALL ANIMAL PET DOI DETECTOR	127
<i>R. Chil ; G. Konstantinou ; M. Desco ; J. J Vaquero</i>	
IMIC — NEEDLE-SHAPED LOW-POWER MONOLITHIC ACTIVE PIXEL SENSOR FOR MOLECULAR NEUROIMAGING ON AWAKE AND FREELY MOVING RATS	129
<i>Julian Heymes ; Luis Ammour ; Matthieu Bautista ; Grégory Bertolone ; Andrei Dorokhov ; Sylvain Fieux ; Fabrice Gensolen ; Matthieu Goffe ; Fadoua Guezzi-Messaoud ; Christine Hu-guo ; Maciej Kachel ; Françoise Lefebvre ; Frédéric Pain ; Patrick Pangaud ; Laurent Pinot ; Marc Winter ; Pascale Gisquet-Verrier ; Philippe Lanièce ; Christian Morel ; Marc-Antoine Verdier ; Luc Zimmer ; Jerome Baudot</i>	
DOES ENERGY NON-LINEARITY AFFECT NOISE ESTIMATES FROM MONTE CARLO SIMULATIONS OF X-RAY IMAGING DETECTORS?	133
<i>Aldo Badano</i>	
SENSITIVITY AND SPATIAL RESOLUTION SIMULATION OF A PET-COMPTON INSERT IMAGING SYSTEM	136
<i>Eiji Yoshida ; Hideaki Tashima ; Craig S. Levin ; Katia Parodi ; Taiga Yamaya</i>	
A COMPTON CAMERA PROTOTYPE SIMULATION STUDY: CAMERA PERFORMANCE AND FIRST TESTS OF RANGE MONITORING CAPABILITIES	138
<i>I. I. Valencia Lozano ; G. Dedes ; S. Aldawood ; S. Liprandi ; A. Miani ; A. Zoglauer ; K. Lauber ; P. G. Thirolf ; K. Parodi</i>	
AN ANTHROPOMORPHIC PHANTOM FOR ADVANCED IMAGE PROCESSING OF REALISTIC ¹⁸F-FDG PET-CT ONCOLOGICAL STUDIES	143
<i>Francesca Gallivanone ; Matteo Interlenghi ; Daniela D'Ambrosio ; Daniele Fantinato ; Luca Alberizzi ; Giuseppe Trifirò ; Isabella Castiglioni</i>	
GAMSIM — A WINDOWS-BASED SIMULATION TOOL FOR GAMMA-RAY DETECTOR DEVELOPMENT	150
<i>A. H. Walenta ; A. B. Brill ; T. Çonka-Nurdan ; I. Fleck ; L. R. Furenlid ; T. E. Peterson</i>	
SIMULATING FUNCTIONAL BRAIN IMAGES IN ALZHEIMER'S DISEASE	158
<i>U. Vidal-Sanz ; F. J. Martínez-Murcia ; J. M. Górriz ; J. Ramirez ; I. A. Illán ; F. Segovia ; D. Salas-González</i>	
IMAGING DEVICE FUNCTIONS IN PTSIM FOR IRRADIATION FIELD RECONSTRUCTION IN PARTICLE THERAPY	162
<i>T. Aso ; K. Mastushita ; T. Nishio ; S. Kabuki ; T. Sasaki ; R. Benii</i>	

MRI BRAIN SEGMENTATION USING HIDDEN MARKOV RANDOM FIELDS WITH ALPHA-STABLE DISTRIBUTIONS	165
<i>I. Peis ; I. A. Illán ; F. J. Martínez-Murcia ; F. Segovia ; J. M. Górriz ; J. Ramírez ; E. W. Lang ; D. Salas-Gonzalez</i>	
SUB-REGIONAL PATTERN ANALYSIS OF HETEROGENEOUS PET TRACER DISTRIBUTION EMPLOYED FOR DISEASE ASSESSMENT	168
<i>Ivan S. Klyuzhin ; Jessie Fu ; Nikolay Shenkov ; Arman Rahmim ; Vesna Sossi</i>	
SIMULTANEOUS SPATIOTEMPORAL TRACKING OF MULTIPLE POSITRON SOURCES USING SPECTRAL CLUSTERING	171
<i>Hongquan Li ; Guillem Pratz</i>	
OPTIMIZING 4D-PET/CT IMAGING FOR HETEROGENEITY QUANTIFICATION BY TEXTURE FEATURES	174
<i>M. Carles ; I. Torres-Espallardo ; U. Nestle ; L. Martí-Bonmatí</i>	
DATA DRIVEN RESPIRATORY SIGNAL DETECTION IN PET TAKING ADVANTAGE OF TIME-OF-FLIGHT DATA	176
<i>Ottavia Bertolli ; Simon Arridge ; Charles W Stearns ; Scott D Wollenweber ; Brian F Hutton ; Kris Thielemans</i>	
NOISE SUPPRESSION FOR CEREBRAL PERFUSION CT VIA INTRINSIC TENSOR SPARSITY REGULARIZATION: INITIAL STUDY	179
<i>Dong Zeng ; Qi Xie ; Zhaoying Bian ; Deyu Meng ; Jing Huang ; Zongben Xu ; Zhengrong Liang ; Wufan Chen ; Jianhua Ma</i>	
ENHANCED WIENER FILTER FOR DESPLECKING ULTRA-SOUND IMAGES	183
<i>Fabio Baseline ; Giampaolo Ferraioli ; Vito Pascasio ; Gilda Schirinzi</i>	
ACCURACY OF PET PARTIAL VOLUME CORRECTION IN TRACER UPTAKE MEASUREMENTS WITH SIX ISOTOPES	186
<i>James J. Hamill ; Therese Sjöholm ; David Townsend ; Maurizio Conti</i>	
AN AUTOMATIC SEGMENTATION METHOD FOR THE MEASUREMENT OF THE FUNCTIONAL VOLUME OF ONCOLOGICAL LESIONS ON MR ADC MAPS	188
<i>Francesca Gallivanone ; Marta Maria Panzeri ; Carla Canevari ; Interlenghi Matteo ; Claudio Losio ; Luca Gianolli ; Francesco De Cobelli ; Castiglioni Isabella</i>	
A CONSTRAINED FEATURE-BASED CARDIAC MOTION ESTIMATION METHOD FOR CARDIAC PET	193
<i>Jizhe Wang ; Tao Feng ; Jingyan Xu ; Benjamin M. W. Tsui</i>	
CONTRAST-ORIENTED SEED BASED AUTOMATIC SEGMENTATION ALGORITHM: MINIMIZING EFFECT OF LESION HETEROGENEITY ON ALGORITHM RESPONSE	198
<i>M. Carles ; T. Fechter ; U. Nestle ; A. Schaefer</i>	
PETRA: A WEB-BASED SYSTEM SUPPORTING COMPUTER AIDED DIAGNOSIS OF ALZHEIMER'S DISEASE	200
<i>F. Segovia ; I. A. Illán ; D. Salas-Gonzalez ; F. J. Martínez-Murcia ; A. Ortiz ; J. M. Górriz ; J. Ramírez</i>	
QUANTILE-BASED CLASSIFICATION OF ALZHEIMER'S DISEASE, FRONTOTEMPORAL DEMENTIA AND ASYMPTOMATIC CONTROLS FROM SPECT DATA	204
<i>Dieter Geller ; Günther Platsch ; Johannes Kornhuber ; Torsten Kuwert ; Dont Merhof</i>	
JOINT AMPLITUDE AND TIMING ESTIMATION FOR SCINTILLATION PULSES IN GPU	209
<i>Maria Ruiz-Gonzalez ; Luca Caucci ; Lars R. Furenlid</i>	
A HIGH PERFORMANCE DAQ SYSTEM FOR A FREE HAND SMALL-FIELD γ-CAMERA	212
<i>Maria Zioga ; Maria Mikeli ; Aristotelis-Nikolaos Rapsomanikis ; Efsthios Stiliaris</i>	
CHARACTERIZATION OF A PET PROTOTYPE BASED ON MONOLITHIC DETECTORS	216
<i>Jesús Marín ; Miguel Ángel Morcillo ; Javier Navarrete ; Juan Carlos Oller ; Marta Oteo ; José Manuel Pérez ; Pedro Rato Mendes ; Luciano Romero ; Iciar Sarasola ; Oscar Vela</i>	
INSERT PROJECT: FIRST RESULTS OF A MR COMPATIBLE PRECLINICAL SPECT BASED ON SIPM PHOTODETECTORS	219
<i>M. Occhipinti ; P. Busca ; M. Carminati ; C. Fiorini ; G. L. Montagnani ; K. Nagy ; G. Legradi ; T. Bukki ; Z. Nyitrai ; Z. Papp ; A. Nagy ; A. Kuehne ; T. Niendorf ; C. Piemonte</i>	
PCA-BASED APPROACH FOR INHOMOGENEOUS PSF ESTIMATION AND PARTIAL VOLUME CORRECTION IN PET	223
<i>Zacharie Irace ; Anthonin Reilhac ; Bruno Mendez de Vigo ; Hadj Batatia ; Nicolas Costes</i>	
PLANE-DEPENDENT ML SCATTER SCALING: 3D EXTENSION OF THE 2D SIMULATED SINGLE SCATTER ESTIMATE	226
<i>Ahmadreza Rezaei ; Koen Salvo ; Vladimir Panin ; Thomas Koesters ; Michael Casey ; Fernando Boada ; Michel Defrise ; Johan Nuyts</i>	
USE OF THE OPENPET DATA ACQUISITION FOR A STRIP-LINE READOUT TOF PET DETECTOR	229
<i>Heejong Kim ; Woon-Seng Choong ; Yuexuan Hua ; Daoming Xi ; Qingguo Xie ; Neville Eclov ; Faisal Abu-Nimeh ; Chin-Tu Chen ; Chien-Min Kao</i>	
EVALUATION OF THE IMAGING PERFORMANCE OF CONTINUOUS DETECTORS ETCHED WITH LASER INDUCED OPTICAL BARRIERS	232
<i>Joseph V. Panetta ; Suleman Surti ; Bipin Singh ; Joel S. Karp</i>	
TIME-OVER-THRESHOLD FOR PULSE SHAPE DISCRIMINATION IN A TIME-OF-FLIGHT/DEPTH OF INTERACTION PHOSWICH PET DETECTOR	236
<i>Chen-Ming Chang ; Joshua W. Cates ; Craig S. Levin</i>	
A NEW FOUR-LAYERED DOI DETECTOR WITH QUADRISECTED TOP LAYER CRYSTALS	239
<i>Genki Hirumi ; Eiji Yoshida ; Hideaki Tashima ; Fumihiko Nishikido ; Munetaka Nitta ; Hideaki Haneishi ; Taiga Yamaya</i>	
DIRECT EM RECONSTRUCTION OF PARAMETRIC IMAGES FROM LIST-MODE BRAIN PET USING A NOVEL MODEL BASED ON LOGAN GRAPHICAL ANALYSIS	241
<i>Jean-Dominique Gallezot ; Mary K Germino ; Richard E Carson</i>	

MULTI-PARAMETRIC MR-GUIDED PET IMAGE RECONSTRUCTION	245
<i>Abolfazl Mehranian ; Andrew J. Reader</i>	
PET RECONSTRUCTION WITH NON-SMOOTH GRADIENT-BASED PRIORS	249
<i>G. Schramm ; M. Holler ; T. Koesters ; F. Boada ; F. Knoll ; K. Bredies ; J. Nuyts</i>	
JOINT ACTIVITY/ATTENUATION RECONSTRUCTION IN SPECT USING PHOTOPEAK AND SCATTER SINOGRAMS	254
<i>Alexandre Bousse ; Avishay Sidlesky ; Nathaniel Roth ; Alaleh Rashidnasab ; Kris Thielemans ; Brian F. Hutton</i>	
ATLAS-BASED IMAGE RECONSTRUCTION FOR BREAST CT IMAGING USING NON-ISOCENTRIC C-ARM SCANNER	258
<i>Essam A. Rashed ; Hiroyuki Kudo</i>	
KERNELISED EM IMAGE RECONSTRUCTION FOR DUAL-DATASET PET STUDIES	262
<i>Sam Ellis ; Andrew J. Reader</i>	
ASRT: A NEW ANALYTIC RECONSTRUCTION ALGORITHM FOR SPECT	265
<i>Nicholas E. Protonotarios ; Athanasios S. Fokas ; Anastasios Gaitanis ; George A. Kastis</i>	
SIMULTANEOUS ESTIMATION OF ACTIVITY AND ATTENUATION IN CLASSICAL PET: UNIQUENESS ISSUES	271
<i>Michel Defrise</i>	
PET-MR JOINT RECONSTRUCTION WITH INFORMATION THEORETIC PRIORS	274
<i>Yunhan Yu ; Shulin Yao ; Wang Shi ; Yaqiang Liu ; Tianyu Ma</i>	
IMPROVING THE SIGNAL-TO-NOISE RATIO IN STATIC PET RECONSTRUCTION USING HYPR-OSEM	278
<i>Ju-Chieh Kevin Cheng ; Julian Matthews ; Ronald Boellaard</i>	
DISCRETE ITERATIVE ALGORITHMS FOR SCATTER-TO-ATTENUATION RECONSTRUCTION IN PET	281
<i>Yannick Berker ; Volkmar Schulz ; Joel S. Karp</i>	
JOINT RECONSTRUCTION OF ACTIVITY AND ATTENUATION IN DYNAMIC PET	284
<i>Alaleh Rashidnasab ; Alexandre Bousse ; Beverley F Holman ; Brian F Hutton ; Kris Thielemans</i>	
DIRECT PET RECONSTRUCTION OF REGIONAL BINDING POTENTIALS	287
<i>Paul Gravel ; Jean-Paul Soucy ; Andrew J. Reader</i>	
PERFORMANCE IMPROVEMENT AND VALIDATION OF A NEW MAP RECONSTRUCTION ALGORITHM	290
<i>Yu-Jung Tsai ; Alexandre Bousse ; Charles W. Stearns ; Sangtae Ahn ; Brian F. Hutton ; Simon Arridge ; Kris Thielemans</i>	
GPU-BASED STRATEGIES FOR ACCELERATION OF A NEW MLEM ALGORITHM FOR EMISSION-BASED PHOTON ATTENUATION CORRECTION IN PET	293
<i>Alexander Mihlin ; Craig S Levin</i>	
MLAA-BASED HEADPHONE ATTENUATION ESTIMATION IN HYBRID PET/MR IMAGING	295
<i>Thorsten Heußer ; Christopher M. Rank ; Martin T. Freitag ; Marc Kachelrieß</i>	
GARMENT COMPENSATION IN MARKER-LESS MOTION TRACKING FOR MEDICAL IMAGING	299
<i>Clifford Lindsay ; Michael A. King</i>	
AN ATTENUATION METHOD FOR REDUCING COUNT RATE LOSSES IN PRECLINICAL PET DURING INTRATHERAPEUTIC IMAGING	302
<i>Emma Mellhammar ; Magnus Dahlbom ; Susan Evans-Axelsson ; Johan Axelsson ; Thuy Tran ; Sven-Erik Strand</i>	
A RECOVERY COEFFICIENT STUDY USING PRE-CLINICAL HOLLOW SPHERES IN CLINICAL PET/CT SCANNERS	306
<i>Stephen Adler ; Jurgen Seidel</i>	
SYSTEM SPECIFIC MODELING FOR ABSOLUTE QUANTIFICATION OF ^{99m}Tc AND ¹⁷⁷Lu WITH SPECT/CT	309
<i>HyunJu Ryu ; Kathy P Willowson ; Steven R Meikle ; Dale L Bailey</i>	
FIVE-DIMENSIONAL RESPIRATORY AND CARDIAC MOTION COMPENSATION FOR SIMULTANEOUS PET/MR	312
<i>Christopher M. Rank ; Thorsten Heußer ; Andreas Wetscherek ; Martin T. Freitag ; HeinzPeter Schlemmer ; Marc Kachelrieß</i>	
TOWARDS BETTER NORMALIZATION USING PHOTOPEAK MONITORING FROM PHANTOM/PATIENT DATA IN POSITRON EMISSION TOMOGRAPHY (PET)	316
<i>Mehmet Aykac ; Vladimir Y. Panin</i>	
QUANTIFICATION ACCURACY OF A NEW HRRT HIGH THROUGHPUT RAT HOTEL USING TRANSMISSION-BASED ATTENUATION CORRECTION: A PHANTOM STUDY	320
<i>Sune H. Keller ; Elina N. L'Estrade ; Bente Dall ; Mikael Palmer ; Matthias Herth</i>	
SIMULTANEOUS ACTIVITY AND CRYSTAL EFFICIENCIES RECONSTRUCTION FOR CONTINUOUS MOTION BED ACQUISITION	323
<i>Vladimir Y. Panin</i>	
HIGHLY EFFICIENT MOTION-CORRECTED SIMULTANEOUS CARDIAC PET-MR IMAGING	328
<i>Camila Munoz ; Radhouene Neji ; Paul Marsden ; Andrew J. Reader ; René M. Botnar ; Claudia Prieto</i>	
SCINTILLATOR-BASED MEASUREMENT OF OFF-AXIS NEUTRON AND PHOTON DOSE RATES DURING PROTON THERAPY	331
<i>C. A. Miller ; M. A. Norsworthy ; S. D. Clarke ; S. A. Pozzi ; R. W. Schulte</i>	
TIMING PERFORMANCES OF A TIME-OF-FLIGHT DETECTION SYSTEM FOR FRAGMENTATION CROSS SECTION MEASUREMENTS IN CARBON THERAPY	334
<i>S. Salvador ; J. Colin ; D. Cussol ; C. Divay ; J. -M. Fontbonne ; M. Labalme</i>	
EXPERIMENTAL CHARACTERIZATION OF MEGAVOLTAGE BEAMS FOR ORTHOGONAL RAY IMAGING	336
<i>Carolina Travassos ; Hugo Simões ; Paulo Crespo ; Mariana Alves Barros ; Joana Lencart ; Paulo J. B. M. Rachinhas ; João A. M. Santos</i>	

ORTHOCT FOR TUMOR HEAD IRRADIATION: A SIMULATION STUDY	339
<i>Hugo Simões ; Ana Luisa Lopes ; Paulo Crespo</i>	
DOSIMETRIC EVALUATION OF PROTON CT USING A PROTOTYPE PROTON CT SCANNER	344
<i>V. Giacometti ; S. Guatelli ; A. Zatserklyaniy ; R. P. Johnson ; H. Sadrozinski ; T. E. Plautz ; P. Piersimoni ; Caesar E. Ordoñez ; V. A. Bashkirov ; A. B. Rosenfeld ; R. W. Schulte</i>	
PRIOR-BASED METAL ARTIFACT REDUCTION IN CT USING STATISTICAL METAL SEGMENTATION ON PROJECTION IMAGES	347
<i>M. A. Hegazy ; M. H. Cho ; S. Y. Lee ; Kisoo Kim</i>	
EMPIRICAL NOISE POWER SPECTRUM BASED ON THE IMAGE SUBTRACTION IN RADIOGRAPHY IMAGING	349
<i>Dong Sik Kim ; Eunae Lee</i>	
MULTI-VIEW SCATTER ESTIMATION FOR MOVING BLOCKER SCATTER CORRECTION OF CBCT	353
<i>Cong Zhao ; Luo Ouyang ; Jing Wang ; Mingwu Jin</i>	
SIMULTANEOUS RECONSTRUCTION AND SEPARATION IN A SPECTRAL CT FRAMEWORK	356
<i>S. Tairi ; S. Anthoine ; C. Morel ; Y. Boursier</i>	
MULTITARGET DATA ASSOCIATION WITH HIGHER-ORDER MOTION MODELS FOR TRACKING IN PROTON CT INSTRUMENTATION	360
<i>Liyun Gong ; Xujiong Ye ; Nigel Allinson</i>	
OBJECT REMOVAL IN GRADIENT DOMAIN OF CONE-BEAM CT PROJECTIONS	368
<i>Bastian Bier ; Martin Berger ; Jennifer Maier ; Mathias Unberath ; Scott Hsieh ; Serena Bonaretti ; Rebecca Fahrig ; Marc E. Levenston ; Garry E. Gold ; Andreas Maier</i>	
NEEDLE DETECTION IN INTERVENTIONAL PAIN MANAGEMENT WITH 3D IMAGE RECONSTRUCTION	371
<i>Essam A. Rashed ; Mohammad al-Shatouri ; Mona Selim ; Hiroyuki Kudo</i>	
BIAS-CORRECTED SPECTRUM DECOMPOSITION FOR X-RAY COMPUTED TOMOGRAPHY (CT): THEORY AND METHOD	374
<i>Hewei Gao ; Geng Fu ; Yannan Jin ; Peter M. Edic</i>	
A FRAMEWORK FOR ITERATIVE RECONSTRUCTION IN PHASE-CONTRAST COMPUTED TOMOGRAPHY DEDICATED TO THE BREAST	376
<i>A. Sarno ; B. Golosio ; P. Russo ; F. Arfelli ; R. Bellazzini ; A. Brez ; F. Brun ; P. Delogu ; F. Di Lillo ; D. Dreossi ; C. Fedon ; R. Longo ; G. Mettivier ; P. Oliva ; L. Rigon ; G. Spandre ; G. Tromba</i>	
INVESTIGATION OF NON-NEGATIVITY CONSTRAINT ON BASIS IMAGES IN HALF-ROTATION DATA RECONSTRUCTION IN SPECTRAL CT	379
<i>Buxin Chen ; Yan Liu ; Zheng Zhang ; Zhou Yu ; Richard Thompson ; Emil Sidky ; Xiaochuan Pan</i>	
A DETECTOR RESPONSE MODEL BASED ML-EM SPECTRUM RECONSTRUCTION METHOD CALIBRATED BY XRF SPECTRA	382
<i>Ruizhe Li ; Liang Li ; Zhiqiang Chen</i>	
XFCT IMAGING SYSTEM WITH PINHOLE COLLIMATION AND ATTENUATION CORRECTION	386
<i>Siyuan Zhang ; Liang Li ; Zhiqiang Chen</i>	
RESEARCH ON CT ITERATIVE RECONSTRUCTION ALGORITHM BASED ON NOISE MODEL AND IMAGE CONSTRAINT	390
<i>Tao Zhang ; Liang Li ; Zhiqiang Chen</i>	
A K-SHELL PHOTOELECTRIC EFFECT ELIMINATED MATERIAL DECOMPOSITION METHOD	394
<i>Tiao Zhao ; Liang Li ; Zhiqiang Chen</i>	
DOSIMETRY OF DUAL-ENERGY CT FOR THE DETECTION OF ACUTE-STAGE CEREBRAL INFARCTION: A PHANTOM STUDY	398
<i>Hidetake Hara ; Hiroshi Muraishi ; Hiroki Matsuzawa ; Toshiyuki Inoue ; Hitoshi Satoh ; Shinji Abe ; Shinya Mizukami ; Tohoru Takeda ; Yasuo Nakajima</i>	
ANALOG NON-LINEAR TRANSFORMATION-BASED TONE MAPPING FOR IMAGE ENHANCEMENT IN C-ARM CT	402
<i>Lan Shi ; Martin Berger ; Bastian Bier ; Christopher Soell ; Juergen Roeber ; Rebecca Fahrig ; Bjoern Eskofier ; Andreas Maier ; Jennifer Maier</i>	
ESTIMATION OF AN ATOMIC DENSITY WITH A SINGULAR VALUE DECOMPOSITION METHOD USING A PHOTON-COUNTING X-RAY CT	405
<i>Ryo Ito ; Koichi Ogawa</i>	
CT AUTO-CALIBRATION BY CONSISTENT CONTOURS	409
<i>S. Maur ; D. Stsepankou ; J. Hesser</i>	
IMPLEMENTATION OF MAJORIZATION-MINIMIZATION (MM) ALGORITHM FOR 3D TOTAL VARIATION MINIMIZATION IN DBT IMAGE RECONSTRUCTION	416
<i>Adem Polat ; Nuno Matela ; Ana Margarida Mota ; Isa Yildirim</i>	
PRELIMINARY STUDY OF QUANTITATIVE X-RAY SPECTRAL IMAGING WITH SPECTRAL DECONVOLUTION	421
<i>Sen Wang ; Li Zhang ; Xiaofei Xu ; Dufan Wu</i>	
PRELIMINARY RESULTS OF AN EMBEDDED TIMING PROBE FOR CALIBRATING PET SCANNER	425
<i>Arnaud Samson ; Jonathan Bouchard ; Émilie Gaudin ; Christian Thibaut ; Louis Arpin ; Caroline Paulin ; Roger Lecomte ; Réjean Fontaine</i>	
PILOT TESTS OF A PET INSERT BASED ON MONOLITHIC CRYSTALS IN A 7T MR	428
<i>Antonio J. González ; Albert Aguilar ; Pablo Conde ; Andrea González-Montoro ; Sebastián Sánchez ; Laura Moliner ; Filomeno Sánchez ; Sven Junge ; Sebastian Stanculovic ; Ralph Wissmann ; Thomas Bruckbauer ; Thorsten Greeb ; Reineiry Garcia ; Julio Barberá ; Carlos Correcher ; César Molinos ; Jose M. Benlloch</i>	

INVESTIGATION OF FACTORS AFFECTING A POTENTIAL WORLDWIDE NETWORK OF MEDICAL PET SCANNERS TO MONITOR THE DECAY RATE OF LU-176 AND DETECT GLOBAL RADIATION EVENTS	432
<i>Michael V. Green ; Jurgens Seidel ; Juan Jose Vaquero ; Peter L. Choyke</i>	
DOI DETECTOR DESIGN AND CHARACTERIZATION FOR OPEN-FIELD MOUSE BRAIN PET	435
<i>Andre Z. Kyme ; Martin S. Judenhofer ; Steven R. Meikle ; Simon R. Cherry</i>	
DEVELOPMENT OF A PROTOTYPE SPECT SYSTEM USING A VARIABLE PINHOLE COLLIMATOR	438
<i>Hyemi Cha ; Young-Jun Jung ; Eungi Min ; Seungbin Bae ; Mincheol Ko ; Kyeong-Min Kim ; Kisung Lee ; Hakjae Lee</i>	
NOISE REDUCTION IN LOW-DOSE CT WITH STACKED SPARSE DENOISING AUTOENCODERS	442
<i>Zongqing Ma ; Yi Zhang ; Weihua Zhang ; Yan Wang ; Feng Lin ; Kun He ; Xiaohua Li ; Yifei Pu ; Jiliu Zhou</i>	
IMPROVING BASIS MATERIAL DECOMPOSITION IN THE PRESENCE OF X-RAY SCATTER WITH AN ENERGY-RESOLVED PHOTON COUNTING DETECTOR	444
<i>A. Sossin ; V. Rebuffel ; J. Tabary ; J. M. Létang ; N. Freud ; L. Verger</i>	
CALIBRATION FREE BEAM HARDENING CORRECTION USING GRANGEAT-BASED CONSISTENCY MEASURE	448
<i>Shiras Abdurahman ; Robert Frysck ; Richard Bismark ; Michael Friebe ; Georg Rose</i>	
VOLUME DOSE DISTRIBUTION IN DIGITAL BREAST TOMOSYNTHESIS: A PHANTOM STUDY	451
<i>Marica Masi ; Francesca Di Lillo ; Antonio Sarno ; Giovanni Mettivier ; Roberta Castriconi ; Paolo Russo</i>	
SMALL-ANIMAL AND ENDOSCOPIC PET DETECTOR MODULES BASED ON MULTICHANNEL DIGITAL SILICON PHOTOMULTIPLIERS	454
<i>E. Venialgo ; S. Sinha ; T. Gong ; S. Mandai ; A. Carimatto ; S. E. Brunner ; D. R. Schaart ; E. Charbon</i>	
INITIAL EVALUATION OF A STATE-OF-THE-ART COMMERCIAL PRECLINICAL PET/CT SCANNER	459
<i>Taek-Soo Lee ; Andrew Rittenbach ; César Gutiérrez Fernández ; Jesus Lopez-Longas ; Juan M. Arco ; Benjamin M. W. Tsui</i>	
PHENOPET — RESULTS FROM THE PLANT SCANNER	463
<i>M. Streun ; K. Borggrewe ; A. Chlubek ; M. Dautzenberg ; C. Degenhardt ; R. Dorscheid ; D. Durini ; A. Erven ; L. Jokhovets ; L. Meessen ; R. Metzner ; O. Mülhens ; H. Nöldgen ; D. Pflugfelder ; S. Reinartz ; J. Scheins ; B. Zwaans ; S. Jahnke ; U. Schurr ; S. van Waasen</i>	
TIME OF FLIGHT PARAMETRIC IMAGE RECONSTRUCTION FROM VARIABLE RANDOM FRACTION DYNAMIC PET DATA	465
<i>Fotis A. Kotasidis ; Habib Zaidi</i>	
A NOVEL APPROACH TO IMAGE RECONSTRUCTION AND CALIBRATION FOR A MULTI-SLIT-SLAT SPECT SYSTEM	467
<i>Kjell Erlandsson ; Debora Salvado ; Brian F Hutton</i>	
COMPARISON OF TWO MOTION COMPENSATION MODELS: ADDING ORDERED SUBSET INTO THE MIX	470
<i>Maxime Toussaint ; Jean-Pierre Dussault ; Roger Lecomte</i>	
REGULARIZED MLEM RECONSTRUCTION WITH A STRONG ANATOMICAL PRIOR USING NEWTON ITERATIVE ALGORITHM	473
<i>Hui Liu ; Jing Wu ; Shi Wang ; Yaqiang Liu ; Tianyu Ma</i>	
THE DUAL HEAD PANEL PET IMAGE RECONSTRUCTION BASED ON SIMULATED SYSTEM RESPONSE MATRIX	477
<i>Yueying Shang ; Shuai Wang ; Wencai Cao ; Hao Xu ; Yuqing Liu ; Qingguo Xie ; Peng Xiao</i>	
AMIAS: A NOVEL STATISTICAL METHOD FOR TOMOGRAPHIC IMAGE RECONSTRUCTION — APPLICATION IN THERMAL EMISSION TOMOGRAPHY	480
<i>L. Koutsantonis ; C. N. Papanicolas ; A. -N. Rapsomanikis ; E. Stiliaris</i>	
NULL-SPACE SMOOTHING OF TOMOGRAPHIC IMAGES USING TV NORM MINIMIZATION	485
<i>Bruce Smith</i>	
PENALIZED MLAA WITH SPATIALLY-ENCODED ANATOMIC PRIOR IN TOF PET/MR	489
<i>Kyungsang Kim ; Jaewon Yang ; Georges El Fakhri ; Youngho Seo ; Quanzheng Li</i>	
STEPWISE LINEAR REGRESSION MODELING OF THE POINT SPREAD FUNCTIONS OF A MULTI-PINHOLE SPECT CAMERA FOR I-123 DATSCAN IMAGING	493
<i>Joyeeta M. Mukherjee ; Soumyanil Banerjee ; Arda Konik ; Kesava S. Kallur ; Lars R. Furenlid ; Michael A. King</i>	
A DIRECT IMAGE RECONSTRUCTION ALGORITHM FOR PET SCANNERS BASED ON MONOLITHIC CRYSTALS	496
<i>A. Iborra ; P. Conde ; S. Sanchez ; A. J. Gonzalez ; M. J. Rodriguez-Álvarez ; A. Aguilar ; P. Bellido ; E. Díaz-Caballero ; J. J. García-Garrigos ; A. González-Montoro ; D. Grau-Ruiz ; L. Hernández ; F. Martos ; L. Moliner ; J. P. Rigla ; F. Sánchez ; M. Seimetz ; A. Soriano ; J. C. Valderas ; L. F. Vidal ; J. M. Benlloch</i>	
INVESTIGATING CEBR3 FOR ULTRA-FAST TOF-PET DETECTOR DESIGNS	501
<i>Jeffrey P. Schmall ; Suleman Surti ; Purushottam Dokhale ; Alessandro Ferri ; Alberto Gola ; Claudio Piemonte ; Kanai S. Shah ; Joel S. Karp</i>	
DESIGN AND OPTIMIZATION OF DIRECT-CONVERSION PHOTON-COUNTING DETECTOR FOR DUAL-ENERGY CT IMAGING	505
<i>Yannan Jin ; Geng Fu ; Hewei Gao ; Peter M. Edic</i>	
EFFECT OF SCINTILLATION CRYSTAL SURFACE FINISH IN THE LIGHT SHARING TOF PET DETECTOR	508
<i>Changlyong Kim ; Mikiko Ito ; David L. McDaniel</i>	
RECOVERY OF INTER-CRYSTAL COMPTON SCATTERING EVENTS FOR SENSITIVITY IMPROVEMENT OF SUB-250 PS TOF-PET DETECTOR	512
<i>Geng Fu ; Adrian Ivan ; Hua Qian</i>	
FEASIBILITY STUDY OF DIRECT BETA PARTICLE DETECTION USING GAS ELECTRON MULTIPLIER	517
<i>Bright Izudike ; Jaehoon Yu ; Wei Chen ; Xiankai Sun ; Glen C. Balch ; Mingwu Jin</i>	

CHARACTERIZATION OF 0.5-MM LUTETIUM OXYORTHOSILICATE DETECTOR ARRAYS FOR HIGH-RESOLUTION PET APPLICATIONS	521
<i>Abdullah A. Refaey ; Martin S. Judenhofer ; Ramsey D. Badawi</i>	
LIGHT TRANSPORT IN PET SCINTILLATOR DETECTORS FABRICATED USING LASER INDUCED OPTICAL BARRIERS	524
<i>Lisa Bläckberg ; Dilber Uzun Özşahin ; Narjes Moghadam ; Georges El Fakhri ; Hamid Sabet</i>	
EXPERIMENTAL DEMONSTRATION OF AN OPTICAL WIRELESS MRI COMPATIBLE PET/SPECT INSERT FRONT-END	528
<i>G. Konstantinou ; W. Ali ; R. Chil ; G. Cossu ; E. Ciaramella ; J. J. Vaquero</i>	
DEVELOPMENT OF THE SECOND “ADD-ON PET” PROTOTYPE: A HEAD COIL WITH DOI-PET DETECTORS FOR MRI	532
<i>F. Nishikido ; M. Suga ; K. Shimizu ; M. Fujiwara ; H. Tashima ; T. Obata ; E. Yoshida ; M. S. H. Akra ; T. Yamaya</i>	
DETECTOR SIZE AND GEOMETRY OPTIMIZATION FOR THE HELMET-CHIN PET	535
<i>Abdella M. Ahmed ; Hideaki Tashima ; Eiji Yoshida ; Taiga Yamaya</i>	
BAYESIAN TISSUE DECOMPOSITION METHOD FOR SPECTRAL MAMMOGRAPHY	538
<i>Yoann Pavia ; Andréa Brambilla ; Véronique Rebuffel ; Jean Michel Létang ; Nicolas Freud ; Loïck Verger</i>	
DESIGN OF WIRELESS DUAL-ENERGY DUAL-SOURCE VERSATILE PEDIATRIC IMAGING SYSTEM BASED ON CMOS FLAT-PANEL DETECTORS	541
<i>Yihong Qi ; Zhiyu Zhou ; Yuliang Wang ; Jianping Chu ; Ziping Li ; Kai Wang</i>	
EVALUATION OF GEOMETRICAL ARRANGEMENTS OF HIGH RESOLUTION SENSORS IN PET PROBE CONFIGURATION	545
<i>Andrej Studen ; Vladimir Cindro ; Neal H. Clinthorne ; Harris Kagan ; Carlos Lacasta ; Gabriela Llosá ; Marko Mikuž ; Josep F. Oliver ; Dejan Žontar</i>	
PET AND MRI-GUIDED FOCUSED ULTRASOUND SURGERY FOR NEUROLOGICAL APPLICATIONS	548
<i>Cristian Borrazzo ; Enrico Preziosi ; Giovanni Borasi ; Marco Bettiol ; Sebastian Sánchez ; Marco Carni ; Elisabetta di Castro ; Antonio J. González ; Paolo Bennati ; Andrea González-Montoro ; Alessandro Napoli ; Rosanna Pellegrini ; Roberto Pani</i>	
ASSESSMENT OF SHIELDING MATERIALS FOR THE ADD-ON PET AT DIFFERENT MAGNETIC FIELD STRENGTHS OF MRI	553
<i>Masanori Fujiwara ; Mikio Suga ; Fumihiko Nishikido ; Munetaka Nitta ; Yoshihiko Kawabata ; Taiga Yamaya ; Takayuki Obata</i>	
OPTIMIZATION OF PINHOLE APERTURE SIZE OF A COMBINED MPH/FANBEAM SPECT SYSTEM FOR I-123 DAT IMAGING	556
<i>Arda Könik ; Joyeeta M. Mukherjee ; Soumyanil Banerjee ; Jan De Beenhouwer ; George I. Zubal ; Michael A. King</i>	
PERFORMANCE EVALUATION OF THE MINDVIEW PET USING GATE AND STIR	558
<i>Sebastian Sanchez ; Enrico Preziosi ; Antonio J. Gonzalez ; Pablo Conde ; Amadeo Iborra ; Laura Moliner ; Cristian Borrazzo ; Albert Aguilar ; Pablo Bellido ; Elena Díaz-Caballero ; Juan J. García-Garrigos ; Daniel Grau-Ruiz ; Andrea González-Montoro ; Juan P. Rigla ; María J. Rodríguez-Álvarez ; Michael Seimet ; Filomeno Sánchez ; Marco Bettiol ; Antonio Soriano ; Roberto Pani ; Carlos Correcher ; Jose M. Benlloch</i>	
CONTRAST RECOVERY PERFORMANCE FOR A 1MM³ RESOLUTION CLINICAL PET SYSTEM	563
<i>David F. C. Hsu ; David L. Freese ; Derek R. Innes ; Craig S. Levin</i>	
HARDWARE SETTING OPTIMIZATION FOR A 1MM³ RESOLUTION CLINICAL PET SYSTEM	566
<i>David F. C. Hsu ; David L. Freese ; Derek R. Innes ; Craig S. Levin</i>	
FEASIBILITY OF ON-LINE MULTIPLE SCANNING PROTON BEAM RANGE VERIFICATION WITH PET IMAGING: MONTE CARLO SIMULATION STUDIES	568
<i>Yuncheng Zhong ; Weiguo Lu ; Xun Jia ; Yiping Shao</i>	
MONTE CARLO SIMULATION TO EVALUATE FACTORS AFFECTING IMAGING PERFORMANCES OF COMPACT SCINTILLATION GAMMA CAMERA	572
<i>Cristian Borrazzo ; Marco Bettiol ; Paolo Bennati ; Enrico Preziosi ; Andrea Fabbri ; Raffaele Scafè ; Rosanna Pellegrini ; Roberto Pani</i>	
TOMOGRAPHIC IMAGING WITH CARBON ION BEAMS	577
<i>S. Meyer ; L. Magallanes ; B. Kopp ; T. Tessonnier ; G. Landry ; G. Dedes ; B. Voss ; O. Jäkel ; C. Belka ; C. Gianoli ; K. Parodi</i>	
CHARACTERIZATION OF ANGULAR DETECTION DEPENDENCE OF PROMPT GAMMA-RAYS WITH RESPECT TO THE BRAGG PEAK IN A WATER PHANTOM USING PROTON BEAM IRRADIATIONS	582
<i>M. Zarifi ; S. Guatelli ; D. Bolst ; B. Hutton ; A. Rosenfeld ; Y. Qi</i>	
INFLUENCE OF TISSUE NON-HOMOGENEITIES ON THE ACCURACY OF 3-D DOSE DISTRIBUTION MONITORING DURING GAMMA-RAY RADIOTHERAPY	587
<i>Mojca Miklavc ; Deniz Savran ; Simon Širca ; Matjaž Vencelj</i>	
FORMATION OF T₂* MAPPING USING MIXED-EFFECTS MODEL	590
<i>Hsuan-Ming Huang</i>	
BRAIN EXTRACTION FROM MR IMAGES USING A COMBINATION OF SEGMENTATION FUSION AND MARKER-CONTROLLED WATERSHED TRANSFORM	592
<i>Antonios K. Thanellas ; Mika Pollari ; Tuomas Alhonnoro ; Mikko Lilja</i>	
QUANTITATIVE CERENKOV LUMINESCENCE IMAGING: MEASUREMENTS AND SIMULATIONS	596
<i>Esther Ciarrocchi ; Nicola Belcari ; Angela Gabriella Cataldi ; Paola Anna Erba ; Alberto Del Guerra</i>	
FEASIBILITY STUDY OF A GRADIENT COIL FOR A DEDICATED AND PORTABLE SINGLE-SIDED MRI SYSTEM	600
<i>D. Grau-Ruiz ; J. P. Rigla ; E. Díaz-Caballero ; A. Nacev ; A. Aguilar ; P. Bellido ; P. Conde ; A. González-Montoro ; A. J. González ; L. Hernández ; A. Iborra ; L. Moliner ; M. J. Rodríguez-Álvarez ; S. Sánchez ; M. Seimet ; A. Soriano ; L. F. Vidal ; I. N. Weinberg ; F. Sánchez ; J. M. Benlloch</i>	
TUMOR MICROVASCULATURE IN LUNG CANCER AND DIFFUSION-WEIGHTED MRI: PRELIMINARY RESULTS	604
<i>Yi Yin ; Oliver Sedlacek ; Johannes Lotz ; Janine Olesch ; Kai Breuhahn ; Dirk Drasdo ; Irene E. Vignon-Clementel</i>	

SIMULATION OF A TABLE-TOP ANALYZER BASED PHASE CONTRAST IMAGING SYSTEM	607
<i>Oriol Caudevilla ; Wei Zhou ; Stanislav Stoupin ; Boris Verman ; Jovan G Brankov</i>	
PHOSIM: A SOFTWARE SIMULATION PACKAGE DESIGNED FOR MACROSCOPIC AND MICROSCOPIC STUDIES IN THE TIME-RESOLVED OPTICAL TOMOGRAPHY	611
<i>A. -N. Rapsomanikis ; A. Eleftheriou ; M. Mikeli ; M. Zioga ; Ch. Pafilis ; E. Stiliaris</i>	
A COMBINED PARTIAL VOLUME REDUCTION AND SUPER-RESOLUTION RECONSTRUCTION FOR MAGNETIC RESONANCE IMAGES	615
<i>Faezeh Fallah ; Bin Yang ; Fritz Schick ; Fabian Bamberg</i>	
COMPENSATION OF PERIODIC MOTION FOR AVERAGING OF MAGNETIC PARTICLE IMAGING DATA	623
<i>Matthias Schlüter ; Nadine Gdaniec ; Alexander Schlaefer ; Tobias Knopp</i>	
X-RAY FLUORESCENCE COMPUTED TOMOGRAPHY WITH A COMPTON CAMERA FOR A CLINICAL APPLICATION	625
<i>Don Vernekohl ; Moiz Ahmad ; Garry Chinn ; Lei Xing</i>	
COMPARISON OF A LARGE AREA CZT DETECTOR TO A SPECTROSCOPIC CDTE DETECTOR FOR X-RAY FLUORESCENCE COMPUTED TOMOGRAPHY	628
<i>Don Vernekohl ; Michael Streicher ; Moiz Ahmad ; Lei Xing ; Zhong He</i>	
DESIGN CONCEPTS AND CHARACTERIZATION OF A NEXT GENERATION CLINICAL PET DETECTOR	630
<i>J. W. Cates ; C. S. Levin</i>	
DEVELOPMENT OF A 3D SILICON COINCIDENCE AVALANCHE DETECTOR FOR CHARGED PARTICLE TRACKING IN MEDICAL APPLICATIONS	633
<i>M. M. Vignetti ; F. Calmon ; P. Pittet ; G. Pares ; R. Cellier ; L. Qmquerez ; A. Savoy-Navarro</i>	
INVESTIGATION OF ELECTRON MULTIPLICATION EFFECT IN OPTICAL PROPERTY MODULATION-BASED RADIATION DETECTION METHOD FOR PET	640
<i>Li Tao ; Henry M. Daghighian ; Craig S. Levin</i>	
PITFALLS IN MLAA AND MLACF	643
<i>Koen Salvo ; Michel Defrise</i>	
SYNERGISTIC LONGITUDINAL PET IMAGE RECONSTRUCTION	650
<i>Sam Ellis ; Andrew J. Reader</i>	
PRELIMINARY STUDY OF TV-CONSTRAINED-LIKELIHOOD-MAXIMIZATION IMAGE RECONSTRUCTION FROM LIST-MODE TOF-PET DATA	653
<i>Zheng Zhang ; Jinghan Ye ; Sean Rose ; Amy E. Perkins ; Chien-Min Kao ; Emil Y. Sidky ; Chi-Hua Tung ; Xiaochuan Pan</i>	
COMPOSITE SYSTEM MODELLING FOR HIGH ACCURACY BRAIN PET IMAGE RECONSTRUCTION USING GATE	656
<i>Martin A. Belzunce ; Andrew J. Reader</i>	
TEXTURE-PRESERVED LOW-DOSE CT RECONSTRUCTION USING REGION RECOGNIZABLE PATCH-PRIORS FROM PREVIOUS NORMAL-DOSE CT IMAGES	659
<i>Xiao Jia ; Zhaoying Bian ; Ji He ; Yongbo Wang ; Jing Huang ; Dong Zeng ; Zhengrong Liang ; Jianhua Ma</i>	
STATISTICAL FEATURE SELECTION AND CLASSIFICATION MODELS FOR ALZHEIMER'S DISEASE PROGRESSION ASSESSMENT	663
<i>A. Domínguez ; J. Ramírez ; J. M. Górriz ; F. Segovia ; D. Salas-Gonzalez ; F. J. Martínez-Murcia ; I. A. Illán</i>	
DEVELOPMENT AND EVALUATION OF TWO INTERVENTRICULAR SULCUS EXTRACTION METHODS FOR CARDIAC PET	668
<i>Jizhe Wang ; Tao Feng ; Benjamin M. W. Tsui</i>	
THREE-DIMENSIONAL BLOOD VESSEL DETECTION FROM SMALL NUMBER OF VIEWS CT IMAGING	673
<i>Esraa A. Mohamed ; Essam A. Rashed</i>	
APPLYING J-OPTIMAL CHANNELIZED QUADRATIC OBSERVERS (J-CQO) TO A CLINICAL IMAGING STUDY FOR OVARIAN CANCER DETECTION	677
<i>Meredith Kupinski ; Andrew Rouse ; Arthur Gmitro</i>	
MR-GUIDED PET IMAGE DENOISING	680
<i>Marzieh S. Tahaei ; Andrew J. Reader ; D. Louis Collins</i>	
MRI MULTICOMPONENT RELAXOMETRY BASED ON COMPRESSIVE SENSING	683
<i>Michele Ambrosanio ; Fabio Baselice ; Giampaolo Ferraioli ; Flavia Lenti ; Vito Pascazio</i>	
RAPID MEASUREMENT OF FLUORESCENCE LIFETIMES USING SIPM DETECTION AND WAVEFORM SAMPLING	686
<i>H. -M. Tsai ; J. S. Souris ; H. -J. Kim ; S. -H. Cheng ; C-T. Chen ; L. -W. Lo ; L. Chen ; C. -M. Kao</i>	
MEDICAL IMAGE PROCESSING USING BRAIN EMULATION	689
<i>C. -L. Sotiropoulou ; P. Luciano ; S. Gkaittzis ; M. Viti ; A. Giuliano ; S. Citraro ; A. Retico ; P. Giannetti ; M. Dell' Orso</i>	
NOVEL ACTIVE CONTOUR MODEL-BASED AUTOMATED SEGMENTATION OF PET IMAGES	692
<i>Mingzan Zhuang ; Rudi A. J. O. Dierckx ; Habib Zaidi</i>	
SEGMENTATION AND KINETIC MODELING OF HUMAN ARTERIES IN PET/CT IMAGING	695
<i>Mamdouh Alenezi ; M'hamed Bentourkia ; Faïçal Alaoui Abdalaoui Slimani ; Abdelouahed Khalil</i>	
AUTOMATED MULTISCALE 3D FEATURE LEARNING FOR VESSELS SEGMENTATION IN THORAX CT IMAGES	698
<i>Tomasz Konopczynski ; Thorben Kröger ; Lei Zheng ; Christoph S. Garbe ; Jürgen Hesser</i>	
BAYESIAN MRI NOISE FILTERING IN COMPLEX DOMAIN	701
<i>Antonietta Sorriso ; Fabio Baselice ; Giampaolo Ferraioli ; Vito Pascazio</i>	
3D DENOSING OF MAGNETIC RESONANCE IMAGES EXPLOITING BAYESIAN ESTIMATION THEORY	703
<i>Fabio Baselice ; Giampaolo Ferraioli ; Vito Pascazio</i>	

FDG-PET AND THE ASSESSMENT OF SPINAL CORD METABOLISM IN AMYOTROPHIC LATERAL SCLEROSIS (ALS)	706
<i>Anna Maria Massone ; Cristina Campi ; Mauro C. Beltrametti ; Cecilia Marini</i>	
NOISE REJECTION IN MONOLITHIC PET DETECTORS	712
<i>Pablo Conde ; Amadeo Iborra ; Antonio J. González ; Albert Aguilar ; Elena Díaz-Caballero ; Juan J. García-Garrigos ; Andrea González-Montoro ; Daniel Grau-Ruiz ; Sebastián Sánchez ; Licandro Hernández ; Pablo Bellido ; Laura Moliner ; Juan P. Rigla ; María J. Rodríguez-Alvarez ; Filomeno Sánchez ; Michael Seimetz ; Antonio Soriano ; Luis F. Vidal ; José M. Benlloch</i>	
TOWARDS PERSONALIZED INJECTED PATIENT DOSES FOR CARDIAC PERFUSION SPECT IMAGING: A RETROSPECTIVE STUDY	717
<i>P. Hendrik Pretorius ; Michael A. King ; Karen L. Johnson ; Yongyi Yang ; Miles N. Wernick</i>	
MEMS GATING: A NEW DUAL GATING TECHNIQUE FOR ELIMINATING MOTION-RELATED INACCURACIES IN PET IMAGING	720
<i>Mojtaba Jafari Tadi ; Jarmo Teuho ; Eero Lehtonen ; Antti Saraste ; Tero Koivisto ; Mikko Pänkäälä ; Mika Teräs</i>	
VALIDATION OF 3D MODEL-BASED MAXIMUM-LIKELIHOOD ESTIMATION OF NORMALISATION FACTORS FOR PARTIAL RING POSITRON EMISSION TOMOGRAPHY	725
<i>Tahereh Niknejad ; Stefaan Tavernier ; Joao Varela ; Kris Thielemans</i>	
QUANTITATIVE ACCURACY OF TIME-OF-FLIGHT PET AT HIGH COUNT RATES	730
<i>Margaret E. Daube-Witherspoon ; Joshua Scheuermann ; Varsha Viswanath ; Suleman Surti ; Samuel Matej ; Joel S. Karp</i>	
REAL-TIME DATA-DRIVEN RESPIRATORY GATING WITH OPTIMIZED AUTOMATIC VOI SELECTION	734
<i>Tao Feng ; Wentao Zhu ; Zilin Deng ; Gang Yang ; Youjun Sun ; Yun Dong ; Jun Bao ; Hongdi Li</i>	
QUALITY CONTROL ALGORITHMS STUDIES FOR A PMT-BASED TIME-OF-FLIGHT PET SYSTEM	739
<i>Huini Du ; Xiaoli Li ; Masaki Miyahara ; Kent C. Burr</i>	
SIMULATING THE ACCURACY OF THE FOTONIC E-SERIE RANGE IMAGER FOR RESPIRATORY MOTION ESTIMATION	743
<i>First Ehsan. Golkar ; Second A. A. Abd. Rahni</i>	
ULTRA EFFICIENT AND ROBUST ESTIMATION OF THE ATTENUATION MAP IN PET IMAGING	747
<i>Wentao Zhu ; Tao Feng ; Mu Chen ; Yun Dong ; Jun Bao ; Hongdi Li</i>	
DIRECT REGIONAL QUANTIFICATION AND UNCERTAINTY ESTIMATION USING ORIGIN ENSEMBLES	750
<i>J. E. Gillam ; G. I. Angelis ; S. R. Meikle</i>	
UNIFORM ACQUISITION MODELLING ACROSS PET IMAGING SYSTEMS: UNIFIED SCATTER MODELLING	753
<i>P. J. Markiewicz ; M. J. Ehrhardt ; D. Atkinson ; S. R. Arridge ; B. F. Hutton ; S. Ourselin</i>	
ANALYSIS OF SPECT/CT QUANTITATION IN SOFT TISSUE AND LUNG DENSITY PHANTOMS	756
<i>William Hunter ; Adrienne Lehnert ; Thomas Lewellen ; Robert Harrison ; Wendy McDougald ; Robert Miyaoka</i>	
PERFORMANCE OF AN IMAGE-BASED MOTION COMPENSATION ALGORITHM FOR THE HRRT: A STRIATUM-PHANTOM STUDY WITH TRUE MOTION	761
<i>Jarkko Johansson ; Sune Keller ; Jouni Tuisku ; Mika Teräs</i>	
ELASTIC MOTION CORRECTION FOR CONTINUOUS BED MOTION WHOLE-BODY PET/CT	764
<i>Inki Hong ; Judson Jones ; James Hamill ; Christian Michel ; Michael Casey</i>	
EXPLORING THE RELATION BETWEEN MR ZTE INTENSITY AND TISSUE DENSITY: APPLICATION TO MR ATTENUATION CORRECTION IN PET/MR	766
<i>Maya Khalifé ; Brice Fernandez ; Christophe Nioche ; Michael Soussan ; Irène Buvat ; Vincent Brulon</i>	
EFFECTS OF THE COLLIMATOR MAGNIFICATION FACTOR IN THE GEOMETRICAL CALIBRATION OF SPECT SYSTEMS	770
<i>Debora Salvado ; Kjell Erlandsson ; Brian F. Hutton</i>	
STATISTICAL IMAGE RECONSTRUCTION FOR LOW-DOSE DUAL ENERGY CT USING ALPHA-DIVERGENCE CONSTRAINED SPECTRAL REDUNDANCY INFORMATION	774
<i>Dong Zeng ; Zhaoying Bian ; Jing Huang ; Yuting Liao ; Jing Wang ; Zhengrong Liang ; Jianhua Ma</i>	
IN-LINE PHASE CONTRAST TOMOGRAPHY OF THE BREAST WITH A DEDICATED MICRO-CT SCANNER	778
<i>Giovanni Mettivier ; Kristina Bliznakova ; Antonio Sarno ; Francesca Di Lillo ; Roberta Castriconi ; Paolo Russo</i>	
AN EMPIRICAL MATERIAL DECOMPOSITION METHOD (EMDM) FOR SPECTRAL CT	781
<i>Chuang Feng ; Qi Shen ; Kejun Kang ; Yuxiang Xing</i>	
FEW-VIEW CT RECONSTRUCTION METHOD BASED ON DEEP LEARNING	786
<i>Ji Zhao ; Zhiqiang Chen ; Li Zhang ; Xin Jin</i>	
DUAL-ENERGY CT RECONSTRUCTION USING GUIDED IMAGE FILTERING	790
<i>Hongkai Yang ; Kyungsang Kim ; Georges El Fakhri ; Kejun Kang ; Yuxiang Xing ; Quanzheng Li</i>	
FOUR DIMENSIONAL CONE-BEAM COMPUTED TOMOGRAPHY RECONSTRUCTION USING MULTI-PHASE PROJECTIONS	794
<i>Hua Zhang ; Yang Liu ; Xi Tao ; Zhaoying Bian ; Jianhua Ma ; Wufan Chen</i>	
TV CONSTRAINED CT IMAGE RECONSTRUCTION WITH DISCRETIZED NATURAL PIXELS	798
<i>Sean D. Rose ; Emil Y. Sidky ; Xiaochuan Pan</i>	
RECONSTRUCTION AND MULTI-MATERIAL DECOMPOSITION OF SPECTRAL CT IN DYNAMIC-THRESHOLD-BASED COUNTING AND INTEGRATING MODES	801
<i>Zhengyang Chen ; Liang Li</i>	
ATLAS-BASED INTERIOR TOMOGRAPHY	805
<i>Mona Selim ; Essam A. Rashed ; Hiroyuki Kudo</i>	
IMPACT OF A DATA-DERIVATIVE FIDELITY ON TRUNCATION-DATA RECONSTRUCTION IN CBCT	810
<i>Dan Xia ; David A. Langan ; Stephen B. Solomon ; Hao Lai ; Zheng Zhang ; Buxin Chen ; Emil Y. Sidky ; Xiaochuan Pan</i>	

RECONSTRUCTING DYNAMIC MAGNIFICATION CBCT SCANS WITH OPTIMIZATION-BASED RECONSTRUCTION	814
<i>Andrew M. Davis ; Xiaochuan Pan ; Charles A. Pelizzari</i>	
REGULARIZING DIRECT PARAMETRIC RECONSTRUCTION FOR DYNAMIC PET WITH THE METHOD OF SIEVES	817
<i>László Szirmay-Kalos ; Agota Kacsó</i>	
DIRECT 4D SLICE-WISE WHOLE-BODY PARAMETRIC PET IMAGE RECONSTRUCTION FOR CONTINUOUS BED MOTION ACQUISITIONS	823
<i>Nicolas A. Karakatsanis ; Abolfazl Mehranian ; Michael E. Casey ; Habib Zaidi</i>	
NOVEL QUANTITATIVE WHOLE-BODY PARAMETRIC PET IMAGING UTILIZING MULTIPLE CLUSTERING REALIZATIONS	829
<i>H. Bal ; V. Y. Panin ; N. A. Karakatsanis ; M. A. Lodge ; A. Rahmim ; M. E. Casey</i>	
JOINT DIRECT DYNAMIC ANALYSIS IN DUAL-TRACER PET IMAGING	834
<i>Wentao Zhu ; Tao Feng ; Mu Chen ; Yun Dong ; Jun Bao ; Hongdi Li</i>	
CHARACTERIZING CNR OF SUPER-RESOLUTION AND SUB-RESOLUTION PET	837
<i>Garry Chinn ; Joshua W. Cates ; Craig S. Levin</i>	
GEOMETRY OPTIMIZATION OF DUAL-LAYER OFFSET DETECTORS FOR COMPACT RING DIAMETER PET SYSTEMS	841
<i>Mohammadreza Teimoorisichani ; Andrew L. Goertzen</i>	
DEVELOPMENT OF TACHYON TIME-OF-FLIGHT PET CAMERAS	844
<i>Qiyu Peng ; William Moses ; Xuezhu Zhang ; Jinyi Qi ; Zhixiang Zhao ; Qiu Huang ; Yicheng Zhu ; Tengjie Sui ; Mingming Yang ; Jianfeng Xu</i>	
PROGRESSES IN DESIGNING A HIGH-SENSITIVITY DODECAHEDRAL PET FOR BRAIN IMAGING	846
<i>JianFeng Xu ; Qiu Huang ; Fenghua Weng ; Yunlong Zan ; Jie Chen ; Siwei Xie ; Zhixiang Zhao ; Hongyuan Li ; Weijie Tao ; Yicheng Zhu ; Qiyu Peng</i>	
MULTI-PINHOLE SPECT SYSTEM WITH A TRIPLE HEAD GAMMA CAMERA	848
<i>Hayao Kubota ; Yutaro Hemuki ; Nobutoku Motomura ; Koichi Ogawa</i>	
DETECTOR SHIELDING DESIGN OF A PET INSERTS IN A 3T MRI SYSTEM	851
<i>Brian J. Lee ; Ronald D Watkins ; Chen-Ming Chang ; Inyong Kwon ; Craig S. Levin</i>	
INVESTIGATION OF COOLING STRUCTURE DESIGN FOR PET DETECTOR THERMAL REGULATION METHODS	854
<i>Brian J. Lee ; Chen-Ming Chang ; Inyong Kwon ; Craig S. Levin</i>	
PERFORMANCE OF THE MEDIPROBE COMPACT GAMMA CAMERA FOR CODED APERTURE IMAGING	857
<i>Francesca Di Lillo ; Veronica Corvino ; Giovanni Mettivier ; Antonio Sarno ; Paolo Russo</i>	
DYNAMIC PET RECONSTRUCTION USING THE SPLIT BREGMAN FORMULATION	860
<i>J. F. P. J. Abascal ; E. Lage ; J. L. Herraiz ; M. E. Martino ; M. Desco ; J. J. Vaquero</i>	
BOTH QLD AND DQE PROPOSED FOR FLAT PANEL DETECTOR CHARACTERIZATION	864
<i>Michael J. Petrillo ; Isaías D. Job ; Ian Cunningham</i>	
COMPARATIVE EVALUATION OF IMAGE RECONSTRUCTION METHODS FOR THE SIEMENS PET-MR SCANNER USING THE STIR LIBRARY	866
<i>Daniel Deidda ; Nikos Efthimiou ; Richard Manber ; Kris Thielemans ; Pawel Markiewicz ; Robert G. Aykroyd ; Charalampos Tsoumpas</i>	
IMPROVING THE CONTRAST-TO-NOISE RATIO BY AVERAGING IN SCINTILLATION DETECTORS	872
<i>Michal Vopálenkský ; Ivana Kumpová ; Daniel Vavřík</i>	
J-PET: A NOVEL TOF-PET DETECTOR BASED ON PLASTIC SCINTILLATORS	875
<i>Pawel Moskal ; Dominika Alfis ; Tomasz Bednarski ; Piotr Bialas ; Catalina Curceanu ; Eryk Czerwinski ; Kamil Dulski ; Aleksander Gajos ; Bartosz Glowacz ; Marek Gorgol ; Beatrix Hiesmayr ; Bozena Jasinska ; Daria Kaminska ; Grzegorz Koreyl ; Pawel Kowalski ; Tomasz Kozik ; Wojciech Krzemien ; Ewelina Kubicz ; Muhsin Mohammed ; Monika Pawlik-Niedzwiecka ; Szymon Niedzwiecki ; Marek Palka ; Lech Raczynski ; Zbigniew Rudy ; Oleksandr Rundel ; Neha Gupta Sharma ; Michal Silarski ; Jerzy Smyrski ; Adam Strzelecki ; Anna Wieczorek ; Wojciech Wislicki ; Bozena Zgardzinska ; Marcin Zielinski</i>	
DESIGN STUDY OF A PRACTICAL-ENTIRE-TORSO PET (PET-PET) WITH LOW-COST DETECTOR DESIGNS	878
<i>Yuxuan Zhang ; Wai-Hoi Wong</i>	
A BRAIN PET INSERT MR COMPATIBLE: FINAL DESIGN AND FIRST RESULTS	883
<i>Antonio J. González ; Andrea González-Montoro ; Albert Aguilar ; Pablo Conde ; Gabriel Cañizares ; Liczandro Hernández ; Amadeo Iborra ; Laura Moliner ; Luis F. Vidal ; Sebastian Sánchez ; Filomeno Sánchez ; Reineiry Garcia ; Julio Barbera ; Carlos Correcher ; Sesbastian Aussenhofer ; Daniel Gareis ; Matteo Galasso ; Andrea Fabbri ; Enrico Preziosi ; Dimitris Visvikis ; Julien Bert ; Awen Autret ; Jose M. Benlloch</i>	
PROOF-OF-PRINCIPLE RESULTS OF PROTON COMPUTED TOMOGRAPHY	888
<i>Carlo Cividini ; Monica Scaringella ; Danilo Bonanno ; Mirko Brianzi ; Massimo Carpinelli ; G. A. Pablo Cirrone ; Giacomo Cuttone ; Domenico Lo Presti ; Giorgia Maccioni ; Stefania Pallotta ; Nunzio Randazzo ; Francesco Romano ; Marta Rovituso ; Valeria Sipala ; Cinzia Talamonti ; Francesco Tommasino ; Eleonora Vanzì ; Mara Bruzzi</i>	
ABSORBED ENERGY MONITORING DURING HADRONTHERAPY VIA PROMPT GAMMA DETECTION	894
<i>J. Krimmer ; L. Balleyguier ; D. Dauvergne ; M. Fontana ; N. Freud ; J. Herault ; C. Koumeir ; J. M. Létang ; H. Mathez ; M. Pinto ; E. Testa ; Y. Zoccarato</i>	
PROSTATE BRACHYTHERAPY OPTIMIZATION USING GPU ACCELERATED SIMULATED ANNEALING AND MONTE CARLO DOSE SIMULATION	896
<i>Konstantinos A. Mountris ; Julien Bert ; Dimitris Visvikis</i>	

AN ASSESSMENT OF PHOTOACOUSTIC AND PHOTON COUNTING MULTISPECTRAL X-RAY IMAGING TECHNIQUES FOR IMAGING GOLD NANORODS IN VIVO AS PART OF PREDICTING DOSE ENHANCING EFFECTS	898
<i>Oliver Pickford Scienti ; Anant Shah ; Jeff Bamber ; Dimitra Darambara</i>	
CONSTRUCTION OF PERSONALIZED COMPUTATIONAL PHANTOMS OF PREGNANT PATIENTS FOR ASSESSMENT OF CT RADIATION DOSE	900
<i>Tianwu Xie ; Pierre-Alexandre Poletti ; Christoph Becker ; Habib Zaidi</i>	
EVALUATION OF PENALIZED MAXIMUM-LIKELIHOOD PET IMAGE RECONSTRUCTION FOR ROI QUANTIFICATION	905
<i>Li Yang ; Jian Zhou ; Evren Asma ; Wenli Wang</i>	
DOSE OPTIMIZATION OF SPECT-MPI RECONSTRUCTION ALGORITHMS FOR PERFUSION-DEFECT DETECTION	910
<i>Albert Juan Ramon ; Yongyi Yang ; P. Hendrik Pretorius ; Piotr Slomka ; Karen L. Johnson ; Michael A. King ; Miles N. Wernick</i>	
TABLETOP MRI SYSTEM DEVELOPMENT FOR INTRAOPERATIVE BIOPSY ANALYSIS	913
<i>J. P. Rigla ; D. Grau-Ruiz ; E. Díaz-Caballero ; A. Nacev ; P. Stepanov ; R. Hilaman ; L. Mair ; I. N. Weinberg ; E. Anashkin ; S. T. Fricke ; L. Hernandez ; A. Aguilar ; A. J. Gonzalez ; C. D. Vera-Donoso ; J. M. Benlloch</i>	
IMPROVED RESOLUTION IN POSITRON ATTENUATION TOMOGRAPHY USING MULTIPLE VIEWS	917
<i>Charles C. Watson</i>	
FEASIBILITY OF MARKER-FREE MOTION TRACKING FOR MOTION-CORRECTED MRI AND PET-MRI	920
<i>Andre Z. Kyme ; Julian Maclaren ; Murat Aksoy ; Roland Bammer</i>	
QUANTITATIVE ESTIMATION OF TUMOR CELLULARITY BASED ON HISTOLOGY DATA	923
<i>Yi Yin ; Oliver Sedlacek ; Arne Warth ; Margarita González-Vallinas ; Kai Breuhahn ; Irene E. Vignon-Clementel ; Dirk Drasdo</i>	
DEVELOPMENT OF THE APPLICATION FOR FITTING FUNCTIONS USING EXPRESSION PARSING	926
<i>K. Neichi</i>	
SENSOR FUSION OF SPECTROSCOPIC DATA AND GYROSCOPE ACCELERATIONS FOR A DIRECTION INDICATION IN HANDHELD RADIATION DETECTION INSTRUMENTS	929
<i>Christian Henke ; Elmar Jacobs ; Nikolai Teofilov ; Peter Henke ; Marcus J. Neuer</i>	
IMPLEMENTATION OF POSITION AND ANGLE UNCERTAINTIES IN THE MUON RECONSTRUCTION OF THE CMS EXPERIMENT, AND IMPACT ON THE PERFORMANCE	933
<i>Giovanni Abbiendi ; Simranjit Singh Chhibra</i>	
UNDERWATER NUCLIDE IDENTIFICATION STRATEGY USING A MULTI-AGENT SYSTEM WITH A DEDICATED SCATTERING AND ATTENUATION AGENT	940
<i>Marcus J. Neuer ; Elmar Jacobs ; Christian Henke</i>	
MAGNETIC SHIELD OPTIMIZATION OF PMTS EXPOSED TO CONSTANT QUADRIPOLEAR FRINGE FIELDS	943
<i>Elian Bouquerel ; Philippe Peaupardin ; Olivier Dorvaux ; Safia Kihel ; Marc Krauth ; Michal Ciemala</i>	
GEANT4 MAINTAINABILITY ASSESSED WITH RESPECT TO SOFTWARE ENGINEERING REFERENCES	945
<i>Elisabetta Ronchieri ; Maria Grazia Pia ; Tullio Basaglia ; Marco Canaparo</i>	
OPTIMISED LAMBDA ARCHITECTURE FOR MONITORING WLCG USING SPARK AND SPARK STREAMING	948
<i>U. Suthakar ; L. Magnoni ; D. R. Smith ; A. Khan</i>	
A NEW GEANT4 MODELING SOLUTION BASED ON CAD GEOMETRIES	950
<i>Y. Qiu ; L. Lu ; U. Fischer</i>	
DYNAMIC DERIVATIVE CONVOLUTION ALGORITHM FOR PROMPT GAMMA NEUTRON ACTIVATION SPECTRA	955
<i>Marcus J. Neuer ; Tomasz Szczesniak ; Henryk Zastawny ; Elmar Jacobs ; Martyna Grodzicka</i>	
GAMMA-RAY DETECTION WITH A LARGE SILICON DETECTOR IN THE MEV RANGE	958
<i>G. Brulin ; B. Genolini ; J.-J. Dormard ; T. Faul ; E. Raulby ; P. Rosier ; N. de Séréville ; A. Torrentó ; V. Le Ven ; E. Wanlin</i>	
EVALUATION OF A BREAD BOARD MODEL GAMMA-RAY BURST POLARIMETER TOWARD INSTALLATION ON THE INTERNATIONAL SPACE STATION	963
<i>Yuma Oikawa ; Shuichi Gunji ; Takeshi Nakamori ; Mika Takakura ; Tatsuya Ueda ; Tatsuya Kishikawa ; Stephen Daigle ; Jessica Gaskin ; Brian Ramsey ; Colleen Wilson-Hodge ; Robert D. Preece ; Mark McConnell ; Peter Bloser ; Jason Legere ; Daisuke Yonetoku ; Tatehiro Mihara ; Kiyoshi Hayashida ; Yuji Kishimoto ; Shunji Kishimoto ; Hiromitsu Takahashi ; Yoichi Yatsu ; Kenji Toma ; Takanori Sakamoto</i>	
SI AND CDTE DETECTOR READOUT ASIC IN 0.35μM CMOS FOR ENERGETIC ELECTRON SPECTROSCOPY FOR SPACE APPLICATION	968
<i>K. W. Wong ; G. Ortner ; O. Chassela ; M. Bassas ; G. Roudil ; P. Devoto ; P. L. Blelly ; J. A. Sauvaud ; F. Bouyjou ; O. Bernal ; H. Tap</i>	
DEVELOPMENT OF AN ELPASOLITE PLANETARY SCIENCE INSTRUMENT	970
<i>Suzanne F. Nowicki ; Laura C. Stonehill ; Daniel D. S. Coupland ; Katherine E. Mesick</i>	
CDS4C: A NOVEL CDS ASIC FOR A MULTI-READOUT X-RAY CCD WITH A 0.032% INL	975
<i>Bo Lu ; Yong Chen ; Yanji Yang ; Weiwei Cui ; Hainan Liu ; Yumei Zhou</i>	
HIGH PERFORMANCE READOUT MODULE BASED ON ZYNQ WITH GIGA ETHERNET	980
<i>Tao Xue ; Guanghua Gong ; Jianmin Li</i>	
PERFORMANCE EVALUATION OF DIGITAL PIXEL READOUT CHIP ARCHITECTURE OPERATING AT VERY HIGH RATE THROUGH A REUSABLE UVM SIMULATION FRAMEWORK	986
<i>Elia Conti ; Sara Marconi ; Tomasz Hemperek ; Jorgen Christiansen ; Pisana Placidi</i>	
UPGRADES TO THE CMS CATHODE STRIP CHAMBER ELECTRONICS FOR HL-LHC	990
<i>David M. Morse</i>	

STUDY OF PMOS FRONT-END SOLUTION WITH SIGNAL COMPRESSION FOR XFEL MINISDD X-RAY DETECTORS	993
<i>A. Grande ; C. Fiorini ; F. Erdinger ; P. Fischer ; M. Porro</i>	
A COMBINATION OF MULTIPLE CHANNELS OF FPGA BASED TIME-TO-DIGITAL CONVERTER FOR HIGH TIME PRECISION	997
<i>Qiang Cao ; Yonggang Wang ; Chong Liu</i>	
MATRIX: A NOVEL TWO-DIMENSIONAL RESISTIVE INTERPOLATION 15 PS TIME-TO-DIGITAL CONVERTER ASIC	1000
<i>J. Mauricio ; D. Gascon ; D. Ciaglia ; S. Gómez ; G. Fernández ; A. Sanuy</i>	
BASIC64: A NEW MIXED-SIGNAL FRONT-END ASIC FOR SIPM DETECTORS	1003
<i>P. Calò ; F. Ciceriello ; F. Corsi ; C. Marzocca ; G. Matarrese ; M. G. Bisogni</i>	
PRELIMINARY CHARACTERIZATION OF ASIC-BASED DETECTORS FOR TOF-PET APPLICATIONS	1008
<i>Albert Aguilar ; Jose M. Monzó ; Antonio J. González ; Andrea González-Montoro ; Gabriel Cañizares ; Luis F. Vidal ; Licandro Hernández ; Ricardo Colom ; Daniel Grau-Ruiz ; Efthimis Lamprou ; Juan P. Rigla ; Elena Díaz-Caballero ; Juan J. García-Garrigós ; Pablo Bellido ; Pablo Conde ; Amadeo Iborra ; Laura Moliner ; Maria J. Rodríguez-Álvarez ; Sebastian Sánchez ; Michael Seimetz ; Antonio Soriano ; Filomeno Sánchez ; Jose M. Benlloch</i>	
INPUT MEZZANINE CARD FOR THE FAST TRACKER AT ATLAS	1013
<i>Tomoya Iizawa</i>	
A NEW VERTICAL JFET TECHNOLOGY FOR THE POWERING SCHEME OF THE ATLAS UPGRADE INNER TRACKER	1016
<i>Pablo Fernández-Martínez ; Lucía Ré ; David Flores ; Salvador Hidalgo ; David Quirion ; Miguel Ullán</i>	
TIGER, A 64 CHANNEL MIXED-MODE ASIC FOR THE READOUT OF THE CGEM DETECTOR IN THE BESIII EXPERIMENT	1020
<i>C Y. Leng ; M. Alexeev ; R. Bugalho ; J Y. Chai ; M. Da Rocha Rolo ; A. Di Francesco ; M. Gertosio ; M. Greco ; H S. Li ; M. Maggiora ; S. Marcello ; M. Mignone ; A. Rivetti ; J. Varela ; R. Wheadon</i>	
A MULTI-CHANNEL CCD CLOCK DRIVER ASIC FOR SPACE-BASED APPLICATIONS	1024
<i>Quentin Morrissey ; Stephen Bell ; Lawrence Jones ; Martin Torbet ; Nick Waltham ; Matthew Clapp</i>	
EVALUATION OF THE SPECTROSCOPIC PERFORMANCE OF THE INTEGRATED MULTI-CHANNEL CHARGE-SENSITIVE PREAMPLIFIER OF TRACE WITH A SILICON DETECTOR PROTOTYPE	1032
<i>Stefano Capra ; Ramon J. Aliaga ; Daniele Mengoni ; Philipp R. John ; Andres Gadea ; Vicente Herrero ; Alberto Pullia</i>	
DESIGN OF LOW POWER AND LOW AREA 12-BIT 40MSPS SAR ADCS WITH A REDUNDANCY ALGORITHM AND DIGITAL CALIBRATION FOR HIGH DYNAMIC RANGE CALORIMETER READOUT	1035
<i>Mohamed Zeloufi ; Daniel Dzahini</i>	
A GHZ WAVEFORM RECORDER AND DIGITIZER ASIC	1042
<i>Jiajun Qin ; Lei Zhao ; Yiming Lu ; Boyu Cheng ; Shubin Liu ; Qi An</i>	
IMPLEMENTATION OF BROADBAND MISMATCH CORRECTION IN A 1.6-GSPS TIADC SYSTEM	1046
<i>Xingshun Gao ; Lei Zhao ; Zouyi Jiang ; Shubin Liu ; Qi An</i>	
MEASUREMENT OF THE POWER SPECTRAL DENSITY OF NOISE PRODUCED BY A LARGE INTEGRATED FEEDBACK RESISTOR FOR CHARGE-SENSITIVE PREAMPLIFIERS	1049
<i>Stefano Capra ; Alberto Pullia</i>	
EVALUATION OF THE PROTOTYPE FRONT END ELECTRONICS OF WCDA IN LHAASO	1052
<i>Shaoping Chu ; Lei Zhao ; Cong Ma ; Xingshun Gao ; Zouyi Jiang ; Ruoshi Dong ; Shubin Liu ; Qi An</i>	
DEVELOPMENT OF THE ASYNCHRONOUS READOUT ASIC FOR GEM DETECTORS	1055
<i>E. Atkin ; I. Bulbakov ; P. Ivanov ; E. Malankin ; D. Normanov ; I. Sagdiev ; V. Shumikhin ; O. Shumkin ; S. Vinogradov ; A. Voronin ; V. Samsonov ; V. Ivanov</i>	
HIGH-SPEED RECORDER BASED ON SCA TECHNOLOGY FOR THOMSON SCATTERING DIAGNOSTIC ON ITER	1060
<i>Ekaterina A. Puryga ; Svetlana V. Ivanenko ; Andrew N. Kvashnin ; Aleksander D. Khilchenko ; Peter V. Zubarev ; Denis V. Moiseev</i>	
MODELING OF DEPFET BASED X-RAY DETECTORS FOR ATHENA'S WIDE FIELD IMAGER	1063
<i>Sabine Ott ; Robert Andritschke ; Alexander Bähr ; Norbert Meidinger ; Johannes Müller-Seidlitz ; Markus Plattner ; Walter Stechele ; Wolfgang Treberspurg</i>	
FULLY-MIGRATABLE TDC ARCHITECTURE FOR FPGA DEVICES	1071
<i>N. Lusardi ; A. Palmucci ; A. Geraci</i>	
DEVELOPMENT OF FLEXIBLE, SCALABLE, LOW COST READOUT FOR BEAM TESTS OF THE HIGH GRANULARITY CALORIMETER FOR THE CMS ENDCAP	1074
<i>P. Rubinov</i>	
DQM4HEP : A GENERIC DATA QUALITY MONITORING FOR HIGH ENERGY PHYSICS	1079
<i>R. Éré ; A. Pingault ; L. Mirabito</i>	
INTEGRATION OF GBTX EMULATOR WITH MUCH-XYTER AND DATA PROCESSING BOARD FOR CBM EXPERIMENT	1085
<i>Swagata Mandal ; Jogender Saini ; Suman Sau ; Amlan Chakrabarti ; Wojciech Zabolotny ; Subhasis Chattopadhyay ; W. F. J. Muller</i>	
ATLAS TRIGGER ALGORITHMS FOR GENERAL PURPOSE GRAPHICS PROCESSOR UNITS	1090
<i>Ademar Tavares Delgado ; Dmitry Emelianov</i>	
X-RAY DIGITAL RADIOGRAPHY OF OPERATING AERO-ENGINES WITH A UNIVERSAL TRIGGER MODULE	1096
<i>Yongshun Xiao ; Zhiqiang Chen ; Ming Chang</i>	
HIGH-RESOLUTION TDL-TDC SYSTEM FOR MTCA.4 STANDARD	1099
<i>N. Lusardi ; A. Geraci ; J. Marjanovic ; M. Gustin</i>	

SINGLE PHOTON COUNTING THROUGH MULTI-CHANNEL TDC IN PROGRAMMABLE LOGIC	1103
<i>N. Lusardi ; F. Garzetti ; G. Bulgarini ; R. B. M. Gourgues ; J. W. N. Los ; A. Geraci</i>	
SIGNAL PROCESSING FOR MICROBOONE EXPERIMENT	1107
<i>Yichen Li</i>	
RESPIRATORY MOTION GATING USING TRUE EVENT DISTRIBUTION IN PET/CT	1110
<i>Rui Cui ; Lei Fu ; Jianfeng He</i>	
HIGH-RATE GERMANIUM GAMMA SPECTROSCOPY: A SENSITIVITY STUDY	1113
<i>Andrew J. Gilbert ; James E. Fast ; Mitchell J. Myjak ; Brent A. VanDevender ; Lynn S. Wood</i>	
DIGITAL STRATEGIES FOR TIME AND ENERGY MEASUREMENT FOR ULTRA FAST SCINTILLATORS	1116
<i>Victor Sánchez-Tembleque ; Victoria Vedia ; Mariano Carmona ; Luis M Fraile ; Stefan Ritt ; José Manuel Udiás</i>	
TRAPEZOIDAL SHAPING ALGORITHM BASED ON DIGITAL PENALIZED LMS METHOD	1118
<i>Yuyan Huang ; Hui Gong ; Jianmin Li</i>	
AN IPMI-COMPLIANT CONTROL SYSTEM FOR THE ATLAS TILECAL PHASE-II UPGRADE PREPROCESSOR MODULE	1121
<i>P. Zuccarello ; F. Carrió Argos ; A. Valero Biot</i>	
DAQ SYSTEM FOR PROFILE RECORDING OF NS THOMSON SCATTERING PULSES	1124
<i>Svetlana V. Ivanenko ; Ekaterina A. Puryga ; Aleksander D. Khilchenko ; Andrew N. Kvashnin ; Peter V. Zubarev ; Denis V. Moiseev ; Vladimir V. Solokha ; Aleksander P. Chernakov</i>	
DEVELOPMENT OF A FAST FRAMING DETECTOR FOR ELECTRON MICROSCOPY	1127
<i>Ian J. Johnson ; Karen C. Bustillo ; Jim Ciston ; Eli Dart ; Brent R. Draney ; Peter Ercius ; Erin Fong ; Carl R. Grace ; John M. Joseph ; Jason R. Lee ; Andrew M. Minor ; Colin Ophus ; David E. Skinner ; Thorsten Stezelberger ; Craig S. Tindall ; Peter Denes</i>	
SINGLE-CHAIN 4-CHANNELS HIGH-RESOLUTION MULTI-HIT TDC IN FPGA	1129
<i>N. Lusardi ; M. Luciani ; A. Geraci</i>	
PRECISION LUMINOSITY OF LHC PROTON-PROTON COLLISIONS AT 13 TEV USING HIT-COUNTING WITH TPX PIXEL DEVICES	1133
<i>André Sopczak ; Babar Ali ; Thanawat Asawatavonvanich ; Jakub Begera ; Benedikt Bergmann ; Thomas Billoud ; Petr Burian ; Ivan Caicedo ; Davide Caforio ; Erik Heijne ; Josef Janecek ; Claude Leroy ; Petr Mánek ; Kazuya Mochizuki ; Yesid Mora ; Josef Pacik ; Costa Papadatos ; Michal Platkevici ; Štěpán Polanský ; Stanislav Pospíšil ; Michal Suk ; Zdenek Svoboda</i>	
STRIP DETECTOR FOR THE ATLAS DETECTOR UPGRADE FOR THE HIGH — LUMINOSITY LHC	1138
<i>Dennis Sperlich</i>	
CLAWS — A PLASTIC SCINTILLATOR / SIPM BASED DETECTOR TO MEASURE BACKGROUNDS AT SUPERKEKB	1140
<i>Miroslav Gabriel ; Margarete Kattau ; Christian Kiesling ; Frank Simon ; Hendrik Windel</i>	
THE PHASE-II ATLAS PIXEL TRACKER UPGRADE: LAYOUT AND MECHANICS	1146
<i>Abhishek Sharma</i>	
SIPM READOUT FOR SHIP TIMING DETECTOR	1149
<i>R. Bruendler ; C. Betancourt</i>	
3D ELECTRON TRACKING AND VERTEXING IN SINGLE PLANE PIXEL DETECTORS	1153
<i>G. Blaj ; C. J. Kenney ; P. Caragiulo ; A. Dragone ; G. Haller ; P. Hansson ; C. Hast ; R. Herbst ; B. Markovic ; T. Smith</i>	
DESIGN OF DATA AGGREGATION UNIT FOR HIGH ENERGY PHYSICS EXPERIMENTS	1159
<i>Jubin Mitra ; Tapan K. Nayak</i>	
CMS RESISTIVE PLATE CHAMBERS PERFORMANCE AT $\sqrt{s} = 13$ TEV	1167
<i>Andres L. Cabrera-Mora</i>	
NEUTRON DETECTION IN THE SOLID EXPERIMENT	1170
<i>S. Vercaemer</i>	
SLOW SCINTILLATION COMPONENT AND RADIATION INDUCED READOUT NOISE IN PURE CSI CRYSTALS	1174
<i>Fan Yang ; Liyuan Zhang ; Ren-Yuan Zhu</i>	
DESIGN OF THE RAPIDLY RELOCATABLE TAGGED NEUTRON INSPECTION SYSTEM OF THE C- BORD PROJECT	1178
<i>Alix Sardet ; Bertrand Péro ; Cédric Carasco ; Guillaume Sannière ; Sandra Moretto ; Giancarlo Nebbia ; Cristiano Fontana ; Marek Moszynski ; Pawel Sibczynski ; Krystian Grodzicki ; Lukasz Swiderski ; Alessandro Iovene ; Carlo Tintori</i>	
APPLICATION OF LABR3(CE) DETECTORS IN A MOBILE SPECTROMETRIC SYSTEM	1183
<i>Felix V. Finkel ; Igor A. Krajnikov ; Vladimir V. Gostilo</i>	
X-RAY FLUORESCENCE MEASUREMENTS OF TOXIC METAL CONTENT IN ASH FROM MUNICIPAL SOLID WASTE INCINERATION	1187
<i>Börje Norlin ; Salim Reza ; Christer Fröjd</i>	
DISCRIMINATION OF HIGH-Z MATERIALS USING MUON SCATTERING TOMOGRAPHY	1190
<i>Leonor Frazão ; Jaap Velthuis ; Christian Thomay ; Chris Steer</i>	
COMPARISON OF PROMPT AND DELAYED PHOTOFISSION NEUTRON DETECTION TECHNIQUES USING DIFFERENT TYPES OF RADIATION DETECTORS	1193
<i>Pawel Sibczynski ; Andrzej Dziedzic ; Krystian Grodzicki ; Joanna Iwanowska ; Tymoteusz Kosinski ; Michal Matusiak ; Marek Moszynski ; Lukasz Swiderski ; Agnieszka Syntfeld-Kazuch ; Dariusz Wolski ; Frédéric Carrel ; Amélie Grabowski ; Matthieu Hamel ; Frederic Lainé ; Adrien Sari ; Alessandro Iovene ; Carlo Tintori</i>	
PERSONAL DOSIMETRY GEOLOCALIZED SYSTEM FOR RADIATION MONITORING	1196
<i>R. Chil ; G. Konstantinou ; L. M. Fraile ; J. Vaquero ; C. Rodriguez ; S. Borromeo ; M. Desco ; J. M. Udiás ; J. J. Vaquero</i>	
URBAN SOURCE DETECTION WITH MOBILE SENSOR NETWORKS ENHANCED WITH MACHINE LEARNING ALGORITHMS	1198
<i>Zheng Liu ; Clair J. Sullivan</i>	

IDENTIFICATION OF ⁹⁰SR AND ⁴⁰K BASED ON CHERENKOV RADIATION AT LOWER BACKGROUND SUPPRESSED COSMIC RAYS	1200
<i>Hiroshi Ito ; Atsushi Kobayashi ; Hideyuki Kawai ; Satoshi Kodama ; Takayuki Mizuno ; Makoto Tabata</i>	
SENSITIVITY IMAGE COMPENSATION IN PIXELATED, 3-D POSITION-SENSITIVE CDZNTZ DETECTORS	1205
<i>Bennett Williams ; Zhong He</i>	
NEUTRON SPALLATION TO ENHANCE MUON SCATTERING TOMOGRAPHY	1210
<i>C. L. Grove ; C. Eldridge ; J. Burns ; C. A. Steer ; G. Chapman ; A. Lohstroh</i>	
MINIMIZATION OF THE IMPACT OF SENSOR VELOCITY ON THE PROBABILITY OF SOURCE DETECTION USING GEOGRAPHICALLY WEIGHTED METHODS	1217
<i>Myeong-Hun Jeong ; Clair J. Sullivan ; Michael Cheng ; Shaowen Wang</i>	
METHOD TO IMPROVE ANGULAR RESOLUTION OF PORTABLE GAMMA CAMERA WITH PINHOLE COLLIMATOR	1219
<i>Victor N. Potapov ; Oleg P. Ivanov ; Iliya A. Semin</i>	
MEBCIS: MULTI-ENERGY BETATRON-BASED CARGO INSPECTION SYSTEM	1223
<i>Anatoli Arodzero ; Salime Boucher ; Sergey V. Kutsaev ; Richard C. Lanza ; Vincent Palermo ; Finn O'Shea ; Vitaliy Ziskin</i>	
MODEL VALIDATION FOR FAST-NEUTRON CODED APERTURE QUANTITATIVE IMAGING	1228
<i>Aaron M. Bevill ; William R. Martin</i>	
DESIGN OF A ROTATIONAL MODULATION COLLIMATOR UTILIZING ASYMMETRIC MASKS FOR THE GAMMA-RAY/NEUTRON DUAL IMAGING TECHNIQUE	1236
<i>Hyun Suk Kim ; Gyemin Lee ; Sung-Joon Ye ; Geehyun Kim</i>	
THE IMAGE PROCESSING FOR IMPROVEMENT OF ANGULAR RESOLUTION AND SENSITIVITY OF THE PORTABLE GAMMA CAMERA WITH MEDIPIX DETECTOR	1238
<i>Oleg P. Ivanov ; Victor N. Potapov ; Vyacheslav E. Stepanov ; Yuri N. Martinyuk</i>	
A NOVEL SQUARE-HOLE BASED CODED APERTURE IMAGING METHOD	1242
<i>Lei Shuai ; Xiuzuo Liang ; Zhiming Zhang ; Yiwen Zhang ; Tingting Hu ; Long Wei</i>	
DESIGN STUDY ON DIFFERENTIAL DIE-AWAY TECHNIQUE IN AN INTEGRATED ACTIVE NEUTRON NDA SYSTEM FOR NON-NUCLEAR PROLIFERATION	1245
<i>A. Ohzu ; M. Maeda ; M. Komeda ; H. Tobita ; M. Kureta ; M. Koizumi ; M. Seya</i>	
SIMPLIFIED SIMULATION METHOD FOR MODELLING ILLICIT MATERIALS DETECTION SYSTEM BASED ON EDXRD	1249
<i>Tian-yi YangDai ; Li Zhang</i>	
DEVELOPMENT OF COMPACT GAMMA CAMERA FOR REALTIME RADIATION MONITORING AT NUCLEAR POWER PLANTS	1253
<i>Donghyun Jang ; Yong Choi ; Yeon Kyeong Kim ; Daeun Kim ; Jin Ho Jung</i>	
ON THE DESIGN OF A REMOTELY-DEPLOYED DETECTION SYSTEM FOR REACTOR ASSESSMENT AT FUKUSHIMA DAICHI	1255
<i>Ashley R. Jones ; Arron Griffiths ; Malcolm J. Joyce ; Barry Lennox ; Simon Watson ; Jun-ichi Katakura ; Keisuke Okumura ; Kangsoo Kim ; Michio Katoh ; Kazuya Nishimura ; Ken-ichi Sawada</i>	
HYDROGEN BEAM EXTRACTION OF PENNING ION SOURCE FOR COMPACT NEUTRON GENERATOR	1259
<i>Cheol Ho Lee ; Dae-Sik Chang ; Byung-Hoon Oh ; Jaebum Son ; Yong-Kyun Kim</i>	
RADIOLOGICAL PROTECTION STUDY OF A RADIOISOTOPE PRODUCTION SCENARIO OF A LASER-BASED PROTON ACCELERATOR	1262
<i>P. Bellido ; M. Seimetz ; R. Lera ; A. Ruiz de la Cruz ; F. Sánchez ; L. Roso ; J. M. Benlloch</i>	
DIFFUSION LENGTH OF RN-222 IN HOME-STORED CDS/DVDS — INFLUENCE ON RN-222 AND RN-220 MEASUREMENTS	1267
<i>Ivelina S. Dimitrova ; Strahil B. Georgiev ; Dobromir S. Pressyanov ; Tatiana A. Boshkova ; Philippa L. Vassileva</i>	
MECHANICAL STRUCTURE AND HOUSEKEEPING SYSTEM FOR THE FARCOS CLUSTERS	1272
<i>A. Castoldi ; C. Guazzoni ; T. Parsani ; D. L. Romeri ; C. Boiano ; G. Cardella ; G. Sacca' ; L. Acosta ; C. Serrano-Baza</i>	
A VLSI CHARGE PREAMPLIFIER FOR PARTICLE IDENTIFICATION WITH CSI(TL) SCINTILLATORS COUPLED WITH PHOTODIODES	1275
<i>A. Castoldi ; C. Guazzoni ; T. Parsani</i>	
THE PHASE-I UPGRADE OF THE CMS PIXEL DETECTOR	1278
<i>Hanns Jörg Weber</i>	
MODULE AND ELECTRONICS DEVELOPMENTS FOR THE ATLAS ITK PIXEL SYSTEM	1282
<i>Clara Nellist</i>	
CHARACTERIZATION AND BEAM TEST OF THE FIRST FULL-SIZED DEPFET MODULES FOR THE BELLE II PIXEL DETECTOR PXD	1286
<i>B. Paschen</i>	
FAST NEUTRON DETECTORS BASED ON SOLID-STATE SINGLE CRYSTALLINE AND MULTILAYER COMPOSITE SCINTILLATORS	1289
<i>Volodymyr D. Ryzhikov ; Sergei V. Naydenov ; Gennadiy M. Onyshchenko ; Leonid A. Piven ; Thierry Pochet ; Craig F. Smith</i>	
NEUTRON IMAGING DETECTOR BASED ON MULTIPLE LAYERS OF BORON-COATED STRAWS	1294
<i>Jeffrey L. Lacy ; Murari Regmi ; Athanasios Athanasiades ; Christopher S. Martin ; Gerson J. Vazquez-Flores ; Georg Ehlers</i>	
PFM2: A 32 × 32 READOUT CHIP FOR THE PIXFEL X-RAY IMAGER DEMONSTRATOR	1297
<i>L. Ratti ; D. Comotti ; L. Fabris ; M. Grassi ; L. Lodola ; P. Malcovati ; M. Manghisoni ; V. Re ; G. Traversi ; C. Vacchi ; G. Batignani ; S. Bettarini ; G. Casarosa ; F. Forti ; F. Morsani ; A. Paladino ; E. Paoloni ; G. Rizzo ; M. A. Benkechache ; G. -F. Dalla Betta ; R. Mendicino ; L. Pancheri ; G. Verzellese ; H. Xu</i>	

DESIGN AND CHARACTERIZATION OF THE TPIX PROTOTYPE: A SPATIAL AND TIME RESOLVING FRONT-END ASIC FOR ELECTRON AND ION SPECTROSCOPY EXPERIMENTS AT LCLS	1302
<i>B. Markovic ; P. Caragiulo ; A. Dragone ; C. Tamma ; T. Osipov ; C. Bostedt ; M. Kwiatkowski ; J. Segal ; J. Hasi ; G. Blaj ; C. Kenney ; G. Haller</i>	
ULTRA-THIN HIGH-REFLECTOR FILM DESIGNED FOR LYSO SCINTILLATORS	1306
<i>Quanguan Sun ; Qiyu Peng ; Zhongding Wu ; Qiu Huang ; JianFeng Xu</i>	
REQUIREMENTS FOR TESTING OF ACTIVE INTERROGATION SYSTEMS	1308
<i>Richard Kouzes ; Glen Warren ; Peter Chiaro</i>	
SCOTSS MODULAR SURVEY SPECTROMETER AND COMPTON IMAGER	1310
<i>Patrick R. B. Saull ; Audrey M. L. MacLeod ; Laurel E. Sinclair ; Pierre-Luc Drouin ; Lorne Erhardt ; Jens Hovgaard ; Bohdan Krupskyy ; Ryuichi Ueno ; David Waller ; Andrew McCann</i>	
COLLIMATOR-LESS 4π GAMMA IMAGING WITH 3-D POSITION-SENSITIVE DETECTOR	1317
<i>Qing Ye ; Peng Fan ; Qingyang Wei ; Yunhan Yu ; Shi Wang ; Yaqiang Liu ; Tianyu Ma</i>	
THE SOLID ANTI-NEUTRINO DETECTOR'S READ-OUT SYSTEM	1320
<i>Nick Ryder</i>	
SYSTEM ON CHIP ARCHITECTURE FOR AUGERPRIME SURFACE DETECTOR ELECTRONICS UPGRADE OF THE PIERRE AUGER OBSERVATORY	1327
<i>E. Lagorio</i>	
ARRAY OF SUPERCONDUCTING NANOWIRE SINGLE PHOTON DETECTORS RESOLVING THE NUMBER OF PHOTONS IN A WEAK OPTICAL PULSE	1330
<i>N. Lusardi ; A. Geraci ; R. B. M. Gourgues ; J. W. N. Los ; G. Bulgarini</i>	
NEUTRON INDUCED RADIATION DAMAGE OF KETEK SIPMS	1334
<i>M. Centis Vignali ; V. Chmill ; E. Garutti ; R. Klanner ; M. Nitschke ; J. Schwandt ; S. Sonder</i>	
EFFICIENT POSITIONING OF SILICON PHOTOMULTIPLIERS ON LARGE SCINTILLATION CRYSTALS	1339
<i>Peter R. Menge ; Kan Yang ; Michael McLaughlin ; Brian Bacon</i>	
A TIME INTERLEAVED, 10 BIT SAR ADC WITH SPLIT CAPACITOR DAC FOR DIFFRACTION IMAGING AT X-RAY FELs	1344
<i>Luca Lodola ; Piero Malcovati ; Lodovico Ratti ; Carla Vacchi</i>	
DESIGN OF A MEZZANINE CARD WITH BANDWIDTH AGGREGATION FOR HPGE GAMMA SPECTROSCOPY	1349
<i>J. Collado ; V. González ; J. M. Blasco ; E. Sanchis</i>	
EXPERIMENTAL EVALUATION OF THE DYNAMIC RANGE OF THE FARCOS MICROSTRIP FRONTEND WITH A PULSED PROTON BEAM	1351
<i>A. Castoldi ; C. Guazzoni ; S. Maffessanti ; T. Parsani ; L. Carraresi ; C. Czelusniak</i>	
THE LIGHT COLLECTION NON-UNIFORMITY OF STRONGLY TAPERED PWO CRYSTALS AND ITS IMPACT ON THE ENERGY RESOLUTION OF THE PANDA ELECTROMAGNETIC CALORIMETER IN THE ENERGY REGION BELOW 1 GEV	1354
<i>Stefan Diehl ; Kai-Thomas Brinkmann ; Peter Drexler ; Valery Dornenev ; Rainer W. Novotny ; Christoph Rosenbaum ; Hans-Georg Zaunick</i>	
LIQUID XENON DETECTOR WITH VUV-SENSITIVE MPPCS FOR THE MEG EXPERIMENT UPGRADE	1356
<i>Shinji Ogawa</i>	
MODELING ELECTRONEGATIVE IMPURITY CONCENTRATIONS IN LIQUID ARGON DETECTORS	1359
<i>Y. Li ; C. Thorn ; X. Qian ; W. Tang ; J. Joshi ; J. Stewart ; M. Diwan ; S. Kettell ; W. Morse ; T. Tsang ; T. Rao</i>	
PERFORMANCE OF NEW HIGH-PRECISION MUON TRACKING DETECTORS FOR THE ATLAS EXPERIMENT	1362
<i>Oliver Kortner ; Hubert Kroha ; Korbinian Schmidt-Sommerfeld ; Eric Takasugi</i>	
DEVELOPMENT OF THE NEXT-GENERATION MICRO PIXEL CHAMBER-BASED NEUTRON IMAGING DETECTOR (μNID) FOR ENERGY-RESOLVED NEUTRON IMAGING AT THE J-PARC/MLF	1364
<i>Joseph D. Parker ; Masahide Harada ; Hirotohi Hayashida ; Kosuke Hiroi ; Tetsuya Kai ; Yoshihiro Matsumoto ; Kenichi Oikawa ; Mariko Segawa ; Takenao Shinohara ; Yuhua Su ; Atsushi Takada ; Shuoyuan Zhang ; Toru Tanimori ; Yoshiaki Kiyonagi</i>	
CONSTRUCTION OF TRIPLE-GEM DETECTORS USING COMMERCIALLY MANUFACTURED LARGE GEM FOILS	1368
<i>M. Posik ; B. Surrow</i>	
PERFORMANCE STUDY OF LITTLE IONIZATION CHAMBERS AT THE LARGE HADRON COLLIDER	1373
<i>Matti Kalliokoski ; Bernd Dehning ; Ewald Effinger ; Viatcheslav Grishin ; Juan Herranz Alvarez ; Kristian Hjorth ; Eva Barbara Holzer ; Eduardo Nebot del Busto ; Christos Zamantzas</i>	
A BEAM PULSER AT THE TTT-3 TANDEM ACCELERATOR OF THE UNIVERSITY OF NAPLES	1378
<i>F. Di Capua ; L. Campajola</i>	
AN ELECTRON SPECTROMETER FOR PROTON DRIVEN PLASMA ACCELERATED ELECTRONS AT AWAKE: PREDICTED RESOLUTION OF ENERGY AND EMITTANCE MEASUREMENTS	1381
<i>L. Deacon ; B. Biskup ; A. Goldblatt ; S. Jolly ; F. Keeble ; S. Mazzoni ; A. Petrenko ; M. Wing</i>	
COMMISSIONING OF UPGRADE FORWARD HADRON CALORIMETERS OF CMS	1384
<i>Burak Bilki</i>	
POWER PULSING OF THE CALICE TILE HADRON CALORIMETER	1388
<i>Mathias Reinecke</i>	
SEPARATION OF TWO OVERLAPPING ELECTROMAGNETIC OR ELECTROMAGNETIC — HADRONIC SHOWERS IN CALICE HIGHLY GRANULAR PHYSICAL CALORIMETER PROTOTYPE	1394
<i>Kostiantyn Shpak</i>	

CONSTRUCTION AND ASSEMBLY OF ONE BARREL SLICE FOR THE ELECTROMAGNETIC CALORIMETER OF THE PANDA DETECTOR	1397
<i>H. -G. Zaunick ; K. -Th. Brinkmann ; S. Diehl ; V. Dormenev ; P. Drexler ; T. Kuske ; R. W. Novotny ; P. Rosier ; A. Ryazantsev ; Ch. Rosenbaum ; P. Wieczorek ; A. Wilms ; B. Wohlfahrt</i>	
DEVELOPMENT OF A VERSATILE CALIBRATION METHOD FOR ELECTRO-MAGNETIC CALORIMETERS USING A STOPPED COSMIC-RAY BEAM	1400
<i>H. Ito ; K. Horie ; H. Kawai ; S. Kodama ; S. Shimizu</i>	
GAIN UNIFORMITY AND CHARACTERISTICS STUDY OF A TRIPLE GEM DETECTOR	1404
<i>Rajendra Nath Patra ; R. N. Singaraju ; S. Biswas ; Z. Ahammed ; T. K. Nayak ; Y. P. Viyogi</i>	
STUDY OF BORON COATED STRAW DETECTORS FOR SMALL ANGLE NEUTRON SCATTERING ON CPHS	1407
<i>Z. G. Jiang ; H. Gong ; X. W. Wang ; Y. Q. Wang ; J. M. Li</i>	
CHARACTERIZATION OF NEUTRON BEAM MONITORS FOR THE EUROPEAN SPALLATION SOURCE	1410
<i>F. Issa ; A. Khaplanov ; I. Llamas ; M. Dalseth Riktor ; R. Hall-Wilton</i>	
A NEW SLOW CONTROL AND RUN INITIALIZATION BYTE-WISE ENVIRONMENT (SCRIBE) FOR THE QUALITY CONTROL OF MASS-PRODUCED CMS GEM DETECTORS	1412
<i>S. Colafranceschi</i>	
CONSTRUCTION OF LARGE-AREA MICRO-PATTERN GASEOUS DETECTORS	1416
<i>P. Bernhard ; A. S. Brogna ; S. S. Caiazza ; A. Döder ; P. Gülker ; C. Kahra ; T. H. Lin ; M. Schott ; Q. Weitzel ; E. Yildirim</i>	
ORANGE: A HIGH SENSITIVITY PARTICLE TRACKER BASED ON OPTICALLY READ OUT GEM	1420
<i>Michela Marafini ; Vincenzo Patera ; Davide Pinci ; Alessio Sarti ; Adalberto Sciubba ; Natalia Maria Torchia</i>	
TWIN GEM-TPC PROTOTYPE (HGB4) BEAM TEST AT GSI AND JYVÄSKYLÄ — A DEVELOPMENT FOR THE SUPER-FRS AT FAIR	1423
<i>F. Garcia ; R. Turpeinen ; J. Äystö ; T. Grahm ; S. Rinta-Antila ; A. Jokinen ; J. Kunkel ; V. Kleipa ; A. Gromliuk ; H. Risch ; C. Caesar ; C. Simons ; C. J. Schmidt ; A. Prochazka ; J. Hoffmann ; I. Rusanov ; N. Kurz ; H. Heggen ; P. Strmen ; M. Pikna ; B. Sitar</i>	
DESIGN OF THE ATLAS NEW SMALL WHEEL GAS LEAK TIGHTNESS STATION FOR THE MICROME GAS DETECTOR MODULES	1428
<i>Evangelos N. Gazis</i>	
STUDIES OF MICROME GAS CHAMBERS FOR THE NEW SMALL WHEEL USING COSMIC MUONS	1432
<i>T. Klapdor-Kleingrothaus ; U. Landgraf ; N. Scheidtmann ; S. Zimmermann</i>	
CONSTRUCTION AND QA/QC OF THE MICROME GAS PAVIA READOUT PANELS FOR THE MUON SPECTROMETER UPGRADE OF THE ATLAS NEW SMALL WHEEL	1437
<i>A. Kourkumeli-Charalampidi ; G. Gaudio ; G. Introzzi</i>	
A RADIATION-TOLERANT, HIGH PERFORMANCE SPAD FOR SIPMS IMPLEMENTED IN CMOS TECHNOLOGY	1441
<i>Yudong Li ; Chockalingam Veerappan ; Myung-Jae Lee ; Lin Wen ; Qi Guo ; Edoardo Charbon</i>	
RADIATION HARDNESS TESTS WITH NEUTRONS OF TIMING COUNTER MEGII SIPMS	1445
<i>T. Cervi ; S. Bariani ; P. W. Cattaneo ; M. Oddone ; M. C. Prata ; M. Prata ; E. Romano ; M. Rossella ; M. Simonetta</i>	
THE INFLUENCE OF EDGE EFFECTS ON THE DETERMINATION OF THE DOPING PROFILE OF SILICON PAD DIODES	1449
<i>M. Hufschmidt ; E. Fretwurst ; E. Garutti ; R. Klanner ; I. Kopsalis ; J. Schwandt ; B. Tohermes</i>	
GEIGER-MODE AVALANCHE PIXELS IN 180 NM HV CMOS PROCESS FOR A DUAL-LAYER PARTICLE DETECTOR	1453
<i>M. Musacci ; P. Brogi ; G. Collazuol ; G. F. Dalla Betta ; A. Ficorella ; L. Lodola ; P. S. Marrocchesi ; F. Morsani ; L. Pancheri ; L. Ratti ; A. Savoy-Navarro ; C. Vacchi</i>	
NEW 3D DOPING PROFILE MEASUREMENT AND TCAD SIMULATION OF RADIATION DAMAGE IN ADVACAM ACTIVE EDGE PIXEL DETECTOR FOR HIGH ENERGY PHYSICS EXPERIMENTS	1458
<i>T. Rashid ; A. Lounis ; C. Nellist</i>	
DEVELOPMENT OF POLYCAPILLARY OPTICS FOR A TES MICROCALORIMETER EDS SYSTEM ON A SCANNING TRANSMISSION ELECTRON MICROSCOPE	1464
<i>Akira Takano ; Keisuke Maehata ; Naoko Iyomoto ; Toru Hara ; Kazuhisa Mitsuda ; Noriko Yamasaki ; Keiichi Tanaka</i>	
TEST AND CHARACTERIZATION OF 20 PRE-SERIES HAMAMATSU R5916-MOD PHOTOMULTIPLIER TUBES FOR THE ICARUS T600 DETECTOR	1467
<i>G. L. Raselli ; M. Babicz ; V. Bellini ; M. Bonesini ; T. Cervi ; A. Falcone ; U. Kose ; A. Menegolli ; C. Montanari ; M. Nessi ; F. Pietropaolo ; M. Rossella ; M. Spanu ; M. Torti ; F. Tortorici ; A. Zani</i>	
SECOND GENERATION PROTOTYPE SILICON PHOTOMULTIPLIER FOCAL PLANE IMAGING DETECTOR MODULE TESTS IN THE MAGIC TELESCOPES	1472
<i>D. J. Fink ; A. Hahn ; D. Guberman ; D. Mazin ; R. Mirzoyan ; M. Teshima</i>	
GAIN STABILIZATION OF SIPMS	1475
<i>Ivo Polák</i>	
PERFORMANCE OF SENSL C-SERIES SIPM WITH HIGH PHOTOELECTRON RESOLUTION AT CRYOGENIC TEMPERATURES	1478
<i>Maik Biroth ; Patrick Achenbach ; Werner Lauth ; Andreas Thomas</i>	
CHARACTERIZATION OF SIPM PROPERTIES AT LIQUID NITROGEN TEMPERATURE	1481
<i>Maik Biroth ; Patrick Achenbach ; Werner Lauth ; Andreas Thomas</i>	
TIMING RESOLUTION OF MONOLITHIC SCINTILLATORS COUPLED TO LAIGE SIPM ARRAYS	1484
<i>T. Szczesmak ; M. Grodzicka ; M. Moszynski ; D. Wolski ; M. Szawłowski</i>	

A NEW PROTOTYPE X-RAY FLUORESCENCE DETECTOR SYSTEM WITH SILICON DRIFT DETECTOR ARRAY	1488
<i>W. Chen ; G. DeGeronimo ; D. Elliott ; G. Giacomini ; A. J. Kuczewski ; J. Mead ; D. Pinelli ; A. K. Rumaiz ; D. P. Siddons ; G. Smith ; E. O. Vernon</i>	
OPERATION OF SILICON PHOTOMULTIPLIERS AS PHOTOSENSORS OF LIQUID XENON DETECTORS	1491
<i>M. Alfonsi ; A. Brogna ; C. Hils ; U. Oberlack ; D. Wenz</i>	
DEAD-TIME INVESTIGATION OF SIPMS FOR APPLICATION AT PULSED MUON SOURCES	1495
<i>D. E Pooley ; S. P Cottrell ; M. S. Huzan ; L. Pollastri ; E. M Schooneveld ; N. J Rhodes ; P. J Baker</i>	
CHARACTERIZATION OF ADVANSID AND HAMAMATSU SIPMS FOR NOVEL DESIGN CRYOGENIC DETECTORS	1498
<i>T. Cervi ; M. Bonesini ; A. Falcone ; A. Menegolli ; G. L. Raselli ; M. Rossella ; M. Torti</i>	
NEUTRON COUNTING TYPE IMAGING DETECTOR WITH SUPER-RESOLUTION TECHNIQUE	1503
<i>T. Kamiyama ; S. Satoh ; H. Sato ; H. Hasemi ; K. Kino ; K. Nakajima</i>	
DIAGNOSIS OF NEUTRON SENSITIVITY WITHIN A SCINTILLATOR/WAVELENGTH-SHIFTING FIBER COIL ELEMENT BY USING A COLLIMATED PULSED NEUTRON BEAM	1506
<i>T. Nakamura ; K. Toh ; N. Tsutsui ; M. Ebine ; A. Birumachi ; K. Sakasai</i>	
ANALYSIS AND OPTIMIZATION OF SPATIAL RESOLUTION FOR A NEUTRON SENSITIVE MICROCHANNEL PLATE DETECTOR	1509
<i>Ren Liu ; Yigang Yang ; Xuewu Wang ; Ming Zeng ; Yang Tian</i>	
POSITION SENSITIVITY WITHIN A BAR OF STILBENE COUPLED TO SILICON PHOTOMULTIPLIERS	1513
<i>Marc L. Ruch ; Peter Marleau ; Sara A. Pozzi</i>	
OPTIMIZATION OF A FAST NEUTRON SCINTILLATOR FOR REAL-TIME PULSE SHAPE DISCRIMINATION IN THE TRANSIENT REACTOR TEST FACILITY (TREAT) HODOSCOPE	1516
<i>James T. Johnson ; Scott J. Thompson ; Scott M. Watson ; David L. Chichester</i>	
PIE-SHAPED BORON-COATED STRAWS WITH ENHANCED NEUTRON SENSITIVITY	1520
<i>Jeffrey L. Lacy ; Nicholas S. King ; Christopher S. Martin ; Richard Nguyen ; Gerson J. Vazquez-Flores ; Stephen Davenport ; Edward X. Zhang ; Athanasios Athanasiades</i>	
SHIELDING OPTIMIZATION STUDY FOR ¹⁰B-BASED LARGE AREA NEUTRON DETECTORS WITH DETAILED GEANT4 MODEL	1523
<i>Eszter Dian ; Kalliopi Kanaki ; Richard Hall-Wilton ; Anton Khaplanov ; Thomas Kittelmann</i>	
ASSESSMENT OF THE PHOTODETECTION PERFORMANCE OF DIFFERENT SILICON PHOTOMULTIPLIER TECHNOLOGIES UNDER IRRADIATION WITH COLD NEUTRONS	1526
<i>Daniel Durini ; Carsten Degenhardt ; Alejandro Palomino-Razo ; Shashank Kumar ; Artem Feoktystov ; Henrich Frielinghaus ; Heinz Rongen ; Mario Schlösser ; Stefan van Waasen</i>	
SPATIAL RESOLUTION ENHANCEMENT OF NEUTRON RADIOGRAM BY COOPERATING WITH X-RAY RADIOGRAPHY	1530
<i>H. Hasemi ; T. Kamiyama ; H. Sato ; K. Kino ; K. Nakajima</i>	
INITIAL RESULTS OF A MICROSTRIP GAS DETECTOR FOR 2D NEUTRON REFLECTOMETER EXPERIMENTS	1533
<i>Robert Dalgliesh ; Dominic M. Duxbury ; Nigel J. Rhodes ; Erik M. Schooneveld ; Edward J. Spill</i>	
NEUTRON COMMISSIONING OF THE SPRINTER DETECTOR	1536
<i>Dominic M. Duxbury ; Christy J. Kinane ; Nigel J. Rhodes ; Erik M. Schooneveld ; Maximilian W. A. Skoda ; Edward J. Spill ; Rebecca J. L. Welbourn</i>	
IMPROVED FAST NEUTRON DETECTOR BASED ON TIMEPIX AND PLASTIC SCINTILLATING CONVERTER	1539
<i>P. Masek ; J. Jakubek</i>	
LITHIUM FOIL GAS-FILLED NEUTRON DETECTOR USING MICROSTRIP ELECTRODES	1542
<i>Nathaniel S. Edwards ; Benjamin W. Montag ; Luke C. Henson ; Steven L. Bellinger ; Ryan G. Fronk ; Michael A. Reichenberger ; Douglas S. McGregor</i>	
IMPROVED LOW POWER, MODULAR THERMAL NEUTRON COUNTER BASED ON MICROSTRUCTURED SEMICONDUCTOR NEUTRON DETECTORS (MSND)	1545
<i>Ryan G. Fronk ; Steven L. Bellinger ; Luke C. Henson ; David E. Huddleston ; Taylor R. Ochs ; Timothy J. Sobering ; Douglas S. McGregor</i>	
IMPLEMENTATION OF GADOLINIUM FOR NEUTRON MEASUREMENT SYSTEMS BASED ON PLASTIC SCINTILLATORS AND SEMICONDUCTORS	1550
<i>Romain Coulon ; Jonathan Dumazert ; Matthieu Hamel ; Guillaume Bertrand ; Frederick Carrel ; Vladimir Kondrasovs ; Karim Boudergui</i>	
A CERAMIC-INSULATED BALL-ANODE ELEMENT FOR TWO-DIMENSIONAL NEUTRON DETECTOR	1556
<i>K. Toh ; T. Nakamura ; K. Sakasai ; H. Yamagishi</i>	
IMPROVEMENT OF SPATIAL RESOLUTION OF TIME-RESOLVED MA-PMT CAMERA FOR IMAGING OF TRU ELEMENTS	1558
<i>Junpei Koide ; Toshiyuki Uragaki ; Naoto Hagura ; Jun Kawarabayashi ; Koh-ichi Mochiki</i>	
LOW BACKGROUND THERMAL NEUTRON DETECTOR SYSTEM	1562
<i>Z. M. Zeng ; H. Gong ; Q. Yue ; J. M. Li</i>	
DEVELOPMENT OF A NOVEL DOI DETECTOR USING LASER MANUFACTURING	1565
<i>H. Yamauchi ; H. Uchida ; T. Sakai ; K. Hakamata ; K. Shimizu</i>	
TEMPERATURE DEPENDENCE OF CDMO₄ SCINTILLATION PROPERTIES FOR THE SEARCH OF ¹⁰⁰₄₂MO AND ¹¹⁶₄₈CD NEUTRINOLESS DOUBLE BETA DECAY	1569
<i>Mingxuan Xue ; Yunlong Zhang ; Haiping Peng ; Zizong Xu ; Xiaolian Wang</i>	
RADIATION DAMAGE STUDIES OF NEW INTRINSICALLY RADIATION-HARD SCINTILLATORS	1572
<i>Burak Bilki ; Yasar Onel ; Enrah Tiras ; James Wetzel ; David Winn</i>	

HIGH-PERFORMANCE LARGE DIAMETER SRI₂:EU²⁺ CRYSTALS	1576
<i>R. Hawrami ; E. Ariesanti ; C. Ji ; J. Glodo ; J. Finkelstein ; H. Wei ; K. S. Shah ; N. J. Cherepy ; S. A. Payne</i>	
CSI:TL SCINTILLATION PULSE SHAPES MEASURED WITH A SIPM PHOTODETECTOR IN A LIQUID NITROGEN CRYSTAT	1578
<i>L. Swiderski ; M. Moszynski ; W. Czarnacki ; Z. Mianowska ; P. Sibirzynski ; T. Sworobowicz ; T. Szczesniak ; A. Syntfeld-Kazuch ; W. Klamra ; R. T. Williams ; S. Gridin ; X. Lu ; M. R. Mayhugh ; A. Gektin ; S. Vasyukov ; C. Piemonte ; A. Ferri ; A. Gola</i>	
TEMPORAL IMAGING: OBSERVATION AND LOCALIZATION OF A COMPTON EFFECT INSIDE A 20 MM MONOLITHIC LYSO PLATE WITH A PHILIPS DIGITAL SI-PM	1582
<i>Alain Iltis ; Hichem Shoussi ; Luc Rodrigues de Magalhaes ; Christian Morel</i>	
INVESTIGATION INTO NEUTRON DAMAGE OF EJ-299 AND EJ-200 PLASTIC SCINTILLATORS	1584
<i>M. P. Taggart ; C. Payne ; P. J. Sellin</i>	
PEN SCINTILLATOR FILMS FOR THE IONIZING RADIATION IDENTIFICATION AND SPECTROSCOPY	1588
<i>Jevgenij Garankin ; Mindaugas Gaspariumacrnas ; Vitalij Kovalevskij ; Elena Lagzdina ; Rita Plukiene ; Arturas Plukis ; Vidmantas Remeikis</i>	
PERFORMANCE OF A SIPM-BASED READOUT OF A LARGE CSI(TL) CRYSTAL IRRADIATED WITH LOW ENERGY PROTONS	1590
<i>M. Bond'i ; M. Battaglieri ; M. Carpinelli ; A. Celentano ; M. De Napoli ; R. De Vita ; E. Leonora ; L. Marsicano ; N. Randazzo ; V. Sipala</i>	
APPLICATIONS OF SUB-SURFACE LASER ENGRAVING ON MONOLITHIC SCINTILLATOR CRYSTALS: NOVEL PIXEL GEOMETRIES AND DEPTH OF INTERACTION	1592
<i>G. Konstantinou ; R. Chil ; M. Desco ; J. J. Vaquero</i>	
DEVELOPMENT OF LARGE-AREA CHARGED PARTICLE DETECTORS WITH HIGH POSITION RESOLUTION AND LOW COST	1596
<i>T. Mizuno ; H. Ito ; N. Kaneko ; H. Kawai ; A. Kobayashi ; S. Kodama ; M. Tabata</i>	
THE EFFECT OF DIGITIZER PROPERTIES ON THE PULSE SHAPE DISCRIMINATION PERFORMANCE OF CLYC	1599
<i>C. Allwork ; A. Kennington ; M. Ellis ; M. P. Taggart ; P. J. Sellin</i>	
NEW RADIATION-HARD WAVELENGTH SHIFTING FIBERS	1604
<i>Burak Bilki ; Yasar Onel ; Emrah Tiras ; James Wetzel ; David Winn</i>	
COMPARISON OF DAMAGE EFFECTS IN PLASTIC SCINTILLATORS DUE TO IRRADIATION WITH γ-RAYS, 190 MEV AND 24 GEV PROTONS	1608
<i>V. Dormenev ; E. Auffray ; K. -T. Brinkmann ; M. Korjik ; M. T. Lucchini ; V. Mechinsky ; R. W. Novotny ; H. G. Zaunick</i>	
TIME-OF-FLIGHT DETECTION OF AL IONS FROM LASER PRODUCED PLASMA	1611
<i>M. Seimetz ; P. Bellido ; A. Peralta Conde ; J. I. Apiñaniz ; A. V. Carpentier ; M. Sánchez Albaneda ; F. Valle Brozas ; C. Méndez ; J. Lozano ; J. M. Álvarez ; R. Lera ; A. Ruiz-de la Cruz ; M. Galán ; L. Vidal ; A. Soriano ; S. Sánchez ; F. Sánchez ; M. J. Rodríguez-Álvarez ; J. P. Rigla ; L. Moliner ; A. Iborra ; L. Hernández ; A. J. González ; P. Conde ; A. Aguilar ; L. Roso ; J. M. Benlloch</i>	
SCINTILLATION DETECTORS CONSTRUCTED WITH AN OPTIMIZED 2x2 SILICON PHOTOMULTIPLIER ARRAY	1615
<i>Felix Liang ; Hartmut Brands ; Les Hoy ; Jeff Preston ; Jason Smith</i>	
MAPPING TOOL FOR INVESTIGATION OF COMPONENT-LEVEL PCB COMPATIBILITY IN MULTIMODAL MRI/SPECT	1621
<i>G. L. Montagnani ; M. Occhipinti ; M. Carminati ; C. Fiorini ; A. Kuehne</i>	
ONLINE CLUSTER-FINDING ALGORITHMS FOR THE PANDA ELECTROMAGNETIC CALORIMETER	1624
<i>M. Tiemens ; M. Kavatsyuk ; P. Schakel</i>	
GATE SIMULATION OF A HIGH-PERFORMANCE STATIONARY SPECT SYSTEM FOR CARDIAC IMAGING	1627
<i>Dilber Uzun-Özsahin ; Lisa Bläckberg ; Narjes Moghadam ; Georges El Fakhri ; Hamid Sabet</i>	
ALPHA CONTAMINATION ASSAY, DOSIMETRY AND SPECTROMETRY USING CHARGE COUPLED DEVICES	1630
<i>Rosie Newton ; Joseph Dykes ; Mike J. Scott ; Malcolm J. Joyce</i>	
WRAPPED-AROUND CONDUCTIVE TRACES	1635
<i>A. Tomada ; J. Segal ; C. Kenney ; M. McCulloch</i>	
HIT RECONSTRUCTION IN THE CBM SILICON TRACKING SYSTEM	1638
<i>Hanna Malygina ; Volker Friese ; Maksym Zyzak</i>	
SYSTEMATIC ERROR OF COUNTING EFFICIENCY ESTIMATION DUE TO SPECTRAL CONFORMITY ASSESSMENT IN GEANT4 BASED LIQUID SCINTILLATION COUNTER SIMULATION	1644
<i>T. Aso ; M. Hara ; M. Shoji ; T. Furuswa ; T. Yoshimura ; Y. Kato ; K. Aoyama</i>	
FISSILE MASS QUANTIFICATION IN RADIOACTIVE WASTE PACKAGES USING PHOTOFISSION DELAYED GAMMA RAYS	1648
<i>E. Simon ; F. Jallu ; B. Pérot ; S. Plumeri</i>	
CHARACTERIZATION OF MONOLITHIC SDD ARRAYS AND SFERA ASIC FOR THE SIDDHARTA EXPERIMENT	1652
<i>Arslan Dawood Butt ; Giovanni Bellotti ; Marco Carminati ; Carlo Fiorini ; Claudio Piemonte ; Nicola Zorzi ; Fabio Manca</i>	
GAMMA BEAM CHARACTERIZATION SYSTEM FOR ELI-NP: THE GAMMA ABSORPTION CALORIMETER	1656
<i>R. Borgheresi ; O. Adriani ; S. Albergo ; M. Andreotti ; D. Berto ; G. Cappello ; P. Cardarelli ; R. Ciaranfi ; E. Consoli ; G. Di Domenico ; F. Evangelisti ; M. Gambaccini ; G. Graziani ; M. Lenzi ; F. Maletta ; M. Marziani ; L. Palumbo ; G. Passaleva ; M. G. Pellegriti ; A. Serban ; O. Starodubtsev ; M. Statera ; A. Tricomi ; A. Variola ; M. Veltri</i>	

EXPERIMENTAL ASSESSMENT OF ELECTRON IONIZATION CROSS SECTIONS	1664
<i>T. Basaglia ; M. Bonanomi ; F. Cattorini ; M. C. Han ; G. Hoff ; C. H. Kim ; S. H. Kim ; M. Marcoli ; M. G. Pia ; E. Ronchieri ; P. Saracco</i>	
TIMEPIX3 READOUT SYSTEM FOR TIME RESOLVED EXPERIMENTS AT SYNCHROTRON RADIATION FACILITIES	1667
<i>G. Crevatin ; D. Omar ; I. Horswell ; H. Yousef ; E. N. Gimenez ; N. Tartoni</i>	
SAFETY-INTERLOCK SYSTEM OF THE DSSC X-RAY IMAGER	1672
<i>Sneha Nidhi ; Helmut Klaer ; Karsten Hansen ; Monica Turcato ; Markus Kuster ; Matteo Porro</i>	
CALIBRATION SOURCES AND TECHNIQUES FOR LARGE FORMAT X-RAY IMAGERS AT XFEL	1676
<i>A. Castoldi ; C. Guazzoni ; S. Maffessanti ; M. Porro ; S. Schlee ; G. Weidenspointner</i>	
2-D MAPPING OF THE RESPONSE OF SDD CELLS OF DIFFERENT SHAPE IN MONOLITHIC ARRAYS FOR XRF SPECTROSCOPY	1679
<i>A. Castoldi ; C. Guazzoni ; G. V. Montemurro ; C. Liu ; N. Zorzi ; I. Rashevskaya ; A. Rachevski ; A. Vacchi ; G. Zampa ; N. Zampa</i>	
PERFORMANCE OF SILICON DRIFT DETECTORS AT LCLS	1682
<i>G. Blaj ; C. J. Kenney ; S. Boutet ; G. Carini ; M. Chollet ; G. Dakovski ; G. Haller ; P. Hart ; S. Herrmann ; J. Koglin ; M. Messerschmidt ; S. Nelson ; J. Pines ; S. Song ; J. Thayer ; A. Tomada ; G. Williams</i>	
AN IMPROVED METHOD FOR ENERGY CALIBRATION OF PHOTON COUNTING X-RAY DETECTORS	1689
<i>Jeong Seok Lee ; Ki-Young Shin ; Dong-Goo Kang ; Soo Yeol Lee ; Seung Oh Jin ; Insoo S. Kim ; A. Mohamed ; A. Hegazy ; Kisoo Kim</i>	
PERFORMANCE OF THE LBNL FASTCCD FOR THE EUROPEAN XFEL	1692
<i>Friederike Januschek ; Ivana Klackov ; Nord Andresen ; Peter Denes ; Steffen Hauf ; John Joseph ; Markus Kuster ; Craig Tindall</i>	
AFTERGLOW ARTIFACTS CORRECTION FOR ULTRA-FAST TOMOGRAPHY ACQUISITION BY SYNCHROTRON RADIATION	1695
<i>Karim Zarei Zefreh</i>	
FIRST OPERATION OF A DSSC HYBRID 2D SOFT X-RAY IMAGER WITH 4.5 MHZ FRAME RATE	1699
<i>Jan Soldat ; Daniele Comotti ; Florian Erdinger ; Carlo Fiorini ; Peter Fischer ; Andrea Grande ; Karsten Hansen ; Pradeep Kalavakuru ; Manfred Kirchgesner ; Massimo Manghisoni ; Bayan Nasri ; Matteo Porro ; Christian Reckleben ; Janusz Szymanski</i>	
SIPM TIMING AT LOW LIGHT INTENSITIES	1704
<i>R. Dolenec ; S. Korpar ; P. Križan ; R. Pestotnik</i>	
VSIPMT: AN HYBRID APPROACH TO HIGH RESOLUTION PHOTODETECTORS	1709
<i>F. Di Capua ; G. Barbarino ; F. C. T. Barbato ; L. Campajola ; A. Grilli ; C. M. Mollo ; E. Pace ; A. Valentini ; D. Vivolo</i>	
A PORTABLE FAST-NEUTRON IMAGER WITH ⁶LI-CONTAINING SCINTILLATORS	1712
<i>Toru Matsumura ; Takao Shinkawa</i>	
A NEW CONCEPT OF 2D SCINTILLATION DETECTOR FOR THERMAL NEUTRONS BASED ON A LIGHT SHARING APPROACH	1715
<i>Jean-Baptiste Mosset ; Alexey Stoykov ; Malte Hildebrandt</i>	
OPERATION AND PERFORMANCE OF A NEW MICROTCA-BASED CMS CALORIMETER TRIGGER IN LHC RUN 2	1722
<i>P. Klabbers</i>	
THE ATLAS TILE CALORIMETER DCS FOR RUN 2	1726
<i>F. Martins</i>	
SOFT-ERRORS IN FPGAS AT THE SUPERKEKB INTERACTION POINT	1731
<i>R. Giordano ; V. Izzo ; S. Perrella ; A. Aloisio</i>	
LATEST FRONTIER TECHNOLOGY AND DESIGN OF THE ATLAS CALORIMETER TRIGGER BOARD DEDICATED TO JET IDENTIFICATION FOR THE LHC RUN 3	1733
<i>B. Bauss ; A. Brogna ; V. Bücher ; R. Degele ; H. Herr ; C. Kahra ; S. Rave ; E. Rocco ; U. Schäfer ; J. Souza ; S. Tapprogge ; M. Weirich</i>	
MODELLING OF DIELECTRIC LASER ACCELERATORS USING LARGE SCALE PLASMA SIMULATIONS CODE	1738
<i>Preetma Kaur Soin ; Jonathon Holmes</i>	
DIAGNOSTICS OF QUASI MONO-ENERGETIC PHOTON SOURCES IN A SINGLE SHOT USING CCD TRACKERS	1741
<i>Yigong Zhang ; Brian J. Quiter ; Kai Vetter ; Cameron G. R. Geddes</i>	
APPLICATION OF AN X-RAY FLAT PANEL SENSOR TO A GEV REGION GAMMA-RAY BEAM PROFILE MONITOR	1744
<i>Hiroki Kanda ; Kazuhisa Honda ; Takatsugu Ishikawa ; Masashi Kaneta ; Kazushige Maeda ; Manabu Miyabe ; Yuta Muroi ; Wataru Nakai ; Satoshi N. Nakamura ; Aki Ninomiya ; Yuki Obara Kyoichiro Ozawa ; Keiichi Ozeki ; Takayuki Sasaki ; Hajime Shimizu ; Atsushi O. Tokiyasu</i>	
EFFECTS OF CERIUM CONCENTRATION IN TL₂LIYCL₆ SCINTILLATION DETECTORS	1747
<i>E. Ariesanti ; R. Hawrami ; J. Finkelstein ; H. Wei ; L. Soundara-Pandian ; J. Glodo ; K. Shah</i>	
HIGH-QUALITY LEAD TUNGSTATE CRYSTALS AVAILABLE FOR EM-CALORIMETRY IN HIGH-ENERGY PHYSICS	1749
<i>R. W. Novotny ; K. -T. Brinkmann ; D. Chvatil ; V. Dornenev ; M. Finger ; M. Finger ; J. Houzvicka ; P. Krist ; M. Korjik ; S. Ochesanu ; D. Petrydes ; I. Prochazka ; H. -G. Zaunick</i>	
DEVELOPMENT OF BAF₂ CRYSTALS FOR FUTURE HEP EXPERIMENTS AT THE INTENSITY FRONTIERS	1753
<i>Fan Yang ; Junfeng Chen ; Liyuan Zhang ; Renyuan Zhu</i>	

POLAR: FINAL CALIBRATION AND IN-FLIGHT PERFORMANCE OF A DEDICATED GRB POLARIMETER	1757
<i>M. Kole ; T. W. Bao ; T. Batsch ; T. Bernasconi ; F. Cadoux ; J. Y. Chai ; Y. W. Dong ; N. Gauvin ; W. Hajdas ; J. J. He ; M. N. Kong ; S. W. Kong ; C. Lechanoine-Leluc ; L. Li ; Z. H. Li ; J. T. Liu ; X. Liu ; R. Marcinkowski ; S. Orsi ; M. Pohl ; N. Produit ; D. Rapin ; A. Rutczynska ; D. Rybka ; H. L. Shi ; L. M. Song ; J. C. Sun ; J. Szabelski ; R. J. Wang ; Y. J. Wang ; X. Wen ; B. B. Wu ; X. Wu ; H. L. Xiao ; S. L. Xiong ; H. H. Xu ; M. Xu ; J. Zhang ; L. Zhang ; L. Y. Zhang ; S. N. Zhang ; X. F. Zhang ; Y. J. Zhang ; A. Zwolinska</i>	
IMPLEMENTATION OF THE FIRST LEVEL TRIGGER FOR ULTRA-HIGH-ENERGY COSMIC RAY (UHECR) DETECTION FROM SPACE WITH JEM-EUSO: INITIAL TEST RESULTS	1763
<i>A. Jung ; S. Bacholle ; P. Barrillon ; J. Bayer ; M. Bertaina ; S. Blin-Bondil ; S. Cambursano ; M. Casolino ; G. Contino ; G. Cotto ; A. Cummings ; S. Dagoret-Campagne ; J. Eser ; F. Fenu ; C. Fornaro ; R. Forza ; P. Gorodetzky ; R. Gregg ; P. Hunt ; Y. Kawasaki ; H. Krantz ; O. Larsson ; M. Manfrin ; M. Mignone ; H. Miyamoto ; G. Osteria ; E. Parizot ; L. W. Piotrowski ; F. Perfetto ; G. Prevot ; J. Rabanal ; M. Rezazadeh ; G. Suino ; L. Wiencke</i>	
OVERVIEW AND STATUS OF THE CHERENKOV TELESCOPE ARRAY	1770
<i>Juan Cortina</i>	
IDENTIFICATION OF BACKGROUND COMPONENTS WITH THE SOLID ANTI-NEUTRINO DETECTOR	1774
<i>Ibrahim Piñera-Hernández</i>	
SIMULATION VALIDATION EPISTEMICS IN A GEANT4 CASE STUDY	1779
<i>Tullio Basaglia ; Min Cheol Han ; Gabriela Hoff ; Chan Hyeong Kim ; Sung Hun Kim ; Maria Grazia Pia ; Paolo Saracco</i>	
THE DESIGN OF TIME PROJECTION CHAMBER FOR FISSION CROSS-SECTION MEASUREMENTS	1782
<i>Yangyang Yan ; Yulan Li ; Meng Huang ; Jin Li ; Zhi Deng ; Hui Gong ; Hongyan Zhang ; Libo Niu ; Yuanjing Li</i>	
MULTIVARIATE TECHNIQUES FOR ENERGY RECONSTRUCTION IN HIGHLY GRANULAR CALORIMETERS	1785
<i>Burak Bilki</i>	
OPTIMIZATION OF A SPHERICAL ACTIVE CODED MASK GAMMA-RAY IMAGER	1790
<i>Daniel Hellfeld ; Paul Barton ; Donald Gunter ; Lucian Mihailescu ; Kai Vetter</i>	
TOFFEE: A FULLY CUSTOM AMPLIFIER-COMPARATOR CHIP FOR SILICON DETECTORS WITH INTERNAL GAIN	1793
<i>Francesca Cenna ; A. Di Francesco ; J. Olave ; N. Cartiglia ; M. Mignone ; M. Da Rocha Rolo ; A. Rivetti ; J. C. Silva ; R. Silva ; J. Varela</i>	
NEW DEVELOPMENT ON DIGITAL ARCHITECTURE FOR EFFICIENT PIXEL READOUT ASIC AT EXTREME HIT RATE FOR HEP DETECTORS AT HL-LHC	1797
<i>Andrea Paternò ; Luca Pacher ; Natale Demaria ; Angelo Rivetti ; Giulio Dellacasa ; Sara Marconi ; Pisana Placidi</i>	
THE CHESS-2 PROTOTYPE IN AMS 0.35 μM PROCESS: A HIGH VOLTAGE CMOS MONOLITHIC SENSOR FOR ATLAS UPGRADE	1802
<i>C. Tamma ; P. Caragiulo ; H. Grabas ; X. Xu ; B. Markovic ; J. Segal ; A. Dragone ; C. Kenney ; D. Su ; P. Grenier ; V. Fadeyev ; A. A. Grillo ; G. Haller ; A. Affolder ; K. Arndt ; R. Bates ; M. Benoit ; F. Di Bello ; A. Blue ; D. Bortoletto ; M. Buckland ; C. Buttar ; D. Das ; J. Dopke ; F. Ehrler ; Z. Galloway ; I. M. Gregor ; B. Hiti ; M. Hoeflerkamp ; L. B. A. Hommels ; T. Huffman ; J. John ; K. Kanisaukas ; G. Kramberger ; Z. Liang ; I. Mandic ; D. Maneuski ; F. Martinez-Mckinney ; S. McMahon ; L. Meng ; M. Mikuž ; D. Muenstermann ; R. Nickerson ; I. Peric ; P. Phillips ; R. Plackett ; F. Rubbo ; S. Seidel ; A. Seiden ; I. Shipsey ; W. Song ; M. Stanitzki ; R. Turchetta ; L. Viganò ; J. Volk ; R. Wang ; M. Warren ; F. Wilson ; S. Worm ; Q. Xiu ; J. Zhang ; H. Zhu</i>	
FIRST MEASUREMENTS OF A PROTOTYPE OF A NEW GENERATION PIXEL READOUT ASIC IN 65 NM CMOS FOR EXTREME RATE HEP DETECTORS AT HL-LHC	1807
<i>S. Panati ; A. Paternò ; E. Monteil ; L. Pacher ; N. Demaria ; A. Rivetti ; M. Da Rocha Rolo ; R. Wheadon ; F. Rotondo ; G. Dellacasa ; F. Licciulli ; F. Loddo ; F. Ciciriello ; C. Marzocca ; S. Mattiazio ; F. De Canio ; L. Gaioni ; V. Re ; G. Traversi ; L. Ratti ; S. Marconi ; G. Magazzù ; A. Stabile ; P. Placidi</i>	
PRECISION CRYSTAL CALORIMETRY AT HIGH ENERGY AND HIGH LUMINOSITY: CMS ECAL PERFORMANCE AT 13 TEV AND UPGRADE TEST BEAM STUDIES	1814
<i>F. Micheli</i>	
UPGRADE OF THE ATLAS LIQUID ARGON CALORIMETERS FOR THE HIGH-LUMINOSITY LHC	1818
<i>T. G. McCarthy</i>	
LONGITUDINALLY SEGMENTED SHASHLIK CALORIMETERS WITH SIPM READOUT: THE SCENTT EXPERIMENT	1825
<i>A. Berra ; C. Brizzolari ; S. Cecchini ; F. Cindolo ; C. Jollet ; A. Longhin ; L. Ludovici ; G. Mandrioli ; V. Mascagna ; N. Mauri ; A. Mereaglia ; A. Paoloni ; L. Pasqualini ; L. Patrizi ; M. Pozzato ; F. Pupilli ; M. Prest ; G. Sirri ; F. Terranova ; E. Vallazza ; L. Votano</i>	
ESTIMATION OF THE ENERGY RESOLUTION LIMIT FOR PARTICLE DETECTORS WITH SCHOTTKY-BARRIER BASED ON VPE GAAS	1828
<i>A. V. Chernykh ; S. V. Chernykh ; F. M. Baryshnikov ; N. Burtebayev ; G. I. Britvich ; A. P. Chubenko ; Yu. N. Glybin ; T. Zholdybayev ; Zh. Kerimkulov ; J. T. Burtebayeva ; K. D. Shcherbachev ; A. V. Panichkin ; S. I. Didenko</i>	
PROTON-INDUCED RADIATION DAMAGE IN BGO, LFS, PWO AND A LFS/W/QUARTZ CAPILLARY SHASHLIK CELL	1832
<i>Fan Yang ; Liyuan Zhang ; Ren-Yuan Zhu ; Jon Kapustinsky ; Ron Nelson ; Zhehui Wang</i>	
PROFILE SP (P-TYPE) HPGE DETECTORS — PREMIUM RESOLUTION AT LOW TO MEDIUM ENERGIES	1836
<i>E. G. Roth ; Gregor Geurkov ; Teresa Underwood ; Kyle T. Schmitt</i>	
PROGRESS WITH XENON LIQUID HOLE MULTIPLIERS	1843
<i>Lior Arazi ; Eran Erdal ; Yevgeniya Korotinsky ; Michael Rappaport ; Arindam Roy ; Sergei Shchemelinin ; David Vartsky ; Amos Breskin</i>	
IRRADIATION INDUCED EFFECTS IN THE FE-14 FRONT-END CHIP OF THE ATLAS IBL DETECTOR	1847
<i>Alessandro La Rosa</i>	

RADIATION TOLERANCE OF STRAW-TRACKER READ-OUT SYSTEM FOR COMET EXPERIMENT	1851
<i>Kazuki Ueno ; Eitaro Hamada ; Masahiro Ikeno ; Satoshi Mihara ; Yu Nakazawa ; Hajime Nishiguchi ; Tomohisa Uchida ; Ye Yang ; Hiroshi Yamaguchi ; Hisataka Yoshida</i>	
COMPARISON OF THE RADIATION HARDNESS OF SILICON MACH-ZEHNDER MODULATORS FOR DIFFERENT DC BIAS VOLTAGES	1856
<i>Marcel Zeiler ; Stephane Detraz ; Lauri Olantera ; Christophe Sigaud ; Csaba Soos ; Jan Troska ; Francois Vasey</i>	
HV-CMOS DETECTORS FOR HIGH ENERGY PHYSICS: CHARACTERIZATION OF BCD8 TECHNOLOGY AND CONTROLLED HYBRIDIZATION TECHNIQUE	1858
<i>A. Andreazza ; A. Castoldi ; G. Chiodini ; M. Citterio ; G. Darbo ; G. Gariano ; A. Gaudiello ; C. Guazzoni ; V. Liberali ; S. Passadore ; F. Ragusa ; A. Rovani ; E. Ruscino ; C. Sbarra ; H. Shrimali ; A. Sidoti ; E. Zaffaroni</i>	
GIGARAD TOTAL IONIZING DOSE AND POST-IRRADIATION EFFECTS ON 28 NM BULK MOSFETS	1861
<i>C. -M. Zhang ; F. Jazaeri ; A. Pezzotta ; C. Bruschini ; G. Borghello ; F. Faccio ; S. Mattiazzo ; A. Baschirotto ; C. Enz</i>	
ANALYSIS OF HADRONIC SHOWERS IN THE PHYSICS PROTOTYPE OF THE CALICE SILICON TUNGSTEN ELECTROMAGNETIC CALORIMETER	1865
<i>Sviatoslav Bilokin ; Naomi van der Kolk ; Roman Pöschl</i>	
TECHNOLOGICAL PROTOTYPE OF THE CALICE / ILD SILICON-TUNGSTEN ELECTROMAGNETIC CALORIMETER	1869
<i>Kostiantyn Shpak</i>	
A HIGH GRANULARITY CALORIMETER FOR THE CMS ENDCAPS AT THE HL-LHC	1873
<i>Roger Rusack</i>	
INVESTIGATION OF FAST TIMING CAPABILITIES OF SILICON SENSORS FOR THE CMS HIGH GRANULARITY CALORIMETER AT HL-LHC	1879
<i>Artur Apresyan</i>	
COMPARATIVE TEST BEAM STUDIES OF PRECISION TIMING CALORIMETER TECHNOLOGIES	1887
<i>A. Bornheim ; D. Anderson ; A. Apresyan ; J. Duarte ; C. Peña ; A. Ronzhin ; M. Spiropulu ; S. Xie ; S. Los ; Z. Zhang ; M. Hassanshahi</i>	
CALORIMETRIC MEASUREMENTS WITH EXTREMELY FINE SPATIAL RESOLUTION	1891
<i>Burak Bilki ; Benjamin Freund ; José Repond</i>	
R&D WITH VERY FORWARD CALORIMETERS FOR LINEAR COLLIDERS	1897
<i>Marek Idzik</i>	
PULSED NEUTRON GENERATOR — GAMMA RAY SPECTROMETER MEASUREMENTS OF VENUS ELEMENTAL COMPOSITION	1901
<i>Ann M. Parsons ; Jim Grau ; David J. Lawrence ; Timothy P. McClanahan ; Jeffrey Miles ; Patrick N. Peplowski ; Luke Perkins ; Jeffrey S. Schweitzer ; Richard D. Starr</i>	
THE HIGH ENERGY PARTICLE DETECTOR ONBOARD THE CSES SATELLITE	1904
<i>Valentina Scotti ; Giuseppe Osteria</i>	
THE SENSER CLYC EXPERIMENT	1912
<i>Daniel D. S. Coupland ; Laura C. Stonehill ; Katherine E. Mesick ; John P. Dunn</i>	
DEVELOPMENTS IN ATOMIC LAYER DEPOSITED MICROCHANNEL PLATES	1916
<i>C. D. Ertley ; O. H. W. Siegmund ; T. Cremer ; C. A. Craven ; M. J. Minot ; J. Elam ; A. Mane</i>	
AN ORDER-STATISTICS-INSPIRED, FULLY-DIGITAL READOUT APPROACH FOR ANALOG SIPM ARRAYS	1923
<i>E. Venialgo ; N. Lusardi ; A. Geraci ; K. O'Neill ; S. Gneccchi ; C. Jackson ; S. E. Brunner ; D. R. Schaart ; E. Charbon</i>	
TRIROC, A VERSATILE 64-CHANNEL SIPM READOUT ASIC FOR TIME-OF-FLIGHT PET	1928
<i>Salleh Ahmad ; Christophe de la Taille ; Julien Fleury ; Nathalie Seguin-Moreau ; Ludovic Raux ; Stephane Callier ; Gisele Martin-Chassard ; Frederic Dulucq ; Damien Thienpont</i>	
PACIFIC: SILICON PHOTOMULTIPLIER READOUT ASIC FOR THE LHCb UPGRADE	1933
<i>Hervé Chanal ; Albert Comerma ; David Gascón ; Sergio Gómez ; Xiaoxue Han ; José Mazorra ; Nicolas Pillet ; Richard Vandaelle</i>	
SPACIROC3: A LOW POWER 100MHZ PHOTON COUNTING ASIC FOR COSMIC RAY OBSERVATORY	1940
<i>S. Blin ; F. Dulucq ; D. Thienpont ; C. de La Taille ; H. Miyamoto</i>	
A NOVEL ELECTRONICS FOR LARGE SCALE SIPM ARRAY READOUT AND ADVANCED PET APPLICATIONS	1943
<i>Zhixiang Zhao ; Qiu Huang ; Tengjie Sui ; Jianfeng Xu ; Qiyu Peng</i>	
THE ARAGORN FRONT-END — FPGA BASED IMPLEMENTATION OF A TIME-TO-DIGITAL CONVERTER	1945
<i>M. Büchele ; H. Fischer ; F. Herrmann ; C. Schaffer</i>	
THE NA62 GIGATRACKER DETECTOR	1948
<i>E. Gamberini</i>	
MEASURING THE MAGNETIC FLUX DENSITY WITH THE FLUX LOOPS AND HALL PROBES IN THE CMS MAGNET FLUX RETURN YOKE	1950
<i>B. Curé ; N. Amapane ; A. Ball ; A. Gaddi ; H. Gerwig ; A. Hervé ; V. I. Klyukhin ; R. Loveless ; M. Mulder</i>	
DEVELOPMENT OF A PROTOTYPE PORTABLE MUOGRAPHY DETECTOR FOR EXPLORATION OF UNDERGROUND CAVITIES	1953
<i>Kullapha Chaiwongkhrot ; Tadahiyo Kin ; Hiroaki Ohno ; Kazuhiro Kondo ; Hikaru Sato ; Yukinobu Watanabe</i>	
THE S-CVD RADIATION MONITORING AND BEAM ABORT SYSTEM OF THE BELLE-II VERTEX DETECTOR	1955
<i>L. Bosisio ; C. La Licata ; L. Lanceri ; L. Vitale</i>	
SYSTEM ARCHITECTURE AND DATA PROCESSING CAPABILITIES OF THE BEAM PROFILE MONITOR FOR THE CERN IRRAD FACILITY	1961
<i>Blerina Gkotse ; Emanuele Matli ; Federico Ravotti</i>	

THE DETECTION MODULE OF ARDESIA: A NEW, VERSATILE ARRAY OF SDDS FOR X-RAY SPECTROSCOPY SYNCHROTRON APPLICATIONS	1965
<i>G. Bellotti ; A. D. Butt ; M. Carminati ; C. Fiorini ; A. Balerna ; C. Piemonte ; N. Zorzi ; L. Bombelli</i>	
THE USE OF SINGLE-CRYSTAL CVD DIAMOND X-RAY BEAM DIAGNOSTICS FOR SYNCHROTRON BEAMLINE COMMISSIONING AND OPERATION AT DIAMOND LIGHT SOURCE LTD	1969
<i>Chris Bloomer ; Guenther Rehm</i>	
DEVELOPMENT AND DEPLOYMENT OF A FULLY PARAMETERIZED FAST MONTE CARLO SIMULATION IN LHCB	1976
<i>Benedetto G. Siddi</i>	
UFO — A SCALABLE PLATFORM FOR HIGH-SPEED SYNCHROTRON X-RAY IMAGING	1980
<i>Andreas Kopmann ; Suren Chilingaryan ; Matthias Vogelgesang ; Timo Drietschler ; Andrey Shkarin ; Roman Shkarin ; Tomy dos Santos Rolo ; Tomas Farago ; Thomas van de Kamp ; Matthias Balzer ; Michele Caselle ; Marc Weber</i>	
APPLICATION OF ECONOMETRIC DATA ANALYSIS METHODS TO PHYSICS SOFTWARE	1985
<i>Maria Grazia Pia ; Elisabetta Ronchieri</i>	
THE ELECTRONICS FOR DATA ACQUISITION AND DATA TRANSPORT FOR THE KM3NET TOWERS	1988
<i>Carlo Alessandro Nicolau</i>	
VIPRAM_LICMS: A 2-TIER 3D ARCHITECTURE FOR PATTERN RECOGNITION FOR TRACK FINDING	1991
<i>J. R. Hoff ; G. W. Deptuch ; S. Joshi ; T. Liu ; J. Olsen ; A. Shenai</i>	
THE PROTOTYPE DESIGN OF GFEX — A COMPONENT OF THE LICALO TRIGGER FOR THE ATLAS PHASE-I UPGRADE	1997
<i>Hucheng Chen ; Michael Begel ; Kai Chen ; Francesco Lanni ; Helio Takai ; Shaochun Tang ; Weihao Wu</i>	
LAUROC: “A NEW ELECTRONICALLY COOLED LINE-TERMINATING PREAMPLIFIER FOR THE ATLAS LIQUID ARGON CALORIMETER UPGRADE”	2002
<i>F. Dulucq ; C. de La Taille ; G. Martin-Chassard ; N. Seguin-Moreau ; L. Dufлот ; N. Morange ; L. Serin ; S. Simion</i>	
HVCMOS PIXEL DETECTORS FIRST MEASUREMENTS ON THE RETICLE SIZE PROTOTYPE FOR THE ATLAS PIXEL LAYERS	2007
<i>Felix Ehrler ; Ivan Peric ; Rudolf Schimassek</i>	
CHARACTERIZATION OF FULLY DEPLETED CMOS ACTIVE PIXEL SENSORS ON HIGH RESISTIVITY SUBSTRATES FOR USE IN A HIGH RADIATION ENVIRONMENT	2015
<i>Toko Hirono ; Marlon Barbero ; Patrick Breugnon ; Stéphanie Godiot ; Tomasz Hemperek ; Fabian Hüging ; Jens Janssen ; Hans Krüger ; Jian Liu ; Patrick Pangaud ; Ivan Peric ; David-Leon Pohl ; Alexandre Rozanov ; Piotr Rymaszewski ; Norbert Wermes</i>	
HVCMOS PIXEL DETECTORS — METHODS FOR ENHANCEMENT OF TIME RESOLUTION	2019
<i>Rudolf Schimassek ; Felix Ehrler ; Ivan Peric</i>	
WHY IS NUCLIDE IDENTIFICATION SO DIFFICULT? LESSONS FROM THE RASE PROGRAM	2024
<i>Nicolas Martin-Burtart</i>	
A COST EFFECTIVE MEANS OF EXTENDING THE LIFETIME OF PLASTIC SCINTILLATORS IN PORTAL MONITORS	2029
<i>Michael R. Kusner ; Peter R. Menge</i>	
CHARACTERIZATION OF NOVEL THIN N-IN-P PLANAR PIXEL MODULES FOR THE ATLAS INNER TRACKER UPGRADE	2033
<i>Julien-Christopher Beyer ; Alessandro La Rosa ; Anna Macchiolo ; Richard Nisius ; Natascha Savic</i>	
PASSIVE NEUTRON COINCIDENCE COUNTING WITH PLASTIC SCINTILLATORS FOR THE CHARACTERIZATION OF RADIOACTIVE WASTE DRUMS	2038
<i>B. Simony ; B. Pérot ; C. Carasco ; F. Jallu ; N. Saurel ; S. Colas ; P. Girones ; J. Collot</i>	
SELF-POWERED DETECTORS FOR TEST BLANKET MODULES IN ITER	2042
<i>Prasoon Raj ; Maurizio Angelone ; Ulrich Fischer ; Axel Klux</i>	
NEUTRON ACTIVATION SYSTEM FOR THE EUROPEAN ITER TEST BLANKET MODULES	2046
<i>Axel Klux ; Ulrich Fischer ; Daniel Gehre ; Bradut-Eugen Ghidhera ; Kuo Tian</i>	
FAST MEGAVOLTAGE X-RAYS RADIOSCOPY	2049
<i>N. Estre ; L. Berge ; E. Payan</i>	
CAPACITIVE SIGNAL COUPLING THROUGH THE VACUUM WALL IN LAPPD™ WITH A CONDUCTIVE METAL ANODE	2052
<i>Bernhard W. Adams ; Michael R. Foley ; Michael J. Minot ; Evan J. Angelico ; Todd M. Seiss ; Andrey Elagin ; Henry J. Frisch</i>	
FASPAX: A FAST, INTEGRATING DETECTOR FOR THE APS-UPGRADE	2057
<i>Kyung-Wook Shin ; Rebecca Bradford ; Jonathan Baldwin ; Davide Braga ; Gregory Deptuch ; Farah Fahim ; Tim Madden ; Tom Zimmerman</i>	
THE KLOE-2 CYLINDRICAL GEM INNER TRACKER: DETECTOR OPERATION, CALIBRATION AND PERFORMANCE	2061
<i>E. De Lucia ; A. Balla ; G. Bencivenni ; P. Branchini ; A. Budano ; M. Capodiferro ; S. Cerioni ; P. Ciambone ; E. Czerwinski ; G. De Robertis ; A. Di Cicco ; D. Domenici ; J. Dong ; G. Felici ; P. Fermani ; M. Gatta ; N. Lacalamita ; F. Loddò ; M. Mongelli ; G. Morello ; A. Palladino ; A. Pelosi ; A. Ranieri ; E. Tskhadadze ; V. Valentino</i>	
DEVELOPMENT AND TEST OF A μTPC CLUSTER RECONSTRUCTION FOR A TRIPLE GEM DETECTOR IN STRONG MAGNETIC FIELD	2066
<i>M. Alexeev ; A. Amoroso ; F. Bianchi ; M. Bertani ; D. Bettoni ; N. Canale ; A. Calcaterra ; V. Carassiti ; S. Cerioni ; J. Chai ; S. Chiozzi ; G. Cibinetto ; A. Cotta Ramusino ; F. Cossio ; F. De Mori ; M. Destefanis ; T. Edisher ; F. Evangelisti ; R. Farinelli ; L. Fava ; G. Felici ; E. Fioravanti ; I. Garzia ; M. Gatta ; M. Greco ; D. Jing ; L. Lavezzi ; C. Leng ; H. Li ; M. Maggiora ; R. Malaguti ; S. Marcello ; M. Melchiorri ; G. Mezzadri ; G. Morello ; P. Patteri ; J. Pellegrino ; A. Rivetti ; M. D. Rolo ; M. Saviré ; M. Scodreggio ; E. Soldani ; S. Sosio ; S. Spataro ; L. Yang</i>	

THE MPGD-BASED PHOTON DETECTORS FOR THE UPGRADE OF COMPASS RICH-1	2070
<i>M. Alexeev ; C. D. R. Azevedo ; R. Birsá ; F. Bradamante ; A. Bressan ; M. Büchele ; M. Chiosso ; P. Ciliberti ; S. Dalla Torre ; S. Dasgupta ; O. Denisov ; M. Finger ; M. Finger ; H. Fischer ; B. Gobbo ; M. Gregori ; G. Hamar ; F. Herrmann ; S. Levorato ; A. Maggiora ; N. Makke ; A. Martin ; G. Menon ; J. Novy ; D. Panzneri ; F. A. B. Pereira ; C. A. Santos ; G. Sbrizzai ; S. Schopferer ; M. Slunceka ; K. Steiger ; L. Steiger ; M. Sulc ; F. Tassarotto ; J. F. C. A. Veloso</i>	
PERFORMANCE OF THE RICH DETECTOR OF THE NA62 EXPERIMENT	2074
<i>Viacheslav Duk</i>	
DETECTION OF SPECIAL NUCLEAR MATERIALS WITH TAGGED NEUTRONS	2078
<i>B. Perot ; C. Carasco ; C. Deyglun ; G. Sannié ; J. Gameiro ; G. Corre ; K. Boudergui ; V. Konzdrasovs</i>	
HIGH-RESOLUTION IMAGING OF NUCLEAR WASTE CONTAINERS WITH MUON SCATTERING TOMOGRAPHY	2082
<i>Leonor Frazão ; Sam Maddrell-Mander ; Jaap Velthuis ; Christian Thomay</i>	
PORTABLE MUON SCATTERING TOMOGRAPHY DETECTORS FOR SECURITY IMAGING APPLICATIONS	2084
<i>J. Burns ; C. Steer ; M. Stapleton ; S. Quillin ; J. Boakes ; C. Eldridge ; C. Grove ; G. Chapman ; A. Lohstroh</i>	
POST-BLAST RADIOLOGICAL DISPERSAL DEVICE SOURCE TERM ESTIMATION	2089
<i>David L. Chichester ; James T. Johnson ; Scott M. Watson ; Scott J. Thompson ; Nick R. Mann ; Kevin P. Carney</i>	
A NOVEL SCHEME OF COMPTON IMAGING FOR NUCLEAR MEDICINE	2092
<i>Guntram Pausch ; Christian Golnik ; Alexander Schulz ; Wolfgang Enghardt</i>	
DEVELOPMENT OF A SIPM-BASED DETECTION MODULE FOR LARGE LABR₃:CE SCINTILLATORS FOR NUCLEAR PHYSICS APPLICATIONS	2097
<i>Giulia Cozzi ; Paolo Busca ; Marco Carminati ; Carlo Fiorini ; Alberto Gola ; Claudio Piemonte ; Veronica Regazzoni ; Franco Camera</i>	
DEVELOPMENT OF GAMMA-RAY DETECTOR SENSITIVE TO SOURCE DIRECTIONS USING GAGG(CE) SCINTILLATORS AND MPPCS	2102
<i>Keiki Kojima ; Takeshi Nakamori ; Daiki Nemoto ; Shuichi Gunji ; Hiroki Sato ; Shigeki Ito ; Sho Kato ; Masao Yoshino ; Yoshiyuki Usuki ; Jun Kataoka</i>	
NEW APPROACHES FOR A 2D NEUTRON DETECTOR BASED ON ZNS:⁶LIF SCINTILLATOR READ OUT WITH WLS-FIBERS AND SIPMS	2105
<i>Alexey Stoykov ; Jean-Baptiste Mosset ; Malte Hildebrandt</i>	
LABORATORY TESTS FOR X-RAYS CRYSTAL DETECTORS WITH SIPM ARRAY READOUT	2111
<i>M. Bonesini ; R. Bertoni ; T. Cervi ; M. Clemenza ; A. deBari ; R. Mazza ; A. Menegolli ; M. Nastasi ; M. Rossella</i>	
DEVELOPMENT OF THE FAST AND EFFICIENT GAMMA DETECTOR USING CHERENKOV LIGHT	2116
<i>Clotilde Canot ; Olga Kochebina ; Marharya Alokina ; Philippe Abbon ; Jean-Pierre Bard ; Gerard Tauzin ; Dominique Yvon ; Viatcheslav Sharpy</i>	
HIGH PRECISION TIMING MEASUREMENT IN THE CALICE ANALOGUE HADRONIC CALORIMETER	2120
<i>Eldwan Brianne</i>	
RUGGED, COMPACT DIAMOND-BASED FAST NEUTRON DETECTOR OPERATING AT UP TO 200°C	2126
<i>Olivier Philip ; Frederic Gicquel ; Vincent Ernst ; Zilu Zhou</i>	
HIGH TEMPERATURE OPERATION OF SINGLE CRYSTAL DIAMOND DETECTORS	2130
<i>Maurizio Angelone ; Riccardo Pilotti ; Francesca Sarto ; Salvatore Fiore ; Stefano Loreti ; Guglielmo Pagano ; Mario Pillon ; Marco Marinelli ; Enrico Milani ; Claudio Verona ; Giuseppe Prestopino ; Gianluca Verona-Rinati</i>	
FOURTH-GENERATION MICROSTRUCTURED SEMICONDUCTOR NEUTRON DETECTOR (MSND)-BASED ³HE REPLACEMENT (HEREP) FOR HIGH PRESSURE ³HE DETECTORS	2134
<i>Taylor R. Ochs ; Steven L. Bellinger ; Ryan. G. Fronk ; Luke C. Henson ; David E. Huddleston ; Graham E. Schlaikier ; Timothy J. Sobering ; Adam Van Bergeijk ; Douglas S. McGregor</i>	
THE FRASCATI NEUTRON GENERATOR: PRESENT ACTIVITIES AND FUTURE UPGRADES	2139
<i>S. Fiore ; M. Angelone ; S. Loreti ; A. Pietropaolo ; M. Pillon</i>	
A SCALABLE DATA ACQUISITION SYSTEM FOR THE CALICE TILE HADRON CALORIMETER	2142
<i>Jiri Kvasnicka</i>	
REAL-TIME TRACK RECONSTRUCTION DURING READOUT USING AN ARTIFICIAL RETINA ARCHITECTURE	2148
<i>Franco Bedeschi ; Riccardo Cenci ; Pietro Marino ; Michael J. Morello ; Giovanni Punzi ; Luciano Ristori ; Franco Spinella ; Simone Stracka ; John Walsh</i>	
LIQUID CONTRABANDS CLASSIFICATION WITH MIXED XRD SPECTRA	2150
<i>Tian-yi YangDai ; Li Zhang</i>	
NULL-HYPOTHESIS TESTING USING DISTANCE METRICS FOR VERIFICATION OF ARMS-CONTROL TREATIES	2154
<i>Mohammad Khalil ; Erik M. Brubaker ; Nathan R. Hilton ; Matthew A. Kupinski ; Christopher J. MacGahan ; Peter A. Marleau</i>	
DSSD BASED SPECTROMETER OF THE DUBNA GAS-FILLED RECOIL SEPARATOR TO SEARCH FOR ER-ALPHA SEQUENCES IN A REAL-TIME	2158
<i>Yury S. Tsyganov ; Alexander N. Polyakov ; Alexey A. Voinov</i>	
SIRIUS PROJECT (SPECTROSCOPY & IDENTIFICATION OF RARE ISOTOPES USING S3)	2162
<i>N. Karkour ; B. Sulignano ; J. Piot ; H. Savagols ; A. Drouart ; M. Authier ; V. Alaphilippe ; A. Boujrad ; P. Brionnet ; Th. Chaminade ; S. Coudert ; F. Dechery ; E. Delagnes ; O. Dorvaux ; B. Gall ; L. Gibelin ; T. Goeltzenlichter ; K. Hauschild ; S. Herlant ; X. Lafay ; F. Le Blanc ; G. Lebertre ; Th. Lefrou ; L. Legeard ; D. Linget ; F. Lutton ; A. Lopez-Martens ; C. Mathieu ; C. Maugeais ; Y. Moudén ; J. Pancin ; F. Saillant ; Ch. Spitaëls ; Ch. Theisen ; M. Tripon ; G. Wittwer</i>	
STUDY OF EXPERIMENTAL PERFORMANCES AT VARIOUS FLUENCE RATES ON CDTE SPECTROMETRIC IMAGING DETECTOR	2168
<i>Silvère Lux ; Sybelle Deloule ; Didier Perion ; Patrick Radisson ; Herwig Requardt</i>	

ADVANCES IN CDZNT AND CDMNTE SEMICONDUCTORS FOR DETECTION OF RADIOLOGICAL AND NUCLEAR THREATS	2172
<i>Stephen U. Egarievwe ; Ralph B. James ; Utpal N. Roy ; Aleksey E. Bolotnikov ; Eric D. Lukosi ; Oghaghare K. Okobiah ; Ifechukwude O. Okwechime ; Rubi Gul ; Giuseppe S. Camarda ; Ge Yang ; Anwar Hossain</i>	
HIGH LINEARITY SILICON CARBIDE DETECTORS FOR MEDICAL APPLICATIONS	2176
<i>N. S. Mohamed ; N. G. Wright ; A. B. Horsfall</i>	
EVALUATION OF SUITABILITY OF GAAS:CR SENSORS FOR X-RAY TRANSMISSION TECHNOLOGY OF DIAMOND-BEARING ORE ENRICHMENT	2181
<i>A. N. Zarubin ; A. D. Lozinskaya ; M. S. Skakunov ; O. P. Tolbanov ; A. V. Tyazhev ; S. A. Ryabkov ; E. N. Vladimirov ; T. E. Romanovskaya ; S. R. Belotserkovskii</i>	
HYBRID RECONSTRUCTION METHOD AT INTERMEDIATE ENERGY RANGE.....	2185
<i>Yilin Liu ; Yulan Li ; Jianqiang Fu ; Yuanjing Li ; Yuxiang Xing</i>	
DIGITAL CZT DETECTOR SYSTEM FOR HIGH FLUX ENERGY-RESOLVED X-RAY IMAGING.....	2188
<i>L. Abbene ; F. Principato ; G. Gerardi ; G. Benassi ; N. Zambelli ; A. Zappettini ; M. Bettelli ; P. Seller ; M. C. Veale</i>	
DECIMO: A SIMULATION TOOL TO EXPLORE NEXT GENERATION OF DETECTORS FOR SYNCHROTRON RADIATION APPLICATIONS	2195
<i>Tamatoro Johng-ay ; Pablo Fajardo ; Thierry Martin ; Cyril Ponchut ; Paul-Antoine Douissard ; Marie Ruat</i>	
MEASUREMENT AND SIMULATION OF THE RESPONSE TO FAST NEUTRONS OF VPE GAAS DETECTORS WITH POLYETHYLENE CONVERTER.....	2202
<i>S. V. Chernykh ; A. V. Chernykh ; F. M. Baryshnikov ; N. Burtebayev ; G. I. Britvich ; A. P. Chubenko ; Zh. Kerimkulov ; T. Zholdybayev ; Marzhan Nassurlla ; Maulen Nassurlla ; M. P. Konovalov ; S. I. Didenko</i>	
DEVELOPMENT OF NEUTRON IMAGE SENSOR TECHNOLOGY FOR AD-BANG PROJECT	2206
<i>Tomas Slavicek ; Petr Masek ; Stanislav Pospisil ; Sture Petersson ; Dirk Meier ; Thor-Erik Hansen ; Angela Kok ; Ozhan Koybasi ; Tomas Trojek ; Tomas Urban ; Jiri Hulka ; Peter Rubovic ; Pavel Zlebcik ; Zdenek Kohout</i>	
SPACE-CHARGE LIMITED TRANSPORT IN CDTE-BASED X- AND γ-RAY DETECTORS.....	2208
<i>O. L. Maslyanchuk ; M. M. Solovan ; V. V. Kulchynsky ; V. A. Gnatyuk ; T. Aoki</i>	
POSSIBILITIES OF CDTE-BASED X/γ-RAY DETECTORS WITH MOO_x CONTACTS	2210
<i>O. L. Maslyanchuk ; M. M. Solovan ; V. V. Kulchynsky ; V. V. Brus ; P. D. Maryanchuk ; I. M. Fodchuk ; V. A. Gnatyuk ; T. Aoki ; C. Potiradis ; Y. Kaissas</i>	
THEORETICAL APPROACH TO THE ENERGY RESOLUTION OF SEMICONDUCTOR DETECTORS	2213
<i>Victor V. Samedov</i>	
ON-THE-FLY FAST X-RAY TOMOGRAPHY INSPECTION OF THE QUASI-BRITTLE MATERIAL THREE POINT BENDING TEST	2218
<i>Ivana Kumpová ; Michal Vopálenský ; Tomáš Fila ; Daniel Kytýr ; Daniel Vavřík ; Martin Pichotka ; Jan Jakubek ; Václav Veselý</i>	
BIAS DEPENDENCE OF THE ENERGY RESOLUTION OF SEMICONDUCTOR HEMISPHERICAL DETECTORS.....	2221
<i>Victor V. Samedov</i>	
RECENT RESULTS FROM PIXELATED TLBR DETECTORS WITH TL ELECTRODES OPERATED AT ROOM-TEMPERATURE.....	2226
<i>Charles Leak ; William Koehler ; Sean O'Neal ; Zhong He ; Keitaro Hitomi</i>	
LASER-BASED TECHNIQUE OF FORMATION OF CDTE — METAL DIODE STRUCTURES FOR HIGH ENERGY RADIATION DETECTORS.....	2229
<i>Kateryna Zelenska ; Dmytro Gnatyuk ; Toru Aoki</i>	
SURFACE PASSIVATION AND CONTACTS IN CDZNT X-RAYS AND GAMMA-RAYS DETECTORS	2232
<i>Stephen U. Egarievwe ; Eric D. Lukosi ; Mebougna L. Drabo ; Ifechukwude O. Okwechime ; Oghaghare K. Okobiah ; Aaron L. Adams ; Anwar Hossain ; Utpal N. Roy ; Rubi Gul ; Ralph B. James</i>	
BATCH ANNEALING OF CDMNTE WAFERS FOR NUCLEAR DETECTOR APPLICATIONS.....	2235
<i>Aaron L. Adams ; Mebougna L. Drabo ; Stephen U. Egarievwe ; Ezekiel O. Agbalagba ; Julius O. Jow ; Alexander A. Egarievwe ; Utpal N. Roy ; Ralph B. James</i>	
ANALYTICAL ADMITTANCE RESPONSE OF HIGH MOBILITY TRANSISTOR CHANNELS	2238
<i>Mahi Fatima Zohra ; Hugues Marinchio ; Cristophe Palermo ; Luca Varani</i>	
NEW POSITION ALGORITHMS FOR THE 3D CZT DRIFT DETECTOR	2242
<i>C. Budtz-Jorgensen ; I. Kuvvetli</i>	
DISCRIMINATION OF SINGLE-SITE AND MULTI-SITE EVENTS IN CZT-CPG DETECTORS FOR THE COBRA EXPERIMENT	2249
<i>Stefan Zatschler</i>	
SPATIALLY RESOLVED INVESTIGATION OF LARGE CDZNT DETECTORS WITH A COPLANAR QUAD-GRID.....	2254
<i>Robert Temminghof</i>	
MULTIMODAL ANALYSIS OF CULTURAL HERITAGE ARTEFACTS UTILIZING COMPUTED TOMOGRAPHY AND X-RAY FLUORESCENCE IMAGING	2258
<i>Daniel Vavřík ; Jan Jakubek ; Jiri Lauterkrane ; Ivana Kumpova ; Michal Vopalsky ; Jan Zemlicka</i>	
MATERIAL DISCRIMINATION AND IMAGING IMPROVEMENT USING HIGH COUNT RATE X-RAY SPECTROMETRIC DETECTOR FOR NON-DESTRUCTIVE TESTING AND SECURITY APPLICATIONS.....	2261
<i>Didier Perion ; Elena Gaboriau-Borissenko ; Patrick Radisson</i>	
HIGH BIAS VOLTAGE CZT DETECTORS FOR HIGH-FLUX MEASUREMENTS	2268
<i>L. Abbene ; N. Zambelli ; G. Gerardi ; G. Raso ; G. Benassi ; M. Bettelli ; F. Principato ; A. Zappettini</i>	
DIRECT GAMMA-RAY DETECTION WITH STRIP TLBR DETECTORS FOR NUCLEAR MEDICINE APPLICATIONS.....	2274
<i>G. Ariño-Estrada ; L. J. Cirignano ; H. Kim ; J. Du ; K. S. Shah ; S. R. Cherry ; G. S. Mitchell</i>	

INFLUENCE OF SIPM SINGLE PHOTON TIMING RESOLUTION ON COINCIDENCE TIMING RESOLUTION WITH FAST SCINTILLATOR	2279
<i>D. Philippov ; E. Popova ; V. Belyaev ; P. Buzhan ; A. Stifutkin ; S. Vinogradov</i>	
PRECISE METROLOGY OF SIPM: MEASUREMENT AND RECONSTRUCTION OF TIME DISTRIBUTIONS OF SINGLE PHOTON DETECTIONS AND CORRELATED EVENTS	2284
<i>Sergey Vinogradov</i>	
RADIATION DAMAGE STUDIES OF SIPMS AT LOW TEMPERATURES	2288
<i>T. Tsang ; T. Rao ; C. Woody ; S. Stoll ; M. Chiu</i>	
SINGLE PHOTON DETECTION BY GASEOUS COUNTERS: STATUS AND PERSPECTIVES	2290
<i>S. Dalla Torre</i>	
LARGE AREA VUV-SENSITIVE MPPCS FOR LIQUID XENON DETECTOR IN MEG II EXPERIMENT	2294
<i>Shinji Ogawa</i>	
CRYSTAL GROWTH OF LARGE DIAMETER STRONTIUM IODIDE SCINTILLATORS USING IN SITU STOICHIOMETRY MONITORING	2299
<i>Amlan Datta ; Stephanie Lam ; Stacy Swider ; Shariar Motakef</i>	
Author Index	