

ESSCIRC 2017 – 43rd IEEE European Solid State Circuits Conference

**Leuven, Belgium
11-14 September 2017**



**IEEE Catalog Number: CFP17542-POD
ISBN: 978-1-5090-5026-0**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP17542-POD
ISBN (Print-On-Demand):	978-1-5090-5026-0
ISBN (Online):	978-1-5090-5025-3
ISSN:	1930-8833

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

ESSCIRC 2017 Table of Contents

A1L-A Joint Plenary 1: Françoise Chombar, Melexis - Engineering a Safe, Clean & Comfortable Future

Date: Tuesday, September 12, 2017

Time: 09:00 - 09:40

Room: Vesalius

Chair(s): Georges Gielen; *KU Leuven*

Engineering a Safe, Clean & Comfortable Future No paper
Françoise Chombar
Melexis, Belgium

A2L-A Joint Plenary 2: Peter Real, Analog Devices - Navigating without a Moore's Law Compass

Date: Tuesday, September 12, 2017

Time: 09:40 - 10:20

Room: Vesalius

Chair(s): Georges Gielen; *KU Leuven*

Navigating Without a Moore's Law Compass No paper
Peter Real
Analog Devices Inc, Ireland

B1L-A Joint Plenary 3: Hans Stork, ON Semiconductor - Smart Power for Automotives

Date: Wednesday, September 13, 2017

Time: 08:45 - 09:25

Room: Vesalius

Chair(s): Jo De Boeck; *imec*

Smart Power for Automotives No paper
Johannes Stork
ON Semiconductor, United States

C1L-A Joint Plenary 4: Tetsuo Endoh, Tohoku University – Spintronics Applications: STT-MRAM and Non Volatile Logic

Date: Thursday, September 14, 2017

Time: 08:45 - 09:25

Room: Vesalius

Chair(s): Jo De Boeck; *imec*

Spintronics Applications: STT-MRAM and Non Volatile Logic No paper
Tetsuo Endoh
Tohoku University, Japan

A5L-B ESSCIRC Keynote 1: Yves Baeyens, Nokia Bell Labs: Solving Capacity Bottlenecks in Fixed Access Comms

Date: Tuesday, September 12, 2017
Time: 15:50 - 16:30
Room: AP00.15
Chair(s): Wim Dehaene; *imec*

Solving the Capacity Bottlenecks in Fixed Access Communications.....No paper
Yves Baeyens
Nokia Bell Labs, United States

B3L-B ESSCIRC Keynote 2: Sven Mattisson, Ericsson - Overview of 5G Requirements & Future Wireless Networks

Date: Wednesday, September 13, 2017
Time: 13:30 - 14:10
Room: AP00.15
Chair(s): Filip Tavernier; *KU Leuven*

Overview of 5G Requirements and Future Wireless Networks..... 1
Sven Mattisson
Ericsson Research, Sweden

C3L-B ESSCIRC Keynote 3: Harish Krishnaswamy, Columbia Univ. - Integrated Antenna-Interface Components

Date: Thursday, September 14, 2017
Time: 13:30 - 14:10
Room: AP00.15
Chair(s): Patrick Reynaert; *KU Leuven*

Integrated Antenna-Interface Components – A Blessing for Wireless Transceivers ...No paper
Harish Krishnaswamy
University of Columbia, United States

A3L-B References

Date: Tuesday, September 12, 2017
Time: 11:00 - 12:20
Room: AP00.15
Chair(s): Peter Mole; *Intersil*
Marco Berkhout; *NXP*

A Frequency-Locked Loop Based on an Oxide Electrothermal Filter in Standard CMOS	7
Lorenzo Pedalà, çağrı Gürleyük, Sining Pan, Fabio Sebastiano, Kofi Makinwa <i>Delft University of Technology, Netherlands</i>	
A Compact Programmable Differential Voltage Reference with Unbuffered 4 mA Output Current Capability and ± 0.4 % Untrimmed Spread	11
Simone Del Cesta ³ , Andrea Ria ² , Roberto Simmarano ² , Massimo Piotto ¹ , Paolo Bruschi ³ ¹ IEIT-CNR - Pisa, Italy; ² Sensichips srl, Italy; ³ University of Pisa, Italy	
A 420 fW Self-Regulated 3T Voltage Reference Generator Achieving 0.47%/V Line Regulation from 0.4-to-1.2 V	15
Hui Wang, Patrick Mercier <i>University of California, San Diego, United States</i>	
A 1.02nW PMOS-Only, Trim-Free Current Reference with 282ppm/°C from -40°C to 120°C and 1.6% Within-Wafer Inaccuracy	19
Qing Dong, Inhee Lee, Kaiyuan Yang, David Blaauw, Dennis Sylvester <i>University of Michigan, Ann Arbor, United States</i>	

A3L-C RF Receivers and Detectors

Date: Tuesday, September 12, 2017
Time: 11:00 - 12:20
Room: AV91.12
Chair(s): Marc Tiebout; *Infineon*
Andrea Neviani; *Università degli studi di Padova*

A Noise-Efficient, In-Pixel Readout for FET-Based THz Detectors with Direct Incremental A/D Conversion 23

Moustafa Khatib, Matteo Perenzoni, David Stoppa
Fondazione Bruno Kessler, Italy

A 0.7-2 GHz Auxiliary Receiver with Enhanced Compression for SAW-Less FDD 27

Daniele Montanari², Danilo Manstretta², Rinaldo Castello², Gerardo Castellano¹
¹*University of Napoli Federico II, Italy*; ²*University of Pavia, Italy*

A HBT-Based 300MHz-12 GHz Blocker-Tolerant Mixer-First Receiver 31

Robin Ying¹, Matthew Morton², Alyosha Molnar¹
¹*Cornell University, United States*; ²*Raytheon, United States*

A 400 MHz 4.5 nW -63.8 dBm Sensitivity Wake-Up Receiver Employing an Active Pseudo-Balun Envelope Detector 35

Po-Han Peter Wang, Haowei Jiang, Li Gao, Pinar Sen, Young-Han Kim, Gabriel Rebeiz,
Patrick Mercier, Drew Hall
University of California, San Diego, United States

A3L-D Digital Accelerators

Date: Tuesday, September 12, 2017

Time: 11:00 - 12:20

Room: AV01.12

Chair(s): Andreas Burg; *École polytechnique fédérale de Lausanne*
Tobias Noll; *Rheinisch-Westfälische Technische Hochschule Aachen*

A 3-GHz Reconfigurable 2/3-Level 96/48-Channel Cross-Correlator for Synthetic Aperture Radiometry..... 39

Erik Ryman¹, Anders Emrich², Lars Svensson¹, Per Larsson-Edefors¹

¹Chalmers University of Technology, Sweden; ²Omnisys Instruments AB, Sweden

Accuracy/Energy-Flexible Stochastic Configurable 2D Gabor Filter with Instant-on Capability..... 43

Naoya Onizawa², Kazumichi Matsumiya², Warren Gross¹, Takahiro Hanyu²

¹McGill University, Canada; ²Tohoku University, Japan

A 0.17-mm² 3.19-nJ/Transform 256-Point Fast Fourier Transform Core Based on Spatiotemporally Fine-Grained Active Leakage Suppression 47

Joao Pedro Cerqueira, Mingoo Seok

Columbia University, United States

Improved Power Side Channel Attack Resistance of a 128-Bit AES Engine with Random Fast Voltage Dithering..... 51

Arvind Singh¹, Monodeep Kar¹, Sanu Mathew², Anand Rajan², Vivek De², Saibal

Mukhopadhyay¹

¹Georgia Tech, United States; ²Intel Corporation, United States

A3L-E Optical Sensors

Date: Tuesday, September 12, 2017

Time: 11:00 - 12:20

Room: AV03.12

Chair(s): Robert Henderson; *University of Edinburgh*
Matteo Perenzoni; *Fondazione Bruno Kessler*

A <25 uW CMOS Monolithic Photoplethysmographic Sensor with Distributed 1b Delta-Sigma Light-to-Digital Convertor 55

Hyung-Gi Kim, Dong-Woo Jee
Ajou University, Korea

An 80 X 25 Pixel CMOS Single-Photon Range Image Sensor with a Flexible on-Chip Time Gating Topology for Solid State 3D Scanning 59

Henna Ruokamo, Lauri Hallman, Harri Rapakko, Juha Kostamovaara
University of Oulu, Finland

Pixel Array with 5x5 Spatial Highpass Filter for a Retinal Implant 63

Henning Schütz, Stefan Gambach, Hans Kaim, Albrecht Rothermel
University of Ulm, Germany

A Sun Sensor Implemented with an Asynchronous Luminance Vision Sensor 67

Juan Antonio Leñero-Bardallo¹, Lukasz Farian², José María Guerrero-Rodríguez¹,
Ricardo Carmona-Galán³, ángel Rodríguez-Vázquez³
¹*University of Cádiz, Spain*; ²*University of Oslo, Norway*; ³*University of Seville, Spain*

A4L-B Amplifiers and Comparators

Date: Tuesday, September 12, 2017

Time: 14:00 - 15:20

Room: AP00.15

Chair(s): Pieter Harpe; *TU Eindhoven*

Kimmo Koli; *Ericsson*

A 30fJ/Comparison Dynamic Bias Comparator 71

Harijot Singh Bindra, Chris E. Lokin, Anne-Johan Annema, Bram Nauta

University of Twente, Netherlands

A 1.6 μ W Tunable Organic Transimpedance Amplifier for Photodetector Applications Based on Gain-Boosted Common-Gate Input Stage and Voltage-Controlled Resistor with $\pm 0.5\%$ Nonlinearity..... 75

Samar Elsaegh², Hagen Klauk¹, Ute Zschieschang¹, Hans Zappe², Yiannos Manoli²

¹Max Planck Institute for Solid State, Germany; ²University of Freiburg - IMTEK, Germany

A Transimpedance Amplifier Using a Widely Tunable PVT-Independent Pseudo-Resistor for High-Performance Current Sensing Applications..... 79

Denis Djekic⁴, Georg Fantner¹, Jan Behrends², Klaus Lips³, Maurits Ortmanns⁴, Jens Anders⁴

¹EPFL Lausanne, Switzerland; ²Free University of Berlin, Germany; ³Helmholtz-Zentrum Berlin for Materials and Energy, Germany; ⁴University of Ulm, Germany

Push-Pull Amplifier with Constant Transconductance for a Current Sense Application 83

Emiliano Alejandro Puia, Adriano Sambucco

Infineon Technologies Austria AG, Austria

A4L-C Oscillators

Date: Tuesday, September 12, 2017

Time: 14:00 - 15:20

Room: AV91.12

Chair(s): Jaehyouk Choi; *UNIST*

Kenichi Okada; *Tokyo Institute of Technology*

A 30-GHz Class-F23 Oscillator in 28nm CMOS Using Harmonic Extraction and Achieving 120 kHz 1/F3 Corner 87

Yizhe Hu, Teerachot Siriburanon, Robert Bogdan Staszewski

University College Dublin, Ireland

A 21GHz 20.5%-Tuning Range Colpitts VCO with -119 dBc/Hz Phase Noise at 1MHz Offset 91

Fabio Boscolo², Fabio Padovan¹, Fabio Quadrelli², Marc Tiebout¹, Andrea Neviani²,
Andrea Bevilacqua²

¹*Infineon Technologies Austria AG, Austria*; ²*University of Padova, Italy*

A 1-MHz On-Chip Relaxation Oscillator with Comparator Delay Cancelation 95

Josip Mikulic¹, Gregor Schatzberger¹, Adrijan Baric²

¹*ams AG, Austria*; ²*University of Zagreb, Croatia*

A 1.6%/V 124.2 pW 9.3 Hz Relaxation Oscillator Featuring a 49.7 pW Voltage and Current Reference Generator 99

Hui Wang, Patrick Mercier

University of California, San Diego, United States

A4L-D Wireline and Optical

Date: Tuesday, September 12, 2017
Time: 14:00 - 15:20
Room: AV01.12
Chair(s): Filip Tavernier; *KU Leuven*
Thomas Toifl; *IBM Zurich Research Laboratory*

A 120GHz in-Band Full-Duplex PMF Transceiver with Tunable Electrical-Balance Duplexer in 40nm CMOS..... 103

Niels Van Thienen, Patrick Reynaert
KU Leuven ESAT-MICAS, Belgium

A 20Gbps 1.2GHz Full-Duplex Integrated AFE in 28nm CMOS for Copper Access 107

Thibaut Gurné², Maarten Strackx², Maarten Tytgat², Jan Cools¹, Patrick Reynaert¹
¹*KU Leuven, ESAT-MICAS, Belgium*; ²*Nokia Bell Labs, United States*; ²*Nokia Bell Labs, Belgium*

Highly Integrated Wavelength-Locked Si Photonic Ring Transmitter Using Direct Monitoring of Drop-Port OMA..... 111

Saurabh Agarwal³, Mark Ingels¹, Marianna Pantouvaki¹, Michiel Steyaert², Philippe Absil¹, Joris Vancampenhout¹
¹*imec, Belgium*; ²*KUL, Belgium*; ³*KUL / imec, Belgium*

DDR4 Transmitter with AC-Boost Equalization and Wide-Band Voltage Regulators for Thin-Oxide Protection in 14-nm SOI CMOS Technology 115

Marcel Kossel, Christian Menolfi, Pier Andrea Francese, Lukas Kull, Thomas Morf, Thomas Toifl, Matthias Brändli, Alessandro Cevrero, Danny Luu, Ilter Ozkaya, Hazar Yueksel
IBM, Switzerland

A6L-B Energy Harvesting

Date: Tuesday, September 12, 2017

Time: 16:40 - 17:40

Room: AP00.15

Chair(s): Andrei Vladimirescu; *University of California, Berkeley*

Stefano D'Amico; *Università del Salento*

A Piezoelectric Energy Harvester Interface Circuit with Adaptive Conjugate Impedance Matching, Self-Startup and 71% Broader Bandwidth 119

Yifeng Cai², Yiannos Manoli¹

¹*Hahn-Schickard, Germany*; ²*IMTEK, University Freiburg, Germany*

A 2.4μW Input Power Electronic Interface Circuit for Piezoelectric MEMS Harvesters 123

Giuseppe Elia Biccario¹, Massimo De Vittorio¹, Stefano D'Amico²

¹*CBN (Center for Biomolecular Nanotechnologies) - IIT (Istituto Italiano di Tecnologia), Italy*; ²*Dipartimento di Ingegneria dell'Innovazione - Università del Salento, Italy*

A 25 mV-Startup Cold Start System with On-Chip Magnetics for Thermal Energy Harvesting 127

Preet Garcha¹, Dina El-Damak³, Nachiket Desai¹, Jorge Troncoso¹, Erika Mazotti², Joyce Mullenix², Shaoping Tang², Django Trombley², Dennis Buss², Jeffrey Lang¹, Anantha Chandrakasan¹

¹*Massachusetts Institute of Technology, United States*; ²*Texas Instruments, United States*; ³*University of Southern California, United States*

A6L-C Advanced ADC Techniques

Date: Tuesday, September 12, 2017

Time: 16:40 - 17:40

Room: AV91.12

Chair(s): Klaas Bult; *TU Delft*

Piero Malcovati; *Università degli Studi di Pavia*

A 13mW 64dB SNDR 280MS/s Pipelined ADC Using Linearized Open-Loop Class-AB Amplifiers 131

Rohan Sehgal¹, Frank van der Goes¹, Klaas Bult²

¹*Broadcom Ltd, Netherlands*; ²*Delft University of Technology, Netherlands*

A 0.11mm² 164dB-FOM 0.18um CMOS Pipelined ADC with Novel Passive Amplification 135

Takashi Oshima, Taizo Yamawaki, Koji Maeda

Hitachi Ltd., Japan

A CT Delta-Sigma ADC with 9/50MHz BW Achieving 73/71dB DR Designed for Robust Blocker Tolerance in 14nm FinFET 139

Francesco Conzatti¹, Lukas Doerrer¹, Patrick Torta¹, Claus Kropf¹, Dirk Paetzold¹, Jacinto San Pablo Garcia², Venerando Rallos², Norbert Schembera²

¹*Intel Austria, Austria*; ²*Intel Germany, Germany*

A6L-D Digital-intensive Frequency Synthesis

Date: Tuesday, September 12, 2017

Time: 16:40 - 17:40

Room: AV01.12

Chair(s): Bogdan Staszewski; *University College Dublin*

Martin Flatscher; *Infineon Technologies AG*

A 14-Bit, 1-ps Resolution, Two-Step Ring and 2D Vernier TDC in 130nm CMOS

Technology 143

Hechen Wang, Fa Dai

Auburn University, United States

Quantizer-Less Proportional Path Fractional-N Digital PLL with a Low-Power High-Gain Time Amplifier and Background Multi-Point Spur Calibration 147

Minuk Heo², Sunghyun Bae², Jayeol Lee¹, Cheonsu Kim¹, Minjae Lee²

¹*Electronics and Telecommunications Research Institute, Korea;* ²*Gwangju Institute of Science and Technology, Korea*

A 7GS/s Direct Digital Frequency Synthesizer with a Two-Times Interleaved RDAC in 65nm CMOS 151

Abdel Martinez Alonso, Masaya Miyahara, Akira Matsuzawa

Tokyo Institute of Technology, Japan

A6L-E Digital Processors

Date: Tuesday, September 12, 2017
Time: 16:40 - 17:40
Room: AV03.12
Chair(s): Sylvain Clerc; *STMicroelectronics*
Stefan Rusu; *TSMC*

Design Margin Elimination in a Near-Threshold Timing Error Masking-Aware 32-Bit ARM Cortex M0 in 40nm CMOS..... 155

Hans Reyserhove, Wim Dehaene
KU Leuven, Belgium

A 2.7pJ/Cycle 16MHz SoC with 4.3nW Power-Off ARM Cortex-M0+ Core in 28nm FD-SOI..... 159

Guénolé Lallement³, Fady Abouzeid², Martin Cochet³, Jean-Marc Daveau², Philippe Roche², Jean-Luc Autran¹
¹*Aix Marseille University (IM2NP), France*; ²*ST Microelectronics, France*; ³*ST Microelectronics - Aix Marseille University (IM2NP), France*

Near-Vt Adaptive Microprocessor and Power-Management-Unit System Based on Direct Error Regulation..... 163

Seongjong Kim, Joao Pedro Cerqueira, Mingoo Seok
Columbia University, United States

B2L-B High Speed ADC

Date: Wednesday, September 13, 2017

Time: 10:10 - 11:50

Room: AP00.15

Chair(s): Lucien Breems; *NXP Semiconductors N.V.*
Georgi Radulov; *Technische Universiteit Eindhoven*

A 36.4dB SNDR @ 5GHz 1.25GS/s 7b 3.56mW Single-Channel SAR ADC in 28nm Bulk CMOS 167

Athanasios Ramkaj¹, Maarten Strackx², Michiel Steyaert¹, Filip Tavernier¹

¹KU Leuven, Belgium; ²Nokia, Bell Labs, Belgium

A 28 nm 2 GS/s 5-b Single-Channel SAR ADC with gm-Boosted StrongARM Comparator..... 171

Pierluigi Cenci², Muhammed Bolatkale³, Robert Rutten³, Gerard Lassche¹, Kofi Makinwa², Lucien Breems³

¹Catena Microelectronics, Netherlands; ²Delft University of Technology, Netherlands;

³NXP Semiconductors, Netherlands

A 43.6-dB SNDR 1-GS/s Single-Channel SAR ADC Using Coarse and Fine Comparators with Background Comparator Offset Calibration..... 175

Guanhua Wang², Kexu Sun², Qing Zhang¹, Salam Elahmadi¹, Ping Gui²

¹Menara Network, United States; ²Southern Methodist University, United States

A 12b, 1 GSps TI Pipelined-SAR Converter with 65 dB SFDR Through Buffer Linearization and Gain Mismatch Correction in 28nm FD-SOI..... 179

Mattias Palm, Daniele Mastantuono, Roland Strandberg, Lars Sundström, Sven Mattisson

Ericsson AB, Sweden

Background Calibration Using Noisy Reference ADC for a 12b 600MS/s 2xTI SAR ADC in 14nm CMOS FinFET 183

Danny Luu¹, Lukas Kull², Thomas Toifl², Christian Menolfi², Matthias Braendli², Pier Andrea Francesc², Thomas Morf², Marcel Kossel², Hazar Yueksel², Alessandro Cevrero², Ilter Ozkaya², Qiuting Huang¹

¹ETH Zurich, Switzerland; ²IBM Research Zurich, Switzerland

B2L-C Transmitters and Power Amplifiers for mm-Wave and IoT

Date: Wednesday, September 13, 2017
Time: 10:10 - 12:10
Room: AV91.12
Chair(s): Domine Leenaerts; *NXP Semiconductors N.V.*
Jussi Ryyanen; *Aalto University*

Class-AB and Class-J 22 dBm SiGe HBT PAs for X -Band Radar Systems 187

Paolo Scaramuzza¹, Carlo Rubino³, Marc Tiebout³, Michele Caruso³, Markus Ortner²,
Andrea Neviani¹, Andrea Bevilacqua¹
¹DEI, University of Padova, Italy; ²DICE GmbH, Austria; ³Infineon Technologies Villach,
Austria

A 13.2-dBm, 138-GHz I/Q RF-DAC with 64-QAM and OFDM Free-Space Constellation Formation 191

Stefan Shopov², Ozan Gurbuz¹, Gabriel Rebeiz¹, Sorin Voinigescu²
¹University of California at San Diego, United States; ²University of Toronto, Canada

Single-BAW Multi-Channel Transmitter with Low Power and Fast Start-Up Time..... 195

Phillip Nadeau, Rabia Tugce Yazicigil, Anantha Chandrakasan
MIT, United States

A 15-Bit 28nm CMOS Fully-Integrated 1.6W Digital Power Amplifier for LTE IoT..... 199

Jörg Fuhrmann³, José Moreira¹, Patrick Oßmann⁵, Andreas Springer⁵, Robert Weigel²,
Harald Pretl⁴
¹formerly Intel, Germany; ²Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany;
³Intel DMCE, Friedrich-Alexander-Universität Erlangen-Nürnberg, Austria; ⁴Intel DMCE,
Johannes Kepler University of Linz, Austria; ⁵Johannes Kepler University of Linz, Austria

A 60GHz 8-Way Phased Array Front-End with TR Switching and Calibration-Free beamsteering in 28nm CMOS..... 203

Khaled Khalaf¹, Kristof Vaesen¹, Steven Brebels¹, Giovanni Mangraviti¹, Michael Libois¹,
Charlotte Soens¹, Piet Wambacq²
¹imec, Belgium; ²imec, VUB, Belgium

A 25-Gb/s 60 GHz Digital Power Amplifier in 28nm CMOS..... 207

Kaushik Dasgupta¹, Saeid Daneshgar¹, Chintan Thakkar¹, Kunal Datta², James Jaussi¹,
Bryan Casper¹
¹Intel Corporation, United States; ²Skyworks Inc., United States

B2L-D Biomedical Circuits and Systems

Date: Wednesday, September 13, 2017

Time: 10:10 - 11:50

Room: AV01.12

Chair(s): Roland Thewes; *Technische Universität Berlin*

Andreas Demosthenous; *University College London*

A Reconfigurable 24 × 40 Element Transceiver ASIC for Compact 3D Medical Ultrasound Probes 211

Eunchul Kang², Qing Ding², Maysam Shabanimotlagh², Pieter Kruizinga¹, Zu-Yao Chang², Emile Noothout², Hendrik Vos¹, Johan Bosch¹, Martin Verweij², Nicolaas de Jong¹, Michiel Pertijs²

¹Erasmus MC, Netherlands; ²TU Delft, Netherlands

A Multi-Sensor and Parallel Processing SoC for Wearable and Implantable Telemetry Systems..... 215

Philipp Schönle¹, Giovanni Rovere¹, Florian Glaser¹, Jonathan Bösser¹, Noé Brun¹, Xu Han¹, Thomas Burger¹, Schekeb Fateh¹, Qing Wang², Luca Benini¹, Qiuting Huang¹

¹Integrated Systems Laboratory, ETH Zürich, Switzerland; ²Internal Medicine Branch and Division of Nephrology and Hypertension, Department of Medicine, CHUV, Switzerland

0.3V Ultra-Low Power Sensor Interface for EMG 219

Sirma Orguc, Harneet Singh Khurana, Hae-Seung Lee, Anantha P. Chandrakasan
MIT, United States

A 24 µW 38.51 mΩrms Resolution Bio-Impedance Sensor with Dual Path Instrumentation Amplifier..... 223

Kwantae Kim², Kiseok Song¹, Kyeongryeol Bong², Jaehyuk Lee², Kwonjoon Lee¹, Yongsu Lee², Unsoo Ha², Hoi-Jun Yoo²

¹Healthrian, Korea; ²KAIST, Korea

A CMOS Current Driver with Built-in Common Mode Signal Reduction Capability for EIT..... 227

Yu Wu², Dai Jiang², Peter Langlois², Richard Bayford¹, Andreas Demosthenous²

¹Middlesex University London, United Kingdom; ²University College London, United Kingdom

B4L-B High Efficiency ADC

Date: Wednesday, September 13, 2017

Time: 14:20 - 15:20

Room: AP00.15

Chair(s): Dieter Draxelmayr; *Infineon Technologies AG*

Andrea Baschiroto; *Università degli Studi di Milano-Bicocca*

A 10b 20MS/s SAR ADC with a Low-Power and Area-Efficient DAC-Compensated Reference..... 231

Maoqiang Liu, Arthur van Roermund, Pieter Harpe

Eindhoven University of Technology, Netherlands

An Energy Reduced Sampling Technique Applied to a 10b 1MS/s SAR ADC 235

Harijot Singh Bindra², Anne-Johan Annema², Simon M. Louwsma¹, Ed J.M. van Tuijl¹,
Bram Nauta²

¹*Teledyne DALSA, Netherlands*; ²*University of Twente, Netherlands*

A Missing-Code-Detection Gain Error Calibration Achieving 63dB SNR for an 11-Bit ADC 239

Guan-Cheng Wang, Yan Zhu, Chi-Hang Chan, Seng-Pan U, Rui Paulo Martins

State Key Laboratory of Analog and Mixed-Signal VLSI, University of Macau, Macao, China, Macau

B4L-C 5G and mm-Wave Frequency Synthesis

Date: Wednesday, September 13, 2017

Time: 14:20 - 15:20

Room: AV91.12

Chair(s): Baudouin Martineau; *Commissariat à l'Energie Atomique et aux Energies Alternatives*
Alexandre Siligaris; *Commissariat à l'Energie Atomique et aux Energies Alternatives*

A 54-64.8 GHz Subharmonically Injection-Locked Frequency Synthesizer with Transmitter EVM Between -26.5 dB and -28.8 dB in 28 nm CMOS..... 243

Cheng-Hsueh Tsai, Giovanni Mangraviti, Qixian Shi, Khaled Khalaf, André Bourdoux,
Piet Wambacq
imec, Belgium

A 491.52 MHz 840 uW Crystal Oscillator in 28 nm FD-SOI CMOS for 5G Applications..... 247

Christian Elgaard, Lars Sundström
Ericsson Research, Sweden

A 16-20 GHz LO System with 115 fs Jitter for 24-30 GHz 5G in 28 nm FD-SOI CMOS 251

Staffan Ek, Tony Pålsson, Anders Carlsson, Andreas Axholt, Anna-Karin Stenman,
Henrik Sjöland
Ericsson AB, Sweden

B4L-D Machine Learning and Neuromorphic Computing

Date: Wednesday, September 13, 2017

Time: 14:20 - 15:40

Room: AV01.12

Chair(s): Shidhartha Das; *ARM Holdings plc*

Praveen Raghavan; *imec*

An Ultra-Low-Power and Mixed-Mode Event-Driven Face Detection SoC for Always-on Mobile Applications..... 255

Changhyeon Kim, Kyeongryeol Bong, Injoon Hong, Kyuho Lee, Sungpill Choi, Hoi-Jun Yoo

Korea Advanced Institute of Science and Technology (KAIST), Korea

OCEAN: An on-Chip Incremental-Learning Enhanced Processor with Gated Recurrent Neural Network Accelerators..... 259

Chixiao Chen¹, Hongwei Ding², Huwan Peng², Haozhe Zhu¹, Rui Ma¹, Peiyong Zhang³, Xiaolang Yan³, Yu Wang¹, Mingyu Wang¹, Hao Min¹, Richard C-J. Shi¹
¹*Fudan University, China*; ²*University of Washington, United States*; ³*Zhejiang University, China*

A 19.4 nJ/Decision 364K Decisions/s In-Memory Random Forest Classifier in 6T SRAM Array 263

Mingu Kang, Sujan Gonugondla, Naresh Shanbhag
UIUC, United States

A Highly Accurate Spike Sorting Processor With Reconfigurable Embedded Frames for Unsupervised and Adaptive Analysis of Neural Signals..... 267

Majid Zamani, Dai Jiang, Andreas Demosthenous
UCL, United Kingdom

B4L-E Linear Regulators

Date: Wednesday, September 13, 2017

Time: 14:20 - 15:20

Room: AV03.12

Chair(s): Christoph Sandner; *Infineon Technologies AG*

Drago Strle; *University of Ljubljana*

A Synthesizable Time-Based LDO Using Digital Standard Cells and Analog Pass Transistor 271

Ahmed Fahmy, Jun Liu, Pavan Terdal, Ryan Madler, Rizwan Bashirullah, Nima Maghari
University of Florida, United States

A Digitally Controlled Linear Regulator for Per-Core Wide-Range DVFS of Atom™ Cores in 14nm Tri-Gate CMOS Featuring Non-Linear Control, Adaptive Gain and Code Roaming..... 275

Ramnarayanan Muthukaruppan, Tarun Mahajan, Harish Krishnamurthy, Sumedha Mangal, Am Dhanashekar, Rupak Ghayal, Vivek De
Intel Corporation, United States; Intel Corporation, India

A Sub-100nW Power Supply Unit Embedding Untrimmed Timing and Voltage References for Duty-Cycled uW-Range Load in FDSOI 28nm..... 279

Anthony Quelen, Franck Badets, Gael Pillonnet
CEA-LETI, France

C2L-B Power Management and Harvesting

Date: Thursday, September 14, 2017
Time: 10:20 - 12:00
Room: AP00.15
Chair(s): Bernard Wicht; *Hochschule Reutlingen*
Ravi Karadi; *NXP Semiconductors N.V.*

Switched Capacitor DC-DC Converter with Switch Conductance Modulation and Pseudo-Fixed Frequency Control 283

Dennis Larsen³, Martin Vinter², Ivan Jørgensen¹
¹DTU, Denmark; ²GN Hearing, Denmark; ³GN Hearing & DTU, Denmark

Unsymmetrical Parallel Switched-Capacitor (UP-SC) Regulator with Fast Searching Optimum Ratio Technique..... 287

Yen-Ting Lin¹, Wen-Hau Yang¹, Yu-Sheng Ma¹, Yan-Jiun Lai¹, Hung-Wei Chen¹, Ke-Horng Chen¹, Chin-Long Wey¹, Ying-Hsi Lin², Jian-Ru Lin², Tsung-Yen Tsai²
¹National Chiao Tung University, Taiwan; ²Realtek Semiconductor Corp, Taiwan

A 100-mW Fully Integrated DC-DC Converter with Double Galvanic Isolation 291

Nunzio Greco¹, Alessandro Parisi¹, Pierpaolo Lombardo¹, Nunzio Spina², Egidio Ragonese², Giuseppe Palmisano¹
¹DIEEI, Università degli Studi di Catania, Italy; ²STMicroelectronics, Catania, Italy

Wide-Input-Voltage-Range and High-Efficiency Energy Harvester with a 155-mV Startup Voltage for Solar Power..... 295

Hung-Hsien Wu, Liang-Yun Chen, Chia-Ling Wei
National Cheng Kung University, Taiwan

A 900 MHz RF Energy Harvesting System in 40 nm CMOS Technology with Efficiency Peaking at 47% and Higher Than 30% Over a 22dB Wide Input Power Range 299

Jialue Wang³, Yang Jiang¹, Johan Dijkhuis⁴, Guido Dolmans⁵, Gao Hao², Peter Baltus²
¹Delft University of Technology / imec-NL, Netherlands; ²Eindhoven University of Technology, Netherlands; ³Eindhoven University of Technology / imec-NL, Netherlands; ⁴imec-NL, Netherlands; ⁵imec-NL / Eindhoven University of Technology, Netherlands

C2L-C Embedded Memories

Date: Thursday, September 14, 2017
Time: 10:20 - 12:00
Room: AV91.12
Chair(s): Tobias Gemmeke; *imec*
Atila Alvandpour; *Linköping University*

A System of Array Families and Synthesized Soft Arrays for the POWER9™ Processor in 14nm SOI FinFET Technology 303

Philipp Salz, Albert Frisch, Wolfgang Penth, Jens Noack, Thomas Kalla, Rolf Sautter, Michael Kugel, Otto Andreas Torreiter, Gordon Sapp, Michael Lee, Eric Fluhr, Amira Rozenfeld, Juergen Pille, Dieter Wendel
IBM Systems, Israel; IBM Systems, United States; IBM Systems, Germany

An 800MHz Mixed-VT 4T Gain-Cell Embedded DRAM in 28nm CMOS Bulk Process for Approximate Computing Applications 308

Robert Gitterman¹, Alexander Fish¹, Narkis Geuli³, Elad Mentovich³, Andreas Burg², Adam Teman¹
¹*Bar-Ilan University, Israel*; ²*EPFL, Switzerland*; ³*Mellanox Technologies, Israel*

An 80-MHz 0.4V ULV SRAM Macro in 28nm FDSOI Achieving 28-fJ/Bit Access Energy with a ULP bitcell and on-Chip Adaptive Back Bias Generation 312

Thomas Haine, Quoc-Khoi Nguyen, François Stas, Ludovic Moreau, Denis Flandre, David Bol
Université catholique de Louvain, Belgium

1.56GHz/0.9V Energy-Efficient Reconfigurable CAM/SRAM Using 6T-CMOS bitcell 316

Navneet Gupta³, Adam Makosiej¹, Andrei Vladimirescu², Amara Amara², Costin Anghel²
¹*Commissariat à l'Energie Atomique et aux Energies Alternatives (CEA-LETI), France*;
²*ISEP, France*; ³*ISEP and CEA LETI, France*

A 32KB 18ns Random Access Time Embedded PCM with Enhanced Program Throughput for Automotive and Smart Power Applications 320

Marco Pasotti¹, Marcella Carissimi¹, Chantal Auricchio¹, Donatella Brambilla¹, Emanuela Calvetti¹, Laura Capeocchi¹, Luigi Croce¹, Daniele Gallinari¹, Cristina Mazzaglia¹, Vikas Rana¹, Riccardo Zurla², Alessandro Cabrini², Guido Torelli²
¹*STMicroelectronics, Italy*; ¹*STMicroelectronics, India*; ²*University of Pavia, Italy*

C2L-D Wireless SOC

Date: Thursday, September 14, 2017
Time: 10:20 - 12:00
Room: AV01.12
Chair(s): Marc Borremans; *Huawei*
Giuseppe Gramegna; *Huawei Technologies*

A 2x14bit Digital Transmitter with Memoryless Current Unit Cells and Integrated AM/PM Calibration..... 324

Mark Ingels, Davide Dermit, Yao Liu, Hans Cappelle, Jan Craninckx
imec, Belgium

A Low Voltage 0.8V RF Receiver in 28nm CMOS for 5GHz WLAN..... 328

Atsushi Shirane, Shusuke Kawai, Hiromitsu Aoyama, Rui Ito, Toshiya Mitomo, Hiroyuki Kobayashi, Hiroshi Yoshida, Hideaki Majima, Ryuichi Fujimoto, Hiroshi Tsurumi
Toshiba Corporation, Japan

A 65nm CMOS 2x2 MIMO Multi-Band LTE RF Transceiver for Small Cell Base Stations..... 332

Kyoohyun Lim, Sanghoon Lee, Byeongmoo Moon, Hwahyeong Shin, Kisub Kang, Yongha Lee, Seungbeom Kim, Jinhyeok Lee, Hyungsuk Lee, Hyunchul Shim, Cheolhoon Sung, Geumyoung Park, Garam Lee, Minjung Kim, Seokyoung Park, Hyosun Jung, Jongryul Lee
FCI, Korea

A Low-Noise Reconfigurable Full-Duplex Front-End with Self- Interference Cancellation and Harmonic-Rejection Power Amplifier for Low Power Radio Applications..... 336

Tong Zhang, Yongdong Chen, Chenxi Huang, Jacques Rudell
University of Washington, United States

A SAW-Less RF-SoC for Cellular IoT Supporting EC-GSM-IoT -121.7 dBm Sensitivity Through EGPRS2A 592 kbps Throughput..... 340

Benjamin Weber², Matthias Korb², David Tschopp¹, Stefan Altorfer¹, Jürgen Rogin¹, Harald Kröll², Qiuting Huang²
¹*Advanced Circuit Pursuit (ACP), Switzerland;* ²*ETH Zurich, Switzerland*

C4L-B DC-DC Converters

Date: Thursday, September 14, 2017
Time: 14:20 - 15:20
Room: AP00.15
Chair(s): Johan Janssens; *ON Semiconductor*
Michiel Steyaert; *KU Leuven*

A 92.2% Peak-Efficiency Self-Resonant Hybrid Switched-Capacitor LED Driver in 0.18 μ m CMOS 344

Juan C Castellanos, Mert Turhan, Marcel A.M. Hendrix, Arthur van Roermund, Eugenio Cantatore
Eindhoven University of Technology, Netherlands

A 12-48V Wide-Vin 9-15MHz Soft-Switching Controlled Resonant DCDC Converter 348

Juergen Wittmann², Tobias Funk², Thoralf Rosahl³, Bernhard Wicht¹
¹*Leibniz University Hannover, Germany*; ²*Reutlingen University, Germany*; ³*Robert Bosch GmbH, Reutlingen, Germany*

A Low Quiescent Current and Cross Regulation Single-Inductor Dual-Output Converter with Stacking MOSFET Driving Technique 352

Yu-Sheng Ma¹, Wen-Hau Yang¹, Yen-Ting Lin¹, Hsin Chen¹, Li-Chi Lin¹, Ke-Horng Chen¹, Chin-Long Wey¹, Ying-Hsi Lin², Jian-Ru Lin², Tsung-Yen Tsai², Jui-Lung Chen³
¹*National Chiao Tung University, Taiwan*; ²*Realtek Semiconductor Corp., Taiwan*;
³*Vanguard International Semiconductor Corp., Taiwan*

C4L-C Sensor Interfaces

Date: Thursday, September 14, 2017
Time: 14:20 - 15:40
Room: AV91.12
Chair(s): Hanspeter Schmid; *Fachhochschule Nordwestschweiz*
Michael Mark; *Infineon Technologies AG*

A 1.85 fA/sqrt(Hz) Fully Integrated Current Read-Out Interface for Sub-pA Current Sensing Applications..... 356

Mohammad Amayreh², Matthias Keller¹, Yiannos Manoli¹

¹*University of Freiburg, Germany*; ²*Universtiy of freiburg, Germany*

Integrated Hall-Based Magnetic Platform for Position Sensing..... 360

Sebastien Leroy, Stefan Rigert, Arnaud Laville, Andrea Ajbl, Gael Close
Melexis, Switzerland

A 5.5 nW Battery-Powered Wireless Ion Sensing System..... 364

Hui Wang, Xiaoyang Wang, Jiwoong Park, Abbas Barfidokht, Joseph Wang, Patrick Mercier

University of California, San Diego, United States

A 64×64 High-Density Redox Amplified Coulostatic Discharge-Based Biosensor Array in 180nm CMOS..... 368

Alexander Sun, Enrique Alvarez-Fontecilla, A. G. Venkatesh, Eliah Aronoff-Spencer, Drew A. Hall

UCSD, United States

C4L-D Low Power Radios

Date: Thursday, September 14, 2017

Time: 14:20 - 15:20

Room: AV01.12

Chair(s): Andrea Mazzanti; *Università degli studi di Pavia*

Dominique Morche; *Commissariat à l'Energie Atomique et aux Energies Alternatives*

Isolator-Less Near-Field RFID Reader for Sub-Cranial Powering/Data Link of mm-Sized Implants..... 372

Christopher Sutardja, Jan Rabaey

University of California, Berkeley, United States

A 8mW-RX/113mW-TX, Sub-GHz SoC with Time-Dithered PA Ramping for LPWAN Applications..... 376

Hasan Gul², Jac Romme², Paul Mateman², Johan Dijkhuis², Xiongchuan Huang¹, Cui Zhou², Benjamin Busze², Gert-Jan van Schaik², Elbert Bechthum², Ming Ding², Arjan Breeschoten², Yao-Hong Liu², Christian Bachmann², Guido Dolmans², K. Philips²

¹Broadcom, United States; ²Holst-centre/imec, Netherlands

A Low-Power Compact IEEE 802.15.6 Compatible Human Body Communication Transceiver with Digital Sigma-Delta IIR Mask Shaping..... 380

Bo Zhao¹, Yong Lian³, Ali M. Niknejad¹, Chun Huat Heng²

¹Berkeley Wireless Research Center (BWRC), United States; ²National University of Singapore, Singapore; ³York University, Canada