

2017 Opto-Electronics and Communications Conference (OECC 2017) and Photonics Global Conference (PGC 2017)

**Singapore
31 July – 4 August 2017**



**IEEE Catalog Number: CFP1775G-POD
ISBN: 978-1-5090-6294-2**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1775G-POD
ISBN (Print-On-Demand):	978-1-5090-6294-2
ISBN (Online):	978-1-5090-6293-5
ISSN:	2166-8884

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

S/N	Paper ID	1st Author Name, Affiliation, Country	Paper Title	PG.
1	s0900	Lawrence Chen, McGill University, Canada	Harnessing Mode-selective Nonlinear Optics For Optical And Microwave Signal Processing	1
2	s0921	Jiaqi Zhao, Fudan University, China	100-m Field Trial For 5G Wireless Backhaul Based On Circular (7,1) 8-QAM Modulated Outdoor Visible Light Communication	2
3	s0927	yan peiguang, College of Optoelectronic Engineering Shenzhen University, China	Two-dimensional Layered Materials And Van Der Waals Heterostructures For Ultrafast Photonics (Invited)	5
4	s0930	Bangjiang Lin, Chinese Academy of Sciences, China	Experimental Demonstration Of Visible Light Communications With OFDM/OQAM Modulation	7
5	s0931	Bangjiang Lin, Chinese Academy of Sciences, China	Dual-Polarization OFDM/OQAM-PON With Efficient Channel Equalization Methods	11
6	s0946	Vaclav Prajzler, Dept. of Microelectronics, Faculty of Electrical Engineering, Czech Technical University in Prague, Czech Republic	Filter Embedded Optical Planar Splitter Connectable To Large Core Plastic Optical Fibers	15
7	s1001	Xizhen Peng, Shanghai University, China	Single Subcarrier Gold Sequences Modulated Timing Synchronization For Upstream OFDMA-PON	17
8	s1036	Ke Ji, Nanjing University of Posts and Telecommunications, China	A Hybrid Multiplexer For Wavelength/mode-division At 1310nm/1550nm	20
9	s1056	Liang Wang, The Chinese University of Hong Kong, Hong Kong	BOTDA System Using Artificial Neural Network	22
10	s1058	Yan Fu, Shanghai Jiao Tong University, China	25Gbps Two-Dimensional Trellis Coded PAM4 TDM-PON Transmission Based On 10G Optics	23
11	s1065	Stephen Warren-Smith, The University of Adelaide, Australia	Wavelength Shifted Third Harmonic Generation In An Exposed-core Microstructured Optical Fiber	25
12	s1066	Chun-Wei Tsai, Jasper Display Corp., Taiwan	Innovation Method For Accelerating Response Time Of Reflective Type LCoS-SLM In Off-axis System	27
13	s1069	Chaoshi Guo, Shanghai Jiaotong University, China	All Polarization Maintaining Erbium-Doped Q-Switched Fiber Laser Based On WSe2 Saturable Absorber	31
14	s1076	Yuan Cao, Beijing University of Posts and Telecommunications, China	Resource Allocation In Software-Defined Optical Networks Secured By Quantum Key Distribution	33
15	s1081	Xu Tuanwei, Institute of Semiconductors, CAS, China	Distributed Acoustic Sensing: System And Experiments	36
16	s1084	Linkuan He, Beijing Post and Telecommunication University, China	Micro Edge Cloud Architecture With Elastic Optical Network For Resource Virtualization In 5G	39
17	s1085	Shota Saitoh, Fujikura Ltd., Japan	Simultaneous Cutoff-Wavelength Measurement Of Multi-core Fibers Using A Near-Infrared Camera	42
18	s1086	Lu Xu, Wuhan National Laboratory for Optoelectronics, China	Fiber Dispersion Induced RF Power Fading Compensated Microwave Photonic Filter With A Tunable Single Passband	44
19	s1089	Zhaopeng Xu, Peking University, Beijing, China, China	Linearly Interpolation-based Almost Blind Phase Noise Suppression Method For CO-OFDM Systems	46
20	s1092	Chenhao Wan, Huazhong University of Science and Technology, China	Compact And High-resolution Sorting Of Optical Orbital Angular Momentum States	50
21	s1103	Zhang Luo, College of Computer Science, National University of Defense Technology, China	100GBaud On-chip Optical Transceiver: An Optical Time Division Multiplexing Solution	52
22	s1109	Zhang Siteng, Shanghai Jiao Tong University, China	Duration Expansion Of Wavelength-to-Time Mapping Based On A Programmable Dispersion Loop	54
23	s1110	Son Le Thai, Nokia-Bell-Labs, Germany	Nonlinear Frequency Division Multiplexed Transmissions With 64QAM	57
24	s1112	Joon-woo Lee, Yonsei univ., Korea, Republic of	Multi-Level Optical Signal Reception By Blur Curved Approximation For Optical Camera Communication	59
25	s1118	Shuqin Lou, School of Electronic and Information Engineering, Beijing Jiaotong University, China	Polarization Filter Based On A Novel Photonic Crystal Fiber With A Gold-coated Air Hole By Using Surface Plasmon Resonance	61
26	s1131	Valery Rozental, Monash University, Australia	Cyclic-Spectrum Pulse Shaping For Increased Nonlinear Tolerance	63
27	s1137	Xin Wang, Beijing Jiaotong University, China	Design Of Bend Resistant Large Mode Area Fiber With A Multi-layer Core	66
28	s1143	Tengfen Sun, Shanghai University, China	A Crosstalk Mitigation Algorithm For OFDM-Carrying OAM Multiplexed FSO Links	69
29	s1153	Shan Yin, State Key Laboratory of Information Photonics and Optical Communication, Beijing University of Posts and Telecommunications, Beijing 100876, China , China	Inter-Core Crosstalk-Aware Routing, Spectrum And Core Allocation In Multi-Dimensional Optical Networks	73
30	s1163	chuanwu yang, Nanophotonics Research Centre, Shenzhen University & Key Laboratory of Optoelectronic Devices and Systems of Ministry of Education and Guangdong Province, China	Efficiency Improvement Of DMD Based Optical Switch Enabled By Blazed Micro-grating Array	77
31	s1174	Peiyu Zhang, Beijing University of posts and telecommunications, China	An In-Band OSNR Monitoring Technique For PM-Nyquist-WDM Coherent System In Presence Of Fiber Nonlinearities	79
32	s1180	KYO INOUE, Osaka University, Japan	Phase Matching Condition Of Dual-pump Phase-sensitive Parametric Amplification In Optical Fiber	82
33	s1181	Qiang Wang, Juniper Networks, United States	Accurate And Simple Method To Predict And Monitor Performance Of Coherent Optical Transceiver	84
34	s1185	Yusuke Sasaki, Fujikura Ltd., Japan	Multicore Fiber-Based 5-Mode Multiplexer/Demultiplexer	87
35	s1202	Ezgi Sahin, Singapore University of Technology and Design, Singapore	Large On-chip Dispersion Using Cladding-modulated 1D Photonic Crystals	89
36	s1213	Yang Hong, Department of Information Engineering, The Chinese University of Hong Kong, Hong Kong	Multi-band Orthogonal Circulant Matrix Transform Precoding Over Visible Light Communications	92

37	s1216	Weiping Ye, Nanjing University of Posts and Telecommunications, China	Experimental Demonstration Of Bidirectional IDMA For Visible Light Communication	94
38	s1222	Ryosuke Matsumoto, Mitsubishi Electric, Japan	Carrier Phase Estimation For 53.6 Gbaud QPSK Signal Encoded By Low-Rate FEC	97
39	s1225	Takayuki Kurosu, National Institute of Advanced Industrial Science and Technology, Japan	Demonstration Of Real-Time Path Monitoring In Optical Switches	99
40	s1241	Syed Muhammad Bilal, VPIphotonics, Germany	Unrepeated Transmission Of 28Gbaud PM-16QAM Over 420km Enabled By Digital Nonlinear Pre-compensation	102
41	s1242	Shotaro Owaki, School of Science and Technology, Meiji Univ., Japan	Simultaneous Compensation Of Waveform Distortion Caused By Chromatic Dispersion And SPM Using A Three-layer Neural-Network	106
42	s1257	Kenichiro Tsuji, National defense academy, Japan	Photonic Generation of a Phase-switchable ASK Signal Using Orthogonal Polarization Modes of a Single Optical Phase Modulator	109
43	s1271	Arkadiy Kim, Institute of Applied Physics of the Russian academy of Sciences, Russian Federation	Complete Field Characterization By Fiber-based Self-modulated Spectrum Measurements	111
44	s1272	Xin Li, Beijing University of Posts and Telecommunications, China	Improving The Survivability Of Elastic Optical Datacenter Networks For Cloud Services With Joint Spectrum And Storage Resource Backup	115
45	s1273	Ying Tang, Beijing University of Posts and Telecommunications, China	Optical Steganography Oriented Routing And Resource Allocation Approach For Stealth Services In Optical Transport Networks	120
46	s1278	Ching-Hung Chang, Department of Electrical Engineering, National Chiayi University, Taiwan	An Optical Fiber Transport System Based On A Novel Bidirectional OADM	124
47	s1283	Bikash Nakarmi, Nanjing university of aeronautics and astronautics, China	Negative Wavelength Detuning For The Generation Of Microwave Using Single Mode Fabry-Perot Laser	126
48	s1287	Xin Miao, Shanghai Jiao Tong University, China	Four-Wave Mixing Effect Reduction In O-band Multi-Wavelength NG-EPON System Based On Chirped DML	129
49	s1291	Xin Fu, Huazhong University of Science and Technology, China	Demodulation Of Fiber Acoustic Sensor Based On Ripple Spectrum	132
50	s1293	Jing Zhang, NMC, A*STAR, Singapore	Traceable Metrology for Single Photon Detection Characterization	135
51	s1304	Benjamin Foo, Monash University, Australia	Demonstration Of DP-16QAM WDM Link With In-line Nonlinearity Compensation	139
52	s1305	Wang Guanjun, Shenzhen University, China	Fabrication And Characterization Of A Single-ended Ultra-thin Spherical Microbubble	142
53	s1308	Masaharu Ohashi, Osaka Prefecture University, Japan	Variable Aperture In Far Field Technique To Measure The Effective Area For High Order Modes Of Few Mode Fibers	145
54	s1321	yike yu, State Key Laboratory of Advanced Optical Communication Systems and Networks, Shanghai Jiao Tong University, China	A Two-stage Energy-saving Scheme Based On Downstream And Upstream Matching For Passive Optical Network	147
55	s1324	Sheng Liang, Beijing Jiaotong University, China	Surface Brillouin Scattering In Transverse Anderson Localization Disordered Optical Fibers	150
56	s1328	Daisuke Mita, Mitsubishi Electric Corporation, Japan	N2a-compliant SFP+ OLT Transceiver For High Power Budget XG-PON Systems	154
57	s1331	Yusuke Yamanaka, Graduate school of Information Science and Electrical Engineering, Kyushu University, Japan	Proposal Of THz Phase Control System Utilizing Chromatic Dispersion At Optical Device And Its Feasibility Demonstration	157
58	s1335	Yujie Chen, Sun Yat-sen University, China	A Graded Index Ring-core Fiber Supporting 22 OAM States	159
59	s1338	Shang Yi Lin, Graduate Institute of Communication Engineering College of Electrical Engineering and Computer Science National Taiwan University, Taiwan	A Novel Method For PAM-4 Signal Quality Estimation Using Asynchronous Eye Diagram Reconstruction	162
60	s1340	Kazi Tanvir Ahmed RONY, Department of Electronic Engineering, City University of Hong Kong , Hong Kong	Broadband Higher-Order Mode Pass Filter Based On Mode Conversion	164
61	s1345	Tang li, Jinan University, China	Temperature Sensing Of Side-polished Optical Fiber With Polymer Nanostructure Cladding	166
62	s1356	SYED BAQAR HUSSAIN, SHANGHAI JIAO TONG UNIVERSITY, China	Fair DWBA For WA-PON Based NG-EPON (100G-EPON) To Mitigate Frame Resequencing Problem	169
63	s1360	Mingxia Zhang, State Key Laboratory of Advanced Optical Communication Systems and Networks, Shanghai Jiao Tong University, China	High Accuracy And Non-pilot Aided Sampling Frequency Offset Estimation Algorithm In Multi-IFoF Fronthaul	171
64	s1368	WEIKANG JIA, Shanghai Jiao Tong University, China	A Universal Pre-Compensation Method For OFDM-based Analog Fiber-wireless Fronthaul System	174
65	s1372	Tiago Alves, Instituto de Telecomunicações, Portugal	Adaptive Modulation-Enabled DD-OFDM Multicore Fiber Transmission Impaired By Intercore Crosstalk	177
66	s1377	Jiale He, Huazhong University of Science and Technology, China	Experimental Demonstration Of MCF Enabled Bidirectional Colorless CAP-PON System With Wavelength Reuse Technique	180
67	s1380	Yong-Jun Jeong, KAIST, Korea, Republic of	Suppression Of Raman Noise In Coexistence For A Quantum Channel With Classical Channels	183
68	s1390	Weilong Wang, Shanghai University, China	Probability-based Clipping-induced 3-bit Resolution Reductions Of Full Parallel 128-point FFTs For Coherent Optical OFDM Receivers	186
69	s1396	Chongfu Zhang, University of Electronic Science and Technology of China , China	A Cost-effective And Concurrent All-optical VPN In Digital Filter Multiple Access PON Systems	189
70	s1398	Mingyue Zhu, Key Laboratory of Optical Fiber Sensing and Communications (Education Ministry of China), School of Communication and Information Engineering, University of Electronic Science and Technology of China, China	Hilbert Superposition Based On Direct-Detection For Single Side-Band Optical NPAM-4 Signal	193

71	s1399	Shufan Li, Nanyang Technological University, China	Femtosecond Laser Direct Writing Of Optical Components On Optical Fibers	197
72	s1405	Qingqing Huang, Shanghai University, China	60-Gb/s Optical OFDM Transmissions Over 100m OM1 MMF IMDD System At 1550nm	201
73	s1406	Mengyue Shi, Shanghai Jiao Tong University, China	Microwave Photonic Filter With Variable Selectivity And Shape By SBS And Dispersion-induced Phase Mismatching	204
74	s1408	Shaohua Tao, Central South University, China	Polychromatic Focusing Properties Of Rudin-Shapiro Zone Plates	207
75	s1412	Wei Bai, Beijing University of Posts and Telecommunications, China	Flexible Intelligence Cloud-based Radio Over Optical Fiber Networks Based On Reconfigurable Wavelength-Frequency Selective Switch	211
76	s1413	Haitao Tang, Wuhan National Laboratory for Optoelectronics, Huazhong University of Science and Technology, China	An SBS based single passband microwave photonic filter with wideband tunability	214
77	s1414	Yongqiang Xie, Harbin Institute of Technology (Shenzhen), China	Design Of A High-Speed Electro-Absorption Modulator Based On Graphene And Microfiber	216
78	s1416	Qiang Wang, Beijing Institute of Remote Sensing Equipment, China	Pedestal-Free Multicolor Optical Pulse Generation Using Cascaded Modulator	219
79	s1418	Junqi Xia, Shanghai University, China	Investigation On Adaptive Equalization Techniques For 10G-Class Optics Based 100G-PON System	221
80	s1428	Jung-Sheng Chiang, I-Shou University, Taiwan	Surface-Plasmon PCF-based Sensor In Hollow-Core Photonic Crystal Fiber	224
81	s1432	Wang Cen, Beijing University of Posts and Telecommunications, China	Topology-aware Task Placement In Small-world Optical Data Center Network	226
82	s1436	Qi Wu, Beijing University of Posts and Telecommunications, China	OpenFlow-based Control Mechanism For Coflow-Aware Multi-connection In DCN	229
83	s1439	Zhipeng Xie, Beijing University of Posts and Telecommunications, China	Dispersion Elimination In High-Linear, Low-Cost And Phase-Modulated Analog Photonic Link	232
84	s1441	Guo JunYuan, Beijing University of Posts and Telecommunications, China	Dynamic TCP Congestion Window Adjustment For Effective Topology Reconstruction In Optical DCN	235
85	s1442	Junjie Ma, Shanghai University, China	Projection Histogram Assisted Common Phase Estimation Algorithm In Coherent Optical OFDM System	237
86	s1461	YIJEN CHIU, National Sun Yat-sen University, Taiwan, Taiwan	25-Gbaud PAM4 And 1300nm Directly Modulated Laser Diode Using Low Parasitic Electrodes For Long-distance Transmission	240
87	s1465	Ivan Djordjevic, University of Arizona, United States	Channel Coding For Optical Transmission Systems	243
88	s1469	Stefanos Dris, VPIphotonics, Germany	Analysis Of Nonlinear Interference Noise In Flexible Optical Networks	245
89	s1479	Wangzhe Li, Institute of Electronics, Chinese Academy of Sciences, China	Synthetic Aperture Radar Based On Photonic-Assisted Signal Generation And Processing	248
90	s1480	Nail Akhmediev, The Australian National University, Australia	Dissipative Solitons With Extreme Spikes	251
91	s1483	Juanjuan Yan, School of Electronic and Information Engineering, Beihang University, China	Intensity Jitter Analysis Of Optical Frequency Combs Based On Cascaded Intensity And Phase Modulation Due To Phase Noise	255
92	s1497	shuang zheng, Wuhan National Laboratory for Optoelectronics, School of Optical and Electronic Information, Huazhong University of Science and Technology, Wuhan, 430074, Hubei, China, China	Experimental Demonstration Of Wavelength- And Bandwidth-Tunable Compact Integrated Silicon Photonic Comb Filter	258
93	s1513	Ken-ichi Kitayama, Graduate School for the Creation of New Photonics Industries (GPI), Japan	Mode Division Multiplexed Networks	260
94	s1517	FuTao Yang, State Key Lab of Information Photonics and Optical Communications(Beijing University of Posts and Telecommunications), China	A Holding-time-aware Routing And Spectrum Allocation Algorithm In Elastic Optical Network	263
95	s1519	Dan Zhu, Nanjing University of Aeronautics and Astronautics, China	RF Front-end Based On Microwave Photonics	266
96	s1526	Hidehiko Takahashi, KDDI Research, Inc., Japan	Vector-Based Equalization Method to Mitigate Core-to-Core Q-Difference for Space-Division Multiplexing Transmission	269
97	s1527	Yueting Xu, Shanghai University, China	Analysis On Dynamic Characteristics Of Reflective Semiconductor Optical Amplifier By Direct Modulation For OFDM-PON Application	271
98	s1538	Meng-Shan Wu, Department of Electro-Optical Engineering, National United University, Taiwan	Miniature Fiber Mach-Zehnder Interferometer Using A Polymer Filled Hollow Core Fiber	276
99	s1542	Nozoe Saki, NTT, Japan	Attenuation Coefficient And Bending Loss Measurement Of Few-mode Fibers By Utilizing Variable Mode Power Ratio	279
100	s1547	Nakagawa Goji, Fujitsu Limited, Japan	Systematic Evaluation Of CPRI Signal Quality Under Superimposed AMCC Signal	282
101	s1553	Qibing Wang, Monash University, Australia	Efficient IFFT Implementation In An ACO-OFDM Transmitter	285
102	s1556	Yanliang He, Shenzhen University, China	Independently Detect The Spiral Phase Of Cylindrical Vector Vortex Beams	288
103	s1558	Kensho Ema, Waseda University, Japan	Three-Dimensional 4x4 Polymer Optical Switch Using Vertical Multimode Interference Couplers For Flexible Expansion Of Connectable Vertical Distant	292
104	s1559	DONGDONG WANG, Beijing University of Posts and Telecommunications, China	Irregular QC-LDPC Based Multi-level Coded Modulation Scheme For The Next Generation Optical Communication Systems	294
105	s1592	Ju Won Choi, Singapore University of Technology and Design, Singapore	Ultrafast Nonlinear Broadening In Ultra-short Ultra-silicon Rich Nitride Waveguides	297
106	s1593	Yasuhiro Tsutsumi, Osaka Prefecture University, Japan	Low-cost Temperature Sensors Using Mechanical Long Period Fiber Grating In 850 Nm-wavelength Range	299

107	s1598	Jianfei LIU, Hebei University of Technology, China	Analysis of a Modified Adaptive Least Mean Square Frequency-Domain Algorithm for Equalization in Polarization Division Multiplexed-Mode Division Multiplexed Fiber Transmission	301
108	s1602	Fu Ming-Yue , R.O.C. Air Force Academy, Taiwan	Rotational Speed Sensors Based On A Fiber Bragg Grating	304
109	s1611	Tumendemberel Surenkhorol, Tokushima University, Japan	Noise Tolerance In Optical Waveguide Circuits For Recognition Of Optical 8QAM Codes	307
110	s1614	Asuka Matsushita, NTT, Japan	An Adaptive-Equalizer-less Low-complexity DSP Using Differential Code Shift Keying	309
111	s1622	Ryuki Miyazaki, Osaka Prefecture University, Japan	Chromatic Dispersion Measurement Of The High Order Mode In A Few-Mode Fiber Using An Interferometric Technique And A Mode Converter	311
112	s1623	Yuki Matsukawa, Graduate school of engineering science, Osaka university , Japan	Millimeter-Wave-Band Optical Single-Sideband Modulator Using Array-Antenna-Electrode And Polarization-Reversed Structures	314
113	s1635	Chen Yanxu, State Key Lab of Information Photonics and Optical Communications Beijing University of Posts and Telecommunications, China	50Gb/s 4PAM BM-EDC Scheme For TDM-PON Upstream Traffic	319
114	s1639	Huimin Lu, University of Science and Technology Beijing, China	Experimental Investigation on Impacts of PAPR Reduction Schemes in OFDM-based VLC Systems	323
115	s1640	Yu-Wei Chang, Department of Electro-Optical Engineering, National United University, Taiwan	Hybrid Microcavity Fiber Fabry-Pérot Interferometer For Simultaneously Measurement Of Humidity And Temperature	326
116	s1642	Xiaobei Zhang, Shanghai University, China	Observation Of Fano Resonances In A Reflective Fiber Coupled Microcavity	329
117	s1646	Xingyuan Xu, Swinburne University of Technology, Australia	Reconfigurable Microwave Photonic Differentiator Based On An Integrated Kerr Frequency Comb Source	331
118	s1655	Yu Kawaguchi, KDDI Research Inc., Japan	Ultra-Long-Haul Multicore Fiber Transmission Over 5,000 Km Using Cladding Pumped Seven-Core EDFA	333
119	s1659	Hui Li, Beijing University of Posts and Telecommunications, China	Design Tools For Circular Photonic Crystal Fibers Supporting Orbital Angular Momentum Modes	335
120	s1664	Guolu Yin, Chongqing University, China	Multi-channel Mode Converters Based On In-line Fiber Modal Interferometer	337
121	s1684	Wei-Feng Hsu, Department of Electro-optical Engineering, National Taipei University of Technology, Taiwan	Effective Speckle Reduction Method In Holographic Projection Display Using A Spatial Light Modulator	340
122	s1690	yuzaafirah yaacob, universiti teknologi malaysia, Malaysia	Micro Lens Fabricated On Fiber Tip Using UV-curable Resin For Optical Interconnect	344
123	s1703	Sergei Firstov, Fiber Optics Research Center of the Russian Academy of Sciences, Russian Federation	Temperature-dependent Characteristics Of Bismuth-doped Fiber Amplifier Operating In A 1720-nm Band	346
124	s1709	Kenji Ishii, Mitsubishi Electric Corporation, Japan	100/150/200 Gb/s Real-Time Demonstration Of SD-FEC Employing MSSC-LDPC Codes For Flexible Coherent Transport	348
125	s1711	Yuta Fukumoto, Meiji University, Japan	Effect Of Number Of Neurons Of A Neural-Network On Compensation Performance Of SPM Non-linear Waveform Distortion.	350
126	s1719	Noriki Sumimoto, Dept. of Electronics and Bioinformatics, School of Science and Technology, Meiji Univ., Japan	SPM And Phase-Noise Compensation Using A Polarization-Multiplexed And Intensity-Modulated Pilot-Carrier	352
127	s1735	shuang zheng, Wuhan National Laboratory for Optoelectronics, School of Optical and Electronic Information, Huazhong University of Science and Technology, Wuhan, 430074, Hubei, China, China	Asymmetric Optical Mode Conversion By Quasi PT-symmetric Waveguide Structure	354
128	s1738	Mukesh Sharma, Indian Institute of Technology Delhi, India	Electro-optic Switching In Liquid Crystal Core Waveguide At 1550 Nm Wavelength	356
129	s1742	wu rui, Beijing University of Posts and Telecommunications, China	Experimental Study On The Stochastic Characteristics Of 3x3 RF MIMO Channel Over Two-Mode Fiber	358
130	s1754	Hao Liao, Huazhong University of Science and Technology, China	Demodulation Of Diaphragm Based Fiber-optic Acoustic Sensor With Symmetric 3x3 Coupler	362
131	s1755	Longsheng Li, Shanghai Jiao Tong University, China	Improvement Of Optical Modulation Depth Tolerance In Analog RoF By Employing CAZAC And Nonlinearity Compensation	365
132	s1759	Shogo Kashiwagi, Meiji University, Japan	Novel Twin-SSB-SC Method Using A DP-QPSK Modulator	368
133	s1763	Peter Horak, University of Southampton, United Kingdom	Optical Beam Splitting and Switching Based on Arrays of Tilted Bragg Gratings in Planar Waveguides	370
134	s1765	Kazunori Osato, Meiji University, Japan	Quadruple Frequency Two-tone Signal Generation Using A DP-QPSK Modulator	372
135	s1770	Kiichi Sugitani, Fujitsu, Japan	Experimental Evaluation Of Nonlinear Noise Power Modeling For Optical Network Design	374
136	s1771	Naohiro Kohmu, Research & Development Group, Hitachi, Ltd., Japan	An Ultra-compact 25.78-Gbit/s Å— 4-ch Active Optical Cable With A High Heat-dissipation Structure	376
137	s1772	Guoxia Han, Xian Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, China	Optical Pulling Nanoparticles With Nonparaxial Accelerating Beams	380
138	s1785	Sun Lin, Shanghai Jiao Tong University, China	Machine-learning Detector Based On Support Vector Machine For 122-Gbps Multi-CAP Optical Communication System	382
139	s1788	Hui Yang, School of Information Science and Technology, Southwest Jiaotong University, China	A Joint Fairness-aware And Fragmentation-reduction Spectrum Allocation Scheme In Elastic Optical Networks	384
140	s1791	Shiyao Fu, Beijing Institute of Technology, China	Detection Of Topological Charges For Coaxial Multiplexed Perfect Vortices	386
141	s1793	Mingming Tan, Aston university, United Kingdom	RIN-Penalty Mitigation And Transmission Performance Improvement Using Forward-Propagated Broadband First Order Raman Pump	388

142	s1803	Yifan Zhao, Wuhan National Laboratory for Optoelectronics, Huazhong University of Science and Technology, China	Experimental Evaluation Of Underwater Wireless Optical Transmission Link Employing 4-Fold Orbital Angular Momentum (OAM) Multicasting	391
143	s1804	Yifan Zhao, Wuhan National Laboratory for Optoelectronics, Huazhong University of Science and Technology, China	Demonstration Of Underwater Wireless Optical Communication Using Directly Modulated Green Laser And Different Modes Subjected To Bubbles	393
144	s1814	Yuya Takanashi, Dept. of Electronics and Bioinformatics, School of Science and Technology, Meiji Univ. , Japan	SPM And Phase-Noise Compensation Using A Time-Division-Multiplexed And Intensity Modulated Pilot-Carrier	395
145	s1818	Qian Hua, Nanjing University, China	High-order Filters Based On Three High-Q Microtoroid Cavities	397
146	s1820	Linbojie Huang, Huazhong University of Science & Technology, China	Widely Tunable Optoelectronic Oscillator Using Phase Modulation To Intensity Modulation Conversion And A Heterogeneous Multicore Fiber	399
147	s1832	Ensen Wu, Beijing University of Posts and Telecommunications, China	Analysis Of The Influence Of Mach-Zehnder Modulator On Photodiode Nonlinearity	402
148	s1834	Eric DUTISSEUIL, Nokia Bell Labs, France	Traffic Management In SDN-enabled Optical Packet Switching Intra-datacenter Network	407
149	s1848	You Yue, Shanghai Jiao Tong University, China	Amplitude And Time Skew Aware Equalization Of 100-Gb/s PAM4 Signals At The Transmitter Side For VCSEL-based Short Reach Optical Interconnects	411
150	s1852	Jihyun Hwang, Institute of Physics and Applied Physics, Yonsei university, Korea, Republic of	Theoretical Analysis And Simulation About New Method Of Long Period Fiber Grating With Liquid	413
151	s1855	xuanhui Lu, Zhejiang University, China	The Properties Of Airy-related Beams Generated By Conjugate And Symmetric Holograms	415
152	s1859	Xiaoyang Hu, Academy of Ocean Science and Engineering, National University of Defense Technology, China	The Effect Of Modulation Instability On The Interferometric Fiber Sensing Systems	420
153	s1868	Qiulin Zhang, The Chinese University of HongKong, Hong Kong	Mitigation Of Kerr-induced Nonlinear Distortion By Superimposing The Sidebands Of A Multiband CAP Signal	422
154	s1871	Matthias Zeisberger, Institute of Photonic Technology, Jena, Germany	Understanding Antiresonant Guidance On The Basis Of Planar Interface Reflection	425
155	s1877	Panintorn Prempre, Photonics Technology Laboratory, National Electronics and Computer Technology Center (NECTEC), National Science and Technology Development Agency (NSTDA), Thailand	Mobile-platform For Automatic Fever Screening System Based On Infrared Forehead Temperature	427
156	s1883	Masayuki Matsumoto, Wakayama University, Japan	Mitigation Of Cross-Phase Modulation In WDM Transmission By Mid-Link Electro-Optic Phase Conjugation	431
157	s1885	Vladimir Lyubopytov, Technical University of Denmark, DTU Fotonik, Denmark	Optical Vortex Propagation In Few-mode Rectangular Polymer Waveguides	433
158	s1889	Yongjie Tian, Beijing University of Posts and Telecommunications, China	Programmable Mode Switch Based On Multi-plan Light Conversion (MPLC) For Mode Division Multiplexing Networks	436
159	s1891	Yuta Wakayama, KDDI Research, Inc., Japan	Experimental Characterization Of Step-Index Few-Mode Fiber For Weakly-Coupled 10-Mode-Multiplexed Transmission	439
160	s1892	Daniele Melati, National Research Council, Canada	Stochastic Photonics: Tools And Approaches For The Analysis And Optimization Of Integrated Circuits	442
161	s1903	Shanhong You, Soochow University, China	Beyond 100-Gb/s Single-sideband Direct Detection Using Multi-core Fiber and SSBI Elimination	445
162	s1918	Zhizhen Zhong, Tsinghua University, China	Evolving Optical Networks For Latency-Sensitive Smart-Grid Communications Via Optical Time Slice Switching (OTSS) Technologies	448
163	s1929	zhu shengqiang, SYSU, China	Stokes-Space Modulation Format Identification For Coherent Optical Receivers Utilizing Improved Hierarchical Clustering Algorithm	451
164	s1934	Ke Wang, Royal Melbourne Institute of Technology (RMIT), Australia	Space-Time-Coded Reconfigurable Card-to-Card Optical Interconnects With Broadcast Capability	454
165	s1942	chen wen, Huazhong University of Science and Technology, China	Simultaneous Detection on Temperature and Stress Distribution of Fiber Reinforced Polymer Rod with OFS	456
166	s1946	Md Nooruzzaman, Postdoctoral Researcher, Denmark	Effect Of Crosstalk On Component Savings In Multi-core Fiber Networks	458
167	s1947	Li Juhao , Peking University , China	IM-DD MDM Transmission Over 7-km MMF Enabled By All-fiber Mode MUX/DEMUX	461
168	s1963	Tingting Zhang, Aston University, United Kingdom	Nonamplified 100Gbps Doubly Differential QPSK Optical Signal Transmission Over 80 Km SSMF Without Carrier Recovery	463
169	s1964	jianzhong zhang, Key Lab of In-fiber Integrated Optics, Ministry Education of China, Harbin Engineering University, China	BOTDA Based Side Hole Fiber Sensing	465
170	s1967	Gang Wu, Beijing University of Posts and Telecommunications, China	SOI-based Subwavelength Grating Polarization Beam Splitter With Focusing Ability	468
171	s1968	Liang Xu, Optical and Electronic Information, Huazhong University of Science and Technology, China	Long Haul Quasi-Single-Mode Transmission Using Raman Amplified Hybrid FMF/SSMF Span For CO-OFDM System	471
172	s1969	Jie Zhang, School of Electronic and Information Engineering, Soochow University, Suzhou, Jiangsu Province, 215006, China., China	Power Consumption With Distance-Adaptive Load Balancing In Flexible Bandwidth Optical Networks	474
173	s1970	Jianghai Wo, Microwave Photonics Lab, Wuhan Electronic Information Institute, 430019, China, China	Wideband Tunable Microwave Generation Using A Dispersion Compensated Optoelectronic Oscillator	477

174	s1973	Shota Ishimura, KDDI research Inc., Japan	Blind Polarization Demultiplexing Algorithm For Multi-level Modulation Formats In Stokes Vector Direct Detection Systems	479
175	s1974	Wang Anle, Wuhan electronic institute, China	Linear-frequency Microwave Waveform Generation Based On Dispersion-compensated Tunable Optoelectronic Oscillator With Central Frequency Up To 45 GHz	481
176	s1975	Huabao Qin, The School of Optical and Electronic Information, National Engineering Laboratory for Next Generation Internet Access System, Huazhong University of Science and Technology, China	Theoretical Analysis of Diffraction Grating Based On 45°-tilted Fiber Gratings	483
177	s1977	Shanhong You, Soochow University, China	Bidirectional 100Gb/s/λ SDM-WDM-PON for Highspeed/capacity Access Networks	486
178	s1987	Wenbo Zhang, School of Science, Beijing University of Post and Telecommunication, China	Joint Equalization Scheme for Multi-polarization Effects in Faster Than Nyquist WDM Transmission Systems	489
179	s1990	Atsushi Kanno, National Institute of Information and Communications Technology, Japan	Advanced Photonics Technology For 1-THz Wireless Communication	491
180	s2008	Fu Xinghu, Yanshan University, China	An Asymmetric Spherical-shape Structure Strain Sensor Based On Few Mode Fiber	493
181	s2009	qian xiang, Shenzhen Graduate School of Harbin Institute of Technology,, China	Unscented Kalman Filters For Polarization De-multiplexing In 3D Stokes Space	496
182	s2011	Xinxin Jin, School of Electronic and Information Engineering, Beihang University, China	Wideband Tunable Ultrafast Er: fiber Laser Using Black Phosphorus Saturable Absorber	499
183	s2012	Xinxin Jin, School of Electronic and Information Engineering, Beihang University, China	Observation Of Tunable Dual-wavelength In A Fiber Laser Mode-locked By Black Phosphorus	502
184	s2023	Liang Xu, Optical and Electronic Information, Huazhong University of Science and Technology, China	Training Symbol Assisted In-band OSNR Monitoring Technique Suitable For Long Haul Raman Amplified PDM-CO-OFDM System	504
185	s2026	Daeho Kim, KAIST, Korea, Republic of	Novel Carrier Phase Estimation Method For High-speed Coherent WDM PON Based On RSOA	507
186	s2030	Minsik Kim, Optical communication LAB, KAIST, Korea, Republic of	Transmission Of 56-Gb/s PAM-4 Signal Over 2.3 Km Of MMF Using Mode-Field Matched Center-Launching Technique	509
187	s2031	Qun Zhang, Shenzhen Graduate School, Harbin Institute of Technology, China	Polarization Tracking And Channel Equalization With Radius-directed Recursive Least Squares Filter	511
188	s2032	Tianwai Bo, KAIST, Korea, Republic of	28-Gbps VCSEL-based Optical Access Network With >14-dB Power Budget Using 10G-Class Optical Components	514
189	s2033	Jiabi Xiong, Huazhong University of Science and Technology, China	A Simple and Accurate Criterion to Calculate the Optimal Length of a Nonlinear Waveguide	516
190	s2035	Sizhu Shao, the Institute of Semiconductors of the Chinese Academy of Sciences , China	Low-voltage Silicon Optical Modulator With A Single-drive Parallel-push-pull Scheme	519
191	s2040	Qianwen He, Harbin Institute of Technology Shenzhen Graduate School, China	Nonlinear Transmission and Phase Noise Tolerance of A Novel Circular 16QAM Modulation Format	522
192	s2041	Hao Jia, Institute of semiconductor, CAS, China	Four-Port Optical Switch For Photonic Network-on-chip	525
193	s2054	Wen Jianxiang, Key Laboratory of Specialty Fiber Optics and Optical Access Networks, Shanghai University,, China	Gain Property Of The Few Mode Er-doped Silica Fiber	528
194	s2060	Jun Long Lim, Institute for Infocomm Research, Singapore	Ruggedised, Low Frequency Range Vibration Sensor Using Fiber Bragg Gratings	530
195	s2066	Luo Qinglong, Liaocheng University, Shandong Province,China, China	Performance Analysis Of 4λx20-Gb/s TWDM PON Using An OFDM-OQAM Modulated Downstream.	532
196	s2068	Bowen Chen, School of Electronic and Information Engineering, Soochow University, China	Tradeoff Between Failure Probability And Load Balancing In Flexible Bandwidth Optical Networks	536
197	s2075	Tang Xizi, Beijing University of Posts and Telecommunications , China	Low-Complexity Equalizations For PAM4 In Next-Generation Access Network	539
198	s2119	Yuhan Hung, National Cheng-Kung University, Taiwan	A Novel Photonic Microwave Down-Converter Based On Period-One Dynamics Of Semiconductor Lasers	541
199	s2143	Hai-Han Lu, National Taipei University of Technology, Taiwan	A Bidirectional Fiber-IVLLC And Fiber-Wireless Convergence System	544
200	s2146	Yuan Cao, Beijing University of Posts and Telecommunications, China	Design Of 14-Mode Polarization-Maintaining Ring-Core Fiber For Spatial Division Multiplexing	549
201	s2152	Xihua Zou, Southwest Jiaotong University, China	Broadband Optical Multi-Tx & Multi-Rx Module For Radio-over-Fiber System And Traffic Demonstration	551
202	s2157	Zhu Liangqin, School of Physics and engineering,Yangtze University,jingzhou & Shenzhen JPT Opto-electronics Co.,Ltd , China	A New Method For Measuring The Isolation Of Optical Isolator	553
203	s2161	Ju Won Choi, Singapore University of Technology and Design, Singapore	Nonlinear Optical Properties Of GeSbS Chalcogenide Waveguides	556
204	s2163	Zuqing Zhu, University of Science and Technology of China, China	Game Theoretical Flexible Service Provisioning in IP over Elastic Optical Networks	558
205	s2177	Leimeng Zhuang, Monash University, Australia	Electro-photonics For High-capacity And Energy-efficient Optical Communication Networks	561
206	s2178	Leimeng Zhuang, Monash University, Australia	Programmable Optical Chips For Integrated Microwave Photonics RF Filters	563
207	s2188	Mingming Tan, Aston university, United Kingdom	Mitigating RIN-Penalty To Enhance The Transmission Performance In Distributed Raman Amplification System	565

208	s2216	Li Ze, Beijing University of Posts and Telecommunications, China	LCoS-based Programmable Spectrum Cutter with Programmable and Reconfigurable Filtering Shape For Software Defined Optical Network	568
209	s2230	Yunqi LIU, Shanghai University, China	Fabrication Of Double-Helix Chiral Long-Period Grating In Polarization-Maintain Fiber By CO2 Laser	572
210	s2239	Xinxing Xia, School of Electrical and Electronic Engineering, Nanyang Technological University, Singapore	Horizontal-parallax-only Light Field 3D Display Based On Stacked LCDs	574
211	s2240	Jun He, Shenzhen University, China	Miniature Fabry-Perot Interferometer Strain Sensor Based On An Elliptical Air Bubble	577
212	s2243	Jiafei Fang, Shanghai Jiaotong University, China	Performance Investigation Of Polar Coded IM/DD Optical OFDM For Short Reach Interconnection	579
213	s2251	Liwei Yang, China Agricultural University, China	Hybrid Visible Light Communications (VLC) And PLC Sytem	582
214	s2253	Kelvin Ooi, SUTD, Singapore	The Interaction Of Nanostructures With Optical Fields	584
215	s2257	MAKOTO MATSUI, Osaka Prefecture University, Japan	High Temperature Characteristic Of LPFG Fabricated With CO2 Laser Under Long-term Heating	587
216	s2258	Yudai Tomioka, Osaka Prefecture University, Japan	Performance Evaluation Of Wavelength Path Relocation With IoT Devices In AWG-STAR Network	589
217	s2259	Tian Liang, The University of Melbourne, Australia	Experimental Demonstration Of Time-slot Coding Scheme For Multiple Access In High-speed Optical Wireless Communications With Imaging Receiver	591
218	s2261	YU PAN, Zhejiang University, China, China	Lithium Niobate Whispering Gallery Mode Disk Resonator With High Q Factor	593
219	s2265	Morimoto Kosuke, Osaka Prefecture University, Japan	Correlation Detection Scheme For Suppression Of Residual Dispersion In Nyquist OTDM	595
220	s2271	Hwa-Chun Lin, National Tsing Hua University, Taiwan, Taiwan	An Effective Algorithm For Dynamic Traffic Grooming In Light-trail WDM Mesh Networks	597
221	s2293	Shutaro Ishida, Hokkaido University, Japan	Nano-particle Rotation Using A Gap-mode Plasmonic Field Of Nano-structure	602
222	s2305	Sung Heum Park, Pukyong National University, Korea, Republic of	Effective Methods For Improving Device Performances Of P-I-N Perovskite Solar Cells	604
223	s2309	Shota Miyagawa, Dept. of Elec. and Info. Systems, Osaka prefecture University , Japan	Study On Structural Parameters Of 2-LP Mode Ring-core Erbium-doped Fiber	608
224	s2314	Koji Igarashi, Osaka University, Japan	Adaptive Equalization Combined With Maximum Likelihood Decoder For Trellis Code Modulation Based On High-order QAM Signals	610
225	s2316	Yun Chung, KAIST , Korea, Republic of	Feasibility Of RoF-based Optical Fronthaul Network For Next-Generation Mobile Communications	613
226	s2319	Chun-Yen Chuang, Department of Photonics, National Chiao Tung University, Hsinchu 300, Taiwan, Taiwan	56-Gbps 4-PAM System Over Nearly 40 Km Transmission By Employing An O-band EML And SOA	615
227	s2329	Naruto Yonemoto, Electronic Navigation Research Institute, National Institute of Maritime, Port, and Aviation Technology, Japan	Millimeter Wave Radar Connected By Radio Over Fiber For Foreign Objects And Debris Detection On Airport Surface	618
228	s2331	Lee Jinho, University of Seoul, Korea, Republic of	A Femtosecond Pulse Fiber Laser At 1.91um Using MoSe2/PVA-based Evanescent Field Interaction	620
229	s2333	YIN TINGTING, CDPT-SPMS NTU, Singapore	Stability of CH3NH3PbBr3 and Evolution of H-Bonding During Its Polymorphic Transformations	622
230	s2335	Youdong Guo, Wuhan National Laboratory for Optoelectronics, China	Compressed Sensing Technology Based On Terahertz Coherent Tomographic Imaging	625
231	s2336	Li Juhao , Peking University , China	Demonstration Of SDN-controlled Elastic Light-tree Provisioning Based On Cascaded Spectrum Multicast	627
232	s2337	Tomofumi Oyama, Fujitsu Laboratories Ltd., Japan	Transmission Performance Of 3-bit/symbol Modulation Formats In Dispersion-Unmanaged Link	630
233	s2338	Arya Balachandran, Nanyang Technological University, Singapore	An Energy Efficient 1-Gb/s On-Chip Opto-electronic Transceiver Link Using Monolithically-Integrated CMOS + III-V LEDs	632
234	s2351	Shuai Yuan, Osaka University, Japan	Iterative Decoding Between Feed-forward Carrier Recovery And FEC Decoding To Compensate For Laser Phase Noise	635
235	s2358	Seung-Won Oh, Pusan National University, Korea, Republic of	Cholesteric Liquid Crystal Cell With The Focal-Conic Initial State	638
236	s2359	Lei Zhang, Advanced Display Lab, Singapore	Dynamic Head Tracked 3D Display Using Fast Spatial Light Modulator	641
237	s2363	Jiangbing DU, Shanghai Jiao Tong University, China	Machine Learning Assisted Optical Interconnection	644
238	s2372	Jun Sakaguchi, NICT, Japan	Dynamic Restoration Of Seed Lightwave Distribution System For Low-DSP-complexity Coherent Optical Networks	647
239	s2373	Masafumi Nakaoka, Osaka Prefecture University, Japan	Transmission Scheme For Supressing Nonlinear Signal Degradation Using Correlation Detection	650
240	s2378	Li Simin, Nanjing University of Aeronautics and Astronautics, China	Mirror-symmetric Fano-like Resonances Based On An Add-Drop Microring Resonator Interferometer On A Silicon Chip	652
241	s2385	Rui Tang, University of Tokyo, Japan	Robust Reconfigurable Optical Mode Mux/Demux Using Multiport Directional Couplers	654
242	s2388	hiroki kawahara, NTT Network Innocation Laboratories, Japan	First Investigation and Reduction of Inter-WSS Crosstalk in Multiple-arrayed WSSs for Optical Node	657
243	s2391	Hui Yang, Beijing University of Posts and Telecommunications, China	Cross-Stratum Resources Integration In Fog-Computing-based Radio Over Fiber Networks For 5G Services	659
244	s2403	Choon How Gan, Seagate Technology, United Kingdom	HAMR Near-Field Transducer Design: Remote Plasmon-Assisted Impedance Tuning and Thermal Curvature Dependence on Optical Polarization	661

245	s2406	Regan Klein, Southern Methodist University, United States	Z-Transform Techniques In The Design Of Mach-Zehnder Modulators	663
246	s2416	Yuxian Feng, NTU EEE, Singapore	Duality Properties Of Light Field Capture And Display On Lytro Camera And Multi-Layer Display	666
247	s2418	Hongyan Zhou, Yangtze Optical Fibre and Cable Joint Stock Limited Company, China	A Low Loss GI-4LP Mode Transmission Fiber With Low DGD	669
248	s2422	Kin Seng Chiang, City University of Hong Kong, Hong Kong	Thermo-optic Switchable Mode Multiplexer Based On Cascaded Vertical Waveguide Directional Couplers	671
249	s2424	Tatsuya Nagayama, Tokyo Institute of Technology, Japan	Millimeter-Wave Antenna Beam Forming By Radio-over-Fiber With 1.3 Um Light Source And Variable Delay Line	673
250	s2429	PHILIP SURMAN, NANYANG TECHNOLOGICAL UNIVERSITY, United Kingdom	Super Multiview 3D Display Systems	675
251	s2434	Kenya Suzuki, NTT Device Technology Laboratories, NTT Corporation, Japan	Wavelength Selective Switches For SDM Network	677
252	s2435	KANGPING ZHONG, THE HONG KONG POLYTECHNIC UNIVERSITY, Hong Kong	Double-Side EML For High Speed Optical Short Reach And Metro Applications	681
253	s2436	Akira Masuda, Nippon Telegraph and Telephone Corporation, Japan	Quadrature-Amplitude-Coding PAM to Improve Bandwidth-Limitation Tolerance for Short-Reach Transmission	683
254	s2437	Weiping Chen, China jiliang University, China	A Stable Microsphere Whispering Gallery Mode Resonator	685
255	s2462	Hassan M Oubei, King Abdullah University of Science and Technology, Saudi Arabia	Efficient Weibull Channel Model For Salinity Induced Turbulent Underwater Wireless Optical Communications	687
256	s2466	Bishal Poudel, Kochi Univerity of Technology, Tosayamada, Kami-city, Kochi 782-8502 JAPAN, Nepal	Passive Optical Delivering Network Using Conventional Graded-index Multi-Mode Fiber With Mode Division Multiplexing And Sub-Carrier Multiplexing	689
257	s2471	Jhih-Heng Yan, National Tsing Hua University, Taiwan	High Dispersion Tolerant Optical Duobinary PAM4 Signal For Data Center Communications	691
258	s2476	Rong Huang, State Key Laboratory of Optical Fiber and Cable Manufacture Technology, China	Wideband Multimode Fiber For High Speed Short Wavelength Division Multiplexing System	694
259	s2477	Hong-Son Chu, A*STAR-IHPC, Singapore	Efficiently Coupling Single Photon Source To Plasmonic Nanoslot Waveguide By Nanoantenna	696
260	s2482	karim elayoubi, IRT SAINT EXUPERY, France	RZ-DPSK Optical Modulation For Free Space Optical Communication By Satellites	698
261	s2483	Chathuranga Hettiarachchi, Nanyang Technological University, Singapore	Hetero-Structure Of Hybrid Perovskite Single Crystals	700
262	s2486	Takeshi Umeki, NTT, Japan	Optical Parametric Amplifiers Based On PPLN Waveguides For Long-Haul Transmission	703
263	s2494	Takushi Kazama, NTT Device Technology Laboratories, Japan	PPLN Waveguide Based Phase Sensitive Amplifiers For Optical Communication	705
264	s2496	Fujisawa Shinsuke, NEC Corporation, Japan	Reliability Enhancement By A Joint Optimization Of Elastic Optical Path Allocation Methods	706
265	s2497	Yunjoo Kim, Electronics and Telecommunications Research Institute., Korea, Republic of	Design And Implementation Of Photonic Frame Wrapper For Photonic Packet Switching In Data Centers	709
266	s2498	WAI LOK HO, City University of Hong Kong, Hong Kong	Optical Trapping With Microring Resonator In A Self-Locked Scheme	713
267	s2506	kohei saito, NTT, Japan	High-Density Multi-Carrier Optical Transmission Using MIMO-Based Subcarrier Crosstalk Compensation	715
268	s2510	Abdallah Ali, Aston Institute of Photonic Technology, Aston University, United Kingdom	Four-Wave Mixing In Optical Phase Conjugation System With Pre-Dispersion	717
269	s2511	Zhengyong Liu, The Hong Kong Polytechnic University, Hong Kong	Ultrasensitive Pressure Sensor Realized With Two-semicircle Hole Fiber Based On Sagnac Interferometer	720
270	s2513	Amol Choudhary, CUDOS, University of Sydney, Australia	Linearity And Resolution Of On-chip Brillouin Filters For RF And Optical Communications	722
271	s2515	Lin Htein, Hong Kong Polytechnic University, Hong Kong	Bragg Grating In Novel Two-core Hole Fiber For Simultaneous Measurement Of Pressure And Temperature	724
272	s2531	Aparna A Nair, Research Scholar, India	Modulational Instability In Asymmetric Dual- Core Optical Fiber	726
273	s2540	Yi Ki Fung, Amonics Ltd., Hong Kong	The Real-time Measurement System By Broadband Supercontinuum Using A Time-stretched Technology	730
274	s2544	Nicholas Wong, University of Southampton, United Kingdom	Numerical Analysis Of Mode Propagation And Coupling In Multimode Fibers	733
275	s2560	Md Asif Iqbal, AIPT, Aston University, Bangladesh	RIN And Transmission Performance Improvement Using Second Order And Broadband First Order Forward Raman Pumping	736
276	s2569	Ton Koonen, Eindhoven University of Technology, Netherlands	High-Capacity Optical Wireless Communication Using 2-Dimensional IR Beam Steering	740
277	s2573	Fengze Tan, The Hong Kong Polytechnic University, Hong Kong	Accurate Measurement Of Total Mode Coupling In Few Mode Fibers (FMFs) Based On A Modified Spatial And Spectral Resolved (S2) Imaging System	744
278	s2578	donghui he, Jinan university Guangzhou ,China, China	Micro Fiber With Titanium Dioxide (TiO2) Nanoparticles And Violet Light Sensing	746
279	s2585	Yasuhiro Okamura, Tokushima University, Japan	Pump Phase-Locking Method Dependence Of ND-PSA Repeaters On Multi-Span Transmission Of QPSK-PCTWs In Dispersion Compensated Links	748

280	s2599	Dinusha Serandi Gunawardena, 1 Photonics Research Centre, Department of Electrical Engineering, The Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong, China. 2 Photonics Research Centre, Department of Physics, Faculty of Science, University of Malaya., Sri Lanka	Thermally Induced Reversible Effect In FBG Sensors And The Impact Of Temperature Ramping Rate	750
281	s2619	Chao Shen, KAUST, Saudi Arabia	Going beyond 10-meter, Gbit/s underwater optical wireless communication links based on visible lasers	752
282	s2635	Kenneth Tai, Jasper Display Corp. (JDC), Taiwan	Photonics Technologies For Today And Tomorrow	755
283	s2639	Xu Hengying, State Key Laboratory of Information Photonics and Optical Communications, Beijing University of Posts and Telecommunications, China	Joint Tracking and Mitigation of Linear Dynamic Impairments Using a 3-stage Extended Kalman Filter in Fiber Channel	759
284	s2650	KyeoReh Lee, Department of Physics and KAIST Institute of Health Science and Technology, Korea Advanced Institute of Science and Technology, Daejeon 34141, Republic of Korea, Korea, Republic of	A Compact Reference-free Holographic Image Sensor	761
285	s2657	Moritz Merklein, CUDOS, The University of Sydney, Australia	A Chip-Integrated Brillouin-Based Optical Memory	764
286	s2662	YASHNA SHARMA, Ph.D Student, Indian Institute of Technology, DELHI, India	Novel SERS Substrates For Chemical And Biological Sensing	767
287	s2667	Roland Bartmann, Fraunhofer Heinrich Hertz Institut, Germany	Investigation Of Optical Image Splitter Design For Flat Autostereoscopic Displays	772
288	s2775	shitong xu, Institute of Modern Optics, College of Electronic Information and Optical Engineering, Nankai University, China	Coupled Dielectric-metal Subwavelength Gratings For Terahertz Polarization Converter And One-way Transmission	776
289	s2787	David Moss, Swinburne University of Technology, Australia	Microwave And RF Applications Of Micro-combs	778
290	s2794	dongdong cheng, Beijing Engineering and Technology Center for Convergence Networks and Ubiquitous Services, University of Science and Technology Beijing(USTB), China	Coupled W-type Four-core Fiber With Low Differential Mode Group Delay For C+L Band	782
291	s2819	Birgit Stiller, CUDOS, University of Sydney, Australia	Simultaneous opto-acoustic light storage at multiple frequency channels	785
292	s2878	Amol Choudhary, CUDOS, University of Sydney, Australia	On-chip Carrier Recovery For Coherent Optical Communications Using Brillouin Filtering	787
293	s2889	Keijiro Suzuki, AIST, Japan	Ultralow-Crosstalk And Broadband Multi-Port Optical Switch Using SiN/Si Double-Layer Platform	789
294	s2892	Takashi Matsui, NTT Corporation, Japan	118.5 Tbit/s Transmission Over 316 Km-Long Multi-Core Fiber With Standard Cladding Diameter	791